4-Feb-10

Motorola Radius CP200 XLS Price Pages

Discount off List Price (1-10)	Discount off List Price (11-20)	Discount off List Price (21-29)	Discount off List Price (30+)
15%	17%	19%	21%

Portables - Page 10

Date 1/1/10

SUGGESTED RETAIL

CP200™ XLS PORTABLES

VHF & UHF Models - 12.5/25 kHz

All CP200 XLS portable models include:
- Standard Battery (Li-ion, 2250 mAh, 7.2V Battery - NNTN4497_R)
- Standard Charger (120 Volt - 90 Minute Rapid Rate Charger Kit WPLN4138_R)
- Standard Antenna (VHF Heliflex - NAD6502_R / UHF Whip - NAE6483_R)
- 3" Belt Clip (HLN8255)
- Quick Reference Guide/Safety & Warranty Booklet (68009327001)
- 2 Year Warranty

Features:
- 128 Conv Channel Models
- 12.5/25 kHz Switchable Chan Spacing
- 8 Character Alphanumeric Display
- 4 Programmable Buttons
- X-Pand™ Technology
- Dual Priority Scan

LTR® Features:
- Up to 10 Sites & 100 Talkgroups
- Up to 20 Repeaters per Site
- Up to 16 Universal IDs per System
- UHF and VHF Frequencies
- Combined System Scan
- User Programmable Scan & Phone Lists
- Data Operated Squelch (DOS)

Programmable Button Features:
- Monitor
- High / Low Power
- Channel Scan
- Nuisance Channel Delete
- 2 Memory Channels
- PL/DPL Edit
- Repeater / Talkaround
- Volume Set
- Tight / Normal Squelch
- VOX On / Off
- Battery Indicator

Conventional Mode Only - Signaling Features:
- MDC1200 PTT ID (Numeric ID - Encode/Decode)
- MDC1200 Radio Check (Decode)
- MDC1200 Selective Radio Inhibit (Decode)
- MDC1200 Selective Call (Encode/Decode)
- Quik Call II Selective Call (Encode/Decode)
- Quik Call II Call Alert (Encode/Decode)
- DTMF PTT ID (Encode)
- DTMF Selective Call (Encode)

The following frequencies are not allowed:

151.19375	168.000	403.20625	436.800	443.94375	443.96875	488.32625	488.35125
151.200	168.00625	419.99375	436.80625	443.950	470.39375	488.3325	488.3575
151.20625	403.49375	420.000	443.93125	443.95625	470.400	488.33875	
167.99375	403.200	436.79375	443.9375	443.9625	470.40625	488.345	

420.006250 (420 MHz +/- 6.25 kHz) 488.36375 (488.345 MHz +/- 18.75 kHz)

BAND SPLIT	BAND	PWR	CHAN	CATALOG NUMBER	MANF SUGG RETAIL PRICE
136-162 MHz	VHF	1-5W	128	AAH50JDF9AA5_N (Limited Keypad)	$448
			128	AAH50JDH9AA6_N (Full Keypad)	$483
146-174 MHz	VHF	1-5W	128	AAH50KDF9AA5_N (Limited Keypad)	$448
			128	AAH50KDH9AA6_N (Full Keypad)	$483
403-440 MHz	UHF	1-4W	128	AAH50QDF9AA5_N (Limited Keypad)	$483
			128	AAH50QDH9AA6_N (Full Keypad)	$517
438-470 MHz	UHF	1-4W	128	AAH50RDF9AA5_N (Limited Keypad)	$483
			128	AAH50RDH9AA6_N (Full Keypad)	$517
465-495 MHz	UHF	1-4W	128	AAH50SDF9AA5_N (Limited Keypad)	$483
			128	AAH50SDH9AA6_N (Full Keypad)	$517

FCC INFORMATION: ABZ99FT3039 (VHF 136-162 MHz) / ABZ99FT3045 (VHF 146-174 MHz) ABZ99FT4057 (UHF 403-440 MHz) / ABZ99FT4056 (UHF 438-470 MHz) / ABZ99FT4058 (UHF 465-495 MHz)

Portables - Page 11

Date 1/1/10

SUGGESTED RETAIL

CP200™ XLS PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANF SUGG RETAIL PRICE

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE FOR STEP 1

STEP 1:

Radio Configuration Options:

STDPKG0018	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and 90 Minute Rapid Rate Charger with Switch Mode Power Supply (WPLN4138_R)	N/C
QA00748	Slim Li-ion, 1600 mAh, 7.2V Battery (NNTN4970) and 90 Minute Rapid Rate Charger with Switch Mode Power Supply (WPLN4138_R)	N/C
QA00745	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and 90 Minute Rapid Rate Charger with Switch Mode Power Supply (WPLN4138_R)	N/C

Omit Charger Options:

Q648	Slim Li-ion, 1600 mAh, 7.2V Battery (NNTN4970) and No Charger	-$10.00
Q653	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and No Charger	-$5.00
Q878	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and No Charger	-$20.00

General Options:

MODEL NUMBER	DESCRIPTION	MANF SUGG RETAIL PRICE
QA00531	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4013)	$73.50
QA00532	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4029)	$75.00
QA00098	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - HMN9036)	$40.00
QA00099	Ultra-Light Headset, Behind-the-Head with In-Line PTT and Boom Microphone (RLN5411)	$60.00
HA00041	Retail Temple Transducer (PMLN5003)	$79.00
QA00194	VHF 146-162 MHz, 3" Stubby Antenna (HAD9742)	$9.75
QA00189	VHF 162-174 MHz, 3" Stubby Antenna (HAD9743)	$9.75
QA00190	UHF 440-470 MHz, 3" Stubby Antenna (NAE6522_R)	$11.25
QA00191	UHF 470-512 MHz, 3" Stubby Antenna (8505816K26)	$11.25
QA01424	Add User Guide (68009326001)	N/C
Q884	1 Year Repair Service Advantage - Provides 1 year of extended hardware repair coverage beginning after the standard warranty period expires. Repairs will be made only at the designated Motorola repair depot. Local services are not included. Motorola will pay the inbound shipping charges only with use of the Motorola designated delivery service. Motorola will pay for outbound shipping via Motorola's normal shipping methods. No discounts are allowed on this option.	$34.00
H885	2 Year Repair Service Advantage - Provides 2 years of extended hardware repair coverage beginning after the standard warranty period expires. Repairs will be made only at the designated Motorola repair depot. Local services are not included. Motorola will pay the inbound shipping charges only with use of the Motorola designated delivery service. Motorola will pay for outbound shipping via Motorola's normal shipping methods. No discounts are allowed on this option.	$65.00
HLN7020	Carry case strap adapter to allow public safety microphone to fit properly when using a carry case	$7.25

Motorola Portable Price Pages Discounts June 1, 2007				
	Discount off List Price (1-10)	Discount off List Price (11-20)	Discount off List Price (21-30)	Discount off List Price (30+)
Radius				
VL 50	15%	15%	15%	15%
CP100	15%	15%	15%	15%
BPR 40	15%	15%	15%	15%
CP125	15%	15%	15%	15%
CP150	15%	17%	19%	21%
CP200	13%	17%	19%	21%
Options	15%	15%	15%	15%
Accessories	15%	15%	15%	15%
Conventional				
DTR550/650	15%	15%	15%	15%
PR400	17%	19%	21%	23%
PR860	17%	19%	21%	23%
HT750	17%	19%	21%	23%
HT1250	17%	19%	21%	23%
EX500 / EX600-XLS	17%	19%	21%	23%
EX560-XLS	17%	19%	21%	23%
HT1550-XLS	17%	19%	21%	23%
PR1500	17%	19%	21%	23%
MT1500	17%	19%	21%	23%
Options	17%	19%	21%	23%
Accessories	15%	15%	15%	15%
Trunking				
PR400	17%	19%	21%	23%
HT1250LS+	17%	19%	21%	23%
HT1250-XLS	17%	19%	21%	23%
HT1550-XLS	17%	19%	21%	23%
EX560XLS	17%	19%	21%	23%
EX600XLS	17%	19%	21%	23%
MTX850	17%	19%	21%	23%
MTX950	17%	19%	21%	23%
MTX8250	17%	19%	21%	23%
MTX9250	17%	19%	21%	23%
MTX850-LS	17%	19%	21%	23%
MTX8250-LS	17%	19%	21%	23%
Options	17%	19%	21%	23%
Accessories	15%	15%	15%	15%
MotoTrbo				
XPR6300	17%	19%	21%	23%
XPR6500 / XPR6550	17%	19%	21%	23%
Options	17%	19%	21%	23%
Accessories	15%	15%	15%	15%

Portables - Page 1

Date 9/11/06

RADIUS VL50™ PORTABLE

SUGGESTED RETAIL

SPECIFIC FREQUENCY SERIES

The VL50 portable model includes:

- Standard Battery (1100 mAh Li-ion, 3.6V - 56557)
- Standard Charger (120V Double Unit Charger - 56553)
- Swivel Belt Holster (HCLN4013)
- AAA Battery Tray (1564200W18)
- User Guide (6881096C37)
- One Year Warranty



Product Features:

- Up to 8 Channels
- 12.5/25 kHz Switchable Channel Spacing
- Scan
- 83 DPL, 38 PL Codes
- VibraCall Alert
- Battery Meter
- Radio Signal Strength Indicator
- Enhanced VOX (No accessory needed)
- 7 Selectable Call Tones
- Also Operates on 3 AAA Batteries for Emergency Situations

Default Frequencies

Radio is shipped on default frequencies listed below with Code 1 (67 Hz) as the default:

UHF	
464.500	467.850
464.550	467.875
467.7625	467.900
467.8125	467.925

Note: See User's Guide for additional frequencies.

BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
UHF	1W	8	P24VPC03D2_A	$236

Portables - Page 2

Date 9/11/06

RADIUS CP100™ PORTABLE

SUGGESTED RETAIL — SPECIFIC FREQUENCY SERIES

All CP100 portable models include:

- Standard Battery (1500 mAh NiMH, 4.8V Battery - NNTN4190)
- Standard Charger (120V 10 Hour Drop In Charger - NNTN4077 Plug In Charger / NNTN4019 Drop In Charging Tray)
- Swivel Belt Holster (NNTN4106)
- User Guide
- One Year Warranty



1 Channel Model

- 1 Channel
- 12.5/25 kHz Switchable Channel Spacing
- Backlit Display
- 27 VHF Frequencies, 56 UHF Frequencies
- 83 DPL, 38 PL Codes
- Voice Scrambling
- Battery Meter
- Radio Signal Strength Indicator
- Internal VOX
- Selectable Call Tones
- Mil Spec 810 C, D, E, F
- IP54 Weatherproofing
- Also Operates on 4 AA Batteries for Emergency Situations

15 Channel Models

All of the features of the 1 channel model plus...

- 15 Channels
- Enhanced VOX (No accessory needed)
- User Programmable Scan
- Programmable Channel Access Buttons

1 Channel Models

- VHF models are shipped on default frequency 151.625 MHz, 12.5 kHz, Code 1 (67 Hz).
- UHF models are shipped on default frequency 464.500 MHz, 12.5 kHz, Code 1 (67 Hz).

15 Channel Models

- VHF/UHF models are shipped on default frequencies listed below with Code 1 (67 Hz) as the default.

VHF			UHF		
151.625	151.685	151.895	464.500	467.875	462.675
151.955	151.715	151.925	464.550	467.900	464.325
154.570	151.775	154.490	467.7625	467.925	464.825
154.600	151.805	154.515	467.8125	462.575	469.2625
151.655	151.835	154.540	467.850	462.625	469.500

Note: All Models - See User's Guide for additional frequencies.

BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
VHF	2W	1	P23SSC03F2_F	$247
		15	P23SSF03B2_F	$291
UHF	2W	1	P24SSC03F2_F	$276
		15	P24SSF03B2_F	$320

BPR™ 40 PORTABLES

SUGGESTED RETAIL

VHF & UHF Models - 12.5/25 kHz

All BPR™ 40 Portables include:

- Mag One Battery (NiMH, 1200 mAh - PMNN4071_R or Li-ion, 1500 mAh - PMNN4075_R)
- Mag One Tri - Chemistry Rapid Charger Kit (includes PMLN5041_R Base/ EPNN9288 - Power Supply with AC Cord - PMLN5048_R)
- Mag One Antenna (VHF PMAD4051_R / UHF PMAE4020_R)
- Mag One Spring Belt Clip (PMLN4743)
- Operating Instruction Manuals
- Warranty
  - Portable - One Year
  - Mag One Accessories - Six Months (except PMNN4071_R and PMNN4075_R)
  - All Other Accessories - One Year (includes Mag One Battery - PMNN4071_R and PMNN4075_R)

Feature Highlights:

- 8 Channel Capability
- 12.5/25 kHz Switchable Channel Spacing
- Small Size and Light Weight
- 2 Programmable Buttons
- Adjustable Power Levels
- Priority Scan

Programmable Buttons:

- Nuisance Channel Delete
- PL/DPL Enable
- High/Low Power
- Volume Set
- Scan
- Talkaround

Preprogrammed Frequencies:

VHF		UHF	
151.625	151.775	464.500	467.850
151.655	151.955	464.550	467.875
151.685	154.570	467.7625	467.900
151.715	154.600	467.8125	467.925

Additional frequencies can be added using the Customer Programming Software.

The following frequencies are not allowed:

VHF	UHF
173.275	453.465
173.26875	464.525
	469.115
	457.15
	460.84375

Note: All frequencies must be divisible by 5.0 or 6.25 kHz

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
150-174 MHz	VHF	5W (ships 1W)	8	AAH84KDS8AA1_N (NiMH)	$233.00
				AAH84KDS8AA2_N (Li-ion)	$275.00
450-470 MHz	UHF	4W (ships 1W)	8	AAH84RCS8AA1_N (NiMH)	$250.00
				AAH84RCS8AA2_N (Li-ion)	$292.00

FCC INFORMATION: AZ489FT3810 (150-174 MHz) / AZ489FT4873 (450-470 MHz)

Portables - Page 4

Date 6/6/07

SUGGESTED RETAIL

BPR™ 40 PORTABLES

OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$34.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$65.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$97.00

Portables - Page 5

Date 2/23/07

SUGGESTED RETAIL

Radius CP125™ PORTABLES

VHF & UHF Models - 12.5/25 kHz

All CP125 Portables include:

- Battery (NiMH, 1500 mAh, 7.2V - PMNN4063_R)
- Charger (120V 3 Hour Rapid Rate - EPNN7994 Transformer / PMTN4086 Charger Base)
- Antenna (VHF NAD6502_R / UHF NAE6483_R)
- 2" Belt Clip (HLN9844)
- Operating Instruction Manuals
- Warranty
  - Portable - One Year
  - Accessories - One Year



Feature Highlights:

- 4 Channel Capability
- 12.5/25 kHz Switchable Channel Spacing
- Small Size and Light Weight
- 4 Front Programmable Buttons
- Internal VOX
- Adjustable Power Levels
- Priority Scan
- 8 Character Display

Programmable Buttons:

- Nuisance Channel Delete
- PL/DPL Enable
- High/Low Power
- Volume Set
- Scan
- Talkaround

Preprogrammed Frequencies:

VHF	UHF
151.625	464.500
151.955	464.550
154.570	467.7625
154.600	467.8125

The following frequencies are not allowed:

VHF		UHF			
142.605	159.385	436.185	446.455	461.345	478.125
150.000	161.450	436.210	451.030	462.560	478.155
151.000	162.275	444.575	452.990	469.765	479.990
151.735		444.605	458.560	475.330	

Additional frequencies can be added using the Customer Programming Software. All frequencies must be divisible by 5.0 or 6.25 kHz.

BAND SPLIT	BAND	PWR	CHANNEL	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 2W)	4	AAH49KDF8AA1_C	$268
435-480 MHz	UHF	1W to 4W	4	AAH49RCF8AA1_C	$282

FCC INFORMATION: ABZ99FT3050 (136-174 MHz) / ABZ99FT4065 (435-480 MHz)

Date 3/28/07

RADIUS CP150™ PORTABLES

SUGGESTED RETAIL

VHF & UHF Models - 12.5/20/25 kHz

All CP150 models include:

- Standard Battery (NiCd, 1100 mAh, 7.2V - NNTN4496_R)
- Standard Charger (10 Hour Drop In - WPLN4155_R)
- Standard Antenna (VHF Heliflex NAD6502_R / UHF Whip NAE6483_R)
- 3" Belt Clip (HLN8255)
- User Guide CD
- 2 Year Warranty

CP150 Portable

Features:

- 4 or 16 Channels
- 12.5/25 kHz Switchable Channel Spacing
- 2 Programmable Side Buttons
- X-Pand™ Technology
- Time-Out-Timer
- Busy Channel Lockout
- Internal VOX
- Single Priority Scan

Programmable Button Features:

- Channel Scan
- Nuisance Channel Delete
- Squelch Levels
- Repeater / Talkaround
- Volume Set
- Tight / Normal Squelch
- VOX On / Off
- LED Battery Indicator

The following frequencies are not allowed:

151.19375	168.00625	436.800	443.950
151.200	403.19375	436.80625	443.95625
151.20625	403.200	443.93125	443.9625
167.99375	403.20625	443.9375	443.96875
168.000	436.79375	443.94375	

BAND SPLIT	BAND	PWR	CHAN	CATALOG NUMBER	MANUF.SUGG. RETAIL PRICE
146-174 MHz	VHF	1-2W	4	AAH50KCC9AA1_N	$337
			16	AAH50KCC9AA2_N	$372
438-470 MHz	UHF	1-2W	4	AAH50RCC9AA1_N	$372
			16	AAH50RCC9AA2_N	$407

FCC INFORMATION: ABZ99FT3045 (146-174 MHz) / ABZ99FT4056 (438-470 MHz)

CP150™ PORTABLE

SUGGESTED RETAIL

OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE FOR STEP 1		
	STEP 1:	
Radio Configuration Options:		
STDPKG0018	NiCd, 1100 mAh, 7.2V Battery (NNTN4496_R) and 10 Hour Drop In Charger (WPLN4155_R)	N/C
Q624	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$21.00
Q654	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and 10 Hour Side Plug Charger (EPNN7997)	-$10.00
Q794	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$36.00
Q623	Slim Li-ion, 1600 mAh, 7.5V Battery (NNTN4970) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$50.00
Q651	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$57.00
Omit Charger Options:		
Q652	NiCd, 1100 mAh, 7.2V Battery (NNTN4496_R) and No Charger	-$15.00
Q878	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and No Charger	$14.00
Q648	Slim Li-ion, 1600 mAh, 7.5V Battery (NNTN4970) and No Charger	$29.00
Q653	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and No Charger	$36.00

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00531	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip (PMMN4013)	$73.50
QA00532	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip (PMMN4029)	$75.00
QA00098	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - HMN9036)	$40.00
QA00099	Ultra-Light Headset, Behind-the-Head with In-Line PTT and Boom Microphone (RLN5411)	$60.00
QA00194	VHF 146-162 MHz, 3" Stubby Antenna (HAD9742)	$9.75
QA00189	VHF 162-174 MHz, 3" Stubby Antenna (HAD9743)	$9.75
QA00190	UHF 438-470 MHz, 3" Stubby Antenna (NAE6522_R)	$11.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$34.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$65.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$97.00

Date 3/28/07

RADIUS CP200™ PORTABLES

SUGGESTED RETAIL

VHF & UHF Models - 12.5/20/25 kHz

All CP200 models include:

- Standard Battery (Li-ion, 2250 mAh, 7.5V - NNTN4497_R)
- Standard Charger (90 Minute Rapid Rate - WPLN4138_R)
- Standard Antenna (VHF Heliflex NAD6502_R / UHF Whip NAE6483_R)
- 3" Belt Clip (HLN8255)
- User Guide CD
- 2 Year Warranty

CP200 Portable

Features:

- 4 or 16 Channels
- 12.5/25 kHz Switchable Channel Spacing
- 2 Programmable Side Buttons
- X-Pand™ Technology
- Time-Out-Timer
- Busy Channel Lockout
- Internal VOX
- Single Priority Scan
- Adjustable Power Levels
- MDC1200 PTT ID (Encode)
- Quik Call II (Decode)
- Quik Call II Call Alert (Decode)
- Quik Call II Selective Call (Decode)

Programmable Button Features:

- High / Low Power
- Channel Scan
- Nuisance Channel Delete
- Squelch Levels
- Repeater / Talkaround
- Volume Set
- Tight / Normal Squelch
- VOX On / Off
- LED Battery Indicator

The following frequencies are not allowed:

151.19375	168.00625	436.800	443.950	470.400	488.35125
151.200	403.19375	436.80625	443.95625	470.40625	488.3575
151.20625	403.200	443.93125	443.9625	488.3325	
167.99375	403.20625	443.9375	443.96875	488.33875	
168.000	436.79375	443.94375	470.39375	488.345	

BAND SPLIT	BAND	PWR	CHAN	CATALOG NUMBER	MANUF.SUGG. RETAIL PRICE
136-162 MHz	VHF	1W to 5W (ships 5W)	4	AAH50JDC9AA1_N	$447
			16	AAH50JDC9AA2_N	$482
146-174 MHz	VHF	1W to 5W (ships 5W)	4	AAH50KDC9AA1_N	$447
			16	AAH50KDC9AA2_N	$482
403-440 MHz	UHF	1W to 4W (ships 4W)	4	AAH50QDC9AA1_N	$482
			16	AAH50QDC9AA2_N	$517
438-470 MHz	UHF	1W to 4W (ships 4W)	4	AAH50RDC9AA1_N	$482
			16	AAH50RDC9AA2_N	$517
465-495 MHz	UHF		4	AAH50SDC9AA1_N	$482
			16	AAH50SDC9AA2_N	$517

FCC INFORMATION: ABZ99FT3039 (136-162 MHz) / ABZ99FT3045 (146-174 MHz) / ABZ99FT4057 (403-440 MHz) / ABZ99FT4056 (438-470 MHz) / ABZ99FT4058 (465-495 MHz)

Date 4/27/07

SUGGESTED RETAIL

CP200™ PORTABLE

OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE FOR STEP 1		
	STEP 1:	
Radio Configuration Options		
STDPKG0018	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	N/C
Q623	Slim Li-ion, 1600 mAh, 7.5V Battery (NNTN4970) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$14.50
Q794	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and 90 Minute Rapid Rate Charger (WPLN4138_R)	N/C
Q624	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	N/C
Omit Charger Options:		
Q653	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and No Charger	N/C
Q648	Slim Li-ion, 1600 mAh, 7.5V Battery (NNTN4970) and No Charger	-$5.00
Q878	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and No Charger	-$15.00
Q652	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and No Charger	-$15.00

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00531	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip (PMMN4013)	$73.50
QA00532	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip (PMMN4029)	$75.00
QA00098	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - HMN9036)	$40.00
QA00099	Ultra-Light Headset, Behind-the-Head with In-Line PTT and Boom Microphone (RLN5411)	$60.00
QA00194	VHF 146-162 MHz, 3" Stubby Antenna (HAD9742)	$9.75
QA00189	VHF 162-174 MHz, 3" Stubby Antenna (HAD9743)	$9.75
QA00190	UHF 438-470 MHz, 3" Stubby Antenna (NAE6522_R)	$11.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$34.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$65.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$97.00

RADIUS PORTABLE

SUGGESTED RETAIL

ACCESSORIES

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM) - Equipment approved by Factory Mutual as Intrinsically Safe is generally accepted by code enforcing authorities for use in hazardous locations. Intrinsically safe equipment is suitable for Division 1 & 2 locations. Hazardous locations are defined in Article 500 for the National Electrical Code (NEC) available from the National Fire Protection Association as NFPA/70.							
					Batteries & Accessories:		
				X	NNTN4851	NiMH, 1400 mAh, 7.5V Battery (comp. with WPLN4138_R & WPLN4161_R)	$63.00
	X				NNTN4190	NiMH, 1500 mAh, 4.8V Battery	$29.99
			X		PMNN4063_R	NiMH, 1500 mAh, 7.2V Battery	$45.00
		X			PMNN4075_R	Mag One Li-ion, 1500 mAh Battery	$48.50
		X			PMNN4071_R	Mag One NiMH, 1200 mAh Battery	$35.00
			X		PMNN4061	Mag One NiMH, 1300 mAh, Battery	$35.00
				X	PMNN4072	Mag One NiMH, 1300 mAh, Battery	$37.00
				X	NNTN4496_R	NiCd, 1100 mAh, 7.2V Battery	$60.00
X					56557	Li-ion, 1100 mAh, 3.6V Battery	$34.95
				X	NNTN4970	Slim Li-ion, 1600 mAh, 7.2V Battery (comp. with WPLN4138_R & WPLN4161_R)	$105.00
				X	NNTN4497_R	Li-ion, 2250 mAh, 7.5V Battery (only comp. with WPLN4138_R & WPLN4161_R)	$85.00
X					1564200W18	AAA Battery Tray Kit	$7.95
					Carry Cases and Accessories:		
				X	HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	$24.00
				X	RLN5383	Leather Case with Belt Loop (for use with Non-Display models)	$39.00
				X	RLN5384	Leather Case with 2.5" Swivel (for use with Non-Display models)	$45.00
				X	RLN5385	Leather Case with 3" Swivel (for use with Non-Display models)	$45.00
	X				NNTN4020	Leather Case	$30.95
		X			PMLN4742	Mag One Hard Leather Carry Case	$25.00
X					56519	Carry Case with Adjustable Strap	$27.50
X					HCLN4013	Replacement Swivel Belt Holster	$7.95
	X				NNTN4106	Swivel Belt Holster	$14.99
		X			PMLN4743	Mag One 2" Spring Belt Clip	$5.00
				X	RLN5644	2" Spring Action Belt Clip	$6.00
			X		HLN9844	2" Spring Belt Clip	$11.50
				X	HLN8255	3" Spring Action Belt Clip	$6.00
			X		4285820Z01	Shoulder Strap	$4.10
			X	X	RLN4815	Universal RadioPAK™ & Utility Case (fanny pack)	$45.00
			X	X	4280384F89	Universal RadioPAK™ Extension Belt for waist larger than 40"	$5.00
			X	X	HLN9985	Waterproof Bag, includes large carrying strap	$36.00
				X	TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
				X	TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
				X	HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket	$38.00
					Microphones: Use of external microphones can reduce talk-out range.		
X	X				HMN9051	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip	$57.75
			X	X	PMMN4013	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip	$73.50
			X	X	PMMN4029	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip	$75.00

Portables - Page 11

Date 5/25/07

SUGGESTED RETAIL

RADIUS PORTABLE

ACCESSORIES

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
					Headsets and Accessories:		
				X	RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	$125.00
				X	RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	$76.00
			X	X	HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD)	$57.00
X	X				BDN6773	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone	$53.00
				X	RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	$60.00
	X				RLN5580	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	$55.00
X					53815	Ultra-Light Headset	$34.95
				X	HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB	$230.00
				X	HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB	$300.00
				X	BDN6647	Medium Weight Single Muff Headset with Boom Microphone	$151.00
				X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	$500.00
				X	RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	$100.00
				X	BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	$525.00
				X	RMN5047	NFL Style Heavy Duty Headset	$225.00
				X	REX4648	Replacement Windscreen (for use with Boom Microphone) and Foam Ear Pad	$7.20
				X	3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	$4.05
				X	5080371E66	Replacement Ear Pads for use with BDN6647	$6.85
				X	RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires adapter cable RKN4094)	$225.00
				X	RKN4094	Adapter Cable with In-Line PTT (for use with RMN4051 Headset)	$184.00
		X	X	X	PMLN5011	Temple Transducer (2 Prong)	$159.00
		X	X	X	PMLN5003	Retail Temple Transducer	$79.00
					General Audio Accessories:		
				X	RLN5500	Accessory Retainer Clip	$10.75

Portables - Page 12

Date 5/25/07

SUGGESTED RETAIL

RADIUS PORTABLE

ACCESSORIES

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
					Ear Piece Accessories:		
				X	HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD)	$36.00
				X	RLN4894	Earpiece without Volume Control, Black (single wire)	$35.00
X	X				BDN6774	Earpiece with Microphone (worn over ear with streamlined boom microphone)	$51.00
X					56517	Earpiece with In-Line PTT & Microphone	$25.00
X					56518	Earpiece with Boom Microphone	$25.00
				X	PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	$54.00
				X	BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX)	$524.00
				X	BDN6646	Ear Microphone with PTT Interface Module	$461.00
				X	RLN5198_P	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	$125.00
				X	HMN9752	Earpiece with Volume Control (single wire). Beige	$45.00
				X	HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD)	$114.00
				X	RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	$114.00
				X	RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
				X	RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
		X			PMLN4606	2-Wire Surveillance Kit with Clear Acoustic Tube	$43.00
				X	BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	$35.00
				X	7580372E11	Replacement Foam Ear Cushion (for use with BDN6720)	$1.80
				X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	$32.00
				X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	$20.00
				X	5080369E39	Extra Loud Earphone, Beige (exceeds OSHA limits)	$35.75
				X	5080370E91	Extra Loud Earphone, Black (exceeds OSHA limits)	$35.75
	X				HMN9004	Earbud (single wire - Receive only)	$18.00
X	X				HMN8435	Earbud with Clip Microphone and PTT (2-wire - transmit & receive)	$40.00
				X	HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	$40.00
				X	HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	$21.00
		X			PMLN4294	Earbud with Microphone & PTT Combined	$27.00
		X			PMLN4658	D-Shell Earset with Boom Microphone with PTT/VOX Switch	$28.50
			X		PMLN4425	Earset Boom Microphone with Remote Ring PTT	$35.00
				X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	$52.50
				X	0180300E83	Body Switch Push to Talk for Ear Microphone System	$159.00
				X	0180358B33	Medium Earholder for Ear Microphone System, Black (For securing ear microphone in ear) - Additional sizes & colors available.	$19.00
		X			PMLN4605	Clear Acoustic Tube	$14.50
				X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	$47.25
				X	5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	$29.25
					Mag One Audio Accessories:		
		X	X	X	PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	$18.00
		X	X	X	PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	$20.00
			X	X	PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	$26.00
		X	X	X	PMLN4445	Mag One Headset with PTT/VOX Switch	$30.00
		X	X	X	PMMN4008	Mag One Remote Speaker Microphone	$31.00

Portables - Page 13

Date 6/6/07

SUGGESTED RETAIL

RADIUS PORTABLE

ACCESSORIES

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
					Chargers & Accessories:		
		X			RLN6350	Mag One Rapid Charger, Li-ion Battery Bundle Kit (includes PMLN5048_R and PMNN4075)	$84.00
		X			PMLN5048_R	Mag One Tri - Chemistry Rapid Charger Kit (includes Base, Power Supply & AC Cord)	$50.00
		X			PMLN5041_R	Mag One Tri - Chemistry Rapid Charger Base	$32.50
		X			EPNN9288	Mag One Tri - Chemistry Power Supply with AC Cord	$24.00
				X	WPLN4138_R	120 Volt - 90 Minute Rapid Rate Charger	$57.75
	X				NNTN4075_R	120 Volt - 2 Hour Drop In Charger	$69.95
				X	WPLN4155_R	120 Volt - 10 Hour Desktop Charger (for use with NNTN4496_R NiCd battery only)	$27.00
	X				NNTN4077	120 Volt - 10 Hour Plug In Charger (plugs into radio side connector jack or into drop in charging tray)	$12.95
			X	X	EPNN7997	10 Hour Plug In Charger (plugs into radio accessory connector - for use with NNTN4496_R NiCd battery only)	$6.30
			X		PMTN4073	120V - 13 Hour Wall Charger	$6.30
			X		PMTN4087	120V Rapid Charger Kit (includes EPNN7994 & PMTN4086)	$34.75
			X		EPNN7994	120V Rapid Charger Transformer	$15.00
			X		RLN4940	120V Slow Desktop Charger Kit (includes EPNN7997 & WPLN4203)	$27.00
			X		WPLN4203	Slow Desktop Charger Base	$24.00
			X		PMTN4086	Rapid Charger Base	$30.75
				X	WPLN4161_R	120 Volt - 6 Unit Rapid Rate Charger	$450.00
				X	RLN6296	120V - 6 Unit - Multi Unit Charger Conversion Kit (single unit chargers sold separately, kit includes charger base and power supply only)	$276.00
	X				NNTN4028_R	120 Volt - 6 Unit - 7 Hour Charger (provides radio cloning capability)	$273.95
	X				NNTN4019_R	Drop In Charging Tray (requires NNTN4077 plug in charger)	$27.95
X					56553	Double Unit Charger	$65.00
X					56531	Multi-Unit Charger	$199.95
					Call Boxes:	**Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.**	
						A106.5 Call Boxes - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5' H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.	
	X			X	RRDN4588	Solar Powered	$1,999.00
	X			X	RRDN4589	AC/DC Powered	$1,969.00
						A144 Call Boxes - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.	
	X			X	RRDN4590	Solar Powered	$2,995.00
	X			X	RRDN4591	AC/DC Powered	$2,895.00

Date 9/11/06

RADIUS PORTABLE

ACCESSORIES

SUGGESTED RETAIL

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
						Call Boxes continued:	
						A1 Call Boxes - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.	
	X			X	RRDN4362	Solar Powered	$2,585.00
	X			X	RRDN4363	AC/DC Powered	$2,350.00
	X			X	RRDN4364	Solar Powered with PVC Stanchion	$2,850.00
	X			X	RRDN4365	Solar Powered with Aluminum Stanchion	$3,175.00
	X			X	RRDN4366	AC/DC Powered with Aluminum Stanchion	$2,975.00
						ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.	
	X			X	RRDN4367	Solar Powered	$2,695.00
	X			X	RRDN4368	AC/DC Powered	$2,550.00
						A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.	
	X			X	RRDN4369	Solar Powered	$3,185.00
	X			X	RRDN4370	AC/DC Powered	$2,900.00
						MACplus Call Boxes - Four-button notification panel that can be tailored to user requirements. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Call Box alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. The RRDN4371 & RRDN4372 require RRDN4373 Computer Aided Maintenance Software Package for programming of Call Buttons. Only one package required regardless of number of Call Boxes in system.	
	X			X	RRDN4371	Solar Powered	$3,785.00
	X			X	RRDN4372	AC/DC Powered	$3,600.00
	X			X	RRDN4373	MACplus Computer Aided Maintenance Software Package	$1,450.00
						MACone Call Boxes - Features all of the characteristics of our standard aluminum call boxes in a rust-proof and corrosion-proof stainless steel enclosure. Made of 316 powder-coated stainless steel and highlighted by a self-closing pneumatic door, this box is ideal for roadside assistance. Its single button operation makes calling for support easier than ever. The Callbox enclosure measures 15"H x 11.375"W x 7.75"D and includes ADA compliant hinges for easy open functionality. Available in either AC/DC or 5-watt solar panel options	
	X			X	RRDN6474	Solar Powered	$3,650.00
	X			X	RRDN6473	AC/DC Powered	$3,530.00
						Antennas: Stubby antennas will reduce range	
		X			PMAD4051_R	Mag One VHF Stubby Antenna, 150-174 MHz	$9.25
			X	X	NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	$11.75
			X		PMAD4027	VHF Helical Antenna, 136-155 MHz (15cm)	$8.00
			X		8504762J02	VHF Helical Antenna, 155-174 MHz (14cm)	$13.50
			X		PMAD4012	VHF Stubby Antenna, 136-155 MHz (Red Color Code)	$13.25
				X	HAD9742	VHF Stubby Antenna, 146-162 MHz	$10.75
			X		PMAD4013	VHF Stubby Antenna, 155-174 MHz (Black Color Code)	$13.25
				X	HAD9743	VHF Stubby Antenna, 162-174 MHz	$10.75
		X			PMAE4020_R	Mag One UHF Stubby Antenna, 450-470 MHz	$9.25
			X	X	NAE6483_R	UHF Whip Antenna, 403-520 MHz	$11.75
				X	NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	$12.25
			X		PMAE4003	UHF Stubby Antenna, 430-470 MHz (9cm)	$11.25
			X		PMAE4011	UHF Stubby Antenna, 435-480 MHz (10cm)	$8.00

Date 6/6/07

SUGGESTED RETAIL

RADIUS PORTABLE

ACCESSORIES

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
					Service Accessories:		
			X		RVN4196	Programming and Tuning Software (CPS) - 3 Year Subscription	$299.00
				X	RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter: AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter **Note: Software requires a license agreement and is not intended for resale.**	$220.00
		X			RVN5081	BPR 40 CPS Software (CD) - 3 Year Subscription	$299.00
			X		AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	$50.00
		X			PMDN4043_R	Programming/Test Cable	$25.00
		X			PMDN4060_R	Mag One Cloning Cable	$9.05
			X		DSK001C706	Ribless Programming Cable - provides interface between computer and radio	$67.00
			X	X	RLN4008	Radio Interface Box (RIB) Voltage Level Shifter to enable communications between radio and the computer's RS232 communications adapter. Requires the wall mount power serial supply or 10-18 VDC power sources.	$200.00
			X	X	0180357A57	120 Volt - Wall Mount Power Supply Supplies power to the RIB. Order power supply for radio separately.	$24.25
			X	X	3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	$52.00
				X	RLN4460	Test Box for Portables and Mobiles	$395.00
		X			PMDN4042_R	Battery Eliminator	$95.00
		X			PMDN4054_R	Grounding Plate	$26.25
		X			PMDN4040_R	Test Box	$115.00
		X			PMDN4041_R	RF Adapter	$21.25
				X	RLN5583	Flash Upgrade Adapter	$99.75
					Manuals:		
	X				6804112J99	CP100 User's Manual	$7.00
		X			6881098C61	Mag One User Guide, English	$15.00
			X		6881096C38	CP125 Service Manual	$20.00
				X	6880309N60	CP150/CP200 User's Manual	$10.00
				X	6880309N61	CP150/CP200 Basic Service Manual	$12.00
		X			6816986H01	BPR 40 Service Manual	$15.50

RADIUS PORTABLE ACCESSORIES

Page 9



HLN8255
3" Spring Action
Belt Clip

HLN9985
Waterproof Bag



TDN9327/TDN9373
Portable Radio Hanger

HLN6602
Universal Chestpack

Page 10



HMN9013
Lightweight Single Muff
Adjustable Headset with Swivel
Boom Microphone



HMN9021
Medium Weight Dual Muff
Headset, over-the-head



BDN6647
Medium Weight Single Muff
Headset with Boom Microphone

Page 10



HMN9022
Medium Weight Dual Muff
Headset, behind-the-head



BDN6648
Heavy Duty Headset with Noise
Cancelling Boom Microphone

Page 11



BDN6646
Ear Microphone
with PTT Interface



BDN6720
Flexible Ear Receiver-Earpiece
without Volume Control

Page 11



HMN9036
Earbud with Clip
Microphone & PTT

HLN9132
Earbud

Misc - Page 1

Date 9/11/06

RADIUS PORTABLE PRODUCTS

SUGGESTED RETAIL — **SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™**

SP100	P100	P110	P200	GP350	GP300	SP50+/SP50	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM) - HNN9361, NTN5545 & HNN9701 are rated as Intrinsically Safe for use in Classes I, II and III, Division 1, Groups C, D, E, F and G. HNN8133 is rated as Intrinsically Safe for use in Class I, Division 1, Groups C & D.									
							Antennas:		
			X				8505816K22	VHF Heliflex Antenna, Yellow, Molded, 136-150.8 MHz	$12.25
X	X	X			X		HAD9338_R	VHF Heliflex Antenna, 136-150.8 MHz	$11.75
	X	X		X	X	X	NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	$11.75
			X				8505816K21	VHF Heliflex Antenna, Black, Molded, 150.8-162 MHz	$12.25
			X				8505816K23	VHF Heliflex Antenna, Blue, Molded, 162-174 MHz	$12.25
	X						HAD9337	VHF Flexible Antenna, Whip-Dip Coated, 162-175 MHz	$12.25
X		X		X	X	X	HAD9742	VHF Stubby Antenna, 146-162 MHz	$10.75
		X		X	X	X	HAD9743	VHF Stubby Antenna, 162-174 MHz	$10.75
		X		X	X		HAD9728	Tunable Antenna Kit, 136-174 MHz	$11.25
X	X	X		X	X	X	NAE6483_R	UHF Whip Antenna, 403-520 MHz	$11.75
			X		X		8505816K24	UHF Heliflex Antenna, Red, Molded, 403-433 MHz	$12.25
						X	NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	$12.25
			X	X			8505816K25	UHF Heliflex Antenna, Green, Molded, 450-470 MHz	$12.25
		X	X		X		8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	$12.25
X							HAE9001	UHF Stubby Antenna, 462-470 MHz	$11.25
						X	HLN9087	External Antenna Adapter - BNC Connector	$8.30
X							HLN8262	External Antenna Adapter (BNC connector)	$13.00
							Batteries:		
X						X	HNN9044_R	NiCd, 550 mAh, 7.5V Battery (SP50+ & SP50 - Compact models only)	$35.00
					X		HNN9808	NiCd, 600 mAh, 7.5V Slim Battery - Intrinsically Safe (FM)	$105.00
				X			HNN9361	NiCd, 1000 mAh, 7.5V Battery - Intrinsically Safe (FM)	$165.00
			X				NTN5545	NiCd, 1000 mAh, 10V Battery - Intrinsically Safe (FM)	$94.75
	X						NTN5451	NiCd, 1100 mAh, 10V Battery	$62.00
			X				NTN5521	NiCd, 1100 mAh, 10V Battery	$76.00
		X					HNN8148	NiCd, 1100 mAh, 7.5V Battery	$85.00
					X		HNN9701	NiCd, 1100 mAh, 7.5V Battery - Intrinsically Safe (FM)	$135.00
				X			HNN9360	NiCd, 1200 mAh, 7.5V Battery	$83.00
					X		HNN9628	NiCd, 1200 mAh, 7.5V Battery	$84.00
						X	HNN9018_R	Ni-Cd, 1200 mAh, 7.5V Battery (Standard models only)	$45.00
					X		HNN8133	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)	$115.00
					X		WPNN4012_R	Mag One NiCd, 1150 mAh, 7.5V Battery	$37.00
							Battery Eliminators:		
					X		HKN8036	Vehicular Battery Eliminator (utilizes battery in vehicle for power)	$76.50
							Battery Maintenance Systems:		
X	X	X	X	X	X	X	WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	$650.00
						X	NDN4005	Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).	$499.00
						X	WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	$2,106.00
X						X	TDN9447	BMS Battery Adapter (for HNN9044 & HNN9018_R batteries)	$26.00
					X		TDN9437	BMS Battery Adapter (for use with HNN9628 Battery)	$26.00
						X	RL-71292	Adapter Plate for use with BOS and BOS II	$85.00
				X			CDN6189	Adapter, 7.5V, 1200 mAh	$40.00
			X				TDN9441	Adapter, 10V, 550/1000 mAh	$26.00

RADIUS PORTABLE PRODUCTS

Date 9/11/06

SUGGESTED RETAIL

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

SP10	P100	P110	P200	GP350	GP300	SP50+/SP50	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Remote Speaker Microphones:		
	X						NTN4849	Remote Speaker Microphone with Coil Cord	$99.50
			X				NMN6145	Remote Speaker Microphone with Belt Clip, Coil Cord & 2.5 mm Earphone Jack	$120.75
			X				NMN6156	Remote Speaker Microphone with Coil Cord & Clothing Clip (does not have earpiece jack)	$114.50
X							HMN9051	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip	$57.75
				X			HMN9031	Remote Speaker Microphone	$78.75
		X			X	X	HMN9030	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - (Resale Packaging available through RPSD)	$73.50
							Ear Microphones and Accessories:		
			X				BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module	$198.00
			X				BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module	$198.00
			X				BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module	$247.00
				X	X		HMN9047	Ear Microphone with VOX Interface Module (External VOX included) - Intrinsically Safe (FM)	$550.00
		X			X	X	BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX)	$524.00
		X			X	X	BDN6646	Ear Microphone with PTT Interface Module	$461.00
		X	X	X	X	X	0180358B33	Medium Earholder for Ear Microphone System, Black (For securing ear microphone in ear) - Additional sizes & colors available.	$19.00
			X				0180300E25	Adjustable Earholder (for securing ear microphone in ear)	$45.75
		X	X	X	X	X	0180300E83	Body Switch Push to Talk for Ear Microphone System	$159.00
		X	X	X	X	X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	$52.50
							Audio Earpieces and Accessories:		
	X						NTN5633	Earpiece without Volume Control	$63.00
X							BDN6774	Earpiece with Microphone (worn over ear with streamlined boom microphone)	$51.00
X							HMN8433	Earpiece without Volume Control, Beige (single wire - rubber eartip style)	$34.00
X							HMN9040	Flexible Ear Receiver, Receive Only (flexible earloop and speaker which rests external to ear)	$35.00
		X		X	X	X	BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	$35.00
		X			X	X	HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD)	$36.00
		X			X	X	HMN9752	Earpiece with Volume Control (single wire)	$45.00
						X	RLN4894	Earpiece without Volume Control, Black (single wire)	$35.00
				X			HMN9042	Earpiece without Volume Control (single wire) - Does not require HLN9482	$54.00
					X	X	PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	$54.00
					X	X	RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
					X	X	RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
			X				ZMN6032	2-Wire Surveillance Kit with Microphone & PTT Combined, (requires NTN5075) - Intrinsically Safe (FM)	$143.00
					X	X	RLN5198_P	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	$125.00
				X			HMN9044	2 Piece Surveillance Kit with Microphone & PTT Combined (2-wire - rubber eartip style) (GP350 - connects directly to the GP350 - does not require HLN9482)	$129.00
		X			X	X	HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD)	$114.00
						X	RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	$114.00

RADIUS PORTABLE PRODUCTS

Date 9/11/06

SUGGESTED RETAIL

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

SP10	P100	P110	P200	GP350	GP300	SP50+/SP50	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Audio Earpieces and Accessories Continued:	
X		X		X	X	X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	$32.00
X		X		X	X	X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	$20.00
X							HMN9004	Earbud (single wire - Receive only)	$18.00
X							HMN8435	Earbud with Clip Microphone and PTT (2-wire - transmit & receive)	$40.00
						X	HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	$40.00
						X	HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	$21.00
						X	RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	$340.00
X		X	X	X	X	X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	$47.25
X							7580372E70	Replacement Foam Cushions - Pack of 10 (for use with HMN8435 & HMN9004)	$8.40
						X	5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	$29.25
				X			HLN9482	Audio Accessory Adapter	$17.50
		X			X		HLN8096	Audio Accessory Security Clamp	$4.00
			X				5880378B84	Jack Adapter - 3.5mm to 2.5mm	$5.45
								Add-On Retrofit Kits:	
X							HLN3987	PL Retrofit Kit (for use with Open Squelch models)	$55.25
		X			X		HLN3748	DTMF Retrofit for 16 Channel Models (Applicable to shipments after 3/15/92)	$105.00
								Replacement Housing Kits:	
						X	HHN9208	SP50+ - Replacement Housing Kit - 10 Channel - Compact Model	$63.75
						X	HHN9207	SP50 - Replacement Housing Kit - 10 Channel - Standard Model	$59.50
								Headsets and Accessories:	
					X	X	RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	$60.00
X							RLN5580	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	$55.00
						X	RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	$125.00
X							BDN6773	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone	$53.00
						X	RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	$76.00
		X		X	X	X	HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD) (GP350 - Intrinsically Safe (FM) - HLN8096 Security Clamp recommended, must be ordered separately)	$57.00
				X			HMN9046	Lightweight Adjustable Headset with Swivel Boom Microphone (GP350 - Intrinsically Safe (FM) - connects directly to the GP350 - does not require HLN9482)	$64.00
		X		X	X	X	HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB (GP350 - Not Intrinsically Safe (FM) as configured: Audio Accessory with HLN9482 Adapter - requires HLN9482 & GP300 - Not Intrinsically Safe (FM) - HLN8096 Security Clamp is recommended and must be ordered separately)	$230.00
		X		X	X	X	HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB (GP350 - Not Intrinsically Safe (FM) as configured: Audio Accessory with HLN9482 Adapter - requires HLN9482 & GP300 - Not Intrinsically Safe (FM) - HLN8096 Security Clamp is recommended and must be ordered separately)	$300.00
		X		X	X	X	BDN6647	Medium Weight Single Muff Headset with Boom Microphone	$151.00
		X			X	X	BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	$525.00

RADIUS PORTABLE PRODUCTS

Date 9/11/06

SUGGESTED RETAIL

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

SP10	P100	P110	P200	GP350	GP300	SP50+/SP50	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Headsets and Accessories Continued:	
					X	X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	$500.00
					X	X	RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	$100.00
						X	RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$225.00
						X	RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	$330.00
						X	RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$330.00
						X	RKN4094	Adapter Cable with In-Line PTT (for use with RMN4051, RMN4052 & RMN4053 Headsets)	$184.00
					X		PMLN5011	Temple Transducer (2 Prong)	$159.00
					X		PMLN5003	Temple Transducer (Resale Packaged)	$79.00
X							BDN6775	External VOX Adapter (for use with BDN6773 or BDN6774)	$57.00
						X	HLN9133	VOX Adapter Kit (for use with headsets only)	$62.75
X		X		X	X	X	REX4648	Replacement Windscreen (for Boom Microphone) and Foam Ear Pad (SP50+, SP50, P1225 & GP300 - for use with HMN9787 & HMN9013 & GP350 - for use with HMN9013)	$7.20
		X		X	X	X	5080371E66	Replacement Ear Pads for use with BDN6647	$6.85
		X		X	X	X	3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	$4.05
								Carrying Cases:	
		X					HLN9012	Leather Case with Belt Loop	$53.50
		X					HLN9013	Leather Case with Swivel	$60.00
			X				NTN5460	Large Leather Case with Belt Loop & D-Rings (for use with shoulder strap)	$70.00
			X				NTN5461	Large Leather Swivel Case & T-Strap and D-Rings (for shoulder strap - fits 2.25" belt)	$76.50
X							HLN8252	Leather Case with Belt Clip	$31.50
				X			HLN9417	Leather Case with Belt Loop and D-Rings (for use with shoulder strap)	$51.00
				X			HLN9323	Leather Case with Swivel	$57.00
					X		HLN9873	Standard Leather Case with Swivel and D-Rings (for use with shoulder strap)	$60.00
					X		HLN9720	Standard Leather Case with Belt Loop and D-Rings (for use with shoulder strap)	$53.50
						X	HLN9125	Hard Leather Carry Case with Belt Loop - Standard models only	$35.00
						X	HLN9122	Hard Leather Carry Case with Belt Loop - Compact models only	$35.00
						X	HLN9129	Hard Leather Carry Case with Swivel (Standard Model size case with spacer included for use with Compact models - Resale Packaging available through RPSD)	$40.00
						X	HLN9128	DTMF Leather Carry Case with Swivel (Standard Model ships with a spacer for use with Compact models)	$40.00
X							HLN8253	Nylon Case with Belt Loop	$26.50
						X	HLN9127	Nylon Carry Case with Belt Loop - Compact models only	$24.00
				X			HLN9416	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	$24.00
						X	HLN9126	Nylon Carry Case with Belt Loop - Standard models only (Resale Packaging available through RPSD)	$24.00
					X		HLN9750	Nylon Case with Belt Loop for 1100-1200 mAh Batteries (Resale Packaging available through RPSD)	$25.50
		X					HLN8153	Nylon Case	$24.00
								Carrying Cases Accessories:	
X		X		X	X	X	HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket	$38.00
		X			X		HLN9076	Molded Holder with 3" Spring Action Belt Clip	$25.50
		X			X		HLN9084	Replacement Strap for Molded Holder (HLN9076)	$7.50
	X						4205297G03	T-Strap, Nylon	$8.00

RADIUS PORTABLE PRODUCTS

Date 9/11/06

SUGGESTED RETAIL

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

SP10	P100	P110	P200	GP350	GP300	SP50+/SP50	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Carrying Cases Accessories Continued:	
X		X	X	X	X	X	HLN9724	2.5" Belt Clip	$3.00
			X				NTN4814	2.5" Belt Clip Carry Holder, Black	$29.50
X							HLN8240_R	2.5" Replacement Belt Clip	$3.00
			X				NTN5533	3" Belt Clip	$14.00
X		X		X	X	X	HLN8255	3" Spring Action Belt Clip	$6.00
	X						NTN4865	3.5" Belt Clip, Carry Holder, Urethane	$25.50
X		X		X	X	X	HLN9149_R	Swivel Belt Loop Adapter	$8.00
	X						4282421J06	2.5" Swivel Belt Loop (for use with Swivel Leather Cases)	$12.00
				X			NTN8039	2.5" Swivel Belt Loop (for use with Leather Cases)	$12.00
		X			X		4280483B03	2.5" Replacement Swivel Belt Loop (GP350 - same belt loop used in the HLN9873, HLN8411, HLN9009 & HLN9011 Cases)	$10.00
		X	X				4205857B01	3" Swivel Belt Loop (for use with Swivel Leather Cases)	$10.50
				X	X		NTN8040	3" Swivel Belt Loop	$12.00
			X				4205386S03	Replacement Nylon Strap for Large Cases with Snap	$11.00
	X	X	X	X	X		NTN5243	Shoulder Carry Strap	$20.00
X		X			X		HLN8414	Chest Pack Carry Holder	$32.00
		X		X	X	X	HLN9985	Waterproof Bag, includes large carrying strap	$36.00
		X	X	X	X	X	TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
		X	X	X	X	X	TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
								Chargers:	
	X						NTN4881	Compact, Single Unit, Regular Charge, 117VAC	$36.50
			X				NTN5538	120 Volt - Single Unit - 1 Hour Rapid Rate Charger	$77.00
X							HTN9026_R	120 Volt - 3 Hour Desktop Charger	$51.50
						X	HTN9013	120 Volt - 3 Hour Desktop Charger (SP50 Standard models - Do not recommend use of the Wall Charging Adapter - HTN8232 due to charging time of 18-20 hours)	$57.75
						X	HTN9067	120 Volt - 6 Unit - 3 Hour Multi-Unit Charger	$483.00
						X	HTN9014	120 Volt - 10 Hour Desktop Charger (SP50 Standard models-Do not recommend use of the Wall Charging Adapter - HTN8232 due to charging time of 18-20 hours)	$36.75
X							HLN8371	120V - 10 Hour Desktop Charging Tray (requires use of HTN8232 shipped standard with all radios)	$18.00
X						X	HTN8232	120 Volt Replacement 10 Hour Charging Adapter (60 Hz) (SP50+ & SP50 - 10 Hours for Compact models & 18-20 Hours for Standard - do not recommend for Standard due to charging time)	$6.00
		X		X	X		HTN9042	120 Volt Intelli-Charge Rapid Rate Charger (90 Minute Charge Time)	$57.75
		X		X	X		HTN9702	110 Volt - 10 Hour Standard Rate Charger	$26.25
			X				NTN4668	117 Volt - 6 Unit, Rapid Charge Rate (1 Hour)	$625.00
		X		X	X		HTN9060	120 Volt - 6 Unit - 90 Minute Rapid Rate Charger (for use with NiCd & NiMH batteries only)	$494.00
		X		X	X		HLN9405	120 Volt - 6 Unit Charger Conversion Kit (for use with HTN9042)	$276.00
X							HLN9113	Desktop Charger Converter Kit (compatible with HLN8371 & HTN9026_R)	$21.00
		X		X	X		HLN9719	Vehicular Charger Adapter and Bracket (12 volt - for use with the HTN9042 Rapid Rate Charger). A charger base, without the transformer, HTN9886 can be ordered separately through RPSD.	$52.50
X							HTN9295	Multi-Unit Charger Conversion Kit	$135.00
	X		X				NLN7967	Wall Mount Kit for Multi-Unit Charger	$21.00

RADIUS PORTABLE PRODUCTS

Date 9/11/06

SUGGESTED RETAIL

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

SP10	P100	P110	P200	GP350	GP300	SP50+/SP50	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Motorola Conditioning Chargers:		
		X		X	X		WPPN4065_R	Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)	$399.00
						X	WPPN4008_R	Adapter Plate Only (for Conditioning Chargers)	$15.00
X		X	X	X	X	X	3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	$7.00
							Service Accessories:		
				X			HLN3085	GP350 - DTMF Encode Retrofit Kit (16 channel models only) Intrinsically Safe (FM) radios must be returned to the depot for retrofitting.	$105.00
					X		HLN3747	GP300 - DTMF Retrofit for 8 Channel Models (only for units manufactured after 3/15/92)	$105.00
		X		X	X		5885705M02	Remote BNC - RF Adapter (for use with GP350 & GP300 models only)	$22.26
							Replacement Housing Kits:		
				X			HLN3097	GP350 - Replacement Housing Kit - 2 Channel	$73.50
				X			HLN3098	GP350 - Replacement Housing Kit - 16 Channel	$73.50
					X		HLN3002	GP300 - Replacement Housing Kit - 2 Channel	$105.00
					X		HLN3003	GP300 - Replacement Housing Kit - 8 Channel	$105.00
					X		HLN3169	GP300 - Replacement Housing Kit - 16 Channel	$102.00

This Page Left Blank Intentionally

DTR550™ / DTR650™ PORTABLE

SPECIFIC FREQUENCY SERIES

SUGGESTED RETAIL

All DTR550/DTR650 portable models include:

- Standard Battery -
  DTR550 - Li-ion, 1200 mAh Battery, 3.6V (53963)
  DTR650 - Li-ion, 1500 mAh Battery, 3.6V (53964)
- Standard Charger -
  DTR550 - 3 Hour Charger (NNTN4841)
  DTR650 - 1 Hour Rapid Charger (53969)
- Drop-In Charging Tray (53962)
- Removeable Stubby Antenna (NAF5042_R)
- Swivel Belt Holster (53961)
- CD-Rom User Guide
- Quick Reference Card
- One Year Warranty

DTR550

DTR650

Features:

- 900 MHz ISM Frequency-Hopping Digital Spread Spectrum
- 12 Alert Tones plus VibraCall™
- Battery Meter
- License Free Communication
- Backlit Display
- Private Calling: One-to-One Communication
- Public Group Calling: One-to-Many, Selected from List of 100 Group IDs
- Private Group Calling: One-to-Many, Selected from Contacts
- Public Group Scan with Scan List
- Remote Disable (Initiated by DTR650 Only)
- Remote Monitoring (Initiated by DTR650 Only)
- Remote Time / Date Update (Initiated by DTR650 Only)
- SMS (Short Messaging Service), 5-10 Quicknotes
- Contact List: Capacity 150 Shared Private / Public Group / Private Group
- CPS and Mini Keyboard required for Alphanumeric Character Entry

Contact List Capacity	DTR550	DTR650
Private	150	150
Public Group	20	50
Private Group	10	20

BAND	PWR	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
DTR550 Model			
900 MHz	On-Site Digital	AAH73WCF9NA3_N	$385
DTR650 Model			
900 MHz	On-Site Digital	AAH73WCF9NA5_N	$400

PR400™ PORTABLES

VHF & UHF Models - 12.5/25 kHz

All PR400 portable models include:
- Standard Battery (Slim Li-ion, 1600 mAh, 7.2V Battery - NNTN4970)
- Standard Charger (120 Volt - 90 Minute Rapid Rate Charger - WPLN4138_R)
- Standard Antenna (VHF Heliflex - NAD6502_R / UHF Whip - NAE6483_R)
- 3" Belt Clip (HLN8255)
- Operating Instruction Manual
- 2 Year Warranty

Features:
- 16, 32 & 64 Conv Channel Models
- 12.5/25 kHz Switchable Chan Spacing
- 8 Character Alphanumeric Display (32/64 Ch)
- 2 Programmable Buttons (16 Ch)
- 4 Programmable Buttons (32/64 Ch)
- X-Pand™ Technology
- Dual Priority Scan
- Option Board Expandability

LTR® Features:
- Up to 4 Sites & 16 Talkgroups (16 Ch)
- Up to 10 Sites & 100 Talkgroups (32/64 Ch)
- Up to 20 Repeaters per Site
- Up to 4 Universal IDs per System (16 Ch)
- Up to 16 Universal IDs per System (32/64 Ch)
- UHF and VHF Frequencies
- Combined System Scan
- User Programmable Scan & Phone Lists
- Data Operated Squelch (DOS)

Programmable Button Features:
- Monitor
- High / Low Power
- Channel Scan
- Nuisance Channel Delete
- 2 Memory Channels
- PL/DPL Edit (32/64 Ch)
- Repeater / Talkaround
- Volume Set
- Tight / Normal Squelch
- VOX On / Off
- Battery Indicator (32/64 Ch)

Conventional Mode Only - Signaling Features - All models:
- MDC1200 PTT ID (Numeric ID - Encode)
- MDC1200 Radio Check (Decode)
- MDC1200 Selective Radio Inhibit (Decode)
- MDC1200 Selective Call (16 Ch - Decode Only / 32 Ch & 64 Ch Encode/Decode)
- Quik Call II Selective Call (Decode)
- Quik Call II Call Alert (Decode)
- DTMF PTT ID (Encode)

Conventional Mode Only - Signaling Features - 32 & 64 Ch. Models:
- MDC1200 PTT ID (Numeric ID - Decode)
- Quik Call II Call Alert (Encode)
- Quik Call II Selective Call (Encode)
- DTMF Call Alert (Encode)
- DTMF Selective Call (Encode)

The following frequencies are not allowed:

151.19375	168.000	403.20625	436.800	443.94375	443.96875	488.32625	488.35125
151.200	168.00625	419.99375	436.80625	443.950	470.39375	488.3325	488.3575
151.20625	403.49375	420.000	443.93125	443.95625	470.400	488.33875	
167.99375	403.200	436.79375	443.9375	443.9625	470.40625	488.345	

420.006250 (420 MHz +/- 6.25 kHz) 488.36375 (488.345 MHz +/- 18.75 kHz)

BAND SPLIT	BAND	PWR	CHAN	CATALOG NUMBER	MANUF.SUGG. RETAIL PRICE
136-162 MHz	VHF	1-5W	16	AAH65JDC9AA2_N	$552
			32	AAH65JDF9AA3_N (Display-Limited Keypad)	$603
			64	AAH65JDH9AA4_N (Display-Full Keypad)	$655
146-174 MHz	VHF	1-5W	16	AAH65KDC9AA2_N	$552
			32	AAH65KDF9AA3_N (Display-Limited Keypad)	$603
			64	AAH65KDH9AA4_N (Display-Full Keypad)	$655
403-440 MHz	UHF	1-4W	16	AAH65QDC9AA2_N	$586
			32	AAH65QDF9AA3_N (Display-Limited Keypad)	$638
			64	AAH65QDH9AA4_N (Display-Full Keypad)	$690
438-470 MHz	UHF	1-4W	16	AAH65RDC9AA2_N	$586
			32	AAH65RDF9AA3_N (Display-Limited Keypad)	$638
			64	AAH65RDH9AA4_N (Display-Full Keypad)	$690
465-495 MHz	UHF	1-4W	16	AAH65SDC9AA2_N	$586
			32	AAH65SDF9AA3_N (Display-Limited Keypad)	$638
			64	AAH65SDH9AA4_N (Display-Full Keypad)	$690

FCC INFORMATION: ABZ99FT3039 (VHF 136-162 MHz) / ABZ99FT3045 (VHF 146-174 MHz) / ABZ99FT4057 (UHF 403-440 MHz) / ABZ99FT4056 (UHF 438-470 MHz) / ABZ99FT4058 (UHF 465-495 MHz)

Conventional Branded

Portables - Page 3

Date 4/27/07

SUGGESTED RETAIL

PR400™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE FOR STEP 1		
	STEP 1:	
Radio Configuration Options:		
STDPKG0018	Slim Li-ion, 1600 mAh, 7.2V Battery (NNTN4970) and 90 Minute Rapid Rate Charger (WPLN4138_R)	N/C
Q651	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$7.00
Q794	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and 90 Minute Rapid Rate Charger (WPLN4138_R)	-$10.00
Q795	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (NNTN4852) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$53.00
Q624	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	-$15.00
Omit Charger Options:		
Q648	Slim Li-ion, 1600 mAh, 7.2V Battery (NNTN4970) and No Charger	-$10.00
Q653	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and No Charger	-$5.00
Q878	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and No Charger	-$20.00
Q869	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (NNTN4852) and No Charger	$50.00
Q652	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and No Charger	-$25.00

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00531	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4013)	$73.50
QA00532	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4029)	$75.00
QA00098	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - HMN9036)	$40.00
QA00099	Ultra-Light Headset, Behind-the-Head with In-Line PTT and Boom Microphone (RLN5411)	$60.00
QA00194	VHF 146-162 MHz, 3" Stubby Antenna (HAD9742)	$9.75
QA00189	VHF 162-174 MHz, 3" Stubby Antenna (HAD9743)	$9.75
QA00190	UHF 438-470 MHz, 3" Stubby Antenna (NAE6522_R)	$11.25
QA00191	UHF 470-512 MHz, 3" Stubby Antenna (8505816K26)	$11.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$34.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$65.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$97.00

PR860
PORTABLE
LowBand, VHF & UHF Models

All PR860 portable models include:

- Standard Battery UHF/VHF (Li-ion, IMPRES™ 2000 mAh, 7.5V Battery - HNN4003 - Lowband - NiMH, 1800 mAh, 7.5V Battery - HNN4001)
- Standard Charger (IMPRES™ Single Unit Charger - WPLN4182)
- Standard Antenna (LB NAB6064 / VHF NAD6502_R / UHF NAE6483_R)
- 2.5" Belt Clip (HLN9714)
- Two Year Warranty
- User Guide CD (HKN4229)

Features:

- 16 Channels
- 12.5/25 kHz Switchable Channel Spacing (VHF/UHF)
- 20/30 kHz Switchable Channel Spacing (LowBand)
- 3 Programmable Side Buttons
- Single Priority Scan
- Battery Status / Emerg. Siren Top Button
- X-Pand™ Technology
- Time-Out-Timer
- Busy Channel Lockout
- Internal VOX
- Adjustable Power Levels
- Option Board Expandability

Programmable Buttons:

- High / Low Power
- Channel Scan
- Squelch Levels
- Repeater / Talkaround
- Monitor
- Emergency Siren
- Battery Status
- Volume Set

Signaling Features:

- MDC1200 PTT-ID (Encode)
- MDC1200 Radio Check (Decode)
- MDC1200 Emergency Signaling (Encode)
- MDC1200 Selective Call (Decode)
- MDC1200 Select Radio Inhibit (Decode)
- MDC1200 Call Alert (Decode)
- Quik-Call II (Decode)
- Escalert Call Features

The following frequencies are not allowed:

151.200	419.195	436.805	459.905	494.955
168.000	420.000	453.595	468.300	498.830
403.195	420.005	453.600	469.105	502.710
403.200	436.795	453.605	470.400	504.000
403.205	436.800	457.805	483.320	507.875
				511.755

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
29.7-42 MHz	LowBand	1W to 6W (ships 6W)	16	AAH45BEC9AA3_N	$835
35-50 MHz	LowBand	1W to 6W (ships 6W)	16	AAH45CEC9AA3_N	$835
136-174 MHz	VHF	1W to 5W (ships 5W)	16	AAH45KDC9AA3_N	$785
403-470 MHz	UHF	1W to 4W (ships 4W)	16	AAH45RDC9AA3_N	$835
450-512 MHz	UHF		16	AAH45SDC9AA3_N	$835

FCC INFORMATION: AZ489FT1625 (29.7-42 MHz, 35-50 MHz) / AZ489FT3794 (136-174 MHz) / AZ489FT4826 (403-470 MHz) / AZ489FT4834 (450-512 MHz)

PR860 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF SUGG RETAIL PRICE

INTRINSICALLY SAFE (FM): QA00051 (HNN4002) are rated Intrinsically Safe for use in Division 1, Class I, II, III, groups C,D,E,F,G and nonincendive Division 2, Class I, Groups A,B,C,D Temp code T3C.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0005	Standard Battery UHF/VHF (Li-ion, IMPRES™ 2000 mAh, 7.5V Battery - HNN4003, Lowband - NiMH, 1800 mAh, 7.5V Battery - HNN4001)	N/C
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$50.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	-$5.00

STEP 2:

Charger Choices:

STDCHG0005	Standard Charger (IMPRES™ Single Unit Charger - WPLN4182)	N/C
	IMPRES™ Charger:	
H951	Omit IMPRES™ Single Unit Charger	-$20.00

STEP 3:

Carry Holder Choices:

STDBLT0005	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0005	Standard Antenna (LowBand NAB6064, VHF NAD6502_R & UHF NAE6483_R)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Perf., 7.5" - NAD6579)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard Antenna (LowBand, VHF & UHF)	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0005	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50
QA00101	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black. Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise Enhancement (NTN8371)	$108.00
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q663	Mandown Option Board - installed at Distribution Center. Available on Intrinsically Safe (FM) and Non-Intrinsically (FM) radios. Board must be programmed with ENVN4025 (Software) and 6880309K87 (Instructions), both sold separately.	$160.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

SUGGESTED RETAIL

HT750™ PORTABLE

LowBand, VHF & UHF Models

All HT750 portable models include:

- Standard Battery (LB NiMH, 1900 mAH, 7.5V - HNN9009_R / VHF/UHF NiMH, 1500 mAH, 7.5V - HNN9008_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (LB NAB6064 / VHF NAD6502_R / UHF NAE6483_R)
- 2.5" Belt Clip (HLN9714)
- Two Year Warranty
- Operating Instruction Manual

Features:

- 4 & 16 Channel Capabilities
- 12.5/25 kHz Switchable Channel Spacing (VHF/UHF)
- 20/30 kHz Switchable Channel Spacing (LowBand)
- 3 Programmable Side Buttons
- Battery Status / Emerg. Siren Top Button
- X-Pand™ Technology
- Time-Out-Timer
- Busy Channel Lockout
- Internal VOX
- Adjustable Power Levels
- Option Board Expandability
- MDC1200 PTT-ID (Encode)
- MDC1200 Radio Check (Decode)
- Non-Priority Scan

Programmable Buttons:

- High / Low Power
- Channel Scan
- Squelch Levels
- Repeater / Talkaround
- Monitor
- Emergency Siren
- Battery Status
- Volume Set
- Keypad Models Only
  - Telephone Interconnect
  - Keypad Lock

16 Channel Models ONLY include these additional features:

- Single Priority Scan
- Quik-Call II (Decode)
- MDC1200 Call Alert (Decode)
- MDC1200 Emergency Signaling (Encode) - on units with R05.00.03 firmware or higher
- MDC1200 Selective Call (Decode)
- MDC1200 Select Radio Inhibit (Decode)
- Escalert Call Features

The following frequencies are not allowed:

151.200	419.195	436.805	459.905	494.955
168.000	420.000	453.595	468.300	498.830
403.195	420.005	453.600	469.105	502.710
403.200	436.795	453.605	470.400	504.000
403.205	436.800	457.805	483.320	507.875
				511.755

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
29.7-42 MHz	LowBand	1W to 6W (ships 6W)	16	AAH25BEC9AA3_N	$875
35-50 MHz	LowBand	1W to 6W (ships 6W)	16	AAH25CEC9AA3_N	$875
136-174 MHz	VHF	1W to 5W (ships 5W)	4	AAH25KDC9AA2_N	$775
			16	AAH25KDC9AA3_N	$825
			16	AAH25KDG9AA4_N (Keypad Model)	$910
403-470 MHz	UHF	1W to 4W (ships 4W)	4	AAH25RDC9AA2_N	$825
			16	AAH25RDC9AA3_N	$875
			16	AAH25RDG9AA4_N (Keypad Model)	$960
450-512 MHz	UHF	1W to 4W (ships 4W)	4	AAH25SDC9AA2_N	$825
			16	AAH25SDC9AA3_N	$875
			16	AAH25SDG9AA4_N (Keypad Model)	$960

FCC INFORMATION AZ489FT1625 (29.7-42/35-50 MHz) / AZ489FT3794 (136-174 MHz) / AZ489FT4826 (403-470 MHz) / AZ489FT4834 (450-512 MHz)

HT750™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0672	Standard Battery (VHF & UHF NiMH, 1500 mAh, 7.5V - HNN9008_R & LB NiMH, 1900 mAh, 7.5V - HNN9009_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R) *(Not for use with lowband models)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003) *(Not for use with lowband models)	$48.00

STEP 2:

Charger Choices:

STDCHG0672	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0672	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0672	Standard Antenna (LB NAB6064, VHF NAD6502_R & UHF NAE6483_R)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Perf., 7.5" - NAD6579)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard Antenna (LowBand, VHF & UHF)	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0672	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

General Options:

QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50

HT750™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
QA00101	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black. Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise Enhancement (NTN8371) already attached for extra comfort and convenience (RLN5315).	$108.00
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q663	Mandown Option Board - 16 Channel Models ONLY - installed at Distribution Center. Available on Intrinsically Safe (FM) and Non-Intrinsically (FM) radios. Board must be programmed with ENVN4025 (Software) and 6880309K87 (Instructions), both sold separately.	$160.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

SUGGESTED RETAIL

HT1250™ PORTABLE

LowBand, VHF & UHF Models

All HT1250 portable models include:
- Standard Battery (VHF/UHF NiMH, 1500 mAH, 7.5V - HNN9008_R & LB NiMH, 1900 mAh, 7.5V - HNN9009_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (LB NAB6064, VHF NAD6502_R & UHF NAE6483_R)
- 2.5" Belt Clip (HLN9714)
- Two Year Warranty
- Operating Instruction Manual

Features:
- Up to 128 Channels (16 Zones)
- 12.5/25 kHz Switchable Channel Spacing (VHF/UHF)
- 20/30 kHz Switchable Channel Spacing (LowBand)
- 14 Character Alphanumeric Display
- 3 Programmable Side Buttons
- 3 Programmable Front Buttons
- Battery Status/Emergency Top Button
- X-Pand™ Technology
- Busy Channel Lockout
- Time-Out-Timer
- Internal VOX
- Adjustable Power Levels
- Dual Priority Scan
- Clock and Alarm
- Option Board Expandability

Programmable Buttons:
- High/Low Power
- Channel Scan
- Squelch Levels
- Repeater/Talkaround
- Monitor
- Emergency
- Light
- Radio Call
- Battery Status
- Keypad Lock
- Volume Set
- Telephone Interconnect

Signaling:
- Quik Call II (Encode/Decode)
- MDC1200 Call Alert (Encode/Decode)
- MDC1200 Selective Call (Encode/Decode)
- MDC1200 PTT-ID (Alphanumeric ID - Encode/Decode)
- MDC1200 Radio Check (Encode/Decode)
- MDC1200 Select Radio Inhibit (Decode)
- MDC1200 Emergency (Encode)
- Escalert Call Features

The following frequencies are not allowed:

31.54	151.200	420.000	453.600	470.400	507.875
34.00	168.000	420.005	453.605	483.320	511.755
36.34	403.195	436.795	457.805	494.955	
42.68	403.200	436.800	459.905	498.830	
46.84	403.205	436.805	468.300	502.710	
48.84	419.195	453.595	469.105	504.000	

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
29.7-42 MHz	LowBand	1W to 6W (ships 6W)	128	AAH25BEF9AA5_N (Display-Ltd Keypad)	$975
35-50 MHz	LowBand	1W to 6W (ships 6W)	128	AAH25CEF9AA5_N (Display-Ltd Keypad)	$975
136-174 MHz	VHF	1W to 5W (ships 5W)	128	AAH25KDF9AA5_N (Display-Ltd Keypad)	$940
				AAH25KDH9AA6_N (Display-Full Keypad)	$1,035
403-470 MHz	UHF	1W to 4W (ships 4W)	128	AAH25RDF9AA5_N (Display-Ltd Keypad)	$990
				AAH25RDH9AA6_N (Display-Full Keypad)	$1,085
450-512 MHz	UHF	1W to 4W (ships 4W)	128	AAH25SDF9AA5_N (Display-Ltd Keypad)	$990
				AAH25SDH9AA6_N (Display-Full Keypad)	$1,085

FCC INFORMATION AZ489FT1625 (29.7-42/35-50 MHz) / AZ489FT3794 (136-174 MHz) / AZ489FT4826 (403-470 MHz) / AZ489FT4834 (450-512 MHz)

HT1250™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0749	Standard Battery (VHF & UHF NiMH, 1500 mAh, 7.5V - HNN9008_R & LB NiMH, 1900 mAh, 7.5V - HNN9009_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R) *(Not for use with lowband models)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003) *(Not for use with lowband models)	$48.00

STEP 2:

Charger Choices:

STDCHG0749	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0749	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0749	Standard Antenna (LB NAB6064, VHF NAD6502_R & UHF NAE6483_R)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Perf., 7.5" - NAD6579)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard Antenna (LowBand, VHF & UHF)	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0749	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50

HT1250™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
QA00101	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black. Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise Enhancement (NTN8371) already attached for extra comfort and convenience (RLN5315).	$108.00
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q663	Mandown Option Board - installed at Distribution Center. Available on Intrinsically Safe (FM) and Non-Intrinsically (FM) radios. Board must be programmed with ENVN4025 (Software) and 6880309K87 (Instructions), both sold separately.	$160.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

EX500™ PORTABLE

VHF & UHF Models - 12.5/20/25 kHz

All EX500 portable models include:

- Standard Battery (Li-ion, 1300 mAh, 7.5V - JMNN4024_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (VHF option must be ordered / UHF NAE6483_R)
- Carry Holster (JMZN4023)
- Three Year Warranty
- Operating Instruction Manual

Feature Highlights:

- 16 Channel Capability
- 12.5/20/25 kHz Switchable Channel Spacing
- Small Size and Light Weight
- 2 Programmable Side Buttons
- Top Emergency Button
- X-Pand™ Technology
- Internal VOX
- Adjustable Power Levels
- Priority Scan
- Emergency Siren
- Quik Call II (Decode)
- MDC1200 Emergency Signaling (Encode)
- MDC1200 Call Alert (Decode)
- MDC1200 PTT ID (Encode)
- MDC1200 Selective Call (Decode)
- MDC1200 Radio Check (Decode)
- MDC1200 Selective Radio Inhibit (Decode)

Programmable Buttons:

- High Power / Low Power
- Channel Scan
- Squelch Levels
- Repeater / Talkaround
- Monitor
- Emergency Siren / Signal
- Volume Set

The following frequencies are not allowed:

151.200	403.200	420.000	436.805	470.405
151.205	403.205	422.580	453.595	487.195
167.995	407.075	432.925	453.600	487.200
168.000	412.250	436.795	453.605	487.205
168.005	414.835	436.800	470.395	504.000

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	16	AAH38KDC9AA3_N	$916
403-470 MHz	UHF	1W to 4W (ships 4W)	16	AAH38RDC9AA3_N	$975
450-512 MHz	UHF	1W to 4W (ships 4W)	16	AAH38SDC9AA3_N	$975

FCC INFORMATION: AZ489FT3801 (136-174 MHz) / AZ489FT4844 (403-470 MHz) / AZ489FT4845 (450-512 MHz)

SUGGESTED RETAIL

EX600·XLS™ PORTABLE

VHF & UHF Models - 12.5/20/25 kHz

All EX600·XLS portable models include:
- **Standard Battery (Li-ion, 1300 mAh, 7.5V - JMNN4024_R)**
- **Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)**
- **Standard Antenna (VHF option must be ordered / UHF NAE6483_R)**
- **Carry Holster (JMZN4023)**
- **Three Year Warranty**
- **Operating Instruction Manual**



Features:
- **Up to 160 Conventional Channels and/or 15 Trunked Zones**
- **Up to 99 Channels per Conventional Zone and up to 16 Talkgroups per LTR® Zone**
- **12.5/20/25 kHz Switchable Channel Spacing**
- **Small Size and Light Weight**
- **14 Character Alphanumeric Display**
- **Telephone Interconnect and Full DTMF Keypad with Menu Keys**
- **2 Programmable Side Buttons**
- **3 Programmable Front Buttons**
- **Programmable Emergency Button**
- **X-Pand™ Technology**
- **Internal VOX**
- **Priority or Dual Priority Scan (Conv. Only)**
- **Channel/Zone Selection Programmable on Top or Front of the radio**
- **Busy Channel Lockout**
- **Home Channel Revert (LTR® Operation Only)**
- **Clock and Alarm**
- **Adjustable Power Levels**
- **Battery Gauge and RSSI Indicator**
- **Quik Call II Encode/Decode (Conv. Only)**

MDC Signaling on Conventional and LTR® Modes:
- **MDC1200 Emergency Signaling (Encode)**
- **MDC1200 Call Alert (Encode/Decode)**
- **MDC1200 PTT-ID (Alphanumeric ID - Encode/Decode)**
- **MDC1200 Selective Call (Encode/Decode)**
- **MDC1200 Radio Check (Encode/Decode)**
- **MDC1200 Selective Radio Inhibit (Decode)**

Programmable Buttons:
- **High/Low Power**
- **Channel Scan**
- **Repeater/Talkaround**
- **Home Channel Revert Auto Key (LTR® Mode)**
- **Monitor**
- **Emergency**
- **Light**
- **Radio Call**
- **Tight/Normal Squelch**
- **Keypad Lock**
- **Volume Set**
- **Speed Dial**

The following frequencies are not allowed:

151.200	403.200	420.000	436.805	470.405
151.205	403.205	422.580	453.595	487.195
167.995	407.075	432.925	453.600	487.200
168.000	412.250	436.795	453.605	487.205
168.005	414.835	436.800	470.395	504.000

BAND SPLIT	BAND	PWR	CONV CHAN	TRUNK ZONES/ TALKGROUPS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	160	15/16	AAH38KDH9DU6_N	$1,015
403-470 MHz	UHF	1W to 4W (ships 4W)	160	15/16	AAH38RDH9DU6_N	$1,075
450-512 MHz				15/16	AAH38SDH9DU6_N	$1,075

FCC INFORMATION AZ489FT3801 (136-174 MHz) / AZ489FT4844 (403-470 MHz) / AZ489FT4845 (450-512 MHz)

EX500™/EX600·XLS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): H236 (JMNN4025_R) and QA00668 (PMNN4073_A) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0004	Standard Battery (Li-ion, 1300 mAh, 7.5V - JMNN4024_R)	N/C
H236	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM) (JMNN4025_R)	-$9.50
H229	Li-ion, 1000 mAh, 7.5V Slim Battery (JMNN4023_R)	-$13.50
QA00668	Li-ion, 1400 mAh, 7.5V - Intrinsically Safe (FM) (IP67) (PMNN4073_A) * PMNN4073_A only IP67 rated with EX560XLS*	$15.00

STEP 2:

Charger Choices:

STDCHG0004	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00

STEP 3:

Carry Holder Choices:

STDBLT0004	Standard Carry Holster (JMZN4023)	N/C
H317	Omit Standard Carry Holster	-$3.50

STEP 4:

Antenna Choices:

STDANT0004	Standard Antenna (UHF only - NAE6483_R)	N/C
Q634	VHF 150-162 MHz Broadband Antenna (NAD6502_R)	N/C
H128	VHF 136-155 MHz Helical Antenna (8504762J01)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Perf., 7.5" - NAD6579)	N/C
H65	VHF 150-161 MHz Helical Antenna (PMAD4023)	N/C
H129	VHF 155-174 MHz Helical Antenna (8504762J02)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard VHF & UHF Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0004	Standard Model Box	N/C
H415	Bulk Packaging (minimum 20 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00535	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4022)	$85.00
QA00536	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4023)	$89.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

EX560·XLS™ PORTABLE
VHF & UHF Models - 12.5/20/25 kHz

All EX560·XLS portable models include:
- Standard Battery (Li-ion, 1400 mAh, 7.5V - PMNN4073_A)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (VHF option must be ordered / UHF Band 1 PMAE4022_A, UHF Band 2 PMAE4025_A)
- Carry Holster (JMZN4023)
- Three Year Warranty
- Operating Instruction Manual



Features:
- Up to 160 Conventional Channels and/or 15 Trunked Zones
- Up to 99 Channels per Conventional Zone and up to 16 Talkgroups per LTR® Zone
- 12.5/20/25 kHz Switchable Channel Spacing
- Small Size and Light Weight
- 14 Character Alphanumeric Display
- Limited DTMF Keypad
- 2 Programmable Side Buttons
- 3 Programmable Front Buttons
- Programmable Emergency Button
- X-Pand™ Technology
- Internal VOX
- Priority or Dual Priority Scan (Conv. Only)
- Channel/Zone Selection Programmable on Top or Front of the radio
- Busy Channel Lockout
- Home Channel Revert (LTR® Operation Only)
- Clock and Alarm
- Adjustable Power Levels
- Battery Gauge and RSSI Indicator
- Quik Call II Encode/Decode (Conv. Only)

Programmable Buttons:
- High/Low Power
- Channel Scan
- Repeater/Talkaround
- Home Channel Revert Auto Key (LTR® Mode)
- Monitor
- Emergency
- Light
- Radio Call
- Tight/Normal Squelch
- Keypad Lock
- Volume Set
- Speed Dial

MDC Signaling on Conventional and LTR® Modes:
- MDC1200 Emergency Signaling (Encode)
- MDC1200 Call Alert (Encode/Decode)
- MDC1200 PTT-ID (Alphanumeric ID - Encode/Decode)
- MDC1200 Selective Call (Encode/Decode)
- MDC1200 Radio Check (Encode/Decode)
- MDC1200 Selective Radio Inhibit (Decode)

The following frequencies are not allowed:

151.200	403.200	420.000	436.805	470.405
151.205	403.205	422.580	453.595	487.195
167.995	407.075	432.925	453.600	487.200
168.000	412.250	436.795	453.605	487.205
168.005	414.835	436.800	470.395	504.000

BAND SPLIT	BAND	PWR	CONV CHAN	TRUNK ZONES/ TALKGROUPS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	160	15/16	AAH38KDF9DU6_N	$1,030
403-470 MHz	UHF	1W to 4W (ships 4W)	160	15/16	AAH38RDF9DU6_N	$1,090
450-527 MHz	UHF	1W to 4W (ships 4W)	160	15/16	AAH38SDF9DU6_N	$1,090

FCC INFORMATION AZ489FT3801 (136-174 MHz) / AZ489FT4844 (403-470 MHz) / AZ489FT4845 (450-527 MHz)

EX560·XLS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): H236 (JMNN4025_R) and STDBAT0004 (PMNN4073_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0004	Standard Battery (IP67 Li-ion 1400mAh 7.5V - Intrinsically Safe (FM) 7.5V (PMNN4073_R) ***Note: Only IP67 designated batteries will qualify radio as IP67. Other non-IP67 batteries can be selected, but only as a non-IP67 solution.***	N/C
QA00669	IP67 Li-ion 1300mAh 7.5V (PMNN4074)	-$10.00
H236	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM) (JMNN4025_R)	-$20.00
H224	Li-ion, 1300mAh, 7.5V (JMNN4024_R)	-$15.00
H229	Li-ion, 1000 mAh, 7.5V Slim Battery (JMNN4023_R)	-$25.00

STEP 2:

Charger Choices:

STDCHG0004	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00

STEP 3:

Carry Holder Choices:

STDBLT0004	Standard Carry Holster (JMZN4023)	N/C
H317	Omit Standard Carry Holster	-$3.50

STEP 4:

Antenna Choices:

STDANT0004	Standard Antenna (UHF Band 1, PMAE4022A, UHF Band 2, PMAE4025A, VHF option must be selected)	N/C
H128	VHF 136-155 MHz Helical Antenna (8504762J01)	N/C
H129	VHF 155-174 MHz Helical Antenna (8504762J02)	N/C
H65	VHF 150-161 MHz Helical Antenna (PMAD4023)	N/C
H112	Omit Standard VHF & UHF Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0004	Standard Model Box	N/C
H415	Bulk Packaging (minimum 20 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

General Options:

QA00535	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4022)	$85.00
QA00536	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4023)	$89.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

HT1550·XLS™ PORTABLE

SUGGESTED RETAIL

VHF/UHF LTR® Models - Switchable 12.5/20/25 kHz

All HT1550•XLS portable models include:
- Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (VHF NAD6502_R / UHF NAE6483_R)
- 2.5" Belt Clip (HLN9714)
- Two Year Warranty
- User Guide

Features:
- Up to 160 Conventional Channels and/or 15 Trunked Zones
- Up to 99 Channels per Conventional Zone and up to 16 Talkgroups per LTR® Zone
- Front Panel Programmable (when using Q409 option or NNTN4503_R)
- Four Line 14 Character Alphanumeric Display
- 7 Programmable Buttons with 23 Selectable Features
- Channel / Zone Selection Programmable on Top or Front of the Radio
- 12.5/25 kHz Switchable Channel Spacing
- X-Pand™ Technology
- Internal VOX
- Telephone Interconnect
- Built in Voice Storage with Answer Mode
- Internal Noise Cancelling Microphone
- Home Channel Revert (LTR® Operation Only)
- Home Channel Revert Auto Key (LTR® Operation Only)
- Dual Priority Scan (Conv. Only)
- Status Message
- Quik Call II (Conv. Only)
- Call Stacking

MDC Signaling on Conventional and LTR® Modes:
- MDC1200 Call Alert (Encode/Decode)
- MDC1200 Selective Call (Encode/Decode)
- MDC1200 PTT-ID (Alphanumeric ID - Encode/Decode)
- MDC1200 Radio Check (Encode/Decode)
- MDC1200 Selective Radio Inhibit (Decode)
- MDC1200 Emergency (Encode)
- MDC1200 Emergency (Encode/Decode - Decode available only with Firmware R05.08.02 and CPS R06.05.00 or later)

The following frequencies are not allowed:

151.200	419.195	436.805	470.400	504.000
168.000	420.000	453.595	472.505	507.880
403.195	420.005	453.600	494.950	510.305
403.200	436.795	453.605	498.835	511.755
403.205	436.800	459.900	502.710	

BAND SPLIT	BAND	PWR	TRUNK ZONES/ TALKGROUPS	CONV CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	15/16	160	AAH25KDN9DU8_N	$1,050
403-470 MHz	UHF	1W to 4W (ships 4W)	15/16	160	AAH25RDN9DU8_N	$1,100
450-512 MHz	UHF	1W to 4W (ships 4W)	15/16	160	AAH25SDN9DU8_N	$1,100

FCC INFORMATION AZ489FT3794 (136-174 MHz) / AZ489FT4826 (403-470 MHz) / AZ489FT4834 (450-512 MHz)

LTR® is a registered trademark of E.F. Johnson Co.

HT1550·XLS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0841	Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
Q409	NiMH, 1500 mAh, 7.5V Battery - Front Panel Programmable (NNTN4503_R)	$33.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003)	$48.00

STEP 2:

Charger Choices:

STDCHG0841	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0841	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0841	Standard Antenna (VHF NAD6502_R / UHF NAE6483_R)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Performance, 7.5" - NAD6579)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0841	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

General Options:

QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50

HT1550·XLS™ PORTABLE OPTIONS

SUGGESTED RETAIL

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
QA00101	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black. Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise Enhancement (NTN8371) already attached for extra comfort and convenience (RLN5315).	$108.00
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

SUGGESTED RETAIL

PR1500 PORTABLE

VHF & UHF Models

All PR1500 models include:
- Standard Battery (IMPRES™ NiMH, 1850 mAh, 7.5V Battery - NTN9858)
- Standard Charger (IMPRES™ Single Unit Charger - WPLN4111_R)
- Standard Antenna (UHF Whip - NAE6549_R / VHF Must Choose Option)
- 2.25" Belt Clip (HLN6853)
- Remote Speaker Microphone Adapter (4385665D01)
- Accessory Connector Dust Cover (1505579Z01)
- User Guide CD (9964416H07)
- Two Year Warranty

Features:
- 32 Channels
- 12.5/25 kHz Switchable Channel Spacing (VHF/UHF)
- 3 Programmable Side Buttons
- 1 Programmable Top Button
- 16 Position Rotary Mode Select Switch
- Top Mount Concentric 3 Position Programmable Switch
- Dual Priority Scan
- Operator Selectable Scan
- Noise Reduction Software
- Bi-Color LED Indicator
- Weather Sealed Universal Accessory Connector
- Audio Gain Control
- Standard & Non Standard PL/DPL Code Capable
- Quik-Call II (Decode)

Programmable Buttons:
- Emergency
- Monitor
- Repeater Talkaround
- Scan
- Dynamic Priority
- Volume Set
- Nuisance Channel Delete

Signaling:
- Quik-Call II (Decode)
- MDC1200 PTT-ID (Encode)
- MDC1200 Radio Check (Decode)
- MDC1200 Emergency (Encode)
- MDC1200 Silent Emergency (Encode)
- MDC1200 Call Alert (Decode)
- MDC1200 Selective Call (Decode)
- MDC1200 Select Radio Inhibit (Decode)

The following frequencies are not allowed:

386.400	414.000	436.800	450.000
396.000	420.000	438.000	453.600
401.000	426.000	440.000	456.000
403.200	432.000	444.000	468.000
			462.000

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	32	AAH79KDC9PW5_N	$1,200
380-470 MHz	UHF	1W to 5W (ships 5W)	32	AAH79QDC9PW5_N	$1,250
450-520 MHz	UHF	1W to 5W (ships 5W)	32	AAH79SDC9PW5_N	$1,250

FCC INFORMATION: AZ489FT3807 (VHF 136-174 MHz) / AZ489FT4865 (380-470 MHz) / AZ489FT4866 (450-520 MHz)

PR1500 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF SUGG RETAIL PRICE

INTRINSICALLY SAFE (FM): H223 (NTN9816) and Q393 (NTN9857) are rated Intrinsically Safe for use in Division 1, Class I, II, III, Groups C,D,E,F,G and nonincendive use in Division 2, Class I, groups A,B,C,D Temp code T3C.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0626	Standard Battery (IMPRES NiMH, 1850 mAh, 7.5V Battery - NTN9858)	N/C
Q393	IMPRES NiMH, 1700 mAh, 7.5V Battery, Intrinsically Safe (FM) (NTN9857)	$28.00
Q694	NiCd, 1525 mAh, 7.5V Battery (NTN9815)	-$10.00
H223	NiCd, 1525 mAh, 7.5V Battery, Intrinsically Safe (FM) (NTN9816)	$17.00

STEP 2:

Charger Choices:

STDCHG0626	Standard Charger (IMPRES Single Unit Charger (WPLN4111_R)	N/C
QA00294	Universal Tri-Chemistry, Single Unit Charger (NTN1667)	-$20.00
H951	Omit Standard Charger	-$35.00

STEP 3:

Carry Holder Choices:

STDBLT0626	Standard 2.25" Belt Clip (HLN6853)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0626	Standard Antenna (UHF NAE6549_R)	N/C
H150	VHF 136-174 MHz, Wideband Dipole 7.5" (8505518V01)	N/C
H65	VHF 162-174 MHz, Wideband Helical (8505644V03)	N/C
H129	VHF 150.8-162 MHz, Wideband Helical (8505644V02)	N/C
H128	VHF 136-150.8 MHz, Wideband Helical (8505644V01)	N/C
H112	Omit Standard VHF/UHF Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0626	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00185	Remote Speaker Microphone with 3.5mm Audio Jack (NMN6193)	$87.25
QA00186	Noise Cancelling Remote Speaker Microphone with 3.5mm Audio Jack (NMN6191)	$96.75
QA00187	Remote Speaker Microphone with Emergency Button (RMN5038)	$120.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$44.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$84.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$125.00

PROFESSIONAL PORTABLE PORTABLE ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM): JMNN4025_R (H236), NTN4852 (Q795/Q869), HNN9010_R (Q390), NTN9857 (Q393), HNN9011_R (H236), NTN9816 (H223) & HNN4002 (QA00051) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.									
							Batteries and Accessories:		
				X			JMNN4025_R	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM)	$95.00
	X						NNTN4852	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (only comp. with WPLN4138_R & WPLN4161_R)	$110.00
	X						NNTN4851	NiMH, 1400 mAh, 7.5V Battery (comp. with WPLN4138_R & WPLN4161_R)	$63.00
		X	X		X		HNN9008_R	NiMH, 1500 mAh, 7.5V Battery (not compatible with LowBand models - Resale Packaging available through RPSD)	$64.00
					X		NNTN4503_R	NiMH, 1500 mAh, 7.5V Battery - Front Panel Programmable	$95.00
		X	X		X		HNN9010_R	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	$115.00
		X	X		X		HNN9009_R	NiMH, 1900 mAh, 7.5V Battery	$75.00
	X						PMNN4072	Mag One NiMH, 1300 mAh, Battery	$37.00
	X						NNTN4496_R	NiCd, 1100 mAh, 7.2V Battery	$60.00
		X	X		X		HNN9011_R	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)	$111.00
		X	X		X		HNN9012_R	NiCd, 1300 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$65.00
						X	NTN9815	NiCd, 1525 mAh, 7.5V Battery	$100.00
						X	NTN9816	NiCd, 1525 mAh, 7.5V Battery - Intrinsically Safe (FM)	$121.00
				X			JMNN4023_R	Slim Li-ion, 1000 mAh, 7.5V Battery	$89.00
	X						NNTN4970	Slim Li-ion, 1600 mAh, 7.2V Battery (comp. with WPLN4138_R & WPLN4161_R)	$105.00
X							53963	Li-ion, 1200 mAh, 3.6V Battery	$45.00
				X			JMNN4024_R	Li-ion, 1300 mAh, 7.5V Battery	$108.00
				X			PMNN4073_R	Li-ion, 1400 mAh, IP67 Battery - Intrinsically Safe (FM)	$128.00
				X			PMNN4074_R	Li-ion, 1400 mAh, IP67 Battery	$113.00
X							53964	Li-ion, 1500 mAh, 3.6V Battery	$70.00
		X	X		X		HNN9013_R	Li-ion, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$100.00
	X						NNTN4497_R	Li-ion, 2250 mAh, 7.5V Battery (only comp. with WPLN4138_R & WPLN4161_R)	$85.00
		X	X		X		NNTN5332	Disposable Clamshell Battery (requires (12) Alkaline Batteries, sold separately)	$80.00
							IMPRES™ - Intelligent Motorola Portable Radio Energy System: **The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features.**		
		X	X		X		HNN4002	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM)	$125.00
						X	NTN9857	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM)	$130.00
		X	X		X		HNN4001	IMPRES™, NiMH, 1800 mAh, 7.5V Battery	$82.00
						X	NTN9858	IMPRES™, NiMH, 1850 mAh, 7.5V Battery	$110.00
		X	X		X		HNN4003	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery	$108.00
							Carry Cases and Accessories:		
				X			PMLN4421	Soft Leather Case with Fixed Swivel Clip (EX500 models only)	$20.00
				X			PMLN4521	Soft Leather Case with Fixed Swivel Clip & D-Rings (EX600-XLS models only)	$24.00
	X						RLN5496	Leather DTMF Case with 2.5" Swivel (for use with Full Display models)	$45.00
	X						RLN5641	Leather DTMF Case with 2.5" Swivel (for use with Limited Display models)	$45.00
	X						RLN5497	Leather DTMF Case with 3" Swivel (for use with Full Display models)	$45.00
	X						RLN5642	Leather DTMF Case with 3" Swivel (for use with Limited Display models)	$45.00
	X						RLN5498	Leather DTMF Case with Belt Loop (for use with Full Display models)	$39.00
	X						RLN5640	Leather DTMF Case with Belt Loop (for use with Limited Display models)	$39.00

PROFESSIONAL PORTABLE

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX600/EX600·XLS	HT1550·XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Carry Cases and Accessories continued:	
				X			PMLN4471	Hard Leather Case with Swivel & D-Rings (EX500 models only)	$38.00
				X			PMLN4520	Hard Leather Case with Swivel Clip & D-Rings (EX600·XLS models only)	$38.00
		X	X				HLN9665	Leather Case with Belt Loop (HT750 & PR860 - for use with NiMH & NiCd non-IMPRES Batteries & all IMPRES Batteries)	$51.00
	X						RLN5383	Leather Case with Belt Loop (for use with Non-Display models)	$39.00
		X	X				HLN9652	Leather Case with Belt Loop (HT750 & PR860 - for use with Li-ion non-IMPRES Batteries)	$51.00
						X	NNTN4115	Leather Case with High Activity 3" Swivel	$60.00
						X	NNTN4116	Leather Case with High Activity 2.5" Swivel	$60.00
						X	NNTN4117	Leather Case with Belt Loop	$60.00
			X				HLN9689	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with NiMH & NiCd Batteries)	$51.00
					X		HLN9698	Leather DTMF Case with Belt Loop (for use with NiMH & NiCd Batteries)	$51.00
					X		HLN9695	Leather DTMF Case with Belt Loop (for use with Li-ion Batteries)	$51.00
			X				HLN9677	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with Li-ion Batteries)	$51.00
			X				HLN9946	Leather Keypad Case with Belt Loop (Resale Packaging available through RPSD) (HT1250 & HT1250•LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	$51.00
			X				HLN9945	Leather Keypad Case with Belt Loop (HT1250 & HT1250•LS+ Limited Keypad models - for use with Li-ion Batteries)	$51.00
	X						RLN5384	Leather Case with 2.5" Swivel (for use with Non-Display models)	$45.00
	X						RLN5385	Leather Case with 3" Swivel (for use with Non-Display models)	$45.00
		X	X				HLN9676	Leather Case with Swivel (Resale Packaging available through RPSD) (HT750 & PR860 - for use with NiMH & NiCd non-IMPRES Batteries & all IMPRES Batteries)	$59.00
			X				HLN9998	Leather Keypad Case with Swivel (HT1250 & HT1250•LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	$59.00
			X				HLN9955	Leather Keypad Case with Swivel (HT1250 & HT1250•LS+ Limited Keypad models - for use with Li-ion Batteries)	$59.00
		X	X				HLN9670	Leather Case with Swivel (HT750 & PR860 - for use with Li-ion non-IMPRES Batteries)	$59.00
			X				HLN9690	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with Li-ion Batteries)	$59.00
			X				HLN9694	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with NiMH & NiCd Batteries)	$59.00
					X		HLN9700	Leather DTMF Case with Swivel (for use with NiMH & NiCd Batteries)	$59.00
					X		HLN9699	Leather DTMF Case with Swivel (for use with Li-ion Batteries)	$59.00
		X	X				RLN5213	Leather Case (Accommodates radio adapter with Bluetooth™ Wireless Technology and adapter capable battery - for use with NiMH Batteries)	$59.00
				X			PMLN4470	Nylon Case with Belt Loop & D-Rings (EX500 models only)	$24.00
	X	X	X		X		HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	$24.00

Date1/26/07

SUGGESTED RETAIL

PROFESSIONAL PORTABLE

ACCESSORIES

DTR550/DTR650	PR400	PR660	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Carry Cases and Accessories continued:	
		X	X		X		RLN4815	Universal RadioPAK™ & Utility Case (fanny pack)	$45.00
		X	X		X		4280384F89	Universal RadioPAK™ Extension Belt for waist larger than 40"	$5.00
				X			JMZN4023	Plastic Holster with Swivel Belt Clip	$10.00
	X						RLN5644	2" Spring Action Belt Clip	$6.00
		X	X				HLN9714	2.5" Spring Action Belt Clip	$11.00
	X						HLN8255	3" Spring Action Belt Clip	$6.00
		X				X	HLN9844	2" Spring Belt Clip	$11.50
						X	HLN6853	2.25" Spring Action Belt Clip	$11.50
X							53961	Swivel Belt Holster	$13.00
	X	X	X		X		HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket (HT750, HT1250, HT1250•LS+ & HT1550•XLS - not compatible with UHF models)	$38.00
	X		X				RLN4570	Break-Away Chest Pack	$54.25
	X	X	X				TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
	X	X	X				TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
		X	X	X	X		HLN9985	Waterproof Bag, includes large carrying strap	$36.00
	X	X	X	X	X	X	NTN5243	Shoulder Strap (for use with Cases with D-Rings)	$20.00
								IMPRES™ - Intelligent Motorola Portable Radio Energy System Chargers: **The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with IMPRES™ batteries.**	
		X	X	X	X		WPLN4182	IMPRES™, Single Unit Charger	$62.50
		X	X	X	X		WPLN4187	IMPRES™, Multi Unit Charger	$495.00
		X	X		X		WPLN4192	IMPRES™ Multi Unit Charger with Display Modules - displays real-time for IMPRES™ batteries - mAh, % capacity, time remaining to rapid charge complete, battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	$650.00
						X	WPLN4130	IMPRES™ Multi Unit Charger with Display Modules - displays real-time for IMPRES™ batteries - mAh, % capacity, time remaining to rapid charge complete (NiCd/NiMH batteries), battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	$1,350.00
		X	X		X	X	RLN5382	IMPRES™ Charger Display Module - retrofitable on IMPRES™ Multi Unit Chargers (WPLN4108_R & WPLN4187)	$95.00
						X	WPLN4111_R	IMPRES™ Charger	$165.00
						X	WPLN4108_R	IMPRES™ Multi Unit Charger	$788.00
								Chargers and Accessories:	
X							NNTN4841	3 Hour Charger	$25.00
X							53969	Rapid Charger, 1 Hour	$30.00
X							53962	Drop In Charging Tray	$27.95
X							53960	Multi-Unit Charger	$200.00
		X	X	X	X		AAHTN3000	120 Volt - Single Unit Rapid Rate Charger	$56.75
	X						WPLN4138_R	120 Volt - 90 Minute Rapid Rate Charger	$57.75
	X						WPLN4155_R	120 Volt - 10 Hour Desktop Charger (for use with NNTN4496_R NiCd battery only)	$27.00
						X	NTN1667	110V Single Unit Universal Tri-Chemistry Charger	$100.00
	X						WPLN4161_R	120 Volt - 6 Unit Rapid Rate Charger	$450.00
						X	NTN1177	110 Volt Rapid Multi-Unit Charger (for use with Ni-Cd & NiMH batteries only)	$788.00

PROFESSIONAL PORTABLE

ACCESSORIES

SUGGESTED RETAIL

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Chargers and Accessories continued:	
		X	X	X	X	X	NLN7967	Wall Mount Kit for Multi-Unit Charger	$21.00
		X	X	X	X		WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	$2,106.00
		X	X		X		RL-76345	Adapter Plate BOS I	$115.00
				X			RL-77255	Adapter Plate for use with BOS and BOS II	$115.00
		X	X		X		HLN9793	Charger Insert Spacer - Compatible with "A" version chargers ONLY	$6.30
		X	X		X		HLN9794	Charger Insert Spacer - Compatible with "B", "C" & "D" version chargers ONLY	$6.30
		X	X		X		RLN5233	Hard Wire Vehicular Charger (no Pac-RT functionality)	$270.00
		X	X		X		RLN4883	Travel Charger (includes voltage regulated lighter adapter,	$89.25
								Battery Maintenance Systems (BMS):	
		X	X		X		NDN4005	Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).	$499.00
		X	X	X	X		WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	$650.00
		X	X		X		WPPN4079_R	BMS Battery Adapter (for use with NiCd & NiMH batteries)	$80.00
				X			WPPN4096_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	$120.00
		X	X		X		WPPN4080_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	$120.00
								Conditioning Chargers and Accessories:	
		X	X		X		WPLN4107_R	Motorola Conditioning Charger - Single Unit - includes charger base, removable adapter plate and transformer, 1-2 hour rapid charge.	$70.00
		X	X		X		WPPN4065_R	Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)	$399.00
		X	X		X		WPPN4082_R	Adapter Plate Only (for use with Motorola Conditioning Chargers)	$15.00
		X	X		X		RLN4814	Vehicular Mounting Bracket - includes hard wire cable with In-Line fuse for use with single unit Motorola Conditioning Chargers	$35.00
		X	X		X		3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	$7.00
								Vehicular Chargers/Adapters & Accessories:	
X							NNTN6343	Vehicular Battery Charger	$24.99
						X	NTN9176	Vehicular Charger	$390.00
		X	X		X		ENKN4002	Programming Cable for VHF & UHF Vehicular Adapters (required when using external speaker and/or with LS radios)	$143.00
		X	X		X		GSN6059	13 Watt External Speaker	$71.50
		X	X				GKN6270	Power Cable with 10A Fuse	$25.00

PROFESSIONAL PORTABLE

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR660	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							General Accessories:		
		X	X	X	X		RLN4890	Assistive Turning Knobs	$15.75
			X		X		HLN9820	Accessory Dust Cover	$6.60
				X			JMLN4638	Accessory Dust Cover	$6.00
				X			PMLN4455	Audio Accessory Adapter (this allows use of the HT1000 3.5mm audio accessories as noted within the price pages) - Intrinsically Safe (FM)	$43.50
						X	BDN6676	3.5mm Jack Adapter with Quick Disconnect Latch - for use with 1, 2 & 3-wire earpiece and lightweight headset accessories - Intrinsically Safe (FM)	$52.50
						X	NTN7660	Tilt/Man Down Switch	$165.00
						X	BDN6673	Headset Adapter Cable - Intrinsically Safe (FM)	$230.00
						X	NTN8613	Keyload Adapter	$89.25
	X						RLN5500	Accessory Retainer Clip	$10.75
							Headsets and Accessories:		
X							BDN6773	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone	$53.00
		X	X		X		AARMN4018	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	$100.00
		X	X		X		AARMN4031	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone - Intrinsically Safe (FM)	$65.00
				X		X	NMN6245	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line Push-to-Talk Switch (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$149.00
				X			JMMN4066	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	$115.00
						X	NMN1020	Lightweight Helmet Worn Headset (requires BDN6676) - Intrinsically Safe (FM)	$329.00
	X						HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	$57.00
	X						RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	$76.00
	X						RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	$125.00
				X			RLN5590	Lightweight Headset with Boom Microphone (EX500 models only)	$80.00
				X		X	NMN6246	Ultra-Light Headset with Boom Microphone and In-Line Push-to-Talk, Earbud Style Receiver (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$129.00
X							RLN5580	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	$55.00
		X	X		X		ENMN4012	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone - Intrinsically Safe (FM)	$110.00
		X	X		X		AARMN4017	Ultra-Light Headset with Boom Microphone, Earbud Style Receiver - Intrinsically Safe (FM)	$55.00
	X						RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	$60.00
		X	X		X		ENMN4016	Medium Duty Headset, behind-the-head, with In-Line PTT & Noise Cancelling Boom Microphone, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$270.00
		X	X		X		AARMN4019	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone & In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$265.00

PROFESSIONAL PORTABLE

ACCESSORIES

DTR550/DTR850	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Headsets and Accessories continued:	
		X	X		X		AARMN4032	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$240.00
						X	NMN6258	Medium Weight Headset, Over-the-Head, with In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$389.00
						X	NMN6259	Medium Duty Headset, Behind-the-Head, with In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$425.00
	X						HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB	$300.00
	X						HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB	$230.00
	X						BDN6647	Medium Weight Single Muff Headset with Boom Microphone (PR400 - Intrinsically Safe (FM))	$151.00
	X						BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	$525.00
				X		X	BDN6645	Heavy Duty Noise Cancelling Boom Microphone Headset with PTT on Earcup - (requires separate adapter cable) - Noise Reduction Rating = 24dB (EX500 & EX600•XLS - requires RKN4093) (PR1500 - requires BDN6673 - Intrinsically Safe (FM))	$439.00
				X		X	BDN6635	Heavy Duty Noise Cancelling Boom Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600•XLS - requires RKN4093) (PR1500 - requires BDN6673)	$906.00
				X		X	BDN6636	Heavy Duty Noise Cancelling Throat Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600•XLS - requires RKN4093) (PR1500 - requires BDN6673 - Intrinsically Safe (FM))	$857.00
		X	X				RMN5047	NFL Style Heavy Duty Headset (HT750, HT1250 & PR860 - requires AAHLN9716 Adapter)	$225.00
	X	X	X	X	X		RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	$500.00
				X			RKN4093	Adapter Cable (use with RMN5015, BDN6645, BDN6635 & BDN6636 headsets)	$105.00
	X						RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	$100.00
		X	X		X		RKN4091	Adapter Cable for Racing Headset (for use with RMN5015)	$140.00
	X						PMLN5011	Temple Transducer (2 Prong)	$159.00
	X						PMLN5003	Temple Transducer (Resale Packaged)	$79.00
						X	RMN5049	Rugged Temple Transducer Headset - features a noise cancelling boom microphone and In-Line PTT	$340.00
		X	X		X		RMN4048	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	$175.00
						X	RMN4049	Temple Transducer - Receive audio without covering the ear, behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	$225.00
				X			PMLN4585	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	$175.00
		X	X		X		RMN5048	Rugged Temple Transducer - Fully adjustable over-the-head style headset allows user to receive audio through the temples. Headset comes with a larger In-Line PTT and a larger noise canceling boom microphone than the standard model - Intrinsically Safe (FM)	$290.00

PROFESSIONAL PORTABLE

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Headsets and Accessories continued:	
		X	X		X		AARMN4020	Push-to-Talk or (VOX) Voice Activated Heavy Duty Dual Muff Headset with Noise Cancelling Microphone and PTT on Earcup, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$525.00
		X	X		X		RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$225.00
		X	X		X		RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	$330.00
		X	X		X		RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$330.00
		X	X		X		RKN4097	In-Line PTT Adapter Cable (for use w/RMN4051, RMN4052 & RMN4053 Headsets)	$199.00
	X						REX4648	Replacement Windscreen (for use with Boom Microphone) and Foam Ear Pad	$7.20
	X						3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	$4.05
	X						5080371E66	Replacement Ear Pads for use with BDN6647	$6.85
								Earpieces:	
	X						RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	$114.00
	X						HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	$114.00
		X	X		X		RLN5315	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$108.00
		X	X		X		RLN5316	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$108.00
	X						RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
	X						RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
		X	X		X		AARMN4029	2-Wire Surveillance Kit with Microphone & PTT Combined, Black - Intrinsically Safe (FM)	$100.00
		X	X		X		AARMN4022	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$100.00
	X						RLN5198_P	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	$125.00
				X		X	BDN6729	2-Wire Surveillance Kit with Microphone and PTT Combined, Black (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$114.00
				X		X	BDN6667	2-Wire Surveillance Kit with Microphone and PTT Combined, Beige (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6673 - Intrinsically Safe (FM))	$114.00

PROFESSIONAL PORTABLE

ACCESSORIES

SUGGESTED RETAIL

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX600/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Earpieces continued:	
				X		X	BDN6731	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$118.00
				X		X	BDN6669	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$118.00
						X	ZMN6032	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige (PR1500 - requires NTN8613 adapter)	$143.00
						X	ZMN6038	2-Wire Surveillance Kit with Microphone and PTT Combined, Beige (PR1500 - requires NTN8613 adapter - exceeds OSHA limits - Extra Loud)	$149.00
	X	X			X		ENMN4014	3-Wire Surveillance Kit with Microphone & PTT Separate, Black - Intrinsically Safe (FM)	$165.00
	X	X			X		ENMN4017	3-Wire Surveillance Kit with Microphone & PTT Separate, Beige - Intrinsically Safe (FM)	$165.00
						X	ZMN6031	3-Wire Surveillance Kit with Microphone & PTT Combined, Beige (PR1500 - requires NTN8613 adapter)	$177.00
						X	ZMN6039	3-Wire Surveillance Kit with Microphone & PTT Combined, Beige (PR1500 - requires NTN8613 adapter - exceeds OSHA limits - Extra Loud)	$190.00
				X		X	BDN6730	3-Wire Surveillance Kit with Microphone and PTT Separate, Black (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$150.00
				X		X	BDN6668	3-Wire Surveillance Kit with Microphone and PTT Separate, Beige (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$150.00
				X		X	BDN6732	3-Wire Surveillance Kit with Microphone & PTT Separate with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$135.00
				X		X	BDN6670	3-Wire Surveillance Kit with Microphone and PTT Separate with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$135.00
				X		X	BDN6726	Receive-Only Surveillance Kit, Black (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$40.00
				X		X	BDN6664	Receive-Only Surveillance Kit, Beige (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$40.00
				X		X	BDN6727	Receive-Only Surveillance Kit with Extra Loud Earphone, Black (single wire, exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$42.00
				X		X	BDN6665	Receive-Only Surveillance Kit with Extra Loud Earphone, Beige (single wire, exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$42.00

PROFESSIONAL PORTABLE

Date 9/11/06

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Earpieces continued:		
				X		X	BDN6728	Receive-Only Surveillance Kit with Volume Control, Black (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$53.00
				X		X	BDN6666	Receive-Only Surveillance Kit with Volume Control, Beige (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$53.00
X							BDN6774	Earpiece with Microphone (worn over ear with streamlined boom microphone)	$51.00
X							56517	Earpiece with In-Line PTT & Microphone	$25.00
X							56518	Earpiece with Boom Microphone	$25.00
	X						HMN9752	Earpiece with Volume Control (single wire) (PR400 - Intrinsically Safe (FM))	$45.00
	X						HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	$36.00
	X						RLN4894	Earpiece without Volume Control, Black (single wire)	$35.00
	X						PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	$54.00
	X						HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	$21.00
	X						PMLN4294	Earbud with Microphone & PTT Combined	$27.00
X							HMN9004	Earbud (single wire - Receive only)	$18.00
X							HMN8435	Earbud with Clip Microphone and PTT (2-wire - transmit & receive)	$40.00
				X			PMLN4519	Earbud with Clip Microphone and PTT, Transmit and Receive - (2-wire - Intrinsically Safe (FM))	$85.00
				X		X	BDN6781	Earbud, Receive Only (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$27.00
				X		X	BDN6780	Earbud with Clip Microphone and PTT Combined, Transmit & Receive (2-wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$67.00
	X						HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	$40.00
		X	X		X		AARLN4885	Receive-Only Foam Earbud with 3.5mm plug - (for use with AAHMN9053, AAHMN9054 & AAHMN9057) - Intrinsically Safe (FM)	$25.00
		X	X		X		AARMN4021	Receive-Only Earpiece without Volume Control, Beige - Intrinsically Safe (FM)	$45.00
		X	X		X		AARMN4028	Receive-Only Earpiece without Volume Control, Black - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$45.00
		X	X		X		RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with AAHMN9053, AAHMN9054 & AAHMN9057)	$58.00
		X	X	X	X		RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	$340.00
	X	X	X	X	X		NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	$32.00
	X	X	X	X	X		NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	$20.00
	X	X	X	X	X		5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	$29.25
	X	X	X	X	X		5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	$47.25

PROFESSIONAL PORTABLE

ACCESSORIES

SUGGESTED RETAIL

DTR650/DTR650	PR400	PR660	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Earpieces continued:		
				X			PMLN4393	Flexible Ear Receiver with 2.5mm Plug (for use with Remote Speaker Microphone JMMN4073) - contains a flexible earloop and speaker that rests external to the ear	$35.50
		X	X		X		ENMN4013	Flexible Ear Receiver (flexible earloop & speaker that rests external to the ear) - Intrinsically Safe (FM)	$60.00
		X	X		X		WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone or Public Safety Microphone - Intrinsically Safe (FM)	$43.00
				X			BDN6719	Flexible Ear Receiver, Black - Earpiece without Volume Control - (flexible earloop & speaker that rests external to the ear) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$35.00
	X						BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	$35.00
	X	X	X	X	X		RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
	X	X	X	X	X		RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
	X	X	X	X	X		RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
	X	X	X	X	X		RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
	X	X	X	X	X		RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
	X	X	X	X	X		RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
							Microphones:		
X							HMN9051	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip	$57.75
		X	X		X		PMMN4021	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$66.25
		X	X		X		PMMN4027	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$69.00
		X	X		X		3085875M04	Remote Speaker Microphone Replacement Cable	$35.00
				X			PMMN4022	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$85.00
				X			PMMN4023	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$89.00
	X						PMMN4013	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip Intrinsically Safe (FM)	$73.50
	X						PMMN4029	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip Intrinsically Safe (FM)	$75.00
		X	X		X		RMN5055	Heavy Duty Remote Speaker Microphone with 3.5mm Audio Jack	$110.00
						X	NMN6193	Remote Speaker Microphone with coiled cord, swivel clothing clip and 3.5mm audio jack - Intrinsically Safe (FM)	$87.25
						X	RMN5038	Remote Speaker Microphone with Emergency Button - Intrinsically Safe (FM)	$120.00
		X	X		X		AAHMN9053	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$72.50
						X	NMN6191	Noise Cancelling Remote Speaker Microphone with coiled cord, swivel clothing clip & 3.5 mm audio jack - Intrinsically Safe (FM)	$96.75
		X	X		X		AAHMN9057	VHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch and Antenna (148-174 MHz Only) - Intrinsically Safe (FM)	$90.25
		X	X		X		AAHMN9054	UHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch & Antenna (450-470 MHz Only) - Intrinsically Safe (FM)	$90.25
						X	RMN5072	UHF / 700 / 800 Public Safety Speaker Microphone with 3.5 mm audio jack, volume switch, and 30" straight cord (not compatible with VHF & antenna not included) - Intrinsically Safe (FM)	$160.00
						X	RMN5074	UHF / 700 / 800 Public Safety Speaker Microphone with 3.5 mm audio jack, volume switch, and 18" straight cord (not compatible with VHF & antenna not included) - Intrinsically Safe (FM)	$160.00
						X	RMN5073	UHF / 700 / 800 Public Safety Speaker Microphone with 3.5 mm audio jack, volume switch, and 24" straight cord (not compatible with VHF & antenna not included) - Intrinsically Safe (FM)	$160.00

PROFESSIONAL PORTABLE

Date 9/11/06

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								Ear Microphones and Accessories:	
		X	X		X	X	BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	$198.00
		X	X		X	X	BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	$198.00
		X	X		X	X	BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM)	$247.00
	X						BDN6646	Ear Microphone with PTT Interface Module (PR400 - Intrinsically Safe (FM))	$461.00
	X						BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX) (PR400 - Intrinsically Safe (FM))	$524.00
				X			BDN6768	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600•XLS - Intrinsically Safe (FM))	$198.00
				X			BDN6769	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600•XLS - Intrinsically Safe (FM))	$198.00
				X			BDN6770	Ear Microphone, Gray (for high noise levels up to 105dB) - req. Interface Module (EX500 & EX600•XLS - Intrinsically Safe (FM))	$247.00
				X			JMMN4064	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM)	$347.00
		X	X		X		AARMN4044	Interface Module for PTT Operation Only - Intrinsically Safe (FM)	$284.00
		X	X		X		AARMN4045	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM)	$347.00
	X	X	X	X	X		0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	$52.50
	X	X	X	X	X	X	0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsically Safe (FM)	$159.00
						X	BDN6708	Ear Microphone Interface Module, PTT Operation Only - Intrinsically Safe (FM)	$284.00
						X	BDN6671	Ear Microphone Interface Module with Selectable Switch for PTT or VOX Operation - Intrinsically Safe (FM)	$347.00
								CommPort: Integrated Microphone/Receiver: **CommPort Integrated Microphone/Receiver System is a communication device that is intelligible in high noise levels up to 100dB. This device's acoustic technology does not rely on bone conduction for communication.**	
		X	X		X		NTN1722	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	$344.00
		X	X		X		NTN1723	Integrated Ear Microphone & Receiver System with Palm PTT - Intrinsically Safe (FM)	$370.00
		X	X		X		NTN1724	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	$370.00
		X	X		X		NTN1737	Integrated Ear Microphone & Receiver with Snap-on-Side PTT - Intrins. Safe (FM)	$378.00
		X	X		X		NNTN4187	Integrated Microphone Receiver with Remote Push-to-Talk Body Switch - Intrinsically Safe (FM)	$485.00
						X	NTN1624	Integrated Ear Microphone & Receiver System with Palm PTT - Intrinsically Safe (FM)	$370.00
						X	NTN1625	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	$344.00
						X	NTN1663	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	$370.00
						X	NTN1736	Integrated Ear Microphone / Receiver with Snap-on-Side PTT - Intrinsically Safe (FM)	$378.00
		X	X		X		NKN6510	Replacement Palm PTT Cable for NTN1624 & NTN1723	$53.00
		X	X		X	X	NKN6512	Replacement Ring PTT Cable for NTN1663 & NTN1724	$60.25
		X	X		X	X	NKN6508	Replacement Cable for NTN1722 & NTN1625	$34.50
		X	X		X	X	NKN6525	Replacement Snap-on-Side PTT Cable for NTN1736 & NTN1737	$75.00

PROFESSIONAL PORTABLE

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
								CommPort: Integrated Microphone/Receiver continued:	
		X	X		X		AAHLN9717	Replacement Audio Adapter with 3.5mm jack for CommPort Integrated Microphone Receiver System	$52.50
		X	X		X		NNTN4188	Replacement Remote PTT Body Switch	$180.00
		X	X		X		NTN8821	CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)	$46.00
		X	X		X		NTN8986	Adhesive Pads (qty 90) for secure attachment to the ear	$23.00
		X	X		X		NTN8988	Ear Straps (qty 10) for secure attachment to the ear	$17.25
								Mag One Audio Accessories:	
	X						PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	$18.00
	X						PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	$20.00
	X						PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	$26.00
	X						PMLN4445	Mag One Headset with PTT/VOX Switch	$30.00
	X						PMMN4008	Mag One Remote Speaker Microphone	$31.00
								Call Boxes: **Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.**	
								A106.5 Call Boxes - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5' H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.	
	X	X	X	X	X	X	RRDN4588	Solar Powered	$1,999.00
	X	X	X	X	X	X	RRDN4589	AC/DC Powered	$1,969.00
								A144 Call Boxes - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.	
	X	X	X	X	X	X	RRDN4590	Solar Powered	$2,995.00
	X	X	X	X	X	X	RRDN4591	AC/DC Powered	$2,895.00
								A1 Call Boxes - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.	
	X	X	X	X	X	X	RRDN4362	Solar Powered	$2,585.00
	X	X	X	X	X	X	RRDN4363	AC/DC Powered	$2,350.00
	X	X	X	X	X	X	RRDN4364	Solar Powered with PVC Stanchion	$2,850.00
	X	X	X	X	X	X	RRDN4365	Solar Powered with Aluminum Stanchion	$3,175.00
	X	X	X	X	X	X	RRDN4366	AC/DC Powered with Aluminum Stanchion	$2,975.00
								ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.	
	X	X	X	X	X	X	RRDN4367	Solar Powered	$2,695.00
	X	X	X	X	X	X	RRDN4368	AC/DC Powered	$2,550.00

PROFESSIONAL PORTABLE

Date 9/11/06

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Call Boxes continued:		
							A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.		
	X	X	X	X	X	X	RRDN4369	Solar Powered	$3,185.00
	X	X	X	X	X	X	RRDN4370	AC/DC Powered	$2,900.00
							MACplus Call Boxes - Four-button notification panel that can be tailored to user requirements. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Call Box alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. The RRDN4371 & RRDN4372 require RRDN4373 Computer Aided Maintenance Software Package for programming of Call Buttons. Only one package required regardless of number of Call Boxes in system.		
	X	X	X	X	X	X	RRDN4371	Solar Powered	$3,785.00
	X	X	X	X	X	X	RRDN4372	AC/DC Powered	$3,600.00
	X	X	X	X	X	X	RRDN4373	MACplus Computer Aided Maintenance Software Package	$1,450.00
							MACone Call Boxes - Features all of the characteristics of our standard aluminum call boxes in a rust-proof and corrosion-proof stainless steel enclosure. Made of 316 powder-coated stainless steel and highlighted by a self-closing pneumatic door, this box is ideal for roadside assistance. Its single button operation makes calling for support easier than ever. The Callbox enclosure measures 15"H x 11.375"W x 7.75"D and includes ADA compliant hinges for easy open functionality. Available in either AC/DC or 5-watt solar panel options		
	X	X	X	X	X	X	RRDN6474	Solar Powered	$3,650.00
	X	X	X	X	X	X	RRDN6473	AC/DC Powered	$3,530.00
							Antennas:		
		X	X				NAB6064	LowBand Heliflex Antenna, 29.7-50 MHz	$24.50
	X	X	X	X	X		NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	$11.75
		X	X	X	X		PMAD4012	VHF Stubby Antenna, 136-155 MHz (Red Color Code)	$13.25
	X						HAD9742	VHF Stubby Antenna, 146-162 MHz	$10.75
		X	X	X	X		PMAD4025	VHF Stubby Antenna, 150-161 MHz (Brown Color Code)	$13.25
		X	X	X	X		PMAD4013	VHF Stubby Antenna, 155-174 MHz (Black Color Code)	$13.25
	X						HAD9743	VHF Stubby Antenna, 162-174 MHz	$10.75
		X	X	X	X		8504762J01	VHF Whip Antenna, 136-155 MHz (Red Color Code)	$13.50
		X	X	X	X		NAD6579	VHF Whip Antenna, 148-161 MHz (Enhanced Performance, 7.5")	$13.50
		X	X	X	X		PMAD4023	VHF Whip Antenna, 150-161 MHz (Brown Color Code)	$13.50
		X	X	X	X		8504762J02	VHF Whip Antenna, 155-174 MHz (Black Color Code)	$13.50
						X	8505644V01	VHF Helical Antenna, 136-150.8 MHz	$16.50
						X	8505518V01	VHF Wideband Dipole 7.5", 136-174 MHz	$24.00
						X	8505644V02	VHF Helical Antenna, 150.8-162 MHz	$16.50
						X	8505644V03	VHF Helical Antenna, 162-178 MHz	$16.50
	X						NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	$12.25
	X						8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	$12.25
		X	X	X	X		PMAE4002	UHF Stubby Antenna, 403-430 MHz (Green Color Code)	$11.25
		X	X	X	X		PMAE4003	UHF Stubby Antenna, 430-470 MHz (Natural Color Code)	$11.25
			X	X	X		PMAE4006	UHF Stubby Antenna, 465-490 MHz (Orange Color Code)	$14.75

PROFESSIONAL PORTABLE

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Antennas continued:		
	X	X	X	X	X		NAE6483_R	UHF Whip Antenna, 403-520 MHz	$11.75
						X	NAE6546_R	UHF Helical Antenna, 403-435 MHz	$16.50
						X	NAE6547_R	UHF Helical Antenna, 435-470 MHz	$16.50
						X	NAE6548_R	UHF Helical Antenna, 470-520 MHz	$16.50
						X	NAE6549_R	UHF Helical Antenna, 403-520 MHz	$21.50
X							8505241U06	806-941 MHz 1/4 Wave Stubby Antenna	$25.50
X							8505241U04	896-941 MHz 1/2 Wave Whip Antenna	$35.75
							Retrofit Boards:		
			X				AAHLN9725	Voice Storage Option Board - Field Install Only	$74.75
		X	X		X		AAENLN4150	Mandown Option Board - Field Install Only Not for use on any LowBand models or 4 channel models	$150.00
		X	X		X		AAHLN9729	DTMF Decode Option Board - Field Install Only (HT750 - not for use on 4 channel models)	$104.00
			X				HLN9984	DTMF & Keypad Retrofit Kit for HT750 - 16 Channel Models ONLY	$79.25
							Service Accessories:		
X							RVN5080	DTR Computer Programming Software (CPS) - 3 Year Subscription Requires 0105950U15 Programming Cable. **Note: Software requires a license agreement and is not intended for resale.**	$310.00
	X						RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter: AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter **Note: Software requires a license agreement and is not intended for resale.**	$220.00
		X					RVN5022	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - PR860. Compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®, and Windows XP®. Uses programming cables AARKN44074 (requires Radio Interface Box) or RKN4075 and must be purchased separately if required. **Note: Software requires a license agreement and is not intended for resale.**	$99.00
			X	X	X		H5177	Portable & Mobile Programming Software Plus (CPS+) - 3 Year Subscription Package - HVN9025 includes CPS/PPCPS (PassPort® Customer Programming Software), CPS tutorial, reflashing tool and freq. finder application for the HT, EX, CDM & MTX•LS Series. HVN9067 for MTX Series Privacy Plus - includes HT & MTX Series Programming & Test Cable (AARKN4074). Also is compatible with RLN4460 used for radio testing. (HVN9025 is compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®. HVN9067 is compatible with Windows® 95/98/Windows NT®.) A Mobile Programming Cable (AARKN4081 or AARKN4083) must be purchased separately. **Note: Software requires a license agreement and is not intended for resale.**	$299.00
						X	RVN4181	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package Programs - PR1500 / MT1500 / XTS1500 / XTS2500 / XTS5000 / SSE5000. Compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®, and Windows XP®. Uses Ribless programming cables RKN4105 (USB) or RKN4106 (RS232) and must be purchased separately if required. **Note: Software requires a license agreement and is not intended for resale.**	$279.00

PROFESSIONAL PORTABLE

Date 9/11/06

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Service Accessories continued:		
	X						AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	$50.00
		X	X		X		AARKN4074	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing. (Multi-Language manual)	$63.00
				X			AAJMKN4123	Programming & Test Cable - Progr. cables require a Radio Interface Box (RIB).	$150.00
X							0105950U15	DTR Serial Data Cable CPS/RSS	$18.00
						X	RKN4105	USB Programming Cable - uses RVN4181 CPS - No RIB Box required.	$237.00
						X	RKN4106	RS232 Programming Cable - uses RVN4181 CPS - No RIB Box required.	$251.00
	X	X	X	X	X		3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	$52.00
		X	X		X		RKN4075	Ribless Programming Cable - provides interface between computer and radio - (not compatible with RIB) (Multi-Language Manual)	$88.00
		X	X		X		AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	$60.00
X							53968	Cloning Cable	$30.00
		X	X		X		RKN4073	Cloning Cable (Multi-Language manual)	$43.00
				X			AAJMKN4124	Cloning Cable	$125.00
	X	X	X	X	X		RLN4008	Radio Interface Box (RIB)	$200.00
	X	X	X	X	X		0180357A57	Wall Mounted Power Supply, 120V (for use with RLN4008)	$24.25
	X	X	X	X	X		RLN4460	Test Box for Portables and Mobiles	$395.00
		X	X		X		RLN4510	7.5 Volt Universal Battery Eliminator	$325.00
		X	X				AAHLN9742	Flash Upgrade Adapter - adapts either AARKN4074 or RKN4075 for use in flashing	$56.00
	X						RLN5583	Flash Upgrade Adapter	$99.75
X							NTN2074	Mini Keyboard	$45.00
							Manuals:		
	X						6881096C24	PR400 Basic Service Manual	$16.00
	X						6881096C25	PR400 Detailed Service Manual	$25.00
		X					6881098C42	PR860 Basic Service Manual	$15.00
		X					6881098C43	PR860 Detailed Service Manual	$20.00
			X		X		6880906Z54-D	HT750, HT1250, HT1250•LS+, HT1550•XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850•LS & MTX8250•LS Basic Service Manual	$11.00
			X		X		6881088C46-E	HT750, HT1250, HT1250•LS+, HT1550•XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850•LS & MTX8250•LS Detailed Service Manual	$27.00
			X				6881089C97-O	HT750 User Manual	$14.00
			X				6881088C37-O	HT1250 User Manual	$14.00
				X			6881094C00-A	EX500 & EX600•XLS Basic Service Manual	$10.00
				X			6881094C21-O	EX500 & EX600•XLS Detailed Service Manual	$25.00
				X			HKLN4118	EX500 User Guide (English & French)	$13.52
						X	6881094C09	PR1500/MT1500 Basic Service Manual	$13.75
						X	6881094C10	PR1500/MT1500 Detailed Service Manual	$31.75

PORTABLE ACCESSORIES

Page 20



HNN9013_R
Li-ion, 7.5V Battery

Page 21



HLN9665
Leather Case with Belt Loop for NiMH & NiCd Batteries



HLN9694
Leather DTMF Case with Swivel for NiMH & NiCd Batteries

Page 22



AAHTN3000
120 Volt Single Unit Rapid Rate Charger

Page 23



RLN4883
Travel Charger

Page 23



WPLN4107_R
Motorola Conditioning Charger



RLN4814
Vehicular Mounting Bracket

Page 24



AARMN4018
Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone & In-Line PTT



AARMN4031
Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone

PORTABLE ACCESSORIES

Page 24



AARMN4019
Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone & In-Line PTT



AARMN4017
Ultra-Light Headset with Boom Microphone

Page 25

AARMN4032
Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone

Page 25



RMN4048
Temple Transducer

Page 26



AARMN4022 / AARMN4029
2 Wire Surveillance Kit with Microphone & PTT - Combined

Page 28



RLN4941
Receive-Only Earpiece

Page 29



AAHMN9052
Remote Speaker Microphone

Page 29



AAHMN9057 / AAHMN9054
Public Safety Speaker Microphone

Page 30



NTN1722
Integrated Ear Microphone / Receiver System with PTT on Radio

MT™ 1500 PORTABLE

VHF / UHF / 800 MHz Conventional

All MT1500 portable models include:

- Battery (NiCd, 1525 mAh, 7.5V - NTN9815)
- Antenna (8505518V01 VHF / NAD6549 UHF / 8505241U03 800 MHz)
- 3 Programmable Side Buttons
- Orange Emergency Button
- 16 Position Mode Rotary Select Switch
- 4 / 12 / Front Mount Alphanumeric Display Lines / Characters Per Line
- On / Off Volume
- Low Battery Alert Tone
- Noise Reduction Software
- 1 Top Mounted Programmable Three Position Concentric Switch
- Weather Sealed Universal Connector
- Bi-Color LED Indicator
- Detachable Belt Clip
- Audio Gain Control
- One Year Warranty

Model 1.0

Model 1.5

Notes:

1. Trunking capable portables are only available through Above the Pricebook (APB).

2. Charger does not ship standard.

ORDERING REQUIREMENTS

1. **Order the MT 1500 Portable as the main line item.**
2. **A System Software Package (Q833 or Q443) MUST be ordered for each radio unit ordered.**
3. **A charger does not ship standard with the radio. See Chargers in the accessory section.**

OPERATING MODES

Capable of operation in voice communication modes:

- **Conventional Software with MDC1200 (Q833)**
- **3600 Analog Trunking (Q443)**

Capable of 48 modes when the programmable Concentric Top Mounted Switch is used for Zone Operation. The mode of operation is programmed on a channel-by-channel basis.

CHANNEL SPACING

There are no maximum frequency separation conditions that must be adhered to on the MT 1500 Portable Radio Series. Separation of frequencies can be as wide as the allowable sub-band per radio model with no degradation of any performance specifications. If an incorrect antenna is used, degraded performance may be experienced.

Radio Features:

RADIO WIDE FEATURES:	
MT 1500 Model 1.0 / 1.5 Maximum Modes	48
Analog Operation	Yes
12.5/20/25 KHz Programmable Channels	Yes
Secure Capable	No
One Touch Operation	No
Real Time Clock	No
Surveillance Mode	No
Keypad Lock	No
Radio Lock	Yes
Radio Wide Transmit Inhibit	No
Time Out Timer	Yes

ANALOG CONVENTIONAL FEATURES: **Conventional Features are additional radio wide features beyond those specified above.**	
CSQ/PL/DPL	Yes
Dual Priority Channel Scan	No
Adaptive Power Control	Yes
Repeater/Talkaround Operation	Yes
Scan (Auto, Pre-programmed, Operator Selectable)	Yes
Smart PTT	Yes
Monitor	Yes
DTMF Tone Generation	N/A
MDC-1200 Emergency Call	Yes
MDC-1200 Silent Emergency Alarm	Yes
MDC-1200 PTT-ID Encode	Yes
MDC Repeater Access	Yes
MDC Request to Talk (RTT)	Yes
MDC Status, Status Request. Message	Yes

MT™ 1500 PORTABLE

VHF / UHF / 800 MHz Conventional

SUGGESTED RETAIL MODELS / OPTIONS

Model 1.0

BAND SPLIT	BAND	CHANNEL	WATTS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
138-174 MHz	VHF	48	1-5W	H67KDC9PW5_N	$650.00
380-470 MHz	UHF	48	1-5W	H67QDC9PW5_N	$650.00
450-520 MHz	UHF	48	1-5W	H67SDC9PW5_N	$650.00
806-870 MHz	800 MHz	48	1-3W	H67UCC9PW5_N	$650.00

Model 1.5

BAND SPLIT	BAND	CHANNEL	WATTS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
138-174 MHz	VHF	48	1-5W	H67KDD9PW5_N	$750.00
380-470 MHz	UHF	48	1-5W	H67QDD9PW5_N	$750.00
450-520 MHz	UHF	48	1-5W	H67SDD9PW5_N	$750.00
806-870 MHz	800 MHz	48	1-3W	H67UCD9PW5_N	$750.00

FCC INFORMATION: AZ489FT3807 (VHF/UHF) / AZ489FT5816 (800 MHz)

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Options:		
Software Package Options:	**EACH MODEL MUST BE ORDERED WITH A SOFTWARE PACKAGE OPTION**	
Q833	Conventional Software with MDC1200	$440.00
Q443	3600 Analog Trunking	$540.00
Battery Options:		
H223	NiCd, 1525 mAh Battery, Intrinsically Safe (NTN9816)	$49.00
H335	IMPRES NiMH, 1850 mAh Battery (NTN9858)	$61.00
Q393	IMPRES NiMH, 1700 mAh Battery, Intrinsically Safe (NTN9857)	$82.00
Belt Clip Options:		
H301	Omit Belt Clip (HLN6853)	N/C
Antenna Options:		
VHF		
H128	VHF 136-150.8 MHz, Wideband Helical Antenna (8505644V01)	N/C
H129	VHF 150.8-162 MHz, Wideband Helical Antenna (8505644V02)	N/C
H65	VHF 162-178 MHz, Helical Antenna (8505644V03)	N/C
H112	Omit Standard VHF Antenna (8505518V01)	-$10.00
UHF		
H125	UHF 403-435 MHz, Helical Antenna (NAE6546_R)	N/C
H126	UHF 435-470 MHz, Helical Antenna (NAE6547_R)	N/C
H127	UHF 470-520 MHz, Helical Antenna (NAE6548_R)	N/C
H112	Omit Standard UHF Antenna (NAD6549)	-$10.00
800 MHz		
H122	806-870 MHz, Injection Molded 3.5" Whip Antenna (8505241U06)	-$5.00
H112	Omit Standard Antenna 800 MHz (8505241U03)	-$10.00
Manual Options:		
H145	MT 1500 User Manual	N/C
Warranty Options:		
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$44.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$84.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$125.00

SUGGESTED RETAIL

MT™ 1500 PORTABLE ACCESSORIES

MT™ 1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
	Batteries:		
X	NTN9815	NiCd, 1525 mAh, 7.5V Battery	$100.00
X	NTN9816	NiCd, 1525 mAh, 7.5V Battery - Intrinsically Safe (FM)	$121.00
	IMPRES™ - Intelligent Motorola Portable Radio Energy System:		
	The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features.		
X	NTN9857	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM)	$130.00
X	NTN9858	IMPRES™, NiMH, 1850 mAh, 7.5V Battery	$110.00
	Carrying Cases and Accessories		
X	NNTN4115	Leather Case with High Activity 3" Swivel	$60.00
X	NNTN4116	Leather Case with High Activity 2.5" Swivel	$60.00
X	NNTN4117	Leather Case with Belt Loop	$60.00
X	HLN6853	2.25" Spring Action Belt Clip	$11.50
X	NTN8383	T-Strap Leather Case with Plain Action Snaps	$10.50
X	NTN8384	T-Strap Leather Case with Hard Action Snaps	$10.50
	Earpieces and Accessories		
X	BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM)	$247.00
X	BDN6671	Ear Microphone Interface Module with Selectable Switch for PTT or VOX Operation - Intrinsically Safe (FM)	$347.00
X	BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	$198.00
X	BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	$198.00
X	BDN6708	Ear Microphone Interface Module, PTT Operation Only - Intrinsically Safe (FM)	$284.00
X	BDN6780	Earbud with Clip Microphone and PTT Combined, Transmit & Receive (2-wire)	$67.00
X	BDN6781	Earbud, Receive Only (single wire)	$27.00
	Headsets and Accessories		
X	BDN6645	Heavy Duty Noise Cancelling Boom Microphone Headset with PTT on Earcup - (requires separate adapter cable) - Noise Reduction Rating = 24dB	$439.00
X	BDN6673	Headset Adapter Cable - Intrinsically Safe (FM)	$230.00
X	NMN6258	Medium Weight Headset, Over-the-Head, with In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$389.00
X	NMN6259	Medium Duty Headset, Behind-the-Head, with In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$425.00
X	RMN4049	Temple Transducer - Receive audio without covering the ear, behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	$225.00
X	RMN5049	Rugged Temple Transducer Headset - features a noise cancelling boom microphone and In-Line PTT	$340.00

MT™ 1500 PORTABLE ACCESSORIES

SUGGESTED RETAIL

MT™ 1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
	Surveillance Accessories:		
X	BDN6667	2-Wire Surveillance Kit with Microphone and PTT Combined, Beige	$114.00
X	BDN6729	2-Wire Surveillance Kit with Microphone and PTT Combined, Black	$114.00
X	BDN6669	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Beige (exceeds OSHA limits)	$118.00
X	BDN6731	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Black (exceeds OSHA limits)	$118.00
X	BDN6668	3-Wire Surveillance Kit with Microphone and PTT Separate, Beige	$150.00
X	BDN6730	3-Wire Surveillance Kit with Microphone and PTT Separate, Black	$150.00
X	BDN6670	3-Wire Surveillance Kit with Microphone and PTT Separate with Extra Loud Earphone, Beige (exceeds OSHA limits)	$135.00
X	BDN6732	3-Wire Surveillance Kit with Microphone & PTT Separate with Extra Loud Earphone, Black (exceeds OSHA limits)	$135.00
X	BDN6664	Receive-Only Surveillance Kit, Beige (single wire)	$40.00
X	BDN6726	Receive-Only Surveillance Kit, Black (single wire)	$40.00
X	BDN6666	Receive-Only Surveillance Kit with Volume Control, Beige (single wire)	$53.00
X	BDN6728	Receive-Only Surveillance Kit with Volume Control, Black (single wire)	$53.00
X	BDN6665	Receive-Only Surveillance Kit with Extra Loud Earphone, Beige (single wire, exceeds OSHA limits)	$42.00
	Microphones		
X	NMN6191	Noise Cancelling Remote Speaker Microphone with coiled cord, swivel clothing clip & 3.5 mm audio jack - Intrinsically Safe (FM)	$96.75
X	NMN6193	Remote Speaker Microphone with coiled cord, swivel clothing clip and 3.5mm audio jack - Intrinsically Safe (FM)	$87.25
X	RMN5072	UHF / 700 / 800 Public Safety Speaker Microphone with 3.5 mm audio jack, volume switch, and 30" straight cord (not compatible with VHF & antenna not included) - Intrinsically Safe (FM)	$160.00
X	RMN5074	UHF / 700 / 800 Public Safety Speaker Microphone with 3.5 mm audio jack, volume switch, and 18" straight cord (not compatible with VHF & antenna not included) - Intrinsically Safe (FM)	$160.00
X	RMN5073	UHF / 700 / 800 Public Safety Speaker Microphone with 3.5 mm audio jack, volume switch, and 24" straight cord (not compatible with VHF & antenna not included) - Intrinsically Safe (FM)	$160.00
		IMPRES™ - Intelligent Motorola Portable Radio Energy System Chargers: **The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with IMPRES™ batteries.**	
X	WPLN4130	IMPRES™ Multi Unit Charger with Display Modules - displays real-time for IMPRES™ batteries - mAh, % capacity, time remaining to rapid charge complete (NiCd/NiMH batteries), battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	$1,350.00
X	WPLN4111_R	IMPRES™ Charger	$165.00
X	WPLN4108_R	IMPRES™ Multi Unit Charger	$788.00

MT™ 1500 PORTABLE ACCESSORIES

SUGGESTED RETAIL

MT™ 1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
	Chargers:		
X	NTN1667	110V Single Unit Universal Tri-Chemistry Charger	$100.00
X	NLN7968	6 Unit Rack Mount Charger	$26.00
X	NTN9176	Vehicular Charger	$390.00
X	NLN7967	Wall Mount Kit for Multi-Unit Charger	$21.00
	Antennas:		
X	8505644V01	VHF Helical Antenna, 136-150.8 MHz	$16.50
X	8505644V02	VHF Helical Antenna, 150.8-162 MHz	$16.50
X	8505644V03	VHF Helical Antenna, 162-178 MHz	$16.50
X	8505518V01	VHF Wideband Dipole 7.5", 136-174 MHz	$24.00
X	NAE6546_R	UHF Helical Antenna, 403-435 MHz	$16.50
X	NAE6547_R	UHF Helical Antenna, 435-470 MHz	$16.50
X	NAE6548_R	UHF Helical Antenna, 470-520 MHz	$16.50
X	8505241U03	806-870 MHz Injection Molded Whip Antenna	$35.75
X	NAF5039	800 MHz Dipole Antenna, 806-870 MHz	$35.00
X	8505241U06	806-870 MHz Injection Molded 3.5" Whip Antenna	$25.50
	Service Accessories:		
X	RVN4181	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package Programs - PR1500 / MT1500 / XTS1500 / XTS2500 / XTS5000 / SSE5000. Compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®, and Windows XP®. Uses Ribless programming cables RKN4105 (USB) or RKN4106 (RS232) and must be purchased separately if required. **Note: Software requires a license agreement and is not intended for resale.**	$279.00
X	RKN4105	USB Programming Cable - uses RVN4181 CPS - No RIB Box required.	$237.00
X	RKN4106	RS232 Programming Cable - uses RVN4181 CPS - No RIB Box required.	$251.00
X	8180384M37	Housing Eliminator	$323.00
X	AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	$60.00
	Manuals:		
X	9985899D01	MT 1500 Basic Service Manual on CD	$10.50
X	9985900D01	MT 1500 Basic Service and Theory Manual on CD	$31.80

TWO - WAY PORTABLE PRODUCTS

Date 9/11/06

Non-Current Radios

SUGGESTED RETAIL

STX™/MX800™/HT600™/MTX800™/MTX900™/MT1000™

STX	MX80	HT600	MTX800	MTX900	MT1000	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
						Antennas:		
					X	NAB6064	LowBand Heliflex Antenna, 29.7-50 MHz	$24.50
		X			X	8505816K22	VHF Heliflex Antenna, Yellow, Molded, 136-150.8 MHz	$12.25
		X			X	8505816K21	VHF Heliflex Antenna, Black, Molded, 150.8-162 MHz	$12.25
		X			X	8505816K23	VHF Heliflex Antenna, Blue, Molded, 162-174 MHz	$12.25
		X			X	8505247K06	UHF Flexible Whip Antenna, 403-512 MHz	$15.50
		X			X	8505816K24	UHF Heliflex Antenna, Red, Molded, 403-433 MHz	$12.25
		X			X	8505816K25	UHF Heliflex Antenna, Green, Molded, 450-470 MHz	$12.25
		X			X	8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	$12.25
X			X			8505241U03	806-870 MHz Injection Molded Whip Antenna	$35.75
X			X			8505241U06	806-870 MHz Injection Molded 3.5" Whip Antenna	$25.50
X	X		X			NAF5039	806-870 MHz Dipole Antenna	$35.00
						Ear Microphone Accessories:		
X	X	X	X		X	BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM) on all radios except STX	$247.00
X	X	X	X		X	BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM) on all radios except STX	$198.00
X	X	X	X		X	BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module	$198.00
X	X	X	X		X	0180300E25	Adjustable Earholder (for securing ear microphone in ear)	$45.75
X	X	X	X		X	0180358B33	Medium Earholder for Ear Microphone System, Black (For securing ear microphone in ear) - Additional sizes & colors available.	$19.00
X	X	X	X		X	0180300E83	Body Switch Push to Talk for Ear Microphone System	$159.00
X	X	X	X		X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	$52.50
						Earpieces:		
		X	X		X	ZMN6032	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige (HT600, MTX800, MTX900 & MT1000 - requires NTN5075)	$143.00
		X	X		X	ZMN6031	3-Wire Surveillance Kit with Microphone & PTT Combined, Beige (HT600, MTX800, MTX900 & MT1000 - requires NTN5075)	$177.00 $603.00
			X		X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	$32.00
			X		X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	$20.00
		X	X		X	BDN6717	Flexible Ear Receiver - Flexible Earloop & Speaker which rests external to ear (requires adapter NTN4812)	$40.00
		X	X		X	NTN4812	Receive-Only Earpiece Jack Adapter	$20.50
		X	X		X	5880378B84	Jack Adapter - 3.5mm to 2.5mm	$5.45
						Headsets:		
X	X	X	X		X	BDN6635	Heavy Duty Noise Cancelling Boom Microphone Headset with VOX - Noise Reduction Rating = 24dB	$906.00
X	X	X	X		X	BDN6645	Heavy Duty Noise Cancelling Boom Microphone Headset with PTT on Earcup - (requires separate adapter cable) - Noise Reduction Rating = 24dB	$439.00
		X	X		X	BDN6639	Radio Adapter Cable for BDN6635 & BDN6645	$221.00

TWO - WAY PORTABLE PRODUCTS

Non-Current Radios

STX™/MX800™/HT600™/MTX800™/MTX900™/MT1000™

SUGGESTED RETAIL

STX	MX80	HT600	MTX800	MTX900	MT1000	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM): NTN4564, NTN4823, NTN5448 & NTN4534 are rated as Intrinsically Safe for use in Classes I, II and III, Division 1, Groups C, D, E, F and G. NTN4500 is rated as Intrinsically Safe for use in Classes I, II and III, Division 1, Groups D & G.								
						Remote Speaker Microphones:		
		X	X	X		NMN6145	Remote Speaker Microphone with Belt Clip, Coil Cord & 2.5 mm Earphone Jack	$120.75
		X	X	X		NMN6156	Remote Speaker Microphone with Coil Cord & Clothing Clip (does not have earpiece jack)	$114.50
X	X					NMN6176	Remote Speaker Microphone with Coil Cord, Clip Back, 2.5 mm Earpiece Jack	$216.00
X	X					NMN6177	Remote Speaker Microphone with Coil Cord and Clip Back	$183.00
						Public Safety Accessories:		
X	X					NMN6175	800-900 MHz Public Safety Remote Speaker Microphone, Antenna Included	$241.00
		X		X		8505309N10	Antenna for Public Safety Microphones, 440-470 MHz	$20.00
						Battery Maintenance Systems:		
X		X	X	X		WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	$650.00
		X	X	X		TDN9441	Adapter, 10V, 550/1000 mAh	$26.00
						Batteries:		
		X				NTN4564	NiCd, 550 mAh, 10V Battery - Intrinsically Safe (FM)	$82.50
			X	X		NTN4823_R	NiCd, 550 mAh, 10V Battery - Intrinsically Safe (FM)	$108.00
		X				NTN4584_R	NiCd, 630 mAh, 10V Battery	$60.00
		X				NTN5415	NiCd, 1000 mAh, 10V Battery - Intrinsically Safe (FM)	$100.00
			X	X		NTN5448_R	NiCd, 1000 mAh, 10V Battery - Intrinsically Safe (FM)	$100.00
		X				NTN5414_R	NiCd, 1100 mAh, 10V Battery	$70.00
			X	X		NTN5447_R	NiCd, 1100 mAh, 10V Battery	$95.00
X	X					NTN4534	NiCd, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM)	$88.00
X	X					NTN4326	NiCd, 1300 mAh, 7.5V Battery	$70.00
X	X					NTN4500	NiCd, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	$87.00
X	X					NTN4327	NiCd, 1800 mAh, 7.5V Battery	$65.00
			X	X		NTN7015	NiMH, 950 mAh, 10V Battery	$95.00
						Battery Testers:		
X	X					RKN4037	Cable & Clip Lead 7.5V for Battery Tester	$41.00
						Carrying Cases:		
		X	X	X		NTN5461	Large Leather Swivel Case & T-Strap and D-Rings (for shoulder strap - fits 2.25" belt)	$76.50
		X		X		NTN5883	Leather Swivel Case and T-Strap (fits 3" belt)	$70.50
		X	X	X		NTN5460	Large Leather Case with Belt Loop and D-Rings (for use with shoulder strap)	$70.00

TWO - WAY PORTABLE PRODUCTS

Non-Current Radios

STX™/MX800™/HT600™/MTX800™/MTX900™/MT1000™

STX	MX80	HT600	MTX800	MTX900	MT1000	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
						Carry Accessories:		
			X		X	NTN4916	1.5" Belt Clip	$23.00
		X	X		X	4282421J06	2.5" Swivel Belt Loop (for use with Swivel Leather Cases)	$12.00
		X				NTN5389	2.5" Belt Clip	$21.50
			X		X	NTN4924	2.5" Belt Clip - Bronze	$21.50
		X	X		X	NTN4814	2.5" Belt Clip Carry Holder, Black	$29.50
X	X	X	X		X	4205857B01	3" Swivel Belt Loop (for use with Swivel Leather Cases)	$10.50
		X	X		X	NTN5602	3" Public Safety Belt Clip, Black	$22.50
		X	X		X	4205386S03	Replacement Nylon Strap for Large Cases with Snap	$11.00
X	X	X	X		X	NTN5243	Shoulder Carry Strap	$20.00
		X	X		X	TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
		X	X		X	TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
						Multi-Unit Chargers:		
			X		X	NTN4668	117 Volt - 6 Unit, Rapid Charge Rate (1 Hour)	$625.00
						Conditioning Chargers & Accessories:		
X						WPPN4000_R	Adapter Plate Only (for use with Conditioning Chargers)	$15.00
X		X	X		X	3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	$7.00
						Miscellaneous Charger Accessories:		
		X	X		X	NLN7967	Wall Mount Kit for Multi-Unit Charger	$21.00
						Mobile Operations Accessories:		
X	X					HMN1015	Converta-Com, Remote Microphone	$87.00
		X	X		X	HMN1035	Heavy Duty Palm Microphone with 10.5 Ft. Coil Cord	$81.50
		X	X		X	HMN1056	Compact Palm Microphone with 7 Ft. Coil Cord	$38.50
		X	X		X	HMN3013	DTMF Non-Backlit Microphone with Hang-Up Clip	$209.00
		X			X	NKN6408	Mobile Antenna RF Adapter Interface Cable - Allows remote antenna adapter to interface with UHF male PL259/SO239 connector.	$21.00
		X				NTN5368	Remote Antenna RF Adapter	$22.75
		X			X	NKN6428	12V Cable Kit (required if not used with PAC-RT Mobile System)	$46.50
		X	X		X	NSN6054	12 Watt External Speaker	$123.00
X	X					TAF6041	Converta-Com, 806-866 MHz Roof Top Antenna	$28.75
						Service Tools:		
	X	X	X		X	0180357A57	Wall Mounted Power Supply, 120V (for use with RLN4008)	$24.25
	X	X	X		X	3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	$52.00
	X					5880384G68	RF Adapter	$16.00
		X			X	NKN6376	Cloning Cable	$64.50
	X	X	X		X	R1319	Desoldering Rework Station, 110V	$3,868.75
	X	X	X		X	RLN4008	Radio Interface Box (RIB)	$200.00
		X	X		X	RAB4004ARA	Low Band 1/4 Wave Base Loaded Antenna, 42-50 MHz	$47.00

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

r750 plus	i80s	i90c / i60c / i95cl	i30sx / i355	i205 / i305 / i315 / i355	i730 / i710 / i836	i830 / i860	i850 / i560	i930	i325 / i325IS	i265 / i275 / i605	i615 / i580	i670 / i870	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
														Audio Accessories:		
X	X	X	X	X	X	X	X	X	X	X	X	X		RLN5374	Dual Retractable Earbud	$19.99
	X	X	X	X	X	X	X	X	X	X	X	X	X	NNTN4453_P	Purple Translucent Earbud (Resale Packaged)	$14.99
	X	X	X	X	X	X	X	X	X	X	X	X	X	NNTN4454_P	Blue Translucent Earbud (Resale Packaged)	$14.99
X	X	X	X	X	X	X	X	X	X	X	X	X	X	SYN8390	Privacy Earpiece and Microphone (i1000/i1000plus/i2000/i500plus/i700plus requires NTN8654_P Adapter)	$14.99
	X		X	X	X	X	X	X	X	X	X	X	X	NNTN4033	Privacy Earpiece with Microphone and PTT	$19.99
X	X	X	X	X	X	X	X	X	X	X	X	X	X	NTN8496	Headband Style Headset (i1000/i1000plus/i2000/i500plus/i700plus requires NTN8654_P Adapter)	$40.00
	X	X	X	X	X	X	X	X	X	X	X	X	X	SYN8146	Over-The-Ear Style Headset (i1000/i1000plus/i2000/i500plus/i700plus requires NTN8654_P Adapter)	$19.99
X	X	X	X	X	X	X	X	X	X	X	X	X	X	NTN8513	Adjustable Headset (i1000/i1000plus/i2000/i500plus/i700plus requires NTN8654_P Adapter)	$66.00
X	X	X	X	X	X	X	X	X	X					RMN5000	Heavy Duty Headset (i1000/i1000plus/i2000/i500plus/i700plus requires NTN8654_P Adapter)	$400.00
	X		X	X	X	X	X	X	X	X	X	X	X	NNTN5751P_	Stereo Mixing Headset with PTT (i80s/i30sx/i35s/i205/i730/i530/i305, i710/i736/i830/i860) (Resale Packaged)	$42.99
	X	X	X	X	X	X	X	X	X	X	X	X	X	NNTN5752P_	Stereo Mixing Headset Non-PTT (Resale Packaged)	$41.99
								X			X	X		NNTN5774	Stereo Push-to-Talk Headset	$21.99
X														FLN2800	Remote Speaker Microphone	$150.00
X														RMN5031	Temple Transducer	$225.00
X														RMN5032	Heavy Duty Headset	$475.00
														NTN8654_P	Audio Adapter	$27.00
				X	X	X	X	X	X	X	X	X	X	NSN6066	Light Duty Remote Speaker Microphone	$59.99
				X					X	X				NNTN5208	Remote Speaker Microphone (i355/i325/i325IS)	$150.00
	X		X	X	X	X	X	X	X	X	X	X	X	NNTN5211	Surveillance Ear Piece (2-wire)	$50.00
				X	X	X	X	X	X	X	X	X	X	NNTN6312	Surveillance Ear Piece (3-wire)	$99.00
	X		X	X	X	X	X	X	X	X	X	X	X	NNTN5004_P	PTT Headset (over the ear) (Resale Packaged)	$39.99
	X		X	X	X	X	X	X	X	X	X	X	X	NNTN5005_P	PTT Headset (over the head) (Resale Packaged)	$39.99
	X		X	X	X	X	X	X	X	X	X	X	X	NNTN5006_P	Earbud with PTT (Resale Packaged)	$34.99
	X		X	X	X	X	X	X	X	X	X	X	X	NNTN5330	Mid Tier Earbud	$19.99
														Batteries:		
X														NTN9038	NiMH, 1100 mAh Battery - Intrinsically Safe (FM)	$90.00
X														NTN9037	NiMH, 1400 mAh, Standard Battery	$70.00
		X			X		X							SNN5704	Li-ion, 450 mAh, Slim Battery	$44.99
		X												NTN9849	Li-ion, 450 mAh, Slim Battery Door (i90c only)	$4.50
		X	X	X	X	X	X	X	X	X	X	X		SNN5685	Li-ion, High Performance Plus Battery	$41.99
		X												NNTN4274	Li-ion, 450 mAh Slim Battery Door (i95cl only)	$4.50
	X													NTN9810	Li-ion, 680 mAh, High Performance Battery	$69.99
		X	X	X	X		X	X	X	X	X	X		SNN5705	Li-ion, 750 mAh, High Performance Battery	$41.99
		X												NTN9850	Li-ion, 750 mAh, High Performance Battery Door (i90c only)	$4.50
			X											NNTN4118	Li-ion, 750 mAh, High Performance Battery Door	$2.50
		X												NNTN4305	Li-ion, 750 mAh High Performance Battery Door (i60c only)	$4.50
		X												NNTN4273	Li-ion, 750 mAh High Performance Battery Door (i95cl only)	$4.50
			X	X				X	X	X				SNN5706	Li-ion, 1050 mAh, Extra Capacity Battery	$44.99
											X			NNTN5428	Li-ion, 1250 mAh Battery - Intrinsically Safe (FM)	$79.99
			X	X	X		X			X		X	X	NNTN4655	Li-ion, 1300 mAh, Maximum Capacity Battery	$69.99
			X											NNTN4119	Li-ion, 1300 mAh, Maximum Capacity Battery Door	$2.50

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

i750plus	i80s	i90c	i95cl	i30sx	i205/i305	i315/i355	i730/i710	i830/i836	i850/i760	i860/i560	i930	i325	i325IS	i265/i275	i605/i615	i580	i670	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
																			Batteries and Accessories continued:		
								X											NNTN4930	i830 Li-ion Slim Battery	$41.99
								X											NNTN5195	i830 Li-ion High Performance Battery	$44.99
													X						NNTN5605	i325IS Battery Cover - Intrinsically Safe (FM)	$6.75
										X									NTN2246NEXA	i860 Extra Cap Door	$11.00
										X									NTN2246MOTA	i860 Extra Cap Door	$11.00
						X													NNTN4879	i205 High Performance Battery Door (Blue)	$3.49
						X													NNTN4898	i205 High Performance Battery Door (Charcoal)	$3.49
						X													NNTN4965	i205 High Performance Battery Door (Merlot)	$3.49
						X													NNTN4966	i205 High Performance Battery Door (Lilac)	$3.49
						X													NNTN4880	i205 Maximum Capacity Battery Door (Blue)	$3.49
						X													NNTN4899	i205 Maximum Capacity Battery Door (Charcoal)	$3.49
						X													NNTN4967	i205 Maximum Capacity Battery Door (Merlot)	$3.49
						X													NNTN4968	i205 Maximum Capacity Battery Door (Lilac)	$3.49
						X													NNTN4917	i305 Maximum Capacity Battery Door	$5.00
						X													NNTN5144	i205 Bezel (Merlot)	$14.00
						X													NNTN5145	i205 Bezel (Lilac)	$14.00
						X													NNTN5173	i205 Bezel (Blue)	$14.00
						X													NNTN5172	i205 Bezel (Charcoal)	$14.00
						X													RLN5650	i205 Faceplate with High Capacity Door (Charcoal)	$14.99
						X													RLN5651	i205 Faceplate with High Capacity Door (Blue)	$14.99
						X													RLN5637	i205 Faceplate with High Capacity Door (Lilac)	$14.99
						X													RLN5638	i205 Faceplate with High Capacity Door (Merlot)	$14.99
														X					NNTN5845	i265/i275 High Performance Battery Door (use with SNN5705)	$3.49
														X					NNTN5955	i265/i275 Maximum Capacity Battery Door (for use with NNTN4655)	$7.00
						X													NNTN4916	i305 Performance Battery Door	$5.00
						X													NNTN5601	i315 High Performance Battery Cover 1100 mAh	$5.50
						X													NNTN5602	i315 Maximum Capacity Battery Cover, 1350 mAh	$5.50
												X							NNTN5603	i325 Li-ion 1100 mAh High Performance Battery Door	$5.50
												X							NNTN5604	i325 Li-ion 1350 mAh Maximum Capacity Door	$5.50
							X												NTN2067AMOT	i530 High Performance Battery Door - Black	$5.00
							X												NTN2068AMOT	i530 High Performance Battery Door Yellow	$5.00
							X												NTN2139MOTA	i530 Maximum Door Black (Mot)	$12.00
							X												NTN2140MOTA	i530 Maximum Door Yellow (Mot)	$12.00
															X				NNTN5593	i605 Maximum Capacity Battery Door Green	$6.00
															X				NNTN6820	i615 Maximum Capacity Battery Door	$6.00
							X												NNTN5835	i710 Maximum Capacity Battery Door	$9.99
							X												NTN2155MOTA	i710 High Performance Battery Door	$5.50
							X												NTN2053AMOT	i730 High Performance Door (Motorola Logo)	$5.50
							X												NTN2054AMOT	i730 Slim Battery Door (Motorola Logo)	$5.50
							X												NNTN5541	i730 Maximum Capacity Battery Door (Mot)	$9.99
								X											NTN2104AMOT	I830 Bronze Slim Battery Door (MOT)	$8.00
								X											NTN2105AMOT	I830 Bronze Standard Door (MOT)	$8.00
								X											NTN2110MOTA	i830 Motorola Silver Battery Cover with ESC Slim	$8.00
								X											NTN2111MOTA	i830 Motorola Silver Battery Cover with ESC	$8.00
										X									NTN2152MOTA	i860 Slim Battery Door (Mot)	$8.00
										X									NTN2153MOTA	i860 Standard Battery Door (Mot)	$8.00
																X			NTN2291MOTA	i870 High Performance Battery Door (for SNN5705)	$8.00
																X			NTN2292MOTA	i870 Maximum Capacity Battery Door (for use with NNTN4655)	$8.00
																		X	KAHN4019	C290 High Performance Battery Door	$2.60

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

i750plus	i80s	i90c / i60cl	i35s	i30sx	i205 / i305	i315 / i355	i730 / i530	i830 / i836	i560 / i760	i860	i930	i325	i325IS	i265 / i275	i605	i615	i580	i670	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
																				Car Kits & Accessories continued:		
X																				FLN2912_R	"Permanent Install" Car Kit	$350.00
		X																		RLN5613	"Permanent Install" Car Kit	$260.00
		X																		NNTN4802	"Permanent Install" Car Kit Base	$145.00
		X																		NNTN4805	"Permanent Install" Car Kit Cradle	$115.00
	X	X	X																	NTN1796	"Soft Install" Car Kit	$99.99
					X		X	X	X	X	X	X	X	X	X	X	X	X		NNTN4744	"Easy Install" Car Kit	$80.00
					X		X	X	X	X	X	X	X	X	X	X	X	X		NNTN4744P_	"Easy Install" Car Kit (Resale Packaged)	$80.00
					X		X	X	X	X	X	X		X						NNTN4846	"Hard Install" Car Kit Base	$100.00
														X						NNTN5879	"Hard Install" Car Kit Cradle w/ Locking Cap (i605)	$93.00
					X															NNTN4750	"Hard Install" Car Kit Cradle (i205)	$80.00
					X															NNTN4752	"Hard Install" Car Kit Cradle (i305)	$80.00
						X														NNTN4753	"Hard Install" Car Kit Cradle (i530)	$80.00
						X														NNTN4751	"Hard Install" Car Kit Cradle (i730)	$80.00
							X													NNTN4999	"Hard Install" Car Kit Cradle (i830)	$85.00
									X											NNTN5000	"Hard Install" Car Kit Cradle (i860)	$85.00
					X						X	X								NNTN4998	"Hard Install" Car Kit Cradle (i325)	$95.00
		X																		NTN9688	Dash Mount Car Holder with Bracket	$7.50
			X																	NNTN4710	Dash Mount, Sport	$7.50
	X	X	X		X		X	X	X	X	X	X	X	X	X	X	X	X	X	NNTN5113	Universal Dash Mount Holder	$15.99
					X		X	X	X	X	X	X		X	X	X	X			NNTN5127	Pro Install Data Port Cable	$40.00
																				Car Kit Antenna:		
X																				RAF4136AMM	806-860 MHz, 3dB Gain Magnetic Mount Antenna, Mini-UHF and Cable	$47.00
X																				RRA4923	806-900 MHz, 3dB Gain Trunk Lip Mount Stainless Steel Ant, Mini-UHF & RG58A/U Cable	$47.00
X																				RRA4983	806-900 MHz, 3dB Gain Roof Mount Stainless Steel Antenna, Mini-UHF & Low Loss Cable	$49.00
X																				RRA4986	806-900 MHz, 3dB Gain Roof Mount Black Chrome Antenna, Mini-UHF & Low Loss Cable	$42.00
																				Carry Accessories:		
		X																		RLN5336	Black Leather Pouch with Standard Clip	$9.99
	X		X																	RLN5227	Black Leather Pouch with Standard Clip	$9.99
	X		X																	RLN5227_P	Black Leather Pouch with Standard Clip (Resale Packaged)	$9.99
			X																	RLN5471	Leather Case with Open Keypad, Detachable Swivel Clip	$9.99
			X																	RLN5472	Leather Case with Open Keypad and Display, Detachable Swivel Clip	$9.99
	X																			NTN1823	Leather Case with Detachable Swivel Clip	$7.50
					X															RLN5661	Hard Leather Pouch with D/Lock (i305)	$19.99
						X														RLN5636	Leather Case (i530)	$9.99
						X														RLN5636_P	Leather Case (i530) (Resale Packaged)	$10.99
					X															RLN5639	Leather Case (i205)	$9.99
														X						RLN5937	Black Leather Carry Case (i265/i275)	$11.00
						X														RLN5653	Leather Case (i730)	$9.99
						X														RLN5653_P	Leather Case (i730) (Resale Packaged)	$10.99
							X													RLN5687	Leather Case (i830)	$11.00
							X													RLN5687_P	Leather Case (Resale Packaged)	$12.00
									X											RLN5715	Molded Brown Leather Carry Case (i860)	$14.00
									X											RLN5731	Molded Black Leather Carry Case (i860)	$14.00
									X											RLN5731_P	Molded Black Leather Carry Case (Resale Packaged)	$15.00
												X	X							RLN5689	Functional Nylon Case with D Lock	$16.00
					X															RLN5660	Functional Leather Carry Case with D Lock (i305)	$24.50
		X																		RLN5481	Flip-Style Leather Case with Detachable Swivel Clip (i60c only)	$9.99
		X																		RLN5334	Flip-Style Leather Case with Detachable Belt Clip (i90/i95cl)	$9.99
						X		X		X										RLN5733	Vertical Black Leather Pouch (i710/i730/i830/i860)	$17.00

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

i750plus	i80s	i95cl	i60c	i30sx	i205/i305	i315/i355	i730/i710	i830/i836	i860/i560	i930	i325/i325IS	i265/i275	i605/i615	i580	i670/i870	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
																		Carry Accessories continued:	
				X													NNTN4588_P	Black Villas Case (Resale Packaged)	$14.99
		X															NNTN4618	Clear Translucent Holster (i95cl only)	$9.99
		X				X	X	X									RLN5830	Women's Carrying Case with Strap	$19.99
	X																NTN1824	Belt Carry System - Phone Clip (NTN9835) and Belt Clip (NTN9544)	$6.99
	X	X	X														NTN9544	Detachable Belt Clip Replacement for NTN9475, NTN9478, NTN9479, NTN9804, NTN9805, RLN5334 & NTN1987	$3.00
	X																NTN9835	Phone Clip	$5.99
						X	X	X									RLN5732	Vertical Black Nylon Pouch	$16.00
			X														NTN1987	Holster, Swivel Clip	$9.99
		X															NTN9952	Holster, Swivel Locking Clip (i95cl only)	$9.99
		X															NTN9687	Holster, Swivel Locking Clip (i90c/i60c)	$9.99
					X												NNTN4681	Holster (i205)	$9.99
														X			NNTN6231	Holster (i870)	$9.99
					X												NNTN5907	Swivel Carry Holster (i305/i315/i355)	$9.99
												X					NNTN5821	Swivel Carry Holster (i265/i275)	$9.99
													X				NNTN5913	Swivel Carry Holster (i605)	$9.99
					X												NNTN4681P_	Carry Holster (i205) (Resale Packaged)	$9.99
					X												NNTN5907R_	Carry Holster (i305/i315/i355) (Resale Packaged)	$9.99
						X											NNTN4682	Carry Holster (i730)	$9.99
						X											NNTN4682P_	Carry Holster (i730) (Resale Packaged)	$9.99
						X											NNTN5141	Carry Holster (i730/i710)	$9.99
						X											NNTN5141P_	Carry Holster (i730/i710) (Resale Packaged)	$9.99
							X										NNTN5002	Carry Holster (i830)	$9.99
							X										NNTN5002P_	Carry Holster (i830) (Resale Packaged)	$9.99
								X									NNTN5003	Carry Holster (i860)	$9.99
								X									NNTN5003P_	Carry Holster (i860) (Resale Packaged)	$9.99
								X									NNTN5932	Carry Holster (i860) Clear	$9.99
											X	X					NNTN5210	Carry Holster (i325)	$10.99
							X										NNTN5836	Clear Carry Holster	$9.99
X																	HLN9844	2" Spring Belt Clip	$11.50
																		Chargers and Accessories:	
X																	NTN1781	Rapid Charger with US Plug	$40.00
	X	X	X														NNTN4250	Rapid Travel Charger with US Plug	$19.99
X																	RLN5371	6 Pocket Multi Unit Charger	$500.00
					X						X	X					NNTN5209	6 Pocket Multi Unit Charger (i315/i355/i325/i325IS)	$299.00
	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	NNTN5225	Battery Only Charger	$29.99
	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	NNTN5225P_	Battery Only Charger (Resale Packaged)	$29.99
X																	NTN1809	Desktop Rapid Charger with US Plug	$115.00
		X	X														NNTN4120	Dual Pocket Desktop Charger	$45.00
	X																NPN6225	Dual Pocket Desktop Charger	$59.99
					X	X						X	X				NTN2043	Dual Pocket Desktop Charger	$50.00
					X						X						NTN2103	Dual Pocket Desktop Charger (i355/i325)	$50.00
							X	X						X		X	NTN2073	Dual Pocket Desktop Charger (i830/i836/i860/i870)	$55.00
							X	X						X		X	NTN2073P_	Dual Pocket Desktop Charger (i830/i836/i860/i870) (Resale Packaged)	$55.00
								X									NNTN5918P_	Dual Pocket Desktop Charger Baby PHAT (i830/i836/i860) - (Resale Packaged)	$70.00
					X	X						X	X				NTN2043P	Dual Pocket Desktop Charger Kit (Resale Packaged)	$50.00

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

r750 plus	i80s	i90c / i60c	i95cl	i30sx / i35s	i1355 / i1305	i730 / i570	i830 / i836	i850 / i760	i860 / i560	i930	i325	i325IS	i265 / i275	i605 / i615	i580	i670	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
																			Chargers and Accessories continued:	
					X	X	X	X	X	X	X	X	X	X	X	X		NNTN4963	Wall Mount Charger - Black	$29.99
													X					NNTN5876	i265/i275 Desktop Charger Insert (needed for use with NTN2043)	$3.00
														X				NNTN5878	i605 Desktop Charger Insert (needed for use with NTN2043)	$3.00
															X			NNTN6210	i870 Desktop Charger Insert (needed for use with NTN2073)	$3.00
	X	X	X															SPN4940	Travel Charger - Mid Rate - Multi-Volt	$14.99
	X	X	X															NPN6441_PDR	Smoke Translucent Battery Only Charger	$24.99
	X	X	X															NNTN4449_P	Purple Translucent Vehicular Power Adapter (Resale Packaged)	$24.99
	X	X	X															SYN7818	Vehicular Power Adapter	$24.99
	X	X	X															SYN7818_P	Vehicular Power Adapter (Resale Packaged)	$24.99
X																		NTN9034	Vehicular Power Adapter	$30.00
					X	X	X	X	X	X	X	X	X	X	X	X		NNTN6343	Vehicular Battery Charger	$24.99
					X	X	X	X	X	X	X							NNTN6343R_	Vehicular Battery Charger (Resale Packaged)	$24.99
																	X	SPN5299	2.5mm Barrel (midrate switching) Wall Charger (c290)	$19.99
					X	X	X	X	X	X	X	X	X	X	X	X		NNTN4680	Wall Mount Charger	$29.99
					X	X	X	X	X	X	X	X	X	X	X	X		NNTN4680P_	Wall Mount Charger (Resale Packaged)	$29.99
					X	X	X	X	X	X	X	X	X	X	X	X		NNTN4841	3 Hour Charger	$25.00
																			Battery Optimizing System:	
X		X	X															WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	$2,106.00
																			Battery Maintenance System:	
X		X	X															WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	$650.00
																			Ring Tones & Games:	
					X	X	X		X	X								NNTN5776	Nature Scenes/Animals Wallpapers Digital Card	$7.49
					X	X	X		X	X								NNTN5783	FOX Sports Games Digital Card	$9.99
					X	X	X		X	X								NNTN5784	True Crime: Streets of LA Digital Card	$7.99
					X	X	X		X	X								NNTN5785	Game Variety Pack Digital Card	$9.99
																			Data Accessories:	
	X	X	X															NNTN4007	USB Data Cable with In-Line Charging Port	$24.99
	X	X	X															NNTN4049	USB Data Cable	$15.99
					X	X	X	X	X	X	X	X	X	X	X	X		NKN6559	USB Data Cable	$19.99
					X	X	X	X	X	X	X	X	X	X	X	X		NKN6560	RS232 Data Cable	$27.99
									X								X	NNTN6531	iDEN USB Data Cable	$9.99
					X	X	X	X	X	X	X	X	X	X	X	X		NNTN5405	USB Data Cable (Charging)	$21.50
					X	X	X	X	X	X	X	X	X	X	X	X		NNTN5406	RS232 Data Cable (Charging)	$29.99
	X	X	X															NKN6544	Data & Programming Cable	$29.99
X	X	X	X															RLN5319	iTRAK -GPS Tracking System (Mobile Mount)	$349.00
	X	X																NTN2040_P	Mini Keyboard (Resale Packaged)	$39.99
					X	X	X	X	X	X	X	X	X	X	X	X		NTN2074	Mini Keyboard	$45.00

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

r750	i80s	i60c / i95cl	i30sx	i355s / i305	i315 / i355	i730 / i570	i830 / i836	i850 / i760	i860 / i560	i930	i325 / i325IS	i265 / i275	i605 / i615	i580	i670	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
																	Faceplates/Keypads:		
			X														7585622D04	Silver Keypad	$4.50
			X														RLN5418	Burgundy Faceplate for i30SX	$14.99
			X														RLN5418_P	Burgundy Faceplate for i30SX (Resale Packaged)	$14.99
			X														RLN5419	i30sx Astro Blue Faceplate	$14.99
			X														RLN5419_P	i30sx Astro Blue Faceplate (Resale Packaged)	$14.99
			X														RLN5420	i30sx Black Faceplate	$14.99
			X														RLN5420_P	i30sx Black Faceplate (Resale Packaged)	$14.99
			X														RLN5421	i30sx Stainless Faceplate	$14.99
			X														RLN5421_P	i30sx Stainless Faceplate (Resale Packaged)	$14.99
			X														RLN5422	i30sx Purple Faceplate	$14.99
			X														RLN5422_P	i30sx Purple Faceplate (Resale Packaged)	$14.99
			X														RLN5424	i30sx Bronze Faceplate	$14.99
			X														RLN5424_P	i30sx Bronze Faceplate (Resale Packaged)	$14.99
			X														RLN5425	i30sx Poppy Red Faceplate	$14.99
			X														RLN5425_P	i30sx Poppy Red Faceplate (Resale Packaged)	$14.99
																	General Accessories:		
			X														NNTN4353	Battery Eliminator	$375.00
	X	X	X	X	X	X	X	X	X								NTN2190P_	Florida iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2191P_	Tennessee iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2192P_	Kentucky iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2193P_	North Carolina iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2194P_	Oklahoma iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2195P_	Florida State iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2196P_	Alabama iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2197P_	Arkansas iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2198P_	Michigan iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2199P_	Texas iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2200P_	Nebraska iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2201P_	Ohio State iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2202P_	Miami iDENtifier3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2203P_	Georgia iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2204P_	Kansas iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2205P_	Texas A&M iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2206P_	Duke iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2207P_	Auburn iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2208P_	Notre Dame iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2209P_	Penn State iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2210P_	Oklahoma State iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2211P_	Kansas State iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2212P_	Missouri iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2213P_	Cincinnati iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2214P_	LSU iDENtifier 3 Piece Set (Resale Packaged)	$9.99
	X	X	X	X	X	X	X	X	X								NTN2178P_	Mexico iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X	X	X	X	X	X								NTN2176P_	Puerto Rico iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X	X	X	X	X	X								NTN2180P_	Argentina iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X	X	X	X	X	X								NTN2179P_	Colombia iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X	X	X	X	X	X								NTN2177P_	Brazil iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X	X	X	X	X	X								NTN2215P_	USA iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X	X	X	X	X	X								NTN2216P_	Jamaica iDENtifier 3 Piece Set (Resale Packaged)	$8.99

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

r750plus	i80s	i90c	i60cl	i30sx	i205s	i305/i355	i315/i355	i730/i530	i710/i836	i850/i760	i860/i560	i930	i325	i325IS	i265/i275	i605/i615	i870/i580	i670	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
																					General Accessories continued:	
	X	X	X	X		X	X	X		X	X									NTN2218P_	Dominican Republic iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X		X	X	X		X	X									NTN2219P_	Ireland iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X		X	X	X		X	X									NTN2220P_	Canada iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X		X	X	X		X	X									NTN2240P_	Cuba iDENtifier 3 Piece Set (Resale Packaged)	$8.99
	X	X	X	X		X	X	X		X	X									NNTN5073	Arizona Cardinals iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5074	Atlanta Falcons iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5075	Baltimore Ravens iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5076	Buffalo Bills iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5077	Carolina Panthers iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5078	Chicago Bears iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5079	Cincinnati Bengals iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5080	Cleveland Browns iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5082	Denver Broncos iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5083	Detroit Lions iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5084	Green Bay Packers iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5085	Houston Texans iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5086	Indianapolis Colts iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5087	Jacksonville Jaguars iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5088	Kansas City Chiefs iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5089	Miami Dolphins iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5090	Minnesota Vikings iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5091	New England Patriots iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5092	New Orleans Saints iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5093	New York Giants iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5094	New York Jets iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5095	Oakland Raiders iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5096	Philadelphia Eagles iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5097	Pittsburgh Steelers iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5098	San Diego Chargers iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5099	San Francisco 49ers iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5100	Seattle Seahawks iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5101	St. Louis Rams iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5102	Tampa Bay Buccaneers iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5103	Tennessee Titans iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5104	Washington Redskins iDENtifier 3 Piece Set	$9.99
	X	X	X	X		X	X	X		X	X									NNTN5688P_	Mono Universal iDENtifier Case (Resale Packaged)	$19.99
				X		X	X	X	X	X	X									NNTN5689P_	iDENtifier PTT Earbud (Resale Packaged)	$19.99
	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X			NNTN5071P_	Postponable Earbud, Black, Moto (Resale Packaged)	$19.99
						X														NNTN5681P_	Form Fitted iDENtifier Case (i530) (Resale Packaged)	$19.99
						X														NNTN5682P_	Form Fitted iDENtifier Case (i730) (Resale Packaged)	$19.99
				X		X	X	X	X	X	X	X	X	X	X	X	X			NNTN5198P_	iDENtifier VBC (Resale Packaged)	$29.99
		X				X	X	X	X	X					X	X	X			NTN2221P_	Rugged Universal Small Pouch - Yellow (Resale Packaged)	$29.99
	X		X	X						X	X		X							NTN2223P_	Rugged Universal Large Pouch - Yellow (i325/i315/i305/i355/i80s/ i85s/i88s/i50sx/i58sr/i30sx/i35x) (Resale Packaged)	$29.99
		X				X	X	X	X	X					X	X	X			NTN2224P_	Rugged Universal Small Pouch - Blue (Resale Packaged)	$29.99
	X		X	X						X	X		X							NTN2226P_	Rugged Universal Large Pouch - Blue (i325/i315/i305/i355/i80s/ i85s/i88s/i50sx/i58sr/i30sx/i35x) (Resale Packaged)	$29.99
		X				X	X	X	X	X					X	X	X			NTN2227P_	Rugged Universal Small Pouch - Black (Resale Packaged)	$29.99
	X		X	X						X	X		X							NTN2229P_	Rugged Universal Large Pouch - Black (i325/i315/i305/i355/i80s/ i85s/i88s/i50sx/i58sr/i30sx/i35x) (Resale Packaged)	$29.99

iDEN PORTABLE PRODUCTS

i750plus™/i80s™/i90c™/i60c™/i95cl™/i30sx™/i35s™/i205™/i305™/i315™/i355™/i530™/i730™/i710™/i830™/i836™/ i850™/i760™/i860™/i560™/i930™/i325™/i325IS™/i265™/i275™/i605™/i615™/i580™/i670™/i870™/c290™

i750plus	i80s	i90c	i60cl	i30sx	i205/i305	i315/i355	i730/i530	i830/i836	i850/i760	i860/i560	i930	i325	i325IS	i265/i275	i605/i615	i870	i580	i670	c290	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Accessories continued:																						
							X													NTN2230P_	Construction Line Functional Case with D-Post Belt Clip - Yellow (i530) (Resale Packaged)	$34.99
							X													NTN2231P_	Construction Line Functional Case with D-Post Belt Clip - Black (i530) (Resale Packaged)	$34.99
							X													NTN2232P_	Construction Line Functional Case with D-Post Belt Clip - Yellow (i730) (Resale Packaged)	$34.99
							X													NTN2233P_	Construction Line Functional Case with D-Post Belt Clip - Black (i730) (Resale Packaged)	$34.99
																				NTN2234P_	Construction Line Functional Case with D-Post Belt Clip - Yellow (i55sr/i58sr) (Resale Packaged)	$34.99
																				NTN2235P_	Construction Line Functional Case with D-Post Belt Clip - Black (i55sr/i58sr) (Resale Packaged)	$34.99
					X															NTN2236P_	Construction Line Functional Case with D-Post Belt Clip - Yellow (i305/i315) (Resale Packaged)	$34.99
					X															NTN2237P_	Construction Line Functional Case with D-Post Belt Clip - Black (i305/i315) (Resale Packaged)	$34.99
X		X		X																NNTN5748P_	Construction Line Vehicle Power Adapter (Resale Packaged)	$29.99
					X		X	X	X	X	X	X	X	X	X	X	X	X		NNTN5749P_	Construction Line Vehicle Power Adapter (Resale Packaged)	$29.99
Bluetooth Accessories:																						
														X	X	X				98656	HS850 BT Headsetwith Flip Boom - Graphite Blue	$99.99
														X	X	X				98687	H500 Bluetooth Headset Nickel with GM Bezel	$69.00
														X	X	X				98578	Bluetooth PCUSB Adapter	$49.99
														X	X	X				98666	HF820 Bluetooth Easy-Install Car Kit	$99.99
														X	X	X				98675	HF850 Bluetooth Pro-Install Kit	$169.99
														X	X	X				98682	H300 Bluetooth Replaceable Battery Headset	$49.99
														X	X	X				98686	H700 Bluetooth Premium Headset w/ Boom	$119.00
														X	X	X				98683	H605 Bluetooth Behind-the-Ear Headset	$79.99
														X	X	X				98676	IHF1000 Bluetooth Premium Pro-Install Car Kit	$299.00

iDEN™ MOBILE PRODUCTS

SUGGESTED RETAIL

m100™/m370™/m470™/LM100™/LM2000™/c370™/c470™

m100	m370	m470	LM100	LM2000	c370	c470	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
							Antennas:		
X	X	X	X		X		HAF4002	806-900 MHz, 1/4 Wave Roof Mount Antenna	$14.00
X	X	X	X		X		RAF4136AMM	806-860 MHz, 3dB Gain Magnetic Mount Antenna, Mini-UHF and Cable	$47.00
X	X	X	X		X		RRA4921	806-900 MHz, 3dB Gain Magnetic Mount Stainless Steel Antenna	$47.00
X	X	X	X		X		RRA4976	806-900 MHz, 3dB Gain Magnetic Mount Black Chrome Antenna	$42.00
X	X	X	X		X		RRA4914	806-900 MHz, 3dB Gain Roof Mount Stainless Steel Antenna	$38.00
X	X	X	X		X		RRA4983	806-900 MHz, 3dB Gain Roof Mount Stainless Steel Antenna, Mini-UHF & Low Loss Cable	$49.00
X	X	X	X		X		RRA4986	806-900 MHz, 3dB Gain Roof Mount Black Chrome Antenna, Mini-UHF & Low Loss Cable	$42.00
X	X	X	X		X		RRA4990	806-900 MHz, 3dB Gain Roof Mount Black Chrome Antenna	$33.00
X	X	X	X		X		RRA4923	806-900 MHz, 3dB Gain Trunk Lip Mount Stainless Steel Ant, Mini-UHF & RG58A/U Cable	$47.00
							Audio Acessories:		
X	X	X	X		X		FLN2270	Handset (m370/m470/LM2000/c370/c470 Only)	$412.00
X	X	X	X				HMN4058	Compact Microphone (m100/LM100 Only)	$40.00
X	X	X	X				FMN1611	Visor Microphone	$22.00
X	X	X	X		X		NTN8378	Hang-Up Cup for Handset (m370/LM2000/c370/c470 Only)	$14.00
X	X	X	X				HSN4029	5.5" Dash Mount Speaker (m100/LM100 Only)	$55.00
X	X	X	X		X		HSN4030	5.5" Remote Mount Speaker (m370/m470/LM2000/c370/c470 Only)	$55.00
							Cables:		
X	X	X	X				HKN6123	Replacement Cable, Connects Handset to Desktop Cradle (m370/m470/LM2000 Only)	$117.00
							Miscellaneous:		
X	X	X	X				FLN8212	Radio Bracket	$17.00
							Service Aids:		
X	X	X	X		X		RLN4008	Radio Interface Box (RIB)	$200.00
X	X	X	X		X		0180357A57	RIB Power Supply, 120V	$24.25
X	X	X	X		X		3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	$52.00

PORTABLE

This Page Left Blank Intentionally

PR400™ PORTABLES

VHF & UHF Models - 12.5/25 kHz

All PR400 portable models include:
- Standard Battery (Slim Li-ion, 1600 mAh, 7.2V Battery - NNTN4970)
- Standard Charger (120 Volt - 90 Minute Rapid Rate Charger - WPLN4138_R)
- Standard Antenna (VHF Heliflex - NAD6502_R / UHF Whip - NAE6483_R)
- 3" Belt Clip (HLN8255)
- Operating Instruction Manual
- 2 Year Warranty

Features:
- 16, 32 & 64 Conv Channel Models
- 12.5/25 kHz Switchable Chan Spacing
- 8 Character Alphanumeric Display (32/64 Ch)
- 2 Programmable Buttons (16 Ch)
- 4 Programmable Buttons (32/64 Ch)
- X-Pand™ Technology
- Dual Priority Scan
- Option Board Expandability

LTR® Features:
- Up to 4 Sites & 16 Talkgroups (16 Ch)
- Up to 10 Sites & 100 Talkgroups (32/64 Ch)
- Up to 20 Repeaters per Site
- Up to 4 Universal IDs per System (16 Ch)
- Up to 16 Universal IDs per System (32/64 Ch)
- UHF and VHF Frequencies
- Combined System Scan
- User Programmable Scan & Phone Lists
- Data Operated Squelch (DOS)

Programmable Button Features:
- Monitor
- High / Low Power
- Channel Scan
- Nuisance Channel Delete
- 2 Memory Channels
- PL/DPL Edit (32/64 Ch)
- Repeater / Talkaround
- Volume Set
- Tight / Normal Squelch
- VOX On / Off
- Battery Indicator (32/64 Ch)

Conventional Mode Only - Signaling Features - All models:
- MDC1200 PTT ID (Numeric ID - Encode)
- MDC1200 Radio Check (Decode)
- MDC1200 Selective Radio Inhibit (Decode)
- MDC1200 Selective Call (16 Ch - Decode Only / 32 Ch & 64 Ch Encode/Decode)
- Quik Call II Selective Call (Decode)
- Quik Call II Call Alert (Decode)
- DTMF PTT ID (Encode)

Conventional Mode Only - Signaling Features - 32 & 64 Ch. Models:
- MDC1200 PTT ID (Numeric ID - Decode)
- Quik Call II Call Alert (Encode)
- Quik Call II Selective Call (Encode)
- DTMF Call Alert (Encode)
- DTMF Selective Call (Encode)

The following frequencies are not allowed:

151.19375	168.000	403.20625	436.800	443.94375	443.96875	488.32625	488.35125
151.200	168.00625	419.99375	436.80625	443.950	470.39375	488.3325	488.3575
151.20625	403.49375	420.000	443.93125	443.95625	470.400	488.33875	
167.99375	403.200	436.79375	443.9375	443.9625	470.40625	488.345	

420.006250 (420 MHz +/- 6.25 kHz) 488.36375 (488.345 MHz +/- 18.75 kHz)

BAND SPLIT	BAND	PWR	CHAN	CATALOG NUMBER	MANUF.SUGG. RETAIL PRICE
136-162 MHz	VHF	1-5W	16	AAH65JDC9AA2_N	$552
			32	AAH65JDF9AA3_N (Display-Limited Keypad)	$603
			64	AAH65JDH9AA4_N (Display-Full Keypad)	$655
146-174 MHz	VHF	1-5W	16	AAH65KDC9AA2_N	$552
			32	AAH65KDF9AA3_N (Display-Limited Keypad)	$603
			64	AAH65KDH9AA4_N (Display-Full Keypad)	$655
403-440 MHz	UHF	1-4W	16	AAH65QDC9AA2_N	$586
			32	AAH65QDF9AA3_N (Display-Limited Keypad)	$638
			64	AAH65QDH9AA4_N (Display-Full Keypad)	$690
438-470 MHz	UHF	1-4W	16	AAH65RDC9AA2_N	$586
			32	AAH65RDF9AA3_N (Display-Limited Keypad)	$638
			64	AAH65RDH9AA4_N (Display-Full Keypad)	$690
465-495 MHz	UHF	1-4W	16	AAH65SDC9AA2_N	$586
			32	AAH65SDF9AA3_N (Display-Limited Keypad)	$638
			64	AAH65SDH9AA4_N (Display-Full Keypad)	$690

FCC INFORMATION: ABZ99FT3039 (VHF 136-162 MHz) / ABZ99FT3045 (VHF 146-174 MHz) / ABZ99FT4057 (UHF 403-440 MHz) / ABZ99FT4056 (UHF 438-470 MHz) / ABZ99FT4058 (UHF 465-495 MHz)

Trunking Branded

Portables - Page 2

Date 4/27/07

SUGGESTED RETAIL

PR400™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE FOR STEP 1		
	STEP 1:	
Radio Configuration Options:		
STDPKG0018	Slim Li-ion, 1600 mAh, 7.2V Battery (NNTN4970) and 90 Minute Rapid Rate Charger (WPLN4138_R)	N/C
Q651	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$7.00
Q794	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and 90 Minute Rapid Rate Charger (WPLN4138_R)	-$10.00
Q795	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (NNTN4852) and 90 Minute Rapid Rate Charger (WPLN4138_R)	$53.00
Q624	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and 90 Minute Rapid Rate Charger (WPLN4138_R)	-$15.00
Omit Charger Options:		
Q648	Slim Li-ion, 1600 mAh, 7.2V Battery (NNTN4970) and No Charger	-$10.00
Q653	Li-ion, 2250 mAh, 7.5V Battery (NNTN4497_R) and No Charger	-$5.00
Q878	NiMH, 1400 mAh, 7.5V Battery (NNTN4851) and No Charger	-$20.00
Q869	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (NNTN4852) and No Charger	$50.00
Q652	NiCd, 1100 mAh, 7.5V Battery (NNTN4496_R) and No Charger	-$25.00

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00531	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4013)	$73.50
QA00532	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4029)	$75.00
QA00098	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - HMN9036)	$40.00
QA00099	Ultra-Light Headset, Behind-the-Head with In-Line PTT and Boom Microphone (RLN5411)	$60.00
QA00194	VHF 146-162 MHz, 3" Stubby Antenna (HAD9742)	$9.75
QA00189	VHF 162-174 MHz, 3" Stubby Antenna (HAD9743)	$9.75
QA00190	UHF 438-470 MHz, 3" Stubby Antenna (NAE6522_R)	$11.25
QA00191	UHF 470-512 MHz, 3" Stubby Antenna (8505816K26)	$11.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$34.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$65.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$97.00

HT1250·LS+™
VHF / UHF PORTABLE

SUGGESTED RETAIL

LTR®/PassPort® Trunking Models-Switchable 12.5/20/25 kHz

All HT1250·LS+ portable models include:
- Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (VHF NAD6502_R / UHF NAE6483_R)
- 2.5" Belt Clip (HLN9714)
- 14 Character Alphanumeric Display
- 7 Programmable Buttons
- Two Year Warranty
- Operating Instruction Manual

Programmable Features:

Conventional/LTR®/PassPort®
- System, All Group, Auto Group Scan (Conventional & LTR®)
- Dual Priority Scan (Conventional Operation Only)
- Home Channel Revert (LTR® & PassPort®)
- 12.5/25 kHz Switchable Channel Spacing
- X-Pand™ Companding Technology
- Telephone Interconnect
- Adjustable Power Levels
- Voice Storage

Additional PassPort® Features:
- PassPort® Group Scan
- Seamless Roaming
- Automatic Registration/Deregistration (upon power up and power down)
- PTT ID Aliasing & MIN on Display
- Unique ESN (Electronic Serial Number)
- Direct Frequency Assignment
- Home System Lookback
- Selective Radio Inhibit (Decode)
- Roam Request
- Site/MIN View
- Selective Call / Call Alert
- Roam Lock
- Site / Talkgroup Restriction (requires NTS option)
- NTIA Band 9 MHz Rx/Tx Support - UHF Only

LTR® Protocol - MDC1200 Signaling:
- Call Alert (Encode/Decode)
- Selective Call (Encode/Decode)
- PTT-ID (Encode/Decode)
- Radio Check (Encode/Decode)

32 Channel Models also include:

LTR® Protocol - MDC1200 Signaling:
- Emergency Alert (Encode)
- Status (Encode)
- Message (Encode/Decode)

Conventional Mode - MDC1200 Signaling:
- Call Alert (Encode/Decode)
- Selective Call (Encode/Decode)
- PTT-ID (Encode/Decode)
- Radio Check (Encode/Decode)
- Emergency Alert (Encode)
- Status (Encode)
- Message (Encode/Decode)

Conventional Mode - Signaling:
- Quik Call II (Encode/Decode)

Limited Keypad

Full Keypad

The following frequencies are not allowed:

151.200	419.195	436.805	459.905	494.955
168.000	420.000	453.695	468.300	498.830
403.195	420.005	453.600	469.105	502.710
403.200	436.795	453.605	470.400	504.000
403.205	436.800	457.805	483.320	507.875
				511.755

BAND SPLIT	BAND	PWR	TRUNK ZONES/ TALKGROUPS	CONV CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	15/16	16	AAH25KDF9DP5_N (Ltd Keypad)	$849
					AAH25KDH9DP6_N (Full Keypad)	$915
				32	AAH25KDF9DP7_N (Ltd Keypad)	$934
					AAH25KDH9DP9_N (Full Keypad)	$1,025
403-470 MHz	UHF	1W to 4W (ships 4W)	15/16	16	AAH25RDH9DP5_N (Ltd Keypad)	$874
					AAH25RDH9DP6_N (Full Keypad)	$940
				32	AAH25RDH9DP7_N (Ltd Keypad)	$959
					AAH25RDH9DP9_N (Full Keypad)	$1,033
450-512 MHz	UHF		15/16	16	AAH25SDH9DP5_N (Ltd Keypad)	$874
					AAH25SDH9DP6_N (Full Keypad)	$940
				32	AAH25SDH9DP7_N (Ltd Keypad)	$959
					AAH25SDH9DP9_N (Full Keypad)	$1,033

FCC INFORMATION AZ489FT3794 (136-174 MHz) / AZ489FT4826 (403-470 MHz) / AZ489FT4834 (450-512 MHz)

LTR® is a registered trademark of E.F. Johnson Co. PassPort® is a registered trademark of Trident Micro Systems Inc.

HT1250·LS+™
200 & 700 MHz PORTABLE

SUGGESTED RETAIL

LTR®/PassPort® Trunking Models - 12.5 kHz

All HT1250·LS+ portable models include:
- Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (216-225 MHz Helical HKAD4000 / 746-794 MHz 1/2 Wave Whip NAF5083)
- 2.5" Belt Clip (HLN9714)
- 14 Character Alphanumeric Display
- 7 Programmable Buttons
- Two Year Warranty
- Operating Instruction Manual

Limited Keypad

Full Keypad

Programmable Features:

Conventional/LTR® Protocol
- System, All Group, Auto Group Scan (Conventional & LTR®)
- Dual Priority Scan (Conventional Operation Only)
- Home Channel Revert (LTR® & PassPort®)
- X-Pand™ Companding Technology
- Telephone Interconnect
- Battery Status Indicator
- Adjustable Power Levels
- Clock and Alarm
- Voice Storage

Additional PassPort® Features
- PassPort® Group Scan
- Seamless Roaming
- Automatic Registration/Deregistration (upon power up and power down)
- PTT ID Aliasing & MIN on Display
- Unique ESN (Electronic Serial Number)
- Direct Frequency Assignment
- Home System Lookback
- Selective Radio Inhibit (Decode)
- Roam Request
- Site/MIN View
- Selective Call / Call Alert
- Roam Lock
- Site / Talkgroup Restriction (requires NTS option)

Conventional & LTR® Modes - MDC1200 Signaling
- Call Alert (Encode/Decode)
- Selective Call (Encode/Decode)
- PTT-ID (Encode/Decode)
- Radio Check (Encode/Decode)
- Status (Encode)
- Message (Encode/Decode)

The following frequency bands are not allowed:

216-217	Rx: 747-762, 764-794
218-219	Tx: 747-762, 764-776, 777-792

BAND SPLIT	BAND	PWR	TRUNK ZONES/ TALKGROUPS	CONV CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
217-218 MHz 219-222 MHz	200 MHz	1W or 5W (ships 5W)	15/16	16	AAH25MDF4DP5_N (Ltd Keypad)	$874
					AAH25MDH4DP6_N (Full Keypad)	$940
Rx: 746-747 MHz 762-764 MHz Tx: 746-747 MHz T/A 762-764 MHz T/A	700 MHz	1W or 2.5W (ships 2.5W)	15/16	16	AAH255CF4DP5_N (Ltd Keypad)	$874
					AAH255CH4DP6_N (Full Keypad)	$940

FCC INFORMATION: ABZ99FT3080 (217-218, 219-222 MHz) / ABZ99FT5000 (746-747, 762-764, 776-777, 792-794 MHz)

LTR® is a registered trademark of E.F. Johnson Co. PassPort® is a registered trademark of Trident Micro Systems Inc.

HT1250·LS+™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0008	Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003)	$48.00

STEP 2:

Charger Choices:

STDCHG0008	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0008	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0008	Standard Antenna (VHF NAD6502_R/UHF NAE6483_R/200 MHz HKAD4000/ 700 MHz NAF5083)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Performance, 7.5" - NAD6579)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0008	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50

SUGGESTED RETAIL

HT1250·LS+™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00
H477	PassPort 4.0 Enhanced Feature Set: Emergency, Priority Access,and Channel Backup Capability. **Note: 4.0 Enhanced System Infrastructure and Options must be purchased as well to allow for this feature set.**	$168.00

HT1550·XLS™ PORTABLE

SUGGESTED RETAIL

VHF/UHF LTR® Models - Switchable 12.5/20/25 kHz

All HT1550•XLS portable models include:
- Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (VHF NAD6502_R / UHF NAE6483_R)
- 2.5" Belt Clip (HLN9714)
- Two Year Warranty
- User Guide

Features:
- Up to 160 Conventional Channels and/or 15 Trunked Zones
- Up to 99 Channels per Conventional Zone and up to 16 Talkgroups per LTR® Zone
- Front Panel Programmable (when using Q409 option or NNTN4503_R)
- Four Line 14 Character Alphanumeric Display
- 7 Programmable Buttons with 23 Selectable Features
- Channel / Zone Selection Programmable on Top or Front of the Radio
- 12.5/25 kHz Switchable Channel Spacing
- X-Pand™ Technology
- Internal VOX
- Telephone Interconnect
- Built in Voice Storage with Answer Mode
- Internal Noise Cancelling Microphone
- Home Channel Revert (LTR® Operation Only)
- Home Channel Revert Auto Key (LTR® Operation Only)
- Dual Priority Scan (Conv. Only)
- Status Message
- Quik Call II (Conv. Only)
- Call Stacking

MDC Signaling on Conventional and LTR® Modes:
- MDC1200 Call Alert (Encode/Decode)
- MDC1200 Selective Call (Encode/Decode)
- MDC1200 PTT-ID (Alphanumeric ID-Encode/Decode)
- MDC1200 Radio Check (Encode/Decode)
- MDC1200 Selective Radio Inhibit (Decode)
- MDC1200 Emergency (Encode)
- MDC1200 Emergency (Encode/Decode - Decode available only with Firmware R05.08.02 and CPS R06.05.00 or later)

The following frequencies are not allowed:

151.200	419.195	436.805	470.400	504.000
168.000	420.000	453.595	472.505	507.880
403.195	420.005	453.600	494.950	510.305
403.200	436.795	453.605	498.835	511.755
403.205	436.800	459.900	502.710	

BAND SPLIT	BAND	PWR	TRUNK ZONES/ TALKGROUPS	CONV CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	15/16	160	AAH25KDN9DU8_N	$1,050
403-470 MHz	UHF	1W to 4W (ships 4W)	15/16	160	AAH25RDN9DU8_N	$1,100
450-512 MHz	UHF	1W to 4W	15/16	160	AAH25SDN9DU8_N	$1,100

FCC INFORMATION AZ489FT3794 (136-174 MHz) / AZ489FT4826 (403-470 MHz) / AZ489FT4834 (450-512 MHz)

LTR® is a registered trademark of E.F. Johnson Co.

HT1550·XLS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0841	Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
Q409	NiMH, 1500 mAh, 7.5V Battery - Front Panel Programmable (NNTN4503_R)	$33.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003)	$48.00

STEP 2:

Charger Choices:

STDCHG0841	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0841	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0841	Standard Antenna (VHF NAD6502_R / UHF NAE6483_R)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Performance, 7.5" - NAD6579)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0841	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

See next page for additional options.

SUGGESTED RETAIL

HT1550·XLS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50
QA00101	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black. Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise Enhancement (NTN8371) already attached for extra comfort and convenience (RLN5315).	$108.00
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

EX560·XLS™ PORTABLE
VHF & UHF Models - 12.5/20/25 kHz

All EX560·XLS portable models include:
- Standard Battery (Li-ion, 1400 mAh, 7.5V - PMNN4073_A)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (VHF option must be ordered / UHF Band 1 PMAE4022_A, UHF Band 2 PMAE4025_A)
- Carry Holster (JMZN4023)
- Three Year Warranty
- Operating Instruction Manual



Features:
- Up to 160 Conventional Channels and/or 15 Trunked Zones
- Up to 99 Channels per Conventional Zone and up to 16 Talkgroups per LTR® Zone
- 12.5/20/25 kHz Switchable Channel Spacing
- Small Size and Light Weight
- 14 Character Alphanumeric Display
- Limited DTMF Keypad
- 2 Programmable Side Buttons
- 3 Programmable Front Buttons
- Programmable Emergency Button
- X-Pand™ Technology
- Internal VOX
- Priority or Dual Priority Scan (Conv. Only)
- Channel/Zone Selection Programmable on Top or Front of the radio
- Busy Channel Lockout
- Home Channel Revert (LTR® Operation Only)
- Clock and Alarm
- Adjustable Power Levels
- Battery Gauge and RSSI Indicator
- Quik Call II Encode/Decode (Conv. Only)

Programmable Buttons:
- High/Low Power
- Channel Scan
- Repeater/Talkaround
- Home Channel Revert Auto Key (LTR® Mode)
- Monitor
- Emergency
- Light
- Radio Call
- Tight/Normal Squelch
- Keypad Lock
- Volume Set
- Speed Dial

MDC Signaling on Conventional and LTR® Modes:
- MDC1200 Emergency Signaling (Encode)
- MDC1200 Call Alert (Encode/Decode)
- MDC1200 PTT-ID (Alphanumeric ID - Encode/Decode)
- MDC1200 Selective Call (Encode/Decode)
- MDC1200 Radio Check (Encode/Decode)
- MDC1200 Selective Radio Inhibit (Decode)

The following frequencies are not allowed:

151.200	403.200	420.000	436.805	470.405
151.205	403.205	422.580	453.595	487.195
167.995	407.075	432.925	453.600	487.200
168.000	412.250	436.795	453.605	487.205
168.005	414.835	436.800	470.395	504.000

BAND SPLIT	BAND	PWR	CONV CHAN	TRUNK ZONES/ TALKGROUPS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	160	15/16	AAH38KDF9DU6_N	$1,030
403-470 MHz	UHF	1W to 4W (ships 4W)	160	15/16	AAH38RDF9DU6_N	$1,090
450-527 MHz	UHF	1W to 4W (ships 4W)	160	15/16	AAH38SDF9DU6_N	$1,090

FCC INFORMATION AZ489FT3801 (136-174 MHz) / AZ489FT4844 (403-470 MHz) / AZ489FT4845 (450-527 MHz)

EX560·XLS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): H236 (JMNN4025_R) and STDBAT0004 (PMNN4073_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0004	Standard Battery (IP67 Li-ion 1400mAh 7.5V - Intrinsically Safe (FM) 7.5V (PMNN4073_R) ***Note: Only IP67 designated batteries will qualify radio as IP67. Other non-IP67 batteries can be selected, but only as a non-IP67 solution.***	N/C
QA00669	IP67 Li-ion 1300mAh 7.5V (PMNN4074)	-$10.00
H236	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM) (JMNN4025_R)	-$20.00
H224	Li-ion, 1300mAh, 7.5V (JMNN4024_R)	-$15.00
H229	Li-ion, 1000 mAh, 7.5V Slim Battery (JMNN4023_R)	-$25.00

STEP 2:

Charger Choices:

STDCHG0004	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00

STEP 3:

Carry Holder Choices:

STDBLT0004	Standard Carry Holster (JMZN4023)	N/C
H317	Omit Standard Carry Holster	-$3.50

STEP 4:

Antenna Choices:

STDANT0004	Standard Antenna (UHF Band 1, PMAE4022A, UHF Band 2, PMAE4025A, VHF option must be selected)	N/C
H128	VHF 136-155 MHz Helical Antenna (8504762J01)	N/C
H129	VHF 155-174 MHz Helical Antenna (8504762J02)	N/C
H65	VHF 150-161 MHz Helical Antenna (PMAD4023)	N/C
H112	Omit Standard VHF & UHF Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0004	Standard Model Box	N/C
H415	Bulk Packaging (minimum 20 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

General Options:

QA00535	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4022)	$85.00
QA00536	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4023)	$89.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

EX600·XLS™ PORTABLE

VHF & UHF Models - 12.5/20/25 kHz

All EX600·XLS portable models include:
- **Standard Battery (Li-ion, 1300 mAh, 7.5V - JMNN4024_R)**
- **Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)**
- **Standard Antenna (VHF option must be ordered / UHF NAE6483_R)**
- **Carry Holster (JMZN4023)**
- **Three Year Warranty**
- **Operating Instruction Manual**

Features:
- **Up to 160 Conventional Channels and/or 15 Trunked Zones**
- **Up to 99 Channels per Conventional Zone and up to 16 Talkgroups per LTR® Zone**
- **12.5/20/25 kHz Switchable Channel Spacing**
- **Small Size and Light Weight**
- **14 Character Alphanumeric Display**
- **Telephone Interconnect and Full DTMF Keypad with Menu Keys**
- **2 Programmable Side Buttons**
- **3 Programmable Front Buttons**
- **Programmable Emergency Button**
- **X-Pand™ Technology**
- **Internal VOX**
- **Priority or Dual Priority Scan (Conv. Only)**
- **Channel/Zone Selection Programmable on Top or Front of the radio**
- **Busy Channel Lockout**
- **Home Channel Revert (LTR® Operation Only)**
- **Clock and Alarm**
- **Adjustable Power Levels**
- **Battery Gauge and RSSI Indicator**
- **Quik Call II Encode/Decode (Conv. Only)**

Programmable Buttons:
- **High/Low Power**
- **Channel Scan**
- **Repeater/Talkaround**
- **Home Channel Revert Auto Key (LTR® Mode)**
- **Monitor**
- **Emergency**
- **Light**
- **Radio Call**
- **Tight/Normal Squelch**
- **Keypad Lock**
- **Volume Set**
- **Speed Dial**

MDC Signaling on Conventional and LTR® Modes:
- **MDC1200 Emergency Signaling (Encode)**
- **MDC1200 Call Alert (Encode/Decode)**
- **MDC1200 PTT ID (Alphanumic ID-Encode/Decode)**
- **MDC1200 Selective Call (Encode/Decode)**
- **MDC1200 Radio Check (Encode/Decode)**
- **MDC1200 Selective Radio Inhibit (Decode)**

The following frequencies are not allowed:

151.200	403.200	420.000	436.805	470.405
151.205	403.205	422.580	453.595	487.195
167.995	407.075	432.925	453.600	487.200
168.000	412.250	436.795	453.605	487.205
168.005	414.835	436.800	470.395	504.000

BAND SPLIT	BAND	PWR	CONV CHAN	TRUNK ZONES/ TALKGROUPS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
136-174 MHz	VHF	1W to 5W (ships 5W)	160	15/16	AAH38KDH9DU6_N	$1,015
403-470 MHz	UHF		160	15/16	AAH38RDH9DU6_N	$1,075
450-512 MHz				15/16	AAH38SDH9DU6_N	$1,075

FCC INFORMATION AZ489FT3801 (136-174 MHz) / AZ489FT4844 (403-470 MHz) / AZ489FT4845 (450-512 MHz)

EX600·XLS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): H236 (JMNN4025_R) is rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0004	Standard Battery (Li-ion, 1300 mAh, 7.5V - JMNN4024_R)	N/C
H236	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM) (JMNN4025_R)	-$9.50
H229	Li-ion, 1000 mAh, 7.5V Slim Battery (JMNN4023_R)	-$13.50

STEP 2:

Charger Choices:

STDCHG0004	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00

STEP 3:

Carry Holder Choices:

STDBLT0004	Standard Carry Holster (JMZN4023)	N/C
H317	Omit Standard Carry Holster	-$3.50

STEP 4:

Antenna Choices:

STDANT0004	Standard Antenna (UHF only - NAE6483_R)	N/C
Q634	VHF 150-162 MHz Broadband Antenna (NAD6502_R)	N/C
H128	VHF 136-155 MHz Helical Antenna (8504762J01)	N/C
Q46	VHF 148-161 MHz ONLY Whip Antenna (Enhanced Perf., 7.5" - NAD6579)	N/C
H65	VHF 150-161 MHz Helical Antenna (PMAD4023)	N/C
H129	VHF 155-174 MHz Helical Antenna (8504762J02)	N/C
QA00062	UHF 430-470 MHz Stubby Antenna (PMAE4003)	-$2.00
H112	Omit Standard VHF & UHF Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0004	Standard Model Box	N/C
H415	Bulk Packaging (minimum 20 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

General Options:

QA00535	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4022)	$85.00
QA00536	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) (PMMN4023)	$89.00
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

SUGGESTED RETAIL

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250·LS+	HT1550·XLS	EX600·XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM): JMNN4025 (H236), PMNN4019_R (H236), HNN9010_R (Q390) and HNN9011_R (H236) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.						
				Batteries:		
			X	JMNN4025_R	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM)	$95.00
X				NNTN4852	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (only comp. with WPLN4138_R & WPLN4161_R)	$110.00
X				NNTN4851	NiMH, 1400 mAh, 7.5V Battery (comp. with WPLN4138_R & WPLN4161_R)	$63.00
		X		NNTN4503_R	NiMH, 1500 mAh, 7.5V Battery - Front Panel Programmable	$95.00
	X	X		HNN9008_R	NiMH, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$64.00
	X	X		HNN9010_R	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	$115.00
	X	X		HNN9009_R	NiMH, 1900 mAh, 7.5V Battery	$75.00
X				PMNN4072	Mag One NiMH, 1300 mAh, Battery	$37.00
X				NNTN4496_R	NiCd, 1100 mAh, 7.2V Battery	$60.00
	X	X		HNN9011_R	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)	$111.00
	X	X		HNN9012_R	NiCd, 1300 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$65.00
			X	JMNN4023_R	Slim Li-ion, 1000 mAh, 7.5V Battery	$89.00
X				NNTN4970	Slim Li-ion, 1600 mAh, 7.2V Battery (comp. with WPLN4138_R & WPLN4161_R)	$105.00
			X	JMNN4024_R	Li-ion, 1300 mAh, 7.5V Battery	$108.00
	X	X		HNN9013_R	Li-ion, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$100.00
X				NNTN4497_R	Li-ion, 2250 mAh, 7.5V Battery (only comp. with WPLN4138_R & WPLN4161_R)	$85.00
	X	X		NNTN5332	Disposable Clamshell Battery (requires (12) Alkaline Batteries, sold separately)	$80.00
				IMPRES™ - Intelligent Motorola Portable Radio Energy System: **The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features.**		
	X	X		HNN4002	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM)	$125.00
	X	X		HNN4001	IMPRES™, NiMH, 1800 mAh, 7.5V Battery	$82.00
	X	X		HNN4003	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery	$108.00
				Carry Cases & Accessories:		
			X	PMLN4521	Soft Leather Case with Fixed Swivel Clip & D-Rings (EX600·XLS models only)	$24.00
			X	PMLN4520	Hard Leather Case with Swivel Clip & D-Rings (EX600·XLS models only)	$38.00
X				RLN5496	Leather DTMF Case with 2.5" Swivel (for use with Full Display models)	$45.00
X				RLN5641	Leather DTMF Case with 2.5" Swivel (for use with Limited Display models)	$45.00
X				RLN5497	Leather DTMF Case with 3" Swivel (for use with Full Display models)	$45.00
X				RLN5642	Leather DTMF Case with 3" Swivel (for use with Limited Display models)	$45.00
X				RLN5498	Leather DTMF Case with Belt Loop (for use with Full Display models)	$39.00
X				RLN5640	Leather DTMF Case with Belt Loop (for use with Limited Display models)	$39.00
	X			HLN9689	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with NiMH & NiCd Batteries)	$51.00
	X			HLN9677	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with Li-ion Batteries)	$51.00
		X		HLN9698	Leather DTMF Case with Belt Loop (for use with NiMH & NiCd Batteries)	$51.00
		X		HLN9695	Leather DTMF Case with Belt Loop (for use with Li-ion Batteries)	$51.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250·LS+	HT1550·XLS	EX600·XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Carry Cases & Accessories continued:		
X				RLN5383	Leather Case with Belt Loop (for use with Non-Display models)	$39.00
	X			HLN9946	Leather Keypad Case with Belt Loop (Resale Packaging available through RPSD) (HT1250 & HT1250•LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	$51.00
	X			HLN9945	Leather Keypad Case with Belt Loop (HT1250 & HT1250•LS+ Limited Keypad models - for use with Li-ion Batteries)	$51.00
X				RLN5384	Leather Case with 2.5" Swivel (for use with Non-Display models)	$45.00
X				RLN5385	Leather Case with 3" Swivel (for use with Non-Display models)	$45.00
	X			HLN9998	Leather Keypad Case with Swivel (HT1250 & HT1250•LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	$59.00
	X			HLN9955	Leather Keypad Case with Swivel (HT1250 & HT1250•LS+ Limited Keypad models - for use with Li-ion Batteries)	$59.00
	X			HLN9694	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with NiMH & NiCd Batteries)	$59.00
	X			HLN9690	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250•LS+ models - for use with Li-ion Batteries)	$59.00
		X		HLN9700	Leather DTMF Case with Swivel (for use with NiMH & NiCd Batteries)	$59.00
		X		HLN9699	Leather DTMF Case with Swivel (for use with Li-ion Batteries)	$59.00
X	X	X		HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	$24.00
			X	JMZN4023	Plastic Holster with Swivel Belt Clip	$10.00
	X			HLN9844	2" Spring Belt Clip	$11.50
X				RLN5644	2" Spring Action Belt Clip	$6.00
	X			HLN9714	2.5" Spring Action Belt Clip	$11.00
X				HLN8255	3" Spring Action Belt Clip	$6.00
X				RLN4570	Break-Away Chest Pack	$54.25
X				TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
X				TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	$18.00
	X	X		RLN4815	Universal RadioPAK™ & Utility Case (fanny pack)	$45.00
	X	X		4280384F89	Universal RadioPAK™ Extension Belt for waist larger than 40"	$5.00
X	X	X		HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket (HT750, HT1250, HT1250•LS+ & HT1550•XLS - not compatible with UHF models)	$38.00
	X	X	X	HLN9985	Waterproof Bag, includes large carrying strap	$36.00
X	X	X	X	NTN5243	Shoulder Strap (for use with Cases with D-Rings)	$20.00
				Microphones:		
	X	X		PMMN4021	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$66.25
	X	X		PMMN4027	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$69.00
	X	X		AAHMN9053	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$72.50
	X	X		3085875M04	Remote Speaker Microphone Replacement Cable	$35.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250·LS+	HT1550·XLS	EX600·XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Microphones continued:		
X				PMMN4013	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip Intrinsically Safe (FM)	$73.50
X				PMMN4029	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip Intrinsically Safe (FM)	$75.00
			X	PMMN4022	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$85.00
			X	PMMN4023	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$89.00
		X		AAHMN9057	VHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch and Antenna (148-174 MHz Only) - Intrinsically Safe (FM)	$90.25
	X	X		AAHMN9054	UHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch & Antenna (450-470 MHz Only) - Intrinsically Safe (FM)	$90.25
				Ear Microphone System:		
X				BDN6646	Ear Microphone with PTT Interface Module (PR400 - Intrinsically Safe (FM))	$461.00
X				BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX)	$524.00
			X	JMMN4064	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM)	$347.00
	X	X		BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	$198.00
	X	X		BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module - Intrinsically Safe (FM)	$198.00
	X	X		BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM)	$247.00
			X	BDN6768	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600•XLS - Intrinsically Safe (FM))	$198.00
			X	BDN6769	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600•XLS - Intrinsically Safe (FM))	$198.00
			X	BDN6770	Ear Microphone, Gray (for high noise levels up to 105dB) - req. Interface Module (EX500 & EX600•XLS - Intrinsically Safe (FM))	$247.00
	X	X		AARMN4044	Interface Module for PTT Operation Only - Intrinsically Safe (FM)	$284.00
	X	X		AARMN4045	Interface Module for PTT or VOX Operation - Intrinsically Safe (FM) (VOX operational only on conventional channel)	$347.00
X	X	X	X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	$52.50
X	X	X	X	0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsically Safe (FM)	$159.00
				IMPRES™ - Intelligent Motorola Portable Radio Energy System Chargers: **The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with IMPRES™ batteries.**		
	X	X	X	WPLN4182	IMPRES™, Single Unit Charger	$62.50
	X	X	X	WPLN4187	IMPRES™, Multi Unit Charger	$495.00
	X	X		WPLN4192	IMPRES™ Multi Unit Charger with Display Modules - displays real-time for IMPRES™ batteries - mAh, % capacity, time remaining to rapid charge complete, battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	$650.00
	X	X		RLN5382	IMPRES™ Charger Display Module - retrofitable on IMPRES™ Multi Unit Chargers	$95.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Chargers & Accessories:		
X				WPLN4138_R	120 Volt - 90 Minute Rapid Rate Charger	$57.75
X				WPLN4155_R	120 Volt - 10 Hour Desktop Charger (for use with NNTN4496_R NiCd battery only)	$27.00
X				WPLN4161_R	120 Volt - 6 Unit Rapid Rate Charger	$450.00
	X	X	X	AAHTN3000	120 Volt - Single Unit Rapid Rate Charger	$56.75
	X	X	X	NLN7967	Wall Mount Kit for Multi-Unit Charger	$21.00
	X	X		RLN4883	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket)	$89.25
	X	X		RLN5233	Hard Wire Vehicular Charger (no Pac-RT functionality)	$270.00
	X	X	X	WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	$2,106.00
	X	X		RL-76345	Adapter Plate BOS I	$115.00
			X	RL-77255	Adapter Plate for use with BOS and BOS II	$115.00
	X	X		HLN9793	Charger Insert Spacer - Compatible with "A" version chargers ONLY	$6.30
	X	X		HLN9794	Charger Insert Spacer - Compatible with "B", "C" & "D" version chargers ONLY	$6.30
				Battery Maintenance System (BMS):		
	X	X	X	NDN4005	Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).	$499.00
	X	X		WPPN4080_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	$120.00
	X	X	X	WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	$650.00
			X	WPPN4096_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	$120.00
	X	X		WPPN4079_R	BMS Battery Adapter (for use with NiCd & NiMH batteries)	$80.00
				Conditioning Chargers & Accessories:		
	X	X		WPLN4107_R	Motorola Conditioning Charger - Single Unit - includes charger base, removable adapter plate and transformer, 1-2 hour rapid charge.	$70.00
	X	X		WPPN4065_R	Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)	$399.00
	X	X		WPPN4082_R	Adapter Plate Only (for use with Motorola Conditioning Chargers)	$15.00
	X	X		RLN4814	Vehicular Mounting Bracket - includes hard wire cable with In-Line fuse for use with single unit Motorola Conditioning Chargers	$35.00
	X	X		3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	$7.00

Date 5/25/07

SUGGESTED RETAIL

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Vehicular Adapters & Accessories:		
	X	X		ENKN4002	Programming Cable for VHF & UHF Vehicular Adapters (required when using external speaker and/or with LS radios)	$143.00
	X	X		GSN6059	13 Watt External Speaker (HT1250•LS+ - not compatible with 200 & 700 MHz models)	$71.50
	X			GKN6270	Power Cable with 10A Fuse (HT1250•LS+ - not compatible with 200 & 700 MHz models)	$25.00
				Headsets & Accessories:		
X				HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	$57.00
			X	NMN6245	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line Push-to-Talk Switch (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$149.00
	X	X		AARMN4018	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	$100.00
	X	X		AARMN4031	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone - Intrinsically Safe (FM) (VOX operational only on conventional channel)	$65.00
			X	JMMN4066	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	$115.00
X				RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	$76.00
X				RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	$125.00
	X	X		ENMN4012	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone - Intrinsically Safe (FM)	$110.00
X				RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	$60.00
			X	NMN6246	Ultra-Light Headset with Boom Microphone and In-Line Push-to-Talk, Earbud Style Receiver (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$129.00
	X	X		AARMN4017	Ultra-Light Headset with Boom Microphone, Earbud Style Receiver - Intrinsically Safe (FM) (VOX operational only on conventional channel)	$55.00
X				HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB	$230.00
X				BDN6647	Medium Weight Single Muff Headset with Boom Microphone (PR400 - Intrinsically Safe (FM))	$151.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Headsets & Accessories continued:		
X				HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB	$300.00
	X	X		ENMN4016	Medium Duty Headset, behind-the-head, with In-Line PTT & Noise Cancelling Boom Microphone, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$270.00
	X	X		AARMN4019	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone & In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$265.00
	X	X		AARMN4032	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$240.00
X				BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	$525.00
			X	BDN6635	Heavy Duty Noise Cancelling Boom Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600•XLS - requires RKN4093)	$906.00
			X	BDN6636	Heavy Duty Noise Cancelling Throat Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600•XLS - requires RKN4093)	$857.00
			X	BDN6645	Heavy Duty Noise Cancelling Boom Microphone Headset with PTT on Earcup - (requires separate adapter cable) - Noise Reduction Rating = 24dB	$439.00
X	X	X	X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	$500.00
X				RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	$100.00
	X	X		RKN4091	Adapter Cable for Racing Headset (for use with RMN5015)	$140.00
			X	RKN4093	Adapter Cable (use with RMN5015, BDN6645, BDN6635 & BDN6636 headsets)	$105.00
X				PMLN5011	Temple Transducer (2 Prong)	$159.00
X				PMLN5003	Temple Transducer (Resale Packaged)	$79.00
	X	X		RMN4048	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	$175.00
			X	PMLN4585	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	$175.00
	X	X		RMN5048	Rugged Temple Transducer - Fully adjustable over-the-head style headset allows user to receive audio through the temples. Headset comes with a larger In-Line PTT and a larger noise canceling boom microphone than the standard model - Intrinsically Safe (FM)	$290.00
	X	X		AARMN4020	Push-to-Talk or (VOX) Voice Activated Heavy Duty Dual Muff Headset with Noise Cancelling Microphone and PTT on Earcup, Noise Reduction Rating = 24dB - Intrinsically Safe (FM) (VOX operational only on conventional channel)	$525.00
	X	X		RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$225.00
	X	X		RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	$330.00
	X	X		RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$330.00
	X	X		RKN4097	In-Line PTT Adapter Cable (for use w/RMN4051, RMN4052 & RMN4053 Headsets)	$199.00
X				REX4648	Replacement Windscreen (for use with Boom Microphone) and Foam Ear Pad	$7.20
X				3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	$4.05
X				5080371E66	Replacement Ear Pads for use with BDN6647	$6.85

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250·LS+	HT1550·XLS	EX600·XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Earpieces:		
	X	X		RLN5316	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$108.00
	X	X		RLN5315	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$108.00
X				RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
X				RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$120.00
X				RLN5198_P	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	$125.00
	X	X		AARMN4029	2-Wire Surveillance Kit with Microphone & PTT Combined, Black - Intrinsically Safe (FM)	$100.00
	X	X		AARMN4022	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$100.00
			X	BDN6729	2-Wire Surveillance Kit with Microphone and PTT Combined, Black (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$114.00
			X	BDN6667	2-Wire Surveillance Kit with Microphone and PTT Combined, Beige (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$114.00
			X	BDN6731	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$118.00
			X	BDN6669	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$118.00
X				RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	$114.00
X				HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	$114.00
	X	X		ENMN4014	3-Wire Surveillance Kit with Microphone & PTT Separate, Black - Intrinsically Safe (FM)	$165.00
	X	X		ENMN4017	3-Wire Surveillance Kit with Microphone & PTT Separate, Beige - Intrinsically Safe (FM)	$165.00
			X	BDN6730	3-Wire Surveillance Kit with Microphone and PTT Separate, Black (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$150.00
			X	BDN6668	3-Wire Surveillance Kit with Microphone and PTT Separate, Beige (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$150.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Earpieces continued:		
			X	BDN6732	3-Wire Surveillance Kit with Microphone & PTT Separate with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$135.00
			X	BDN6670	3-Wire Surveillance Kit with Microphone and PTT Separate with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$135.00
X				HMN9752	Earpiece with Volume Control (single wire) (PR400 - Intrinsically Safe (FM))	$45.00
X				HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	$36.00
X				RLN4894	Earpiece without Volume Control, Black (single wire)	$35.00
X				PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	$54.00
X				HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	$21.00
X				HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	$40.00
			X	PMLN4519	Earbud with Clip Microphone and PTT, Transmit and Receive - (2-wire - Intrinsically Safe (FM))	$85.00
			X	BDN6781	Earbud, Receive Only (single wire) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$27.00
			X	BDN6780	Earbud with Clip Microphone and PTT Combined, Transmit & Receive (2-wire) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	$67.00
	X	X		AARLN4885	Receive-Only Foam Earbud with 3.5mm plug - (for use with AAHMN9053, AAHMN9054 & AAHMN9057) - Intrinsically Safe (FM)	$25.00
	X	X		AARMN4021	Receive-Only Earpiece without Volume Control, Beige - Intrinsically Safe (FM)	$45.00
	X	X		AARMN4028	Receive-Only Earpiece without Volume Control, Black - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$45.00
	X	X		RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with AAHMN9053, AAHMN9054 & AAHMN9057)	$58.00
			X	BDN6726	Receive-Only Surveillance Kit, Black (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$40.00
			X	BDN6664	Receive-Only Surveillance Kit, Beige (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$40.00
			X	BDN6727	Receive-Only Surveillance Kit with Extra Loud Earphone, Black (single wire, exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$42.00
			X	BDN6665	Receive-Only Surveillance Kit with Extra Loud Earphone, Beige (single wire, exceeds OSHA limits) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$42.00
			X	BDN6728	Receive-Only Surveillance Kit with Volume Control, Black (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$53.00
			X	BDN6666	Receive-Only Surveillance Kit with Volume Control, Beige (single wire) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$53.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Earpieces continued:		
	X	X	X	RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	$340.00
X	X	X	X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	$32.00
X	X	X	X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	$20.00
X	X	X	X	5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	$29.25
X	X	X	X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	$47.25
X				BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	$35.00
	X	X		ENMN4013	Flexible Ear Receiver (flexible earloop & speaker that rests external to the ear) - Intrinsically Safe (FM)	$60.00
	X	X		WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone or Public Safety Microphone - Intrinsically Safe (FM)	$43.00
			X	PMLN4393	Flexible Ear Receiver with 2.5mm Plug (for use with Remote Speaker Microphone JMMN4073) - contains a flexible earloop and speaker that rests external to the ear	$35.50
			X	BDN6719	Flexible Ear Receiver, Black - Earpiece without Volume Control - (flexible earloop & speaker that rests external to the ear) (EX500 & EX600•XLS - requires PMLN4455 - Intrinsically Safe (FM))	$35.00
X	X	X		RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
X	X	X		RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
X	X	X		RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
X	X	X		RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
X	X	X		RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
X	X	X		RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
				General Accessories:		
	X	X		HLN9820	Accessory Dust Cover	$6.60
			X	JMLN4638	Accessory Dust Cover	$6.00
	X	X	X	RLN4890	Assistive Turning Knobs	$15.75
X				RLN5500	Accessory Retainer Clip	$10.75
			X	PMLN4455	Audio Accessory Adapter (this allows use of the HT1000 3.5mm audio accessories as noted within the price pages) - Intrinsically Safe (FM)	$43.50
				CommPort - Integrated Microphone/Receiver: **CommPort Integrated Microphone/Receiver System is a communication device that is intelligible in high noise levels up to 100dB. This device's acoustic technology does not rely on bone conduction for communication.**		
	X	X		NTN1722	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	$344.00
	X	X		NTN1724	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	$370.00
	X	X		NTN1737	Integrated Ear Microphone & Receiver with Snap-on-Side PTT - Intrins. Safe (FM)	$378.00
	X	X		NNTN4187	Integrated Microphone Receiver with Remote Push-to-Talk Body Switch - Intrinsically Safe (FM)	$485.00
	X	X		NTN8821	CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)	$46.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				CommPort - Integrated Microphone/Receiver continued:		
	X	X		NKN6508	Replacement Cable for NTN1722 & NTN1625	$34.50
	X	X		NKN6525	Replacement Snap-on-Side PTT Cable for NTN1737	$75.00
	X	X		NNTN4188	Replacement Remote PTT Body Switch	$180.00
	X	X		NKN6510	Replacement Palm PTT Cable for NTN1624 & NTN1723	$53.00
	X			RLN5037	Replacement Ear Tubes (qty 10)	$26.00
	X	X		AAHLN9717	Replacement Audio Adapter with 3.5mm jack for CommPort Integrated Microphone Receiver System	$52.50
	X	X		NTN8986	Adhesive Pads (qty 90) for secure attachment to the ear	$23.00
	X	X		NTN8988	Ear Straps (qty 10) for secure attachment to the ear	$17.25
				Mag One Audio Accessories:		
X				PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	$18.00
X				PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	$20.00
X				PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	$26.00
X				PMLN4445	Mag One Headset with PTT/VOX Switch	$30.00
X				PMMN4008	Mag One Remote Speaker Microphone	$31.00
				Call Boxes:	**Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.**	
				A106.5 Call Boxes - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5' H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.		
X	X	X	X	RRDN4588	Solar Powered	$1,999.00
X	X	X	X	RRDN4589	AC/DC Powered	$1,969.00
				A144 Call Boxes - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.		
X	X	X	X	RRDN4590	Solar Powered	$2,995.00
X	X	X	X	RRDN4591	AC/DC Powered	$2,895.00
				A1 Call Boxes - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.		
X	X	X	X	RRDN4362	Solar Powered	$2,585.00
X	X	X	X	RRDN4363	AC/DC Powered	$2,350.00
X	X	X	X	RRDN4364	Solar Powered with PVC Stanchion	$2,850.00
X	X	X	X	RRDN4365	Solar Powered with Aluminum Stanchion	$3,175.00
X	X	X	X	RRDN4366	AC/DC Powered with Aluminum Stanchion	$2,975.00

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Call Boxes continued:		
				ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.		
X	X	X	X	RRDN4367	Solar Powered	$2,695.00
X	X	X	X	RRDN4368	AC/DC Powered	$2,550.00
				A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.		
X	X	X	X	RRDN4369	Solar Powered	$3,185.00
X	X	X	X	RRDN4370	AC/DC Powered	$2,900.00
				MACplus Call Boxes - Four-button notification panel that can be tailored to user requirements. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Call Box alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. The RRDN4371 & RRDN4372 require RRDN4373 Computer Aided Maintenance Software Package for programming of Call Buttons. Only one package required regardless of number of Call Boxes in system.		
X	X	X	X	RRDN4371	Solar Powered	$3,785.00
X	X	X	X	RRDN4372	AC/DC Powered	$3,600.00
X	X	X	X	RRDN4373	MACplus Computer Aided Maintenance Software Package	$1,450.00
				MACone Call Boxes - Features all of the characteristics of our standard aluminum call boxes in a rust-proof and corrosion-proof stainless steel enclosure. Made of 316 powder-coated stainless steel and highlighted by a self-closing pneumatic door, this box is ideal for roadside assistance. Its single button operation makes calling for support easier than ever. The Callbox enclosure measures 15"H x 11.375"W x 7.75"D and includes ADA compliant hinges for easy open functionality. Available in either AC/DC or 5-watt solar panel options		
X	X	X	X	RRDN6474	Solar Powered	$3,650.00
X	X	X	X	RRDN6473	AC/DC Powered	$3,530.00
				Antennas:		
X	X	X	X	NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	$11.75
	X	X	X	PMAD4012	VHF Stubby Antenna, 136-155 MHz (Red Color Code)	$13.25
X				HAD9742	VHF Stubby Antenna, 146-162 MHz	$10.75
	X	X	X	PMAD4025	VHF Stubby Antenna, 150-161 MHz (Brown Color Code)	$13.25
	X	X	X	PMAD4013	VHF Stubby Antenna, 155-174 MHz (Black Color Code)	$13.25
X				HAD9743	VHF Stubby Antenna, 162-174 MHz	$10.75
	X	X	X	8504762J01	VHF Whip Antenna, 136-155 MHz (Red Color Code)	$13.50
	X	X	X	NAD6579	VHF Whip Antenna, 148-161 MHz (Enhanced Performance, 7.5")	$13.50
	X	X	X	PMAD4023	VHF Whip Antenna, 150-161 MHz (Brown Color Code)	$13.50
	X	X	X	8504762J02	VHF Whip Antenna, 155-174 MHz (Black Color Code)	$13.50
	X			HKAD4000	200 MHz Helical Antenna, 216-225 MHz	$13.50
X	X	X	X	NAE6483_R	UHF Whip Antenna, 403-520 MHz	$11.75
X				NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	$12.25
X				8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	$12.25
	X	X	X	PMAE4002	UHF Stubby Antenna, 403-430 MHz (Green Color Code)	$11.25
	X	X	X	PMAE4003	UHF Stubby Antenna, 430-470 MHz (Natural Color Code)	$11.25
	X	X	X	PMAE4006	UHF Stubby Antenna, 465-490 MHz (Orange Color Code)	$14.75
	X			NAF5083	700 MHz 1/2 Wave Whip Antenna, 746-794 MHz	$35.75

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	HT1250-LS+	HT1550-XLS	EX600-XLS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
				Retrofit Boards:		
		X		AAENLN4150	Mandown Option Board - Field Install Only	$150.00
		X		AAHLN9729	DTMF Decode Option Board - Field Install Only	$104.00
				Service Accessories:		
X				RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter: AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter **Note: Software requires a license agreement and is not intended for resale.**	$220.00
	X	X	X	H5177	Portable & Mobile Programming Software Plus (CPS+) - 3 Year Subscription Package - HVN9025 includes CPS/PPCPS (PassPort® Customer Programming Software), CPS tutorial, reflashing tool and freq. finder application for the HT, EX, CDM & MTX•LS Series. HVN9067 for MTX Series Privacy Plus - includes HT & MTX Series Programming & Test Cable (AARKN4074). Also is compatible with RLN4460 used for radio testing. (HVN9025 is compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®. HVN9067 is compatible with Windows® 95/98/Windows NT®.) A Mobile Programming Cable (AARKN4081 or AARKN4083) must be purchased separately. **Note: Software requires a license agreement and is not intended for resale.**	$299.00
X				AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	$50.00
	X	X		AARKN4074	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing. (Multi-Language manual)	$63.00
			X	AAJMKN4123	Programming & Test Cable - Progr. cables require a Radio Interface Box (RIB).	$150.00
X	X	X	X	RLN4008	Radio Interface Box (RIB)	$200.00
X	X	X	X	3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	$52.00
X	X	X	X	0180357A57	Wall Mounted Power Supply, 120V (for use with RLN4008)	$24.25
X	X	X	X	RLN4460	Test Box for Portables and Mobiles	$395.00
	X	X		RKN4075	Ribless Programming Cable - provides interface between computer and radio - (not compatible with RIB) (Multi-Language Manual)	$88.00
X				RLN5583	Flash Upgrade Adapter	$99.75
	X	X		RKN4073	Cloning Cable (Multi-Language manual)	$43.00
			X	AAJMKN4124	Cloning Cable	$125.00
	X	X		RLN4510	7.5 Volt Universal Battery Eliminator	$325.00
	X	X		AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	$60.00
				Manuals:		
X				6881096C24	PR400 Basic Service Manual	$16.00
X				6881096C25	PR400 Detailed Service Manual	$25.00
	X	X		6880906Z54-D	HT750, HT1250, HT1250•LS+, HT1550•XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850•LS & MTX8250•LS Basic Service Manual	$11.00
	X	X		6881088C46-E	HT750, HT1250, HT1250•LS+, HT1550•XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850•LS & MTX8250•LS Detailed Service Manual	$27.00
			X	6881094C00-A	EX500 & EX600•XLS Basic Service Manual	$10.00
			X	6881094C21-O	EX500 & EX600•XLS Detailed Service Manual	$25.00

MTX850™/MTX950™ PORTABLE

800 MHz & 900 MHz PRIVACY PLUS™ TRUNKING

All MTX850 / MTX950 portable models include:

- **Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)**
- **Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)**
- **Standard Antenna (806-870 MHz Whip 8505241U03 / 896-941 MHz Whip 8505241U04)**
- **2.5" Belt Clip (HLN9714)**
- **Two Year Warranty**
- **Operating Instruction Manual**

MTX850

MTX950

Features:

- **9 Trunked Systems**
- **16 Trunked Talkgroups/Conventional Channels Combined (9 Conventional Channels Maximum)**
- **4 Programmable Buttons**
- **Call Alert (Decode)**
- **Private Conversation™ (Decode)**
- **Telephone Interconnect (Decode)**
- **Talkgroup Scan (Auto-Scan Only - Scan Button Not Available)**
- **Conventional Scan (Auto-Scan Only - Scan Button Not Available)**
- **Nuisance Channel Delete**
- **Conventional Channel Monitor**
- **Failsoft**
- **Selective Radio Inhibit (Decode)**
- **Time-Out-Timer**
- **Volume Set**

Notes:

1. 800 MHz is compatible with Type II & IIi Systems Only & 900 MHz is compatible with Type II Systems Only
2. Trunked Talkgroups and Conventional Channels COMBINED CANNOT EXCEED 16 (9 conventional channels maximum).
3. The 800 MHz radio **WILL NOT** operate in the 821-824/866-869 MHz frequency band.

800 MHz

BAND SPLIT	SYSTEM TYPE	PWR	TRUNKED SYSTEMS	TRKD TALKGROUPS/ CONV. CHANNELS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
806-821 MHz 851-866 MHz	TYPE II, IIi	2.5W	9	16 (see Notes)	AAH25UCC6GB3_N	$767

900 MHz

BAND SPLIT	SYSTEM TYPE	PWR	TRUNKED SYSTEMS	TRKD TALKGROUPS/ CONV. CHANNELS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
896-902 MHz 935-941 MHz	TYPE II	2.5W	9	16 (see Notes)	AAH25WCC4GB3_N	$767

FCC INFORMATION AZ489FT5795 (800 MHz) / AZ489FT5803 (900 MHz)

MTX8250™/MTX9250™ PORTABLE

800 MHz & 900 MHz PRIVACY PLUS™ TRUNKING

All MTX8250 / MTX9250 portable models include:

- **Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)**
- **Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)**
- **Standard Antenna (806-870 MHz Whip 8505241U03 / 896-941 MHz Whip 8505241U04)**
- **2.5" Belt Clip (HLN9714)**
- **Two Year Warranty**
- **Operating Instruction Manual**

MTX8250

MTX9250

Features:

- **15 Trunked Systems**
- **160 Trunked Talkgroups/Conventional Channels Combined (49 Conventional Channels Maximum)**
- **14 Character Alphanumeric Display**
- **4 Programmable Buttons**
- **Push-to-Talk ID**
- **Private Conversation™ (Encode/Decode)**
- **Call Alert (Encode/Decode)**
- **Telephone Interconnect (Encode/Decode)**
- **User-Defined Scan, Phone and Call Lists**
- **Talkgroup Scan**
- **Conventional Scan**
- **Nuisance Channel Delete**
- **Conventional Channel Monitor**
- **Conventional Talkaround**
- **Failsoft**
- **Selective Radio Inhibit (Decode)**
- **Time-Out-Timer**
- **Battery Gauge**
- **Volume Set**

Notes:

1. 800 MHz is compatible with Type II & IIi Systems Only & 900 MHz is compatible with Type II Systems Only
2. Trunked Talkgroups and Conventional Channels COMBINED CANNOT EXCEED 160 (49 conventional channels maximum).
3. The 800 MHz radio **WILL NOT** operate in the 821-824/866-869 MHz frequency band.

800 MHz

BAND SPLIT	SYSTEM TYPE	PWR	TRUNKED SYSTEMS	TRKD TALKGROUPS/ CONV. CHANNELS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
806-821 MHz 851-866 MHz	TYPE II, IIi	2.5W	15	160 (see Notes)	AAH25UCH6GB6_N	$850

900 MHz

BAND SPLIT	SYSTEM TYPE	PWR	TRUNKED SYSTEMS	TRKD TALKGROUPS/ CONV. CHANNELS	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
896-902 MHz 935-941 MHz	TYPE II	2.5W	15	160 (see Notes)	AAH25WCH4GB6_N	$850

FCC INFORMATION AZ489FT5795 (800 MHz) / AZ489FT5803 (900 MHz)

MTX850™/MTX950™/MTX8250™/MTX9250™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF.SUGG.RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0921	Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003)	$48.00

STEP 2:

Charger Choices:

STDCHG0921	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0921	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0921	Standard Antenna (800 MHz 8505241U03 / 900 MHz 8505241U04)	N/C
H112	Omit Standard Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0921	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) - (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) - (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50

MTX850™/MTX950™/MTX8250™/MTX9250™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

MTX850·LS™ PORTABLE

800 MHz LTR® Trunking Protocol

All MTX850·LS portable models include:

- Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (Whip 806-870 MHz 8505241U03)
- 2.5" Belt Clip (HLN9714)
- 4 Programmable Buttons
- Two Year Warranty
- Operating Instruction Manual

Programmable Features:

- System, All Group & Auto Group Scan
- Dual Priority Scan (Conventional Operation Only)
- Home Channel Revert
- X-Pand™ Audio Enhancement
- Telephone Interconnect (Decode)
- Emergency Siren
- Adjustable Power Levels
- Voice Storage (with Option Board)
- Escalert Call Features

Programmable Buttons:

- System Scan
- All Group Scan
- Nuisance Channel Delete
- Emergency Siren
- Conventional Repeater / Talkaround
- Conventional Channel Monitor
- Squelch Levels
- High/Low Power

MDC1200 Signaling LTR® Protocol:

- Call Alert (Decode)
- Selective Call (Decode)

Notes:

1. Trunked Talkgroups and Conventional Channels COMBINED CANNOT EXCEED 16.
2. The 800 MHz MTX850·LS radio WILL NOT operate in the 821-824/866-869 MHz frequency band.

BAND SPLIT	BAND	PWR	TRUNKED ZONES/ TALKGROUPS	CONV CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
806-821 MHz 851-866 MHz	800 MHz	2.5W	1/16 (see Notes)	16 (see Notes)	AAH25UCC6DU3_N	$675

FCC INFORMATION AZ489FT5795

LTR® is a registered trademark of E.F. Johnson Co.

MTX850•LS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0672	Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003)	$48.00

STEP 2:

Charger Choices:

STDCHG0672	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0672	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0672	Standard Antenna (8505241U03)	N/C
H112	Omit Standard Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0672	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

General Options:

QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) - (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) - (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50

MTX850•LS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

MTX8250·LS™ PORTABLE

800 MHz LTR® Trunking Protocol

All MTX8250·LS portable models include:

- Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)
- Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)
- Standard Antenna (Whip 806-870 MHz 8505241U03)
- 2.5" Belt Clip (HLN9714)
- 14 Character Alphanumeric Display
- 7 Programmable Buttons
- Two Year Warranty
- Operating Instruction Manual

Programmable Features:

- System, All Group & Auto Group Scan
- Quik Call II (Encode/Decode - Conventional Only)
- Dual Priority Scan (Conventional Only)
- Home Channel Revert
- X-Pand™ Audio Enhancement
- Telephone Interconnect
- Emergency Siren
- Battery Status Indicator
- Adjustable Power Levels
- Clock and Alarm
- Voice Storage (with Option Board)
- Escalert Call Features

Programmable Buttons:

- System Scan
- All Group Scan
- Nuisance Channel Delete
- Radio (MDC) Call
- Telephone Interconnect
- Emergency Siren
- Conventional Repeater/Talkaround
- Conventional Channel Monitor
- Keypad Lock
- Squelch Levels
- High/Low Power

MDC1200 Signaling in LTR® & Conventional Operation:

- Call Alert (Encode/Decode)
- Selective Call (Encode/Decode)
- PTT-ID (Encode/Decode)
- Radio Check (Encode/Decode)
- Emergency Alert (Encode)
- Status (Encode)
- Message (Encode/Decode)

Note: The 800 MHz MTX8250·LS radio WILL NOT operate in the 821-824/866-869 MHz frequency band.

BAND SPLIT	BAND	PWR	TRUNKED ZONES/ TALKGROUPS	CONV CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
806-821 MHz 851-866 MHz	800 MHz	2.5W	15/16 Per Zone	128	AAH25UCH6DU9_N	$758

FCC INFORMATION AZ489FT5795

LTR® is a registered trademark of E.F. Johnson Co.

MTX8250•LS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF.SUGG.RETAIL PRICE

INTRINSICALLY SAFE (FM): Q390 (HNN9010_R) and H236 (HNN9011_R) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

STEP 1:

Battery Choices:

STDBAT0749	Standard Battery (NiMH, 1500 mAh, 7.5V - HNN9008_R)	N/C
Q390	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9010_R)	$62.00
Q508	NiMH, 1900 mAh, 7.5V Battery (HNN9009_R)	$13.00
H236	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN9011_R)	$53.00
H225	NiCd, 1300 mAh, 7.5V Battery (HNN9012_R)	$5.00
H229	Li-ion, 1500 mAh, 7.5V Battery (HNN9013_R)	$40.00
	IMPRES™ Batteries:	
QA00051	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM) (HNN4002)	$70.00
QA00059	IMPRES™, NiMH, 1800 mAh, 7.5V Battery (HNN4001)	$22.00
QA00060	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery (HNN4003)	$48.00

STEP 2:

Charger Choices:

STDCHG0749	Standard Charger (120V Single Unit Rapid Rate Charger - AAHTN3000)	N/C
H951	Omit 120 Volt Rapid Rate Charger	-$20.00
	IMPRES™ Charger:	
QA00061	IMPRES™ Single Unit Charger (WPLN4182)	$35.00

STEP 3:

Carry Holder Choices:

STDBLT0749	Standard Belt Clip (HLN9714)	N/C
H301	Omit Standard Belt Clip	-$5.00

STEP 4:

Antenna Choices:

STDANT0749	Standard Antenna (8505241U03)	N/C
H112	Omit Standard Antenna	-$3.50

STEP 5:

Shipping Box Choices:

STDBOX0749	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE

General Options:

QA00533	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) Safe (FM) - (PMMN4021)	$66.25
QA00534	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM) Safe (FM) - (PMMN4027)	$69.00
QA00100	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) (AAHMN9053)	$72.50

MTX8250•LS™ PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
QA00102	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (AARMN4018)	$100.00
QA00103	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket - RLN4883)	$89.25
Q884	Repair Service Advantage (RSA) 1 Year - Provides for 1 year of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage (RSA) 2 Year - Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage (RSA) 3 Year - Provides for 3 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made at the Radio Support Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850·LS™/MTX8250·LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250	MTX850·LS/ MTX8250·LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM): HNN9010_R (Q390) and HNN9011_R (H236) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.				
		Batteries:		
X	X	HNN9008_R	NiMH, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$64.00
X	X	HNN9010_R	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	$115.00
X	X	HNN9009_R	NiMH, 1900 mAh, 7.5V Battery	$75.00
X	X	HNN9011_R	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)	$111.00
X	X	HNN9012_R	NiCd, 1300 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$65.00
X	X	HNN9013_R	Li-ion, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	$100.00
X	X	NNTN5332	Disposable Clamshell Battery (requires (12) Alkaline Batteries, sold separately)	$80.00
		IMPRES™ - Intelligent Motorola Portable Radio Energy System: **The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features.**		
X	X	HNN4002	IMPRES™, NiMH, 1700 mAh, 7.5V Battery - Intrinsically Safe (FM)	$125.00
X	X	HNN4001	IMPRES™, NiMH, 1800 mAh, 7.5V Battery	$82.00
X	X	HNN4003	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery	$108.00
		Carry Cases:		
X	X	HLN9665	Leather Case with Belt Loop (MTX850, MTX950 & MTX850•LS - for use with NiMH & NiCd non-IMPRES Batteries & all IMPRES Batteries)	$51.00
X	X	HLN9652	Leather Case with Belt Loop (MTX850, MTX950 & MTX850•LS - for use with Li-ion non-IMPRES Batteries)	$51.00
X	X	HLN9676	Leather Case with Swivel (Resale Packaging available through RPSD) (MTX850, MTX950 & MTX850•LS - for use with NiMH & NiCd non-IMPRES Batteries and all IMPRES Batteries)	$59.00
X	X	HLN9670	Leather Case with Swivel (MTX850, MTX950 & MTX850•LS - for use with Li-ion non-IMPRES Batteries)	$59.00
X	X	HLN9689	Leather DTMF Case with Belt Loop (MTX8250, MTX9250 & MTX8250•LS - for use with NiMH & NiCd Batteries)	$51.00
X	X	HLN9677	Leather DTMF Case with Belt Loop (MTX8250, MTX9250 & MTX8250•LS - for use with Li-ion Batteries)	$51.00
X	X	HLN9694	Leather DTMF Case with Swivel (MTX8250, MTX9250 & MTX8250•LS - for use with NiMH & NiCd Batteries)	$59.00
X	X	HLN9690	Leather DTMF Case with Swivel (MTX8250, MTX9250 & MTX8250•LS - for use with Li-ion Batteries)	$59.00
X	X	HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	$24.00
X	X	HLN9714	2.5" Spring Action Belt Clip	$11.00
		IMPRES™ - Intelligent Motorola Portable Radio Energy System Chargers: **The IMPRES™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with IMPRES™ batteries.**		
X	X	WPLN4182	IMPRES™, Single Unit Charger	$62.50
X	X	WPLN4187	IMPRES™, Multi Unit Charger	$495.00
X	X	WPLN4192	IMPRES™ Multi Unit Charger with Display Modules - displays real-time for IMPRES™ batteries - mAh, % capacity, time remaining to rapid charge complete, battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	$650.00
X	X	RLN5382	IMPRES™ Charger Display Module - retrofitable on IMPRES™ Multi Unit Chargers	$95.00

SUGGESTED RETAIL

MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850·LS™/MTX8250·LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250	MTX850·LS/ MTX8250·LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
			Chargers & Accessories:	
X	X	AAHTN3000	120 Volt - Single Unit Rapid Rate Charger	$56.75
X	X	NLN7967	Wall Mount Kit for Multi-Unit Charger	$21.00
X	X	RLN4883	Travel Charger (includes voltage regulated lighter adapter, custom charger base, coil cord and mounting bracket)	$89.25
X	X	RLN5233	Hard Wire Vehicular Charger (no Pac-RT functionality)	$270.00
X	X	WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	$2,106.00
X	X	RL-76345	Adapter Plate BOS I	$115.00
X	X	HLN9793	Charger Insert Spacer - Compatible with "A" version chargers ONLY	$6.30
X	X	HLN9794	Charger Insert Spacer - Compatible with "B", "C" & "D" version chargers ONLY	$6.30
			Battery Maintenance System (BMS):	
X	X	WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	$650.00
X	X	NDN4005	Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).	$499.00
X	X	WPPN4079_R	BMS Battery Adapter (for use with NiCd & NiMH batteries)	$80.00
X	X	WPPN4080_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	$120.00
			Conditioning Chargers and Accessories:	
X	X	WPLN4107_R	Motorola Conditioning Charger - Single Unit - includes charger base, removable adapter plate and transformer, 1-2 hour rapid charge.	$70.00
X	X	WPPN4065_R	Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)	$399.00
X	X	WPPN4082_R	Adapter Plate Only (for use with Motorola Conditioning Chargers)	$15.00
X	X	RLN4814	Vehicular Mounting Bracket - includes hard wire cable with In-Line fuse for use with single unit Motorola Conditioning Chargers	$35.00
X	X	3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	$7.00
			Headsets & Accessories:	
X	X	AARMN4018	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	$100.00
X	X	AARMN4031	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone - Intrinsically Safe (FM)	$65.00
X	X	AARMN4017	Ultra-Light Headset with Boom Microphone, Earbud Style Receiver - Intrinsically Safe (FM)	$55.00
X	X	ENMN4012	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone - Intrinsically Safe (FM)	$110.00

SUGGESTED RETAIL

MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850·LS™/MTX8250·LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250	MTX850·LS/ MTX9250·LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
			Headsets & Accessories continued:	
X	X	RMN5048	Rugged Temple Transducer - Fully adjustable over-the-head style headset allows user to receive audio through the temples. Headset comes with a larger In-Line PTT and a larger noise canceling boom microphone than the standard model - Intrinsically Safe (FM)	$290.00
X	X	RMN4048	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	$175.00
X	X	ENMN4016	Medium Duty Headset, behind-the-head, with In-Line PTT & Noise Cancelling Boom Microphone, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$270.00
X	X	AARMN4019	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone & In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$265.00
X	X	AARMN4032	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	$240.00
X	X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	$500.00
X	X	RKN4091	Adapter Cable for Racing Headset (for use with RMN5015)	$140.00
	X	AARMN4020	Push-to-Talk or (VOX) Voice Activated Heavy Duty Dual Muff Headset with Noise Cancelling Microphone and PTT on Earcup, Noise Reduction Rating = 24dB - Intrinsically Safe (FM) (VOX operational only on conventional channel)	$525.00
X	X	RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$225.00
X	X	RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	$330.00
X	X	RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	$330.00
X	X	RKN4097	In-Line PTT Adapter Cable (for use w/RMN4051, RMN4052 & RMN4053 Headsets)	$199.00
			Earpieces:	
X	X	AARLN4885	Receive-Only Foam Earbud with 3.5mm plug - (for use with AAHMN9053) - Intrinsically Safe (FM)	$25.00
X	X	RLN5316	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$108.00
X	X	RLN5315	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	$108.00
X	X	AARMN4022	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$100.00
X	X	AARMN4029	2-Wire Surveillance Kit with Microphone & PTT Combined, Black - Intrinsically Safe (FM)	$100.00

MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850·LS™/MTX8250·LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250	MTX850·LS/ MTX8250·LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
		Earpieces continued:		
X	X	ENMN4014	3-Wire Surveillance Kit with Microphone & PTT Separate, Black - Intrinsically Safe (FM)	$165.00
X	X	ENMN4017	3-Wire Surveillance Kit with Microphone & PTT Separate, Beige - Intrinsically Safe (FM)	$165.00
X	X	AARMN4021	Receive-Only Earpiece without Volume Control, Beige - Intrinsically Safe (FM)	$45.00
X	X	AARMN4028	Receive-Only Earpiece without Volume Control, Black - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$45.00
X	X	RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with AAHMN9053)	$58.00
X	X	RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	$340.00
X	X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	$32.00
X	X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	$20.00
X	X	RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
X	X	RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
X	X	RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	$20.50
X	X	RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
X	X	RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
X	X	RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	$20.50
X	X	ENMN4013	Flexible Ear Receiver (flexible earloop & speaker that rests external to the ear) - Intrinsically Safe (FM)	$60.00
X	X	WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone or Public Safety Microphone - Intrinsically Safe (FM)	$43.00
		Microphones:		
X	X	PMMN4021	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$66.25
X	X	PMMN4027	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip - Intrinsically Safe (FM)	$69.00
X	X	3085875M04	Remote Speaker Microphone Replacement Cable	$35.00
X	X	AAHMN9053	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip and 3.5mm Audio Jack - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	$72.50

SUGGESTED RETAIL

MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850·LS™/MTX8250·LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250	MTX850·LS/ MTX8250·LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
			Ear Microphone System:	
X	X	BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module	$198.00
X	X	BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module	$198.00
X	X	BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsically Safe (FM)	$247.00
X	X	AARMN4044	Interface Module for PTT Operation Only - Intrinsically Safe (FM)	$284.00
X	X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	$52.50
X	X	0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsically Safe (FM)	$159.00
			General Accessories:	
X	X	HLN9820	Accessory Dust Cover	$6.60
X	X	RLN4890	Assistive Turning Knobs	$15.75
			CommPort: Integrated Microphone/Receiver	
			CommPort Integrated Microphone/Receiver System is a communication device that is intelligible in high noise levels up to 100dB. This device's acoustic technology does not rely on bone conduction for communication.	
X	X	NTN1722	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsically Safe (FM)	$344.00
X	X	NTN1724	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsically Safe (FM)	$370.00
X	X	NTN1737	Integrated Ear Microphone & Receiver with Snap-on-Side PTT - Intrins. Safe (FM)	$378.00
X	X	NNTN4187	Integrated Microphone Receiver with Remote Push-to-Talk Body Switch - Intrinsically Safe (FM)	$485.00
X	X	NNTN4188	Replacement Remote PTT Body Switch	$180.00
X	X	NKN6508	Replacement Cable for NTN1722 & NTN1625	$34.50
X	X	NKN6510	Replacement Palm PTT Cable for NTN1624 & NTN1723	$53.00
X	X	NKN6525	Replacement Snap-on-Side PTT Cable for NTN1737	$75.00
X	X	RLN5037	Replacement Ear Tubes (qty 10)	$26.00
X	X	NTN8821	CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)	$46.00
X	X	NTN8986	Adhesive Pads (qty 90) for secure attachment to the ear	$23.00
X	X	NTN8988	Ear Straps (qty 10) for secure attachment to the ear	$17.25

MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850·LS™/MTX8250·LS™

PORTABLE ACCESSORIES

SUGGESTED RETAIL

MTX850/MTX950/ MTX8250/MTX9250	MTX850-LS/ MTX8250-LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
			Call Boxes: Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.	
			A106.5 Call Boxes - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5' H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.	
X	X	RRDN4588	Solar Powered	$1,999.00
X	X	RRDN4589	AC/DC Powered	$1,969.00
			A144 Call Boxes - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.	
X	X	RRDN4590	Solar Powered	$2,995.00
X	X	RRDN4591	AC/DC Powered	$2,895.00
			A1 Call Boxes - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.	
X	X	RRDN4362	Solar Powered	$2,585.00
X	X	RRDN4363	AC/DC Powered	$2,350.00
X	X	RRDN4364	Solar Powered with PVC Stanchion	$2,850.00
X	X	RRDN4365	Solar Powered with Aluminum Stanchion	$3,175.00
X	X	RRDN4366	AC/DC Powered with Aluminum Stanchion	$2,975.00
			ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.	
X	X	RRDN4367	Solar Powered	$2,695.00
X	X	RRDN4368	AC/DC Powered	$2,550.00
			A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.	
X	X	RRDN4369	Solar Powered	$3,185.00
X	X	RRDN4370	AC/DC Powered	$2,900.00
			MACplus Call Boxes - Four-button notification panel that can be tailored to user requirements. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Call Box alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. The RRDN4371 & RRDN4372 require RRDN4373 Computer Aided Maintenance Software Package for programming of Call Buttons. Only one package required regardless of number of Call Boxes in system.	
X	X	RRDN4371	Solar Powered	$3,785.00
X	X	RRDN4372	AC/DC Powered	$3,600.00
X	X	RRDN4373	MACplus Computer Aided Maintenance Software Package	$1,450.00

MTX850™/MTX950™/MTX8250™/MTX9250™/ MTX850·LS™/MTX8250·LS™ PORTABLE ACCESSORIES

MTX850/MTX950/ MTX8250/MTX9250	MTX850·LS/ MTX8250·LS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
		Call Boxes continued:		
		MACone Call Boxes - Features all of the characteristics of our standard aluminum call boxes in a rust-proof and corrosion-proof stainless steel enclosure. Made of 316 powder-coated stainless steel and highlighted by a self-closing pneumatic door, this box is ideal for roadside assistance. Its single button operation makes calling for support easier than ever. The Callbox enclosure measures 15"H x 11.375"W x 7.75"D and includes ADA compliant hinges for easy open functionality. Available in either AC/DC or 5-watt solar panel options		
X	X	RRDN6474	Solar Powered	$3,650.00
X	X	RRDN6473	AC/DC Powered	$3,530.00
		Antennas:		
X	X	8505241U03	806-870 MHz Whip Antenna	$35.75
X	X	8505241U06	806-941 MHz 1/4 Wave Stubby Antenna	$25.50
X		8505241U04	896-941 MHz 1/2 Wave Whip Antenna	$35.75
		Retrofit Boards:		
	X	AAHLN9725	Voice Storage Option Board - Field Install Only	$74.75
		Service Accessories:		
X	X	H5177	Portable & Mobile Programming Software Plus (CPS+) - 3 Year Subscription Package - HVN9025 includes CPS/PPCPS (PassPort® Customer Programming Software), CPS tutorial, reflashing tool and freq. finder application for the HT, EX, CDM & MTX•LS Series. HVN9067 for MTX Series Privacy Plus - includes HT & MTX Series Programming & Test Cable (AARKN4074). Also is compatible with RLN4460 used for radio testing. (HVN9025 is compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®. HVN9067 is compatible with Windows® 95/98/Windows NT®.) A Mobile Programming Cable (AARKN4081 or AARKN4083) must be purchased separately. **Note: Software requires a license agreement and is not intended for resale.**	$299.00
X	X	AARKN4074	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing. (Multi-Language manual)	$63.00
X	X	RKN4075	Ribless Programming Cable - provides interface between computer and radio - (not compatible with RIB) (Multi-Language Manual)	$88.00
X	X	RLN4510	7.5 Volt Universal Battery Eliminator	$325.00
X	X	AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	$60.00
		Manuals:		
X	X	6880906Z54-D	HT750, HT1250, HT1250•LS+, HT1550•XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850•LS & MTX8250•LS Basic Service Manual	$11.00
X	X	6881088C46-E	HT750, HT1250, HT1250•LS+, HT1550•XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850•LS & MTX8250•LS Detailed Service Manual	$27.00

CONVENTIONAL BRANDED MOTOTRBO

XPR™ 6300 PORTABLE UHF Models, 12.5 kHz / 25 kHz, Digital and Analog

All XPR™ 6300 portable models include:

- IMPRES™ 1500mAh, Slim Li-ion Battery (PMNN4066)
- IMPRES Single-Unit Charger (WPLN4232)
- UHF Whip Antenna (PMAE4022)
- 2.5" Belt Clip (PMLN4652)
- Accessory Dust Cover
- Two Year Warranty
- One Year Repair Service Advantage (formerly known as Express Service Plus Plan)
- User Guide CD Kit (English and French Canadian)

XPR™ 6300

Radio Features:

- 32 Channels
- 12.5/25 kHz Switchable Channel Spacing
- Send quick text messages via programmable button
- Analog and/or Digital Channel Scan
- 3 Programmable Side Buttons
- Submersible (IP57)

Digital Calling Features

- PTT-ID (Alphanumeric ID - Encode)
- Talkgroup Calling
- Private Calling (Encode/Decode)
- All Call (Encode/Decode)
- Call Alert (Encode/Decode)
- Emergency (Encode)
- Radio Check (Decode)
- Radio Disable / Enable (Decode)
- Remote Monitor (Decode)
- Escalerting Alarms

Programmable Buttons:

- Alert Tones On/Off
- Battery Status
- Emergency
- High/Low Power
- Monitor/Permanent Monitor
- Nuisance Channel Delete
- One Touch Call
- Repeater/Talkaround
- Squelch
- Scan
- Telemetry Control
- Text Messaging (send)
- Zone

Analog MDC1200 Calling Features

- PTT - ID (Alphanumeric ID-Encode)
- Emergency (Encode)
- Call Alert (Encode/Decode)

The following frequencies are not allowed for XPR 6300:

403.195	417.800	431.105	436.805	444.005	466.930
403.200	419.995	431.995	442.350	450.000	466.940
403.205	420.000	432.000	442.360	453.595	467.995
414.000	420.005	432.005	442.370	453.600	468.000
417.780	431.095	436.795	443.995	453.605	468.005
417.790	431.100	436.800	444.000	466.920	

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
403-470 MHz	UHF	1W to 4W (ships 4W)	32	AAH55QDC9JA1_N (Non-Display)	$1,010.00

FCC INFORMATION AZ489FT4876

XPR™ 6300 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF SUGG RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP		
	STEP 1:	
Battery Choices:		
STDBAT0977	Standard Battery - IMPRES Li-ion 1500 mAh, 7.2V, Submersible (IP57) Battery (PMNN4066)	N/C
QA00365	NiMH, 1300 mAh, 7.2V, Submersible (IP57) Battery (PMNN4065)	-$10.00
QA00366	IMPRES Li-ion, 1400 mAh, 7.2V, Submersible (IP57) Battery (PMNN4069)	$50.00
	MOTOTRBO XPR Portable series radios have been certified by FM Approvals in accordance with Canada and U.S. Codes as intrinsically safe for use in Class I, II, III, Division 1, Groups C, D, E, F, G, when properly equipped with a Motorola FM approved battery option. They are also approved for use in Class I, Division 2, Groups A, B, C, D.	
	STEP 2:	
Charger Choices:		
STDCHG0977	Standard Charger - IMPRES Single Unit Charger (WPLN4232)	N/C
H951	Omit Standard Charger	-$20.00
	STEP 3:	
Antenna Choices:		
STDANT0977	Standard Whip Antenna 403-470 MHz (PMAE4022)	N/C
QA00517	GPS Stubby Antenna 430-470 MHz (PMAE4023) NOTE: This Antenna will work on Non-GPS Radios (XPR 6300)	N/C
H112	Omit Standard Antenna	-$3.50
	STEP 4:	
The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan), but this can be optioned out by selecting the QA00510 option. Additional RSA options are also available in the General Options section.		
Repair Service Advantage Choices:		
STDWAR0977	Standard 1 Year Repair Service Advantage	N/C
QA00510	Omit 1 Year Repair Service Advantage	-$11.00
	STEP 5:	
Shipping Box Choices:		
STDBOX0977	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00505	Remote Speaker Microphone with Enhanced Audio (PMMN4025)	$90.00
QA00506	Submersible (IP57) Remote Speaker Microphone (PMMN4040)	$75.00
QA00507	Lightweight Headset (RMN5058)	$99.00
QA00508	2-Wire Surveillance Kit with Translucent Tube, Beige with Enhanced Audio (RLN5883)	$105.00
QA00509	2-Wire Surveillance Kit with Translucent Tube, Black with Enhanced Audio (RLN5882)	$105.00

XPR™ 6300 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan). If you desire additional years of RSA, you may choose one of the following three options. Please note that these plans are *in addition* to the 1-year that ships standard with the radio (e.g. if you order the H885 Repair Service Advantage 2-year, you will receive 3 years of RSA, the 1-year RSA that ships standard with the radio, plus the 2-year RSA that you have ordered).		
Q884	Repair Service Advantage 1 Year - Provides for 1 year of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage 2 Years - Provides for 2 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage 3 Years - Provides for 3 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

SUGGESTED RETAIL

XPR™ 6500 / XPR™ 6550 PORTABLE

UHF Models, 12.5 kHz / 25 kHz, Digital and Analog

All XPR™ 6500 / XPR™ 6550 portable models include:

- IMPRES™ 1500 mAh, Slim Li-ion Battery (PMNN4066)
- IMPRES Single-Unit Charger (WPLN4232)
- Antennas: XPR 6500: UHF Whip Antenna (PMAE4022)
  XPR 6550: GPS Folded Monopole UHF Antenna (PMAE4024)
- Accessory Dust Cover
- 2.5" Belt Clip (PMLN4652)
- Two Year Warranty
- One Year Repair Service Advantage (formerly known as Express Service Plus Plan)
- User Guide CD Kit (English and French Canadian)

XPR™ 6500 / XPR™ 6550

Radio Features:

- 160 Channels
- 12.5/25 kHz Switchable Channel Spacing
- Short free-form and quick text messaging
- Analog and/or Digital Channel Scan
- Alphanumeric Display
- 3 Programmable Side Buttons
- 2 Programmable Front Buttons
- Submersible (IP57)
- XPR™ 6550 includes integrated GPS module (requires MOTOTRBO Location Services Application)

Digital Calling Features

- PTT- ID (Alphanumeric ID - Encode/Decode)
- Talkgroup Calling
- Private Calling (Encode/Decode)
- All Call (Encode/Decode)
- Call Alert (Encode/Decode)
- Emergency (Encode/Decode)
- Radio Check (Encode/Decode)
- Radio Disable/Enable (Encode/Decode)
- Remote Monitor (Encode/Decode)
- Escalerting Alarms

Programmable Buttons:

- Alert Tones On/Off
- Backlight
- Battery Status
- Contacts List
- Emergency
- High/Low Power
- Keypad Lock
- Manual Dial
- Monitor/Permanent Monitor
- Nuisance Channel Delete
- One Touch Call
- Radio Check
- Radio Enable/Disable
- Remote Monitor
- Repeater/Talkaround
- Squelch
- Scan
- Telemetry Control
- Text Messaging
- Zone

Analog MDC1200 Calling Features

- PTT - ID (Alphanumeric ID-Encode/Decode)
- Emergency (Encode)
- Call Alert (Encode/Decode)

for both XPR 6500 and XPR 6550:

403.195	417.800	431.105	436.805	444.005	466.930
403.200	419.995	431.995	442.350	450.000	466.940
403.205	420.000	432.000	442.360	453.595	467.995
414.000	420.005	432.005	442.370	453.600	468.000
417.780	431.095	436.795	443.995	453.605	468.005
417.790	431.100	436.800	444.000	466.920	

for XPR 6550 (GPS model only):

409.225	425.605	458.340
409.230	441.965	458.345
409.235	441.970	
425.595	441.975	
425.600	458.335	

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG RETAIL PRICE
XPR™ 6500 Display					
403-470 MHz	UHF	1W to 4W (ships 4W)	160	AAH55QDH9JA1_N (Display)	$1,085.00
XPR™ 6550 Display with GPS					
403-470 MHz	UHF	1W to 4W (ships 4W)	160	AAH55QDH9LA1_N (Display with GPS)	$1,135.00

FCC INFORMATION AZ489FT4876

XPR™ 6500 / XPR™ 6550 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF SUGG RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP		
	STEP 1:	
Battery Choices:		
STDBAT0037	Standard Battery - IMPRES Li-ion 1500 mAh, 7.2V Battery (PMNN4066)	N/C
QA00365	NiMH, 1300 mAh, 7.2V Battery (PMNN4065)	-$10.00
QA00366	IMPRES Li-ion, 1400 mAh, 7.2V Battery (PMNN4069) MOTOTRBO XPR Portable series radios have been certified by FM Approvals in accordance with Canada and U.S. Codes as intrinsically safe for use in Class I, II, III, Division 1, Groups C, D, E, F, G, when properly equipped with a Motorola FM approved battery option. They are also approved for use in Class I, Division 2, Groups A, B, C, D.	$50.00
	STEP 2:	
Charger Choices:		
STDCHG0037	Standard Charger - IMPRES Single Unit Charger (WPLN4232)	N/C
H951	Omit Standard Charger	-$20.00
	STEP 3:	
Antenna Choices:		
STDANT0037	Standard Antennas: XPR 6500: UHF Whip Antenna 403-470 MHz (PMAE4022) XPR 6550: GPS Folded Monopole UHF Antenna 430-470 MHz (PMAE4024)	N/C
QA00407	GPS Folded Monopole Antenna 403-433 (PMAE4018)	N/C
QA00517	GPS Stubby Antenna 430-470 MHz (PMAE4023) NOTE: This Antenna will work on both GPS (XPR 6550) and Non-GPS (XPR 6500) Radios	N/C
H112	Omit Standard Antenna	-$3.50
	STEP 4:	
The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan), but this can be optioned out by selecting the QA00510 option. Additional RSA options are also available in the General Options section.		
Repair Service Advantage Choices:		
STDWAR0037	Standard 1 Year Repair Service Advantage	N/C
QA00510	Omit 1 Year Repair Service Advantage	-$11.00
	STEP 5:	
Shipping Box Choices:		
STDBOX0037	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00505	Remote Speaker Microphone with Enhanced Audio (PMMN4025)	$90.00
QA00506	Submersible (IP57) Remote Speaker Microphone (PMMN4040)	$75.00
QA00507	Lightweight Headset (RMN5058)	$99.00
QA00508	2-Wire Surveillance Kit with Translucent Tube, Beige with Enhanced Audio (RLN5883)	$105.00
QA00509	2-Wire Surveillance Kit with Translucent Tube, Black with Enhanced Audio(RLN5882)	$105.00

XPR™ 6500 / XPR™ 6550 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan). If you desire additional years of RSA, you may choose one of the following three options. Please note that these plans are *in addition* to the 1-year that ships standard with the radio (e.g. if you order the H885 Repair Service Advantage 2-year, you will receive 3 years of RSA, the 1-year RSA that ships standard with the radio, plus the 2-year RSA that you have ordered).		
Q884	Repair Service Advantage 1 Year - Provides for 1 year of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$38.00
H885	Repair Service Advantage 2 Years - Provides for 2 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$73.00
H886	Repair Service Advantage 3 Years - Provides for 3 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$108.00

MOTOTRBO PORTABLE

SUGGESTED RETAIL

ACCESSORIES

XPR 6300	XPR 6500	XPR 6550	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
MOTOTRBO XPR Portable series radios have been certified by FM Approvals in accordance with Canada and U.S. Codes as intrinsically safe for use in Class I, II, III, Division 1, Groups C, D, E, F, G, when properly equipped with a Motorola FM approved battery option. They are also approved for use in Class I, Division 2, Groups A, B, C, D.					
			Batteries:		
X	X	X	PMNN4065	NiMH, 1300 mAh, 7.2V Submersible (IP57) Battery	$75.00
			IMPRES™ -	**The IMPRES smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with IMPRES batteries.**	
X	X	X	PMNN4066	IMPRES Li-ion, 1500 mAh, 7.2V Submersible (IP57) Battery	$88.00
X	X	X	PMNN4069	IMPRES Li-ion, 1400 mAh, 7.2V Submersible (IP57) Battery - Intrinsically Safe (FM/CSA)	$134.00
			Carry Cases and Accessories:		
	X	X	PMLN5015	Nylon Carry Case with 3" Fixed Belt Loop for Display Radio	$26.00
X			PMLN5024	Nylon Carry Case with 3" Fixed Belt Loop for Non-Display Radio	$26.00
	X	X	PMLN5021	Hard Leather Carry Case with 3" Fixed Belt Loop for Display Radio	$51.00
	X	X	PMLN5019	Hard Leather Carry Case with 2.5" Swivel Belt Loop for Display Radio	$60.00
	X	X	PMLN5020	Hard Leather Carry Case with 3" Swivel Belt Loop for Display Radio	$60.00
X			PMLN5030	Hard Leather Carry Case with 3" Fixed Belt Loop for Non-Display Radio	$51.00
X			PMLN5028	Hard Leather Carry Case with 2.5" Swivel Belt Loop for Non-Display Radio	$60.00
X			PMLN5029	Hard Leather Carry Case with 3" Swivel Belt Loop for Non-Display Radio	$60.00
X	X	X	PMLN5022	2.5" Replacement Swivel Belt Loop	$12.00
X	X	X	PMLN5023	3" Replacement Swivel Belt Loop	$12.00
X	X	X	PMLN4651	2" Belt Clip	$11.00
X	X	X	PMLN4652	2.5" Belt Clip	$12.00
X	X	X	HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket	$38.00
X	X	X	RLN4570	Break-Away Chest Pack	$54.25
X	X	X	1505596Z02	Replacement Strap for RLN4570 and HLN6602 Chest Packs	$5.00
X	X	X	RLN4815	Universal RadioPAK™ & Utility Case (fanny pack)	$45.00
X	X	X	4280384F89	Universal RadioPAK™ Extension Belt for waist larger than 40"	$5.00
X	X	X	NTN5243	Shoulder Strap (for use with Cases with D-Rings)	$20.00
X	X	X	HLN9985	Waterproof Bag, includes large carrying strap	$36.00
X	X	X	RLN4295	Small Clip, Epaulet Strap	$18.00
X	X	X	4200865599	Belt (1.75" wide black leather belt)	$20.00
			Chargers:		
			IMPRES™ -	**The IMPRES smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with IMPRES batteries.**	
X	X	X	WPLN4232	IMPRES Single Unit Charger	$63.00
X	X	X	WPLN4212	IMPRES Multi Unit Charger	$495.00
X	X	X	WPLN4219	IMPRES Multi Unit Charger with Displays When used with IMPRES batteries, IMPRES display chargers indicate charge capacity in mAh, percentage of rated capacity, time remaining to rapid charge, complete (NiMH batteries), battery serial number, charge status, voltage, kit number, expected full charge capacity & more.	$650.00

MOTOTRBO PORTABLE

SUGGESTED RETAIL

ACCESSORIES

XPR 6300	XPR 6500	XPR 6550	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
			Microphones:		
X	X	X	PMMN4024	Remote Speaker Microphone with 3.5mm audio jack	$75.00
X	X	X	PMMN4025	Remote Speaker Microphone with Enhanced Audio and 3.5mm audio jack	$90.00
X	X	X	PMMN4040	Remote Speaker Microphone - Submersible (IP57)	$75.00
X	X	X	RLN6074	Remote Speaker Microphone Replacement Coil Cord Kit (for PMMN4024 and PMMN4040)	$37.00
X	X	X	RLN6075	Remote Speaker Microphone Replacement Coil Cord Kit (for PMMN4025)	$47.00
			Headsets and Accessories:		
X	X	X	RMN5058	Lightweight Headset	$99.00
X	X	X	RLN6283	Replacement Foam Earpad and Windscreen	$7.20
			Earpieces:		
X	X	X	RLN5878	Receive Only Surveillance Kit, Black (single-wire) - Intrinsically Safe (FM)	$40.00
X	X	X	RLN5879	Receive Only Surveillance Kit, Beige (single-wire) - Intrinsically Safe (FM)	$40.00
X	X	X	RLN5880	2 Wire Surveillance Kit with Microphone and PTT Combined, Black with Enhanced Audio - Intrinsically Safe (FM)	$105.00
X	X	X	RLN5881	2 Wire Surveillance Kit with Microphone and PTT Combined, Beige with Enhanced Audio - Intrinsically Safe (FM)	$105.00
X	X	X	RLN5882	2 Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Black with Enhanced Audio - Intrinsically Safe (FM)	$105.00
X	X	X	RLN5883	2 Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige with Enhanced Audio - Intrinsically Safe (FM)	$105.00
X	X	X	RLN4760	Small Custom Earpiece, Right Ear for Surveillance Kits	$20.50
X	X	X	RLN4761	Medium Custom Earpiece, Right Ear Surveillance Kits	$20.50
X	X	X	RLN4762	Large Custom Earpiece, Right Ear Surveillance Kits	$20.50
X	X	X	RLN4763	Small Custom Earpiece, Left Ear Surveillance Kits	$20.50
X	X	X	RLN4764	Medium Custom Earpiece, Left Ear Surveillance Kits	$20.50
X	X	X	RLN4765	Large Custom Earpiece, Left Ear Surveillance Kits	$20.50
X	X	X	RLN5886	Surveillance Low Noise Kit (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through Customer Care Services)	$20.00
X	X	X	RLN5887	Surveillance High Noise Kit (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through Customer Care Services)	$20.00
X	X	X	RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with PMMN4025 & PMMN4024)	$58.00
X	X	X	AARLN4885	Receive-Only Foam Earbud with 3.5mm plug (for use with PMMN4025 & PMMN4024)	$25.00
X	X	X	WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone - (for use with PMMN4025 & PMMN4024)	$43.00
X	X	X	PMLN4620	D-Shell Receive Only Earpiece (for use with PMMN4025 & PMMN4024)	$19.00
X	X	X	RLN6288	Earpiece with High Noise Kit (for use with RLN5887) Extra Loud Earphone Attached - Beige	$54.00
X	X	X	RLN6289	Earpiece with High Noise Kit (for use with RLN5887) Extra Loud Earphone Attached - Black	$54.00
X	X	X	RLN6279	Standard Earpiece - Black	$14.00
X	X	X	RLN6280	Standard Earpiece - Beige	$14.00

MOTOTRBO PORTABLE

SUGGESTED RETAIL

ACCESSORIES

XPR 6300	XPR 6500	XPR 6550	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
			Earpieces continued:		
X	X	X	RLN6284	Earpiece with Acoustic Tube Assembly, Beige	$48.00
X	X	X	RLN6285	Earpiece with Acoustic Tube Assembly, Black	$48.00
X	X	X	5080384F72	Replacement Foam Plugs - Pack of 50 (for use with RLN5887) - Noise Reduction Rating = 24dB	$47.25
X	X	X	RLN6282	Replacement Ear Tips, Clear - Pack of 25 (for use with RLN5886)	$45.00
			Antennas:		
X	X	X	PMAE4018	Combination UHF Folded Monopole Antenna with GPS, 403-433 MHz	$10.50
X	X	X	PMAE4024	Combination UHF Folded Monopole Antenna with GPS, 430-470 MHz	$10.50
X	X	X	PMAE4021	Combination UHF Stubby Antenna with GPS, 403-433 MHz	$10.75
X	X	X	PMAE4023	Combination UHF Stubby Antenna with GPS, 430-470 MHz	$10.75
X	X	X	PMAE4022	UHF Whip Antenna, 403-470 MHz	$10.25
			Service Accessories:		
X	X	X	RVN5115	Portable, Mobile and Repeater Customer Programming Software (CPS) Package - Software Package includes CPS, Air Tracer, Tuner and the MOTOTRBO System Planner. 3 Year Subscription Package Software is compatible with Windows XP (Home and Professional Versions) and Windows 2000 Portables require PMKN4012 or PMKN4013 Programming Cable - Mobiles and Repeaters require HKN6184, PMKN4010 or PMKN4016 Programming Cables **Note: Software requires a license agreement and is not intended for resale.**	$299.00
X	X	X	PMKN4012	Portable Programming Cable	$75.00
X	X	X	PMKN4013	Portable Programming, Test and Align Cable	$92.00
X	X	X	PMNN4076	Portable Battery Eliminator	$105.00
X	X	X	RLN4460	Test Box for Portables and Mobiles	$395.00
X	X	X	58-80348B33	Portable SMA to BNC RF Adapter	$34.25
			Manuals:		
X	X	X	HKLN4282	Portable User Guide CD Kit (includes User Guides in English and French Canadian)	$10.00
X	X	X	6880309T30	MOTOTRBO Portable Basic Service Manual	$15.00
X	X	X	6880309T12	MOTOTRBO System Planner	$15.00

MOTOTRBO

This Page Left Blank Intentionally

Portables - Page 1

Date 1/15/07

SUGGESTED RETAIL

XPR™ 6300 PORTABLE

UHF Models, 12.5 kHz / 25 kHz, Digital and Analog

All XPR™ 6300 portable models include:

- IMPRES™ 1500mAh, Slim Li-Ion Battery (PMNN4066)
- IMPRES Single-Unit Charger (WPLN4232)
- UHF Whip Antenna (PMAE4022)
- 2.5" Belt Clip (PMLN4652A)
- Accessory Dust Cover
- Two Year Warranty
- One Year Repair Service Advantage (formerly known as Express Service Plus Plan)
- User Guide CD Kit (English and French Canadian)

Radio Features:

- 32 Channels
- 12.5/25 kHz Switchable Channel Spacing
- Send quick text messages via programmable button
- Analog and/or Digital Channel Scan
- 3 Programmable Side Buttons
- Submersible (IP57)

Digital Calling Features

- PTT-ID (Alphanumeric ID - Encode)
- Talkgroup Calling
- Private Calling (Encode/Decode)
- All Call (Encode/Decode)
- Call Alert (Encode/Decode)
- Emergency (Encode)
- Radio Check (Decode)
- Radio Disable / Enable (Decode)
- Remote Monitor (Decode)
- Escalerting Alarms

Programmable Buttons:

- Alert Tones On/Off
- Battery Status
- Emergency
- High/Low Power
- Monitor/Permanent Monitor
- Nuisance Channel Delete
- One Touch Call
- Repeater/Talkaround
- Squelch
- Scan
- Telemetry Control
- Text Messaging (send)
- Zone

Analog MDC1200 Calling Features

- PTT - ID (Alphanumeric ID-Encode)
- Emergency (Encode)
- Call Alert (Encode/Decode)

XPR™ 6300

The following frequencies are not allowed for XPR 6300:

403.195	417.800	431.105	438.805	444.005	468.930
403.200	419.995	431.995	442.350	450.000	468.940
403.205	420.000	432.000	442.360	453.595	467.995
414.000	420.005	432.005	442.370	453.600	468.000
417.780	431.095	436.795	443.995	453.605	468.005
417.790	431.100	436.800	444.000	466.920	

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG. RETAIL PRICE
403-470 MHz	UHF	1W to 4W (ships 4W)	32	AAH55QDC9JA1_N (Non-Display)	$1,010.00

FCC INFORMATION AZ489FT4876

XPR™ 6300 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF SUGG RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP		
	STEP 1:	
Battery Choices:		
STDBAT0977	Standard Battery - IMPRES Li-ion 1500 mAh, 7.2V, Submersible (IP57) Battery (PMNN4066)	N/C
QA00365	NiMH, 1300 mAh, 7.2V, Submersible (IP57) Battery (PMNN4065)	-$10.00
QA00366	IMPRES Li-ion, 1400 mAh, 7.2V, Submersible (IP57) Battery (PMNN4069) MOTOTRBO XPR Portable series radios have been certified by FM Approvals in accordance with Canada and U.S. Codes as intrinsically safe for use in Class I, II, III, Division 1, Groups C, D, E, F, G, when properly equipped with a Motorola FM approved battery option. They are also approved for use in Class I, Division 2, Groups A, B, C, D.	$50.00
	STEP 2:	
Charger Choices:		
STDCHG0977	Standard Charger - IMPRES Single Unit Charger (WPLN4232)	N/C
H951	Omit Standard Charger	-$20.00
	STEP 3:	
Antenna Choices:		
STDANT0977	Standard Whip Antenna 403-470 MHz (PMAE4022)	N/C
QA00517	GPS Stubby Antenna 430-470 MHz (PMAE4023) NOTE: This Antenna will work on Non-GPS Radios (XPR 6300)	N/C
H112	Omit Standard Antenna	-$3.50
	STEP 4:	
The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan), but this can be optioned out by selecting the QA00510 option. Additional RSA options are also available in the General Options section.		
Repair Service Advantage Choices:		
STDWAR0977	Standard 1 Year Repair Service Advantage	N/C
QA00510	Omit 1 Year Repair Service Advantage	-$11.00
	STEP 5:	
Shipping Box Choices:		
STDBOX0977	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
QA00505	Remote Speaker Microphone with Enhanced Audio (PMNN4025)	$90.00
QA00506	Submersible (IP57) Remote Speaker Microphone (PMNN4040)	$75.00
QA00507	Lightweight Headset (RMN5058)	$99.00
QA00508	2-Wire Surveillance Kit with Translucent Tube, Beige with Enhanced Audio (RLN5883)	$105.00
QA00509	2-Wire Surveillance Kit with Translucent Tube, Black with Enhanced Audio (RLN5882)	$105.00

The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan). If you desire additional years of RSA, you may choose one of the following three options. Please note that these plans are *In addition* to the 1-year that ships standard with the radio (e.g. if you order the H885 Repair Service Advantage 2-year, you will receive 3 years of RSA, the 1-year RSA that ships standard with the radio, plus the 2-year RSA that you have ordered).

Q884	Repair Service Advantage 1 Year - Provides for 1 year of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$34.00
H885	Repair Service Advantage 2 Years - Provides for 2 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$65.00

Portables - Page 3

Date 1/15/07

SUGGESTED RETAIL

XPR™ 6300 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options:		
G886	Repair Service Advantage 3 Years - Provides for 3 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$97.00

XPR™ 6500 / XPR™ 6550 PORTABLE

UHF Models, 12.5 kHz / 25 kHz, Digital and Analog

SUGGESTED RETAIL

All XPR™ 6500 / XPR™ 6550 portable models include:
- IMPRES™ 1500 mAh, Slim Li-ion Battery (PMNN4066)
- IMPRES Single-Unit Charger (WPLN4232)
- Antennas: XPR 6500: UHF Whip Antenna (PMAE4022)
  XPR 6550: GPS Folded Monopole UHF Antenna (PMAE4024)
- Accessory Dust Cover
- 2.5" Belt Clip (PMLN4652)
- Two Year Warranty
- One Year Repair Service Advantage (formerly known as Express Service Plus Plan)
- User Guide CD Kit (English and French Canadian)

XPR™ 6500 / XPR™ 6550

Radio Features:
- 160 Channels
- 12.5/25 kHz Switchable Channel Spacing
- Short free-form and quick text messaging
- Analog and/or Digital Channel Scan
- Alphanumeric Display
- 3 Programmable Side Buttons
- 2 Programmable Front Buttons
- Submersible (IP57)
- XPR™ 6550 includes integrated GPS module (requires Motorola Location Services Application)

Digital Calling Features
- PTT- ID (Alphanumeric ID - Encode/Decode)
- Talkgroup Calling
- Private Calling (Encode/Decode)
- All Call (Encode/Decode)
- Call Alert (Encode/Decode)
- Emergency (Encode/Decode)
- Radio Check (Encode/Decode)
- Radio Disable/Enable (Encode/Decode)
- Remote Monitor (Encode/Decode)
- Escalerting Alarms

Programmable Buttons:
- Alert Tones On/Off
- Backlight
- Battery Status
- Contacts List
- Emergency
- High/Low Power
- Keypad Lock
- Manual Dial
- Monitor/Permanent Monitor
- Nuisance Channel Delete
- One Touch Call
- Radio Check
- Radio Enable/Disable
- Remote Monitor
- Repeater/Talkaround
- Squelch
- Scan
- Telemetry Control
- Text Messaging
- Zone

Analog MDC1200 Calling Features
- PTT - ID (Alphanumeric ID-Encode/Decode)
- Emergency (Encode)
- Call Alert (Encode/Decode)

The following frequencies are not allowed for both XPR 6500 and XPR 6550:

403.195	417.800	431.105	436.805	444.005	466.930
403.200	419.995	431.995	442.350	450.000	466.940
403.205	420.000	432.000	442.360	453.595	467.995
414.000	420.005	432.005	442.370	453.600	468.000
417.780	431.095	436.795	443.995	453.605	468.005
417.790	431.100	436.800	444.000	466.920	

The following frequencies are not allowed for XPR 6550 (GPS model only):

409.225	425.605	458.340
409.230	441.965	458.345
409.235	441.970	
425.595	441.975	
425.600	458.335	

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL	MANUF.SUGG RETAIL PRICE
XPR™ 6500 Display					
403-470 MHz	UHF	1W to 4W (ships 4W)	160	AAH55QDH9JA1_N (Display)	$1,085.00
XPR™ 6550 Display with GPS					
403-470 MHz	UHF	1W to 4W (ships 4W)	160	AAH55QDH9LA1_N (Display with GPS)	$1,135.00

FCC INFORMATION AZ489FT4876

XPR™ 6500 / XPR™ 6550 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF SUGG RETAIL PRICE
Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP		
	STEP 1:	
Battery Choices:		
STDBAT0037	Standard Battery - IMPRES Li-ion 1500 mAh, 7.2V Battery (PMNN4066)	N/C
QA00365	NiMH, 1300 mAh, 7.2V Battery (PMNN4065)	-$10.00
QA00366	IMPRES Li-ion, 1400 mAh, 7.2V Battery (PMNN4069) MOTOTRBO XPR Portable series radios have been certified by FM Approvals in accordance with Canada and U.S. Codes as intrinsically safe for use in Class I, II, III, Division 1, Groups C, D, E, F, G, when properly equipped with a Motorola FM approved battery option. They are also approved for use in Class I, Division 2, Groups A, B, C, D.	$50.00
	STEP 2:	
Charger Choices:		
STDCHG0037	Standard Charger - IMPRES Single Unit Charger (WPLN4232)	N/C
H951	Omit Standard Charger	-$20.00
	STEP 3:	
Antenna Choices:		
STDANT0037	Standard Antennas: XPR 6500: UHF Whip Antenna 403-470 MHz (PMAE4022) XPR 6550: GPS Folded Monopole UHF Antenna 430-470 MHz (PMAE4024)	N/C
QA00407	GPS Folded Monopole Antenna 403-433 (PMAE4018)	N/C
QA00517	GPS Stubby Antenna 430-470 MHz (PMAE4023) NOTE: This Antenna will work on both GPS (XPR 6550) and Non-GPS (XPR 6500) Radios	N/C
H112	Omit Standard Antenna	-$3.50
	STEP 4:	
The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan), but this can be optioned out by selecting the QA00510 option. Additional RSA options are also available in the General Options section.		
Repair Service Advantage Choices:		
STDWAR0037	Standard 1 Year Repair Service Advantage	N/C
QA00510	Omit 1 Year Repair Service Advantage	-$11.00
	STEP 5:	
Shipping Box Choices:		
STDBOX0037	Standard Model Box	N/C
H415	Bulk Packaging (minimum 10 units per line item)	N/C
MODEL NUMBER	**DESCRIPTION**	**MANUF. SUGG. RETAIL PRICE**
General Options:		
QA00505	Remote Speaker Microphone with Enhanced Audio (PMNN4025)	$90.00
QA00506	Submersible (IP57) Remote Speaker Microphone (PMNN4040)	$75.00
QA00507	Lightweight Headset (RMN5058)	$99.00
QA00508	2-Wire Surveillance Kit with Translucent Tube, Beige with Enhanced Audio (RLN5883)	$105.00
QA00509	2-Wire Surveillance Kit with Translucent Tube, Black with Enhanced Audio(RLN5882)	$105.00
The XPR Series portables ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Repair Service Advantage (RSA) option (formerly known as the Express Service Plus Plan). If you desire additional years of RSA, you may choose one of the following three options. Please note that these plans are *In addition* to the 1-year that ships standard with the radio (e.g. if you order the H885 Repair Service Advantage 2-year, you will receive 3 years of RSA, the 1-year RSA that ships standard with the radio, plus the 2-year RSA that you have ordered).		
Q884	Repair Service Advantage 1 Year - Provides for 1 year of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$34.00
H885	Repair Service Advantage 2 Years - Provides for 2 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$65.00

XPR™ 6500 / XPR™ 6550 PORTABLE OPTIONS

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Options continued:		
G886	Repair Service Advantage 3 Years - Provides for 3 years of extended hardware coverage beginning after the standard warranty period and one year of RSA that ships standard with the portable. Repairs will be made at the Motorola Service Center in El Paso, Texas. The customer pays for inbound shipping. No discounts are allowed on this option.	$97.00