

Date 1/27/06

SUGGESTED RETAIL

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
	INTRINSICALLY SAFE (FM): HNN9011_R, PMNN4019_R & JMNN4025_R (H236) and HNN9010_R (Q390) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.		
	Batteries and Accessories:		
X	NNTN4852	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (only comp. with WPLN4138_R & WPLN4161_R)	\$110.00
X	NNTN4851	NiMH, 1400 mAh, 7.5V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$63.00
X	NNTN4496_R	NiCd, 1100 mAh, 7.2V Battery	\$60.00
X	NNTN4970	Slim Li-ion, 1600 mAh, 7.2V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$105.00
X	NNTN4497_R	Li-ion, 2250 mAh, 7.5V Battery (only comp. with WPLN4138_R & WPLN4161_R)	\$85.00
	Carry Cases and Accessories:		
X	RLN5496	Leather DTMF Case with 2.5" Swivel (for use with Full Display models)	\$45.00
X	RLN5641	Leather DTMF Case with 2.5" Swivel (for use with Limited Display models)	\$45.00
X	RLN5497	Leather DTMF Case with 3" Swivel (for use with Full Display models)	\$45.00
X	RLN5642	Leather DTMF Case with 3" Swivel (for use with Limited Display models)	\$45.00
X	RLN5498	Leather DTMF Case with Belt Loop (for use with Full Display models)	\$39.00
X	RLN5640	Leather DTMF Case with Belt Loop (for use with Limited Display models)	\$39.00
X	RLN5383	Leather Case with Belt Loop (for use with Non-Display models)	\$39.00
X	RLN5384	Leather Case with 2.5" Swivel (for use with Non-Display models)	\$45.00
X	RLN5385	Leather Case with 3" Swivel (for use with Non-Display models)	\$45.00
X	HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	\$24.00
X	RLN5644	2" Spring Action Belt Clip	\$6.00
X	HLN8255	3" Spring Action Belt Clip	\$6.00
X	HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket	\$38.00
X	RLN4570	Break-Away Chest Pack	\$54.25
X	TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
X	TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
X	NTN5243	Shoulder Strap (for use with Cases with D-Rings)	\$20.00
	Chargers and Accessories:		
X	WPLN4138_R	120 Volt - 90 Minute Rapid Rate Charger	\$57.75
X	WPLN4155_R	120 Volt - 10 Hour Desktop Charger (for use with NNTN4496_R NiCd battery only)	\$27.00
X	WPLN4161_R	120 Volt - 6 Unit Rapid Rate Charger	\$450.00
	General Accessories:		
X	RLN5500	Accessory Retainer Clip	\$10.75

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Headsets and Accessories:			
X	HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD) (PR400 - Intrinsicly Safe (FM))	\$57.00
X	RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsicly Safe (FM)	\$105.00
X	RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	\$125.00
X	RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$60.00
X	HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB	\$300.00
X	HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB	\$230.00
X	BDN6647	Medium Weight Single Muff Headset with Boom Microphone (PR400 - Intrinsicly Safe (FM))	\$151.00
X	BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	\$525.00
X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	\$500.00
X	RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	\$100.00
X	REX4648	Replacement Windscreen (for use with Boom Microphone) and Foam Ear Pad	\$7.20
X	3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	\$4.05
X	5080371E66	Replacement Ear Pads for use with BDN6647	\$6.85
Earpieces:			
X	RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	\$114.00
X	HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD) (PR400 - Intrinsicly Safe (FM))	\$114.00
X	RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
X	RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
X	RLN5198AP	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	\$125.00
X	HMN9752	Earpiece with Volume Control (single wire) (PR400 - Intrinsicly Safe (FM))	\$45.00
X	HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD) (PR400 - Intrinsicly Safe (FM))	\$36.00

Date 1/9/06

SUGGESTED RETAIL

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Earpieces continued:			
X	RLN4894	Earpiece without Volume Control, Black (single wire)	\$35.00
X	PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	\$54.00
X	HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	\$21.00
X	HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	\$40.00
X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	\$32.00
X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	\$20.00
X	5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	\$29.25
X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	\$47.25
X	BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	\$35.00
X	RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
Microphones:			
X	HMN9030	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - (Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$73.50
Ear Microphones and Accessories:			
X	BDN6646	Ear Microphone with PTT Interface Module (PR400 - Intrinsically Safe (FM))	\$461.00
X	BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX) (PR400 - Intrinsically Safe (FM))	\$524.00
X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	\$52.50
X	0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsically Safe (FM)	\$159.00

Date 1/27/06

SUGGESTED RETAIL

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Mag One Audio Accessories:			
X	PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	\$18.00
X	PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	\$20.00
X	PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	\$26.00
X	PMLN4445	Mag One Headset with PTT/VOX Switch	\$30.00
X	PMMN4008	Mag One Remote Speaker Microphone	\$31.00
Call Boxes:			
Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.			
A106.5 Call Boxes - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5" H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.			
X	RRDN4588	Solar Powered	\$1,999.00
X	RRDN4589	AC/DC Powered	\$1,969.00
A144 Call Boxes - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.			
X	RRDN4590	Solar Powered	\$2,995.00
X	RRDN4591	AC/DC Powered	\$2,895.00
A1 Call Boxes - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.			
X	RRDN4362	Solar Powered	\$2,585.00
X	RRDN4363	AC/DC Powered	\$2,350.00
X	RRDN4364	Solar Powered with PVC Stanchion	\$2,850.00
X	RRDN4365	Solar Powered with Aluminum Stanchion	\$3,175.00
X	RRDN4366	AC/DC Powered with Aluminum Stanchion	\$2,975.00
ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.			
X	RRDN4367	Solar Powered	\$2,695.00
X	RRDN4368	AC/DC Powered	\$2,550.00

Date 1/9/06

SUGGESTED RETAIL

PROFESSIONAL TRUNKING PORTABLE ACCESSORIES

PR400	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Call Boxes continued:			
	A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10"H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.		
X	RRDN4369	Solar Powered	\$3,185.00
X	RRDN4370	AC/DC Powered	\$2,900.00
	MACPlus Call Boxes - Four-button notification panel. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. Requires RRDN4373 Software Package for programming of Call Buttons. Only one software package is required regardless of number of Call Boxes in system.		
X	RRDN4371	Solar Powered	\$3,785.00
X	RRDN4372	AC/DC Powered	\$3,600.00
X	RRDN4373	MACPlus Computer Aided Maintenance Software Package	\$1,450.00
Antennas:			
X	NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	\$11.75
X	HAD9742	VHF Stubby Antenna, 146-162 MHz	\$10.75
X	HAD9743	VHF Stubby Antenna, 162-174 MHz	\$10.75
X	NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	\$12.25
X	8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	\$12.25
X	NAE6483_R	UHF Whip Antenna, 403-520 MHz	\$11.75
Service Accessories:			
X	RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter: AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter Note: Software requires a license agreement and is not intended for resale.	\$199.00
X	AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	\$50.00
X	RLN4008	Radio Interface Box (RIB)	\$200.00
X	3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	\$52.00
X	0180357A57	Wall Mounted Power Supply, 120V (for use with RLN4008)	\$24.25
X	RLN4460	Test Box for Portables and Mobiles	\$395.00
X	RLN5583	Flash Upgrade Adapter	\$99.75
Manuals:			
X	6881096C24	PR400 Basic Service Manual	\$16.00
X	6881096C25	PR400 Detailed Service Manual	\$25.00

PORTABLE

This Page Left Blank Intentionally

RADIUS PORTABLE ACCESSORIES

Date 1/27/06

VLS0	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM) - Equipment approved by Factory Mutual as Intrinsically Safe is generally accepted by code enforcing authorities for use in hazardous locations. Intrinsically safe equipment is suitable for Division 1 & 2 locations. Hazardous locations are defined in Article 500 for the National Electrical Code (NEC) available from the National Fire Protection Association as NFPA70.							
Batteries & Accessories:							
		X			PMNN4071_R	Mag One NiMH, 1200 mAh Battery	\$35.00
				X	NNTN4851	NiMH, 1400 mAh, 7.5V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$63.00
	X				NNTN4190	NiMH, 1500 mAh, 4.8V Battery	\$29.99
			X		PMNN4063_R	NiMH, 1500 mAh, 7.2V Battery	\$45.00
				X	NNTN4496_R	NiCd, 1100 mAh, 7.2V Battery	\$60.00
X					56557	Li-ion, 1100 mAh, 3.6V Battery	\$34.95
				X	NNTN4970	Slim Li-ion, 1600 mAh, 7.2V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$105.00
				X	NNTN4497_R	Li-ion, 2250 mAh, 7.5V Battery (only comp. with WPLN4138_R & WPLN4161_R)	\$85.00
X					1564200W18	AAA Battery Tray Kit	\$7.95
Carry Cases and Accessories:							
				X	HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	\$24.00
				X	RLN5383	Leather Case with Belt Loop (for use with Non-Display models)	\$39.00
				X	RLN5384	Leather Case with 2.5" Swivel (for use with Non-Display models)	\$45.00
				X	RLN5385	Leather Case with 3" Swivel (for use with Non-Display models)	\$45.00
	X				NNTN4020	Leather Case	\$30.95
		X			PMLN4742	Mag One Hard Leather Carry Case	\$25.00
X					56519	Carry Case with Adjustable Strap	\$27.50
X					HCLN4013	Replacement Swivel Belt Holster	\$7.95
	X				NNTN4106	Swivel Belt Holster	\$14.99
		X			PMLN4691_R	Mag One 2" Belt Clip	\$4.25
		X			PMLN4743	Mag One 2" Spring Belt Clip	\$5.00
			X		RLN5644	2" Spring Action Belt Clip	\$6.00
			X		HLN9844	2" Spring Belt Clip	\$11.50
			X		HLN8255	3" Spring Action Belt Clip	\$6.00
			X		4285820Z01	Shoulder Strap	\$4.10
	X	X			RLN4815	Universal RadioPAK™ & Utility Case	\$45.00
	X	X			4280384F89	Universal RadioPAK™ Belt Lengthener, waist larger 40"	\$5.00
	X	X			HLN9985	Waterproof Bag, includes large carrying strap	\$36.00
			X		TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
			X		TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
			X		HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket	\$38.00
Microphones: Use of external microphones can reduce talk-out range.							
X	X				HMN9051	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip	\$57.75
			X	X	HMN9030	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - (Resale Packaging available through RPSD)	\$73.50

RADIUS PORTABLE ACCESSORIES

Date 1/9/06

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Headsets and Accessories:							
				X	RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	\$125.00
				X	RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	\$105.00
			X	X	HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD)	\$57.00
X	X				BDN6773	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone	\$53.00
				X	RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$60.00
		X			RLN5580	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$55.00
X					53815	Ultra-Light Headset	\$34.95
				X	HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB	\$230.00
				X	HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB	\$300.00
				X	BDN6647	Medium Weight Single Muff Headset with Boom Microphone	\$151.00
				X	RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	\$500.00
				X	RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	\$100.00
				X	BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	\$525.00
				X	RMN5047	NFL Style Heavy Duty Headset	\$225.00
				X	REX4648	Replacement Windscreen (for use with Boom Microphone) and Foam Ear Pad	\$7.20
				X	3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	\$4.05
				X	5080371E66	Replacement Ear Pads for use with BDN6647	\$6.85
				X	RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires adapter cable RKN4094)	\$225.00
				X	RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	\$330.00
				X	RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$330.00
				X	RKN4094	Adapter Cable with In-Line PTT (for use with RMN4051, RMN4052 & RMN4053 Headsets)	\$184.00
General Audio Accessories:							
				X	RLN5500	Accessory Retainer Clip	\$10.75

RADIUS PORTABLE ACCESSORIES

Date 1/27/06

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Ear Piece Accessories:							
				X	HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD)	\$36.00
				X	RLN4894	Earpiece without Volume Control, Black (single wire)	\$35.00
X	X				BDN6774	Earpiece with Microphone (worn over ear with streamlined boom microphone)	\$51.00
X					56517	Earpiece with In-Line PTT & Microphone	\$25.00
X					56518	Earpiece with Boom Microphone	\$25.00
				X	PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	\$54.00
				X	BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX)	\$524.00
				X	BDN6646	Ear Microphone with PTT Interface Module	\$461.00
				X	RLN5198AP	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	\$125.00
		X			PMLN4606	2-Wire Surveillance Kit with Clear Acoustic Tube	\$43.00
				X	BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	\$35.00
				X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	\$32.00
				X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	\$20.00
	X				HMN9004	Earbud (single wire - Receive only)	\$18.00
X	X				HMN8435	Earbud with Clip Microphone and PTT (2-wire - transmit & receive)	\$40.00
				X	HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	\$40.00
				X	HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	\$21.00
				X	PMLN4294	Earbud with Microphone & PTT Combined	\$27.00
			X		PMLN4658	D-Shell Earset with Boom Microphone with PTT/VOX Switch	\$28.50
			X		PMLN4425	Earset Boom Microphone with Remote Ring PTT	\$35.00
				X	0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsicly Safe (FM)	\$52.50
				X	0180300E83	Body Switch Push to Talk for Ear Microphone System	\$159.00
				X	0180358B33	Medium Earholder for Ear Microphone System, Black (For securing ear microphone in ear) - Additional sizes & colors available.	\$19.00
			X		PMLN4605	Clear Acoustic Tube	\$14.50
				X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	\$47.25
				X	5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	\$29.25
Mag One Audio Accessories:							
	X	X	X		PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	\$18.00
	X	X	X		PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	\$20.00
	X	X	X		PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	\$26.00
	X	X	X		PMLN4445	Mag One Headset with PTT/VOX Switch	\$30.00
	X	X	X		PMMN4008	Mag One Remote Speaker Microphone	\$31.00

RADIUS PORTABLE ACCESSORIES

Date 1/9/06

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Chargers & Accessories:							
		X			PMLN4683_R	Mag One Slow Charger Kit (includes Base and Transformer)	\$18.00
		X			PMLN4738_R	Mag One Mid-Rate Charger Kit - Single Chemistry (includes Base & Transformer)	\$30.50
			X		WPLN4138_R	120 Volt - 90 Minute Rapid Rate Charger	\$57.75
	X				NNTN4075_R	120 Volt - 2 Hour Drop In Charger	\$69.95
			X		WPLN4155_R	120 Volt - 10 Hour Desktop Charger (for use with NNTN4496_R NiCd battery only)	\$27.00
	X				NNTN4077	120 Volt - 10 Hour Plug In Charger (plugs into radio side connector jack or into drop in charging tray)	\$12.95
			X	X	EPNN7997	10 Hour Plug In Charger (plugs into radio accessory connector - for use with NNTN4496_R NiCd battery only)	\$6.30
			X		PMTN4073	120V - 13 Hour Wall Charger	\$6.30
		X			PMTN4087	120V Rapid Charger Kit (includes EPNN7994 & PMTN4086)	\$34.75
		X			EPNN7994	120V Rapid Charger Transformer	\$15.00
		X			RLN4940	120V Slow Desktop Charger Kit (includes EPNN7997 & WPLN4203)	\$27.00
		X			WPLN4203	Slow Desktop Charger Base	\$24.00
		X			PMTN4086	Rapid Charger Base	\$30.75
			X		WPLN4161_R	120 Volt - 6 Unit Rapid Rate Charger	\$450.00
	X				NNTN4028_R	120 Volt - 6 Unit - 7 Hour Charger (provides radio cloning capability)	\$273.95
	X				NNTN4019_R	Drop In Charging Tray (requires NNTN4077 plug in charger)	\$27.95
X					56553	Double Unit Charger	\$65.00
X					56531	Multi-Unit Charger	\$199.95
<p>Call Boxes: Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.</p>							
<p>A106.5 Call Boxes - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5" H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.</p>							
	X		X		RRDN4588	Solar Powered	\$1,999.00
	X		X		RRDN4589	AC/DC Powered	\$1,969.00
<p>A144 Call Boxes - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4" H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.</p>							
	X		X		RRDN4590	Solar Powered	\$2,995.00
	X		X		RRDN4591	AC/DC Powered	\$2,895.00

RADIUS PORTABLE ACCESSORIES

Date 1/9/06

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Call Boxes continued:							
<p>A1 Call Boxes - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.</p>							
	X		X		RRDN4362	Solar Powered	\$2,585.00
	X		X		RRDN4363	AC/DC Powered	\$2,350.00
	X		X		RRDN4364	Solar Powered with PVC Stanchion	\$2,850.00
	X		X		RRDN4365	Solar Powered with Aluminum Stanchion	\$3,175.00
	X		X		RRDN4366	AC/DC Powered with Aluminum Stanchion	\$2,975.00
<p>ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.</p>							
	X		X		RRDN4367	Solar Powered	\$2,695.00
	X		X		RRDN4368	AC/DC Powered	\$2,550.00
<p>A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10"H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.</p>							
	X		X		RRDN4369	Solar Powered	\$3,185.00
	X		X		RRDN4370	AC/DC Powered	\$2,900.00
<p>MACPlus Call Boxes - Four-button notification panel. The software-driven system sends automatic audible and digital signals to a dispatch center and is ADA compliant. Alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. Requires RRDN4373 Software Package for programming of Call Buttons. Only one software package is required regardless of number of Call Boxes in system.</p>							
	X		X		RRDN4371	Solar Powered	\$3,785.00
	X		X		RRDN4372	AC/DC Powered	\$3,600.00
	X		X		RRDN4373	MACPlus Computer Aided Maintenance Software Package	\$1,450.00
Antennas: Stubby antennas will reduce range							
	X				PMAD4051_R	Mag One VHF Stubby Antenna, 150-174 MHz	\$9.25
	X	X			NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	\$11.75
	X				PMAD4027	VHF Helical Antenna, 136-155 MHz (15cm)	\$8.00
	X				8504762J02	VHF Helical Antenna, 155-174 MHz (14cm)	\$13.50
	X				PMAD4012	VHF Stubby Antenna, 136-155 MHz (Red Color Code)	\$13.25
	X		X		HAD9742	VHF Stubby Antenna, 146-162 MHz	\$10.75
	X		X		PMAD4013	VHF Stubby Antenna, 155-174 MHz (Black Color Code)	\$13.25
	X		X		HAD9743	VHF Stubby Antenna, 162-174 MHz	\$10.75
	X				PMAE4020_R	Mag One UHF Stubby Antenna, 450-470 MHz	\$9.25
	X	X			NAE6483_R	UHF Whip Antenna, 403-520 MHz	\$11.75
	X		X		NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	\$12.25
	X				PMAE4003	UHF Stubby Antenna, 430-470 MHz (9cm)	\$11.25
	X				PMAE4011	UHF Stubby Antenna, 435-480 MHz (10cm)	\$8.00


RADIUS PORTABLE ACCESSORIES

Date 1/27/06

VL50	CP100	BPR 40	CP125	CP150/CP200	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Service Accessories:							
			X		RVN4196	Programming and Tuning Software (CPS) - 3 Year Subscription	\$299.00
			X		RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter Note: Software requires a license agreement and is not intended for resale.	\$199.00
X					H5154	Radio Service Software Package 3.5" Disk Only - 3 Year Subscription Package Used with IBM 100% Compatible, XT, AT or PS/2 Model 30/50 Computer. P1225/P1225-LS/M1225/M1225-LS/GR1225 compatible with Windows 3.1/ Windows 95 & 98. i750/i20R/SP50/GM300 compatible with DOS 5.0 or Hi 1.44 MB 3.5 inch Floppy Disk Drive (FDD). Minimum operation requirements: 80386 or 80486 Microprocessor Computer, IBM or 100% Compatible, 4 MB RAM, HDD (Hard Disk Drive) 80 MB or Higher, Two (2) Serial Ports & One (1) Parallel (printer) Port Note: Software requires a license agreement and is not intended for resale.	\$418.00
				X	RVN5081	BPR 40 CPS Software (CD) - 3 Year Subscription	\$299.00
			X		AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	\$50.00
		X			PMDN4043_R	Programming/Test Cable	\$25.00
			X		DSK001C706	Ribless Programming Cable - provides interface between computer and radio	\$67.00
X			X	X	RLN4008	Radio Interface Box (RIB) Voltage Level Shifter to enable communications between radio and the computer's RS232 communications adapter. Requires the wall mount power serial supply or 10-18 VDC power sources.	\$200.00
X			X	X	0180357A57	120 Volt - Wall Mount Power Supply Supplies power to the RIB. Order power supply for radio separately.	\$24.25
X			X	X	3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	\$52.00
X				X	RLN4460	Test Box for Portables and Mobiles	\$395.00
			X		PMDN4042_R	Battery Eliminator	\$95.00
			X		PMDN4054_R	Grounding Plate	\$26.25
			X		PMDN4040_R	Test Box	\$115.00
			X		PMDN4041_R	RF Adapter	\$21.25
				X	RLN5583	Flash Upgrade Adapter	\$99.75
Manuals:							
X					6804112J99	CP100 User's Manual	\$7.00
	X				6881098C61	Mag One User Guide, English	\$15.00
			X		6881096C38	CP125 Service Manual	\$20.00
				X	6880309N60	CP150/CP200 User's Manual	\$10.00
				X	6880309N61	CP150/CP200 Basic Service Manual	\$12.00

RADIUS PORTABLE ACCESSORIES


Page 9



HLN8255
3" Spring Action
Belt Clip



HLN9985
Waterproof Bag



TDN9327/TDN9373
Portable Radio Hanger




HLN6602
Universal Chestpack

Page 9




HMN9030
Remote Speaker
Microphone


Page 10



HMN9013
Lightweight Single Muff
Adjustable Headset with Swivel
Boom Microphone



HMN9021
Medium Weight Dual Muff
Headset, over-the-head




BDN6647
Medium Weight Single Muff
Headset with Boom Microphone

Page 10



HMN9022
Medium Weight Dual Muff
Headset, behind-the-head



BDN6648
Heavy Duty Headset with Noise
Cancelling Boom Microphone

Page 11




BDN6646
Ear Microphone
with PTT Interface



BDN6720
Flexible Ear Receiver-Earpiece
without Volume Control

Page 11



HMN9036
Earbud with Clip
Microphone & PTT



HLN9132
Earbud

Radius

Section 1 - Page 16

RADIUS PORTABLE

Date 1/9/06

This Page Left Blank Intentionally

RADIUS PORTABLE PRODUCTS

Date 1/9/06

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

S	P	P	P	G	G	S	S	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
1	1	2	3	3	5	5	5			
0	0	0	0	0	0	0	0			
<p>INTRINSICALLY SAFE (FM) - HNN9361, NTN5545 & HNN9701 are rated as Intrinsically Safe for use in Classes I, II and III, Division 1, Groups C, D, E, F and G. HNN8133 is rated as Intrinsically Safe for use in Class I, Division 1, Groups C & D.</p>										
Antennas:										
			X					8505816K22	VHF Heliflex Antenna, Yellow, Molded, 136-150.8 MHz	\$12.25
X	X	X					X	HAD9338_R	VHF Heliflex Antenna, 136-150.8 MHz	\$11.75
	X	X		X	X	X		NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	\$11.75
			X					8505816K21	VHF Heliflex Antenna, Black, Molded, 150.8-162 MHz	\$12.25
			X					8505816K23	VHF Heliflex Antenna, Blue, Molded, 162-174 MHz	\$12.25
	X							HAD9337	VHF Flexible Antenna, Whip-Dip Coated, 162-175 MHz	\$12.25
X		X		X	X	X		HAD9742	VHF Stubby Antenna, 146-162 MHz	\$10.75
		X		X	X	X		HAD9743	VHF Stubby Antenna, 162-174 MHz	\$10.75
		X		X	X			HAD9728	Tunable Antenna Kit, 136-174 MHz	\$11.25
X	X	X		X	X	X		NAE6483_R	UHF Whip Antenna, 403-520 MHz	\$11.75
			X					8505816K24	UHF Heliflex Antenna, Red, Molded, 403-433 MHz	\$12.25
				X				NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	\$12.25
			X	X				8505816K25	UHF Heliflex Antenna, Green, Molded, 450-470 MHz	\$12.25
		X	X		X			8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	\$12.25
X								HAE9001	UHF Stubby Antenna, 462-470 MHz	\$11.25
							X	HLN9087	External Antenna Adapter - BNC Connector	\$9.35
X								HLN8262	External Antenna Adapter (BNC connector)	\$13.00
Batteries:										
X							X	HNN9044_R	NiCd, 550 mAh, 7.5V Battery (SP50+ & SP50 - Compact models only)	\$35.00
							X	HNN9808	NiCd, 600 mAh, 7.5V Slim Battery - Intrinsically Safe (FM)	\$105.00
			X					HNN9361	NiCd, 1000 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$165.00
			X					NTN5545	NiCd, 1000 mAh, 10V Battery - Intrinsically Safe (FM)	\$94.75
X								NTN5451	NiCd, 1100 mAh, 10V Battery	\$62.00
		X						NTN5521	NiCd, 1100 mAh, 10V Battery	\$76.00
		X						HNN8148	NiCd, 1100 mAh, 7.5V Battery	\$85.00
				X				HNN9701	NiCd, 1100 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$135.00
			X					HNN9360	NiCd, 1200 mAh, 7.5V Battery	\$83.00
				X				HNN9628	NiCd, 1200 mAh, 7.5V Battery	\$84.00
					X			HNN9018_R	Ni-Cd, 1200 mAh, 7.5V Battery (Standard models only)	\$45.00
					X			HNN8133	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$115.00
Battery Eliminators:										
				X				HKN8036	Vehicular Battery Eliminator (utilizes battery in vehicle for power)	\$76.50
Battery Maintenance Systems:										
X	X	X	X	X	X	X		WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	\$650.00
							X	NDN4005	Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).	\$499.00
							X	WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	\$2,106.00
X							X	TDN9447	BMS Battery Adapter (for HNN9044 & HNN9018_R batteries)	\$26.00
							X	TDN9437	BMS Battery Adapter (for use with HNN9628 Battery)	\$26.00
							X	RL-71292	Adapter Plate for use with BOS and BOS II	\$85.00
							X	CDN6189	Adapter, 7.5V, 1200 mAh	\$40.00
			X					TDN9441	Adapter, 10V, 550/1000 mAh	\$26.00

RADIUS PORTABLE PRODUCTS

Date 1/9/06

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

S	P	P	P	G	G	S		MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
1	0	1	2	3	3	5	P			
0	0	0	0	0	0	0	0			
Remote Speaker Microphones:										
X								NTN4849	Remote Speaker Microphone with Coil Cord	\$99.50
		X						NMN6145	Remote Speaker Microphone with Belt Clip, Coil Cord & 2.5 mm Earphone Jack	\$120.75
			X					NMN6156	Remote Speaker Microphone with Coil Cord & Clothing Clip (does not have earpiece jack)	\$114.50
X								HMN9051	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip	\$57.75
				X				HMN9031	Remote Speaker Microphone	\$78.75
	X				X	X		HMN9030	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - (Resale Packaging available through RPSD)	\$73.50
Ear Microphones and Accessories:										
		X						BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module	\$198.00
		X						BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module	\$198.00
		X						BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module	\$247.00
			X	X				HMN9047	Ear Microphone with VOX Interface Module (External VOX included) - Intrinsically Safe (FM)	\$550.00
	X			X	X			BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX)	\$524.00
	X			X	X			BDN6646	Ear Microphone with PTT Interface Module	\$461.00
	X	X	X	X	X			0180358B33	Medium Earholder for Ear Microphone System, Black (For securing ear microphone in ear) - Additional sizes & colors available.	\$19.00
		X						0180300E25	Adjustable Earholder (for securing ear microphone in ear)	\$45.75
	X	X	X	X	X			0180300E83	Body Switch Push to Talk for Ear Microphone System	\$159.00
	X	X	X	X	X			0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsically Safe (FM)	\$52.50
Audio Earpieces and Accessories:										
X								NTN5633	Earpiece without Volume Control	\$63.00
X								BDN6774	Earpiece with Microphone (worn over ear with streamlined boom microphone)	\$51.00
X								HMN8433	Earpiece without Volume Control, Beige (single wire - rubber eartip style)	\$34.00
X								HMN9040	Flexible Ear Receiver, Receive Only (flexible earloop and speaker which rests external to ear)	\$35.00
	X	X	X	X	X			BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	\$35.00
	X		X	X				HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD)	\$36.00
	X		X	X				HMN9752	Earpiece with Volume Control (single wire)	\$45.00
			X					RLN4894	Earpiece without Volume Control, Black (single wire)	\$35.00
			X					HMN9042	Earpiece without Volume Control (single wire) - Does not require HLN9482	\$54.00
		X	X					PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	\$54.00
		X	X					RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
		X	X					RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
	X							ZMN6032	2-Wire Surveillance Kit with Microphone & PTT Combined, (requires NTN5075) - Intrinsically Safe (FM)	\$143.00
		X	X					RLN5198AP	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	\$125.00
		X						HMN9044	2 Piece Surveillance Kit with Microphone & PTT Combined (2-wire - rubber eartip style) (GP350 - connects directly to the GP350 - does not require HLN9482)	\$129.00
	X		X	X				HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD)	\$114.00
			X					RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	\$114.00

RADIUS PORTABLE PRODUCTS

Date 1/9/06

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

S	P	P	P	G	G	S	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
1	0	1	0	5	0	5			
0	0	0	0	0	0	0			
Audio Earpieces and Accessories Continued:									
X		X		X	X	X	NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	\$32.00
X		X		X	X	X	NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	\$20.00
X							HMN9004	Earbud (single wire - Receive only)	\$18.00
X							HMN8435	Earbud with Clip Microphone and PTT (2-wire - transmit & receive)	\$40.00
					X		HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	\$40.00
					X		HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	\$21.00
					X		RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	\$340.00
X		X	X	X	X	X	5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	\$47.25
X							7580372E70	Replacement Foam Cushions - Pack of 10 (for use with HMN8435 & HMN9004)	\$8.40
					X		5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	\$29.25
					X		HLN9482	Audio Accessory Adapter	\$17.50
		X			X		HLN8096	Audio Accessory Security Clamp	\$4.00
		X					5880378B84	Jack Adapter - 3.5mm to 2.5mm	\$5.45
Add-On Retrofit Kits:									
X							HLN3987	PL Retrofit Kit (for use with Open Squelch models)	\$55.25
		X			X		HLN3748	DTMF Retrofit for 16 Channel Models (Applicable to shipments after 3/15/92)	\$105.00
Replacement Housing Kits:									
					X		HNN9208	SP50+ - Replacement Housing Kit - 10 Channel - Compact Model	\$63.75
					X		HNN9207	SP50 - Replacement Housing Kit - 10 Channel - Standard Model	\$59.50
Headsets and Accessories:									
					X	X	RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$60.00
X							RLN5580	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$55.00
					X		RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	\$125.00
X							BDN6773	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone	\$53.00
					X		RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	\$105.00
		X	X	X	X		HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD) (GP350 - Intrinsically Safe (FM) - HLN8096 Security Clamp recommended, must be ordered separately)	\$57.00
					X		HMN9046	Lightweight Adjustable Headset with Swivel Boom Microphone (GP350 - Intrinsically Safe (FM) - connects directly to the GP350 - does not require HLN9482)	\$64.00
	X	X	X	X	X		HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB (GP350 - Not Intrinsically Safe (FM) as configured: Audio Accessory with HLN9482 Adapter - requires HLN9482 & GP300 - Not Intrinsically Safe (FM) - HLN8096 Security Clamp is recommended and must be ordered separately)	\$230.00
	X	X	X	X	X		HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB (GP350 - Not Intrinsically Safe (FM) as configured: Audio Accessory with HLN9482 Adapter - requires HLN9482 & GP300 - Not Intrinsically Safe (FM) - HLN8096 Security Clamp is recommended and must be ordered separately)	\$300.00
	X	X	X	X	X		BDN6647	Medium Weight Single Muff Headset with Boom Microphone	\$151.00
	X		X	X	X		BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	\$525.00

RADIUS PORTABLE PRODUCTS

Date 1/9/06

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

S	P	P	P	G	G	S		MANUF.	
P	1	1	2	3	3	5		SUGG.	
0	0	0	0	0	0	0	MODEL	RETAIL	
0	0	0	0	0	0	0	NUMBER	PRICE	
Headsets and Accessories Continued:									
				X	X		RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	\$500.00
					X		RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	\$100.00
					X		RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$225.00
					X		RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	\$330.00
					X		RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$330.00
					X		RKN4094	Adapter Cable with In-Line PTT (for use with RMN4051, RMN4052 & RMN4053 Headsets)	\$184.00
X							BDN6775	External VOX Adapter (for use with BDN6773 or BDN6774)	\$57.00
					X		HLN9133	VOX Adapter Kit (for use with headsets only)	\$62.75
X	X	X	X	X	X		REX4648	Replacement Windscreen (for Boom Microphone) and Foam Ear Pad (SP50+, SP50, P1225 & GP300 - for use with HMN9787 & HMN9013 & GP350 - for use with HMN9013)	\$7.20
	X	X	X	X	X		5080371E66	Replacement Ear Pads for use with BDN6647	\$6.85
	X	X	X	X	X		3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	\$4.05
Carrying Cases:									
	X						HLN9012	Leather Case with Belt Loop	\$53.50
	X						HLN9013	Leather Case with Swivel	\$60.00
		X					NTN5460	Large Leather Case with Belt Loop & D-Rings (for use with shoulder strap)	\$70.00
		X					NTN5461	Large Leather Swivel Case & T-Strap and D-Rings (for shoulder strap - fits 2.25" belt)	\$76.50
X							HLN8252	Leather Case with Belt Clip	\$31.50
			X				HLN9417	Leather Case with Belt Loop and D-Rings (for use with shoulder strap)	\$51.00
			X				HLN9323	Leather Case with Swivel	\$57.00
				X			HLN9873	Standard Leather Case with Swivel and D-Rings (for use with shoulder strap)	\$60.00
				X			HLN9720	Standard Leather Case with Belt Loop and D-Rings (for use with shoulder strap)	\$53.50
					X		HLN9125	Hard Leather Carry Case with Belt Loop - Standard models only	\$35.00
					X		HLN9122	Hard Leather Carry Case with Belt Loop - Compact models only	\$35.00
					X		HLN9129	Hard Leather Carry Case with Swivel (Standard Model size case with spacer included for use with Compact models - Resale Packaging available through RPSD)	\$40.00
					X		HLN9128	DTMF Leather Carry Case with Swivel (Standard Model ships with a spacer for use with Compact models)	\$40.00
X							HLN8253	Nylon Case with Belt Loop	\$26.50
					X		HLN9127	Nylon Carry Case with Belt Loop - Compact models only	\$24.00
			X				HLN9416	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	\$24.00
					X		HLN9126	Nylon Carry Case with Belt Loop - Standard models only (Resale Packaging available through RPSD)	\$24.00
					X		HLN9750	Nylon Case with Belt Loop for 1100-1200 mAh Batteries (Resale Packaging available through RPSD)	\$25.50
	X						HLN8153	Nylon Case	\$24.00
Carrying Cases Accessories:									
X	X	X	X	X	X		HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket	\$38.00
	X			X			HLN9076	Molded Holder with 3" Spring Action Belt Clip	\$25.50
	X			X			HLN9084	Replacement Strap for Molded Holder (HLN9076)	\$7.50
X							4205297G03	T-Strap, Nylon	\$8.00

RADIUS PORTABLE PRODUCTS

Date 1/27/06

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

S	P	P	P	G	G	S	J	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
1	0	1	0	5	0	0	5			
0	0	0	0	0	0	0	0			
Carrying Cases Accessories Continued:										
X		X	X	X	X	X	X	HLN9724	2.5" Belt Clip	\$3.00
			X					NTN4814	2.5" Belt Clip Carry Holder, Black	\$29.50
X								HLN8240_R	2.5" Replacement Belt Clip	\$3.00
			X					NTN5533	3" Belt Clip	\$14.00
X		X		X	X	X	X	HLN8255	3" Spring Action Belt Clip	\$6.00
	X							NTN4865	3.5" Belt Clip, Carry Holder, Urethane	\$25.50
X		X		X	X	X	X	HLN9149_R	Swivel Belt Loop Adapter	\$8.00
	X							4282421J06	2.5" Swivel Belt Loop (for use with Swivel Leather Cases)	\$12.00
			X					NTN8039	2.5" Swivel Belt Loop (for use with Leather Cases)	\$12.00
		X		X				4280483B03	2.5" Replacement Swivel Belt Loop (GP350 - same belt loop used in the HLN9873, HLN8411, HLN9009 & HLN9011 Cases)	\$10.00
		X	X					4205857B01	3" Swivel Belt Loop (for use with Swivel Leather Cases)	\$10.50
			X	X				NTN8040	3" Swivel Belt Loop	\$12.00
			X					4205386S03	Replacement Nylon Strap for Large Cases with Snap	\$11.00
X	X	X	X	X	X	X	X	NTN5243	Shoulder Carry Strap	\$20.00
X		X		X				HLN8414	Chest Pack Carry Holder	\$32.00
		X	X	X	X	X	X	HLN9985	Waterproof Bag, includes large carrying strap	\$36.00
		X	X	X	X	X	X	TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
		X	X	X	X	X	X	TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
Chargers:										
X								NTN4881	Compact, Single Unit, Regular Charge, 117VAC	\$36.50
		X						NTN5538	120 Volt - Single Unit - 1 Hour Rapid Rate Charger	\$77.00
X								HTN9026_R	120 Volt - 3 Hour Desktop Charger	\$51.50
				X				HTN9013	120 Volt - 3 Hour Desktop Charger (SP50 Standard models - Do not recommend use of the Wall Charging Adapter - HTN8232 due to charging time of 18-20 hours)	\$57.75
				X				HTN9067	120 Volt - 6 Unit - 3 Hour Multi-Unit Charger	\$483.00
				X				HTN9014	120 Volt - 10 Hour Desktop Charger (SP50 Standard models-Do not recommend use of the Wall Charging Adapter - HTN8232 due to charging time of 18-20 hours)	\$36.75
X								HLN8371	120V - 10 Hour Desktop Charging Tray (requires use of HTN8232 shipped standard with all radios)	\$18.00
X				X				HTN8232	120 Volt Replacement 10 Hour Charging Adapter (60 Hz) (SP50+ & SP50 - 10 Hours for Compact models & 18-20 Hours for Standard - do not recommend for Standard due to charging time)	\$6.00
	X		X	X				HTN9042	120 Volt Intelli-Charge Rapid Rate Charger (90 Minute Charge Time)	\$57.75
	X		X	X				HTN9702	110 Volt - 10 Hour Standard Rate Charger	\$26.25
		X						NTN4668	117 Volt - 6 Unit, Rapid Charge Rate (1 Hour)	\$625.00
	X		X	X				HTN9060	120 Volt - 6 Unit - 90 Minute Rapid Rate Charger (for use with NiCd & NiMH batteries only)	\$494.00
	X		X	X				HLN9405	120 Volt - 6 Unit Charger Conversion Kit (for use with HTN9042)	\$276.00
X								HLN9113	Desktop Charger Converter Kit (compatible with HLN8371 & HTN9026_R)	\$21.00
	X		X	X				HLN9719	Vehicular Charger Adapter and Bracket (12 volt - for use with the HTN9042 Rapid Rate Charger). A charger base, without the transformer, HTN9886 can be ordered separately through RPSD.	\$52.50
X								HTN9295	Multi-Unit Charger Conversion Kit	\$135.00
	X	X						NLN7967	Wall Mount Kit for Multi-Unit Charger	\$21.00

RADIUS PORTABLE PRODUCTS

Date 1/9/06

SP10™/P100™/P110™/P200™/GP350™/GP300™/SP50+™/SP50™

S	P	F	P	G	G	S	MODEL	MANUF.	
1	0	1	2	3	3	3	NUMBER	SUGG.	
0	0	0	0	0	0	0	DESCRIPTION	RETAIL	
0	0	0	0	0	0	0		PRICE	
Motorola Conditioning Chargers:									
		X		X	X		WPPN4065_R	Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)	\$399.00
						X	WPPN4008_R	Adapter Plate Only (for Conditioning Chargers)	\$15.00
X		X	X	X	X	X	3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	\$7.00
Service Accessories:									
				X			HLN3085	GP350 - DTMF Encode Retrofit Kit (16 channel models only) Intrinsically Safe (FM) radios must be returned to the depot for retrofitting.	\$105.00
					X		HLN3747	GP300 - DTMF Retrofit for 8 Channel Models (only for units manufactured after 3/15/92)	\$105.00
	X		X	X			5885705M02	Remote BNC - RF Adapter (for use with GP350 & GP300 models only)	\$22.26
Replacement Housing Kits:									
				X			HLN3097	GP350 - Replacement Housing Kit - 2 Channel	\$73.50
				X			HLN3098	GP350 - Replacement Housing Kit - 16 Channel	\$73.50
			X				HLN3002	GP300 - Replacement Housing Kit - 2 Channel	\$105.00
			X				HLN3003	GP300 - Replacement Housing Kit - 8 Channel	\$105.00
			X				HLN3169	GP300 - Replacement Housing Kit - 16 Channel	\$102.00

PROFESSIONAL PORTABLE

SUGGESTED RETAIL

ACCESSORIES

DIR650/DIR650	PR400	PR660	HT750/HT1250	EX600/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
INTRINSICALLY SAFE (FM): JMNN4025_R (H236), NTN4852 (Q795/Q869), HNN9010_R (Q390), NTN9857 (Q393), HNN9011_R (H236), NTN9816 (H223) & HNN4002 (QA00051) are rated Intrinsically Safe for use in Division 1, Classes I, II, III, Groups C, D, E, F and G.									
Batteries and Accessories:									
				X			JMNN4025_R	NiMH, 700 mAh, 7.5V Battery - (5 Hour Average Battery Life with 5/5/90 Duty Cycle) - Intrinsically Safe (FM)	\$95.00
		X	X		X		WPNN4045_R	NiMH, 1200 mAh, 7.5V Battery	\$54.00
X							NNTN4852	NiMH, 1300 mAh, 7.5V Battery - Intrinsically Safe (FM) (only comp. with WPLN4138_R & WPLN4161_R)	\$110.00
	X						NNTN4851	NiMH, 1400 mAh, 7.5V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$63.00
		X	X		X		HNN9008_R	NiMH, 1500 mAh, 7.5V Battery (not compatible with LowBand models - Resale Packaging available through RPSD)	\$64.00
					X		NNTN4503_R	NiMH, 1500 mAh, 7.5V Battery - Front Panel Programmable	\$95.00
		X	X		X		HNN9010_R	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$115.00
		X	X		X		HNN9009_R	NiMH, 1900 mAh, 7.5V Battery	\$75.00
						X	NTN9858	NiMH, 1800 mAh, 7.5V Battery	\$121.00
						X	NTN9857	NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$142.00
X							NNTN4496_R	NiCd, 1100 mAh, 7.2V Battery	\$60.00
		X	X		X		HNN9011_R	NiCd, 1200 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$111.00
		X	X		X		HNN9012_R	NiCd, 1300 mAh, 7.5V Battery (Resale Packaging available through RPSD)	\$65.00
						X	NTN9815	NiCd, 1525 mAh, 7.5V Battery	\$100.00
						X	NTN9816	NiCd, 1525 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$121.00
				X			JMNN4023_R	Slim Li-ion, 1000 mAh, 7.5V Battery	\$89.00
X							NNTN4970	Slim Li-ion, 1600 mAh, 7.2V Battery (comp. with WPLN4138_R & WPLN4161_R)	\$105.00
							53963	Li-ion, 1200 mAh, 3.6V Battery	\$45.00
				X			JMNN4024_R	Li-ion, 1300 mAh, 7.5V Battery	\$108.00
X							53964	Li-ion, 1500 mAh, 3.6V Battery	\$70.00
		X	X		X		HNN9013_R	Li-ion, 1500 mAh, 7.5V Battery (Resale Packaging available through RPSD)	\$100.00
X							NNTN4497_R	Li-ion, 2250 mAh, 7.5V Battery (only comp. with WPLN4138_R & WPLN4161_R)	\$85.00
impres™ - Intelligent Motorola Portable Radio Energy System: The impres™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features.									
		X	X		X		HNN4002	IMPRES™, NiMH, 1800 mAh, 7.5V Battery - Intrinsically Safe (FM)	\$125.00
		X	X		X		HNN4001	IMPRES™, NiMH, 1900 mAh, 7.5V Battery	\$82.00
		X	X		X		HNN4003	IMPRES™, Li-ion, 2000 mAh, 7.5V Battery	\$108.00
Carry Cases and Accessories:									
				X			PMLN4421	Soft Leather Case with Fixed Swivel Clip (EX500 models only)	\$20.00
				X			PMLN4521	Soft Leather Case with Fixed Swivel Clip & D-Rings (EX600-XLS models only)	\$24.00
X							RLN5496	Leather DTMF Case with 2.5" Swivel (for use with Full Display models)	\$45.00
X							RLN5641	Leather DTMF Case with 2.5" Swivel (for use with Limited Display models)	\$45.00
X							RLN5497	Leather DTMF Case with 3" Swivel (for use with Full Display models)	\$45.00
X							RLN5642	Leather DTMF Case with 3" Swivel (for use with Limited Display models)	\$45.00
X							RLN5498	Leather DTMF Case with Belt Loop (for use with Full Display models)	\$39.00
X							RLN5640	Leather DTMF Case with Belt Loop (for use with Limited Display models)	\$39.00

PROFESSIONAL PORTABLE

Date 1/9/06

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR860	PR400	PR860	HT750/HT1250	EX500/EX600/XLS	HT1500-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Carry Cases and Accessories continued:									
				X			PMLN4471	Hard Leather Case with Swivel & D-Rings (EX500 models only)	\$38.00
				X			PMLN4520	Hard Leather Case with Swivel Clip & D-Rings (EX600-XLS models only)	\$38.00
	X	X					HLN9665	Leather Case with Belt Loop (HT750 & PR860 - for use with NiMH & NiCd non-impres Batteries & all impres Batteries)	\$51.00
	X						RLN5383	Leather Case with Belt Loop (for use with Non-Display models)	\$39.00
		X	X				HLN9652	Leather Case with Belt Loop (HT750 & PR860 - for use with Li-ion non-impres Batteries)	\$51.00
					X		NNTN4115	Leather Case with High Activity 3" Swivel	\$60.00
					X		NNTN4116	Leather Case with High Activity 2.5" Swivel	\$60.00
					X		NNTN4117	Leather Case with Belt Loop	\$60.00
		X					HLN9689	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with NiMH & NiCd Batteries)	\$51.00
					X		HLN9698	Leather DTMF Case with Belt Loop (for use with NiMH & NiCd Batteries)	\$51.00
					X		HLN9695	Leather DTMF Case with Belt Loop (for use with Li-ion Batteries)	\$51.00
		X					HLN9677	Leather DTMF Case with Belt Loop (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with Li-ion Batteries)	\$51.00
		X					HLN9946	Leather Keypad Case with Belt Loop (Resale Packaging available through RPSD) (HT1250 & HT1250-LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	\$51.00
		X					HLN9945	Leather Keypad Case with Belt Loop (HT1250 & HT1250-LS+ Limited Keypad models - for use with Li-ion Batteries)	\$51.00
X							RLN5384	Leather Case with 2.5" Swivel (for use with Non-Display models)	\$45.00
X							RLN5385	Leather Case with 3" Swivel (for use with Non-Display models)	\$45.00
	X	X					HLN9676	Leather Case with Swivel (Resale Packaging available through RPSD) (HT750 & PR860 - for use with NiMH & NiCd non-impres Batteries & all impres Batteries)	\$59.00
		X					HLN9998	Leather Keypad Case with Swivel (HT1250 & HT1250-LS+ Limited Keypad models - for use with NiMH & NiCd Batteries)	\$59.00
		X					HLN9955	Leather Keypad Case with Swivel (HT1250 & HT1250-LS+ Limited Keypad models - for use with Li-ion Batteries)	\$59.00
	X	X					HLN9670	Leather Case with Swivel (HT750 & PR860 - for use with Li-ion non-impres Batteries)	\$59.00
		X					HLN9690	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with Li-ion Batteries)	\$59.00
		X					HLN9694	Leather DTMF Case with Swivel (HT750 Keypad & all HT1250 & HT1250-LS+ models - for use with NiMH & NiCd Batteries)	\$59.00
					X		HLN9700	Leather DTMF Case with Swivel (for use with NiMH & NiCd Batteries)	\$59.00
					X		HLN9699	Leather DTMF Case with Swivel (for use with Li-ion Batteries)	\$59.00
	X	X					RLN5213	Leather Case (Accommodates radio adapter with Bluetooth™ Wireless Technology and adapter capable battery - for use with NiMH Batteries)	\$59.00
				X			PMLN4470	Nylon Case with Belt Loop & D-Rings (EX500 models only)	\$24.00
X	X	X		X			HLN9701	Nylon Case with Belt Loop (Resale Packaging available through RPSD)	\$24.00

PROFESSIONAL PORTABLE

Date 1/9/06

SUGGESTED RETAIL

ACCESSORIES

DTR550/DT860	PR400	PR860	HT150/HT1250	EX650/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Carry Cases and Accessories continued:									
	X	X		X			RLN4815	Universal RadioPAK™ & Utility Case	\$45.00
	X	X		X			4280384F89	Universal RadioPAK™ Belt Lengthener, waist larger 40"	\$5.00
				X			JMZN4023	Plastic Holster with Swivel Belt Clip	\$10.00
X							RLN5644	2" Spring Action Belt Clip	\$6.00
	X	X					HLN9714	2.5" Spring Action Belt Clip	\$11.00
X							HLN8255	3" Spring Action Belt Clip	\$6.00
	X				X		HLN9844	2" Spring Belt Clip	\$11.50
					X		HLN6853	2.25" Spring Action Belt Clip	\$11.50
X							53961	Swivel Belt Holster	\$13.00
	X	X	X		X		HLN6602	Universal Chest Pack with Radio Holder, Pen Holder & Velcro Secured Pocket (HT750, HT1250, HT1250-LS+ & HT1550-XLS - not compatible with UHF models)	\$38.00
	X		X				RLN4570	Break-Away Chest Pack	\$54.25
	X	X	X				TDN9327	Portable Radio Hanger - for door panels up to 2.75" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
	X	X	X				TDN9373	Portable Radio Hanger - for door panels from 2.75" to 3.25" (slides over and hangs from the door panel in vehicle). Radio Belt Clip is required for use.	\$18.00
	X	X	X	X	X		HLN9985	Waterproof Bag, includes large carrying strap	\$36.00
X	X	X	X	X	X		NTN5243	Shoulder Strap (for use with Cases with D-Rings)	\$20.00
impres™ - Intelligent Motorola Portable Radio Energy System Chargers:									
The impres™ smart energy system ensures maximum talk-time and optimized battery cycle life through the use of its advanced charging technology and automatic reconditioning features, when used with impres™ batteries.									
	X	X	X	X			WPLN4182	impres™ Single Unit Charger	\$62.50
	X	X		X			WPLN4187	impres™ Multi Unit Charger	\$495.00
	X	X		X			WPLN4192	impres™ Multi Unit Charger with Display Modules - displays real-time for impres™ batteries - mAh, % capacity, time remaining to rapid charge complete (NiCd/NiMH batteries), battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	\$650.00
					X		WPLN4130	impres™ Multi Unit Charger with Display Modules - displays real-time for impres™ batteries - mAh, % capacity, time remaining to rapid charge complete (NiCd/NiMH batteries), battery s/n, charge status, voltage, kit number, expected full charge capacity & more.	\$1,350.00
	X	X		X	X		RLN5382	impres™ Charger Display Module - retrofitable on impres™ Multi Unit Chargers	\$95.00
					X		WPLN4111_R	impres™ Charger	\$165.00
					X		WPLN4108_R	impres™ Multi Unit Charger	\$788.00
Chargers and Accessories:									
X							NNTN4841	3 Hour Charger	\$25.00
X							53969	Rapid Charger, 1 Hour	\$30.00
X							53962	Drop In Charging Tray	\$27.95
X							53960	Multi-Unit Charger	\$200.00
	X	X	X	X			AAHTN3000	120 Volt - Single Unit Rapid Rate Charger	\$56.75
	X						WPLN4138_R	120 Volt - 90 Minute Rapid Rate Charger	\$57.75
	X						WPLN4155_R	120 Volt - 10 Hour Desktop Charger (for use with NNTN4496_R NiCd battery only)	\$27.00
					X		NTN1667	110V Single Unit Universal Tri-Chemistry Charger	\$100.00
X					X		WPLN4161_R	120 Volt - 6 Unit Rapid Rate Charger	\$450.00
					X		NTN1177	110 Volt Rapid Multi-Unit Charger (for use with Ni-Cd & NiMH batteries only)	\$788.00

PROFESSIONAL PORTABLE

Date 1/9/06

SUGGESTED RETAIL

ACCESSORIES

DTF550/DTR650	PR400	PR860	HT750/HT1250	EX500/EX860/XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Chargers and Accessories continued:									
	X	X	X	X	X		NLN7967	Wall Mount Kit for Multi-Unit Charger	\$21.00
	X	X	X	X	X		WPLN4124_R	Battery Optimizing System II (BOS II) - 90-240 Volt AC, 50/60 Hz, 4 Station Reconditioner. Provides powerful analyzing and reconditioning features. Includes 12 resident programs, a QuickTest™ diagnostic battery state of health program, programmable adapter plates, and much more. Supports NiCd, NiMH, Li-ion and SLA batteries.	\$2,106.00
	X	X		X			RL-76345	Adapter Plate BOS I	\$115.00
				X			RL-77255	Adapter Plate for use with BOS and BOS II	\$115.00
	X	X		X			HLN9793	Charger Insert Spacer - Compatible with "A" version chargers ONLY	\$6.30
	X	X		X			HLN9794	Charger Insert Spacer - Compatible with "B", "C" & "D" version chargers ONLY	\$6.30
	X	X		X			RLN5233	Hard Wire Vehicular Charger (no Pac-RT functionality)	\$270.00
	X	X		X			RLN4883	Travel Charger (includes voltage regulated lighter adapter,	\$89.25
Battery Maintenance Systems (BMS):									
	X	X		X			NDN4005	Battery Maintenance System (BMS) - 110 Volt AC, 50/60 Hz - Three Station Reconditioner. Supports NiCd and NiMH batteries (adapters sold separately).	\$499.00
	X	X	X	X			WPLN4079_R	Battery Maintenance System Plus (BMS+) - 110 Volt AC, 50/60 Hz - Six Station Reconditioner. Using interchangeable adapter plates (sold separately), the BMS+ is capable of charging and discharging, analyzing, conditioning, cycle testing, and more. Supports NiCd, NiMH and Li-ion battery chemistries.	\$650.00
	X	X		X			WPPN4079_R	BMS Battery Adapter (for use with NiCd & NiMH batteries)	\$80.00
				X			WPPN4096_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	\$120.00
	X	X		X			WPPN4080_R	BMS Battery Adapter (for use with NiCd, NiMH & Li-ion batteries)	\$120.00
Conditioning Chargers and Accessories:									
	X	X		X			WPLN4107_R	Motorola Conditioning Charger - Single Unit - includes charger base, removable adapter plate and transformer, 1-2 hour rapid charge.	\$70.00
	X	X		X			WPPN4065_R	Motorola Conditioning Charger - Four-Station - 110 Volt, Base only, requires adapter plates (sold separately)	\$399.00
	X	X		X			WPPN4082_R	Adapter Plate Only (for use with Motorola Conditioning Chargers)	\$15.00
	X	X		X			RLN4814	Vehicular Mounting Bracket - includes hard wire cable with In-Line fuse for use with single unit Motorola Conditioning Chargers	\$35.00
	X	X		X			3080384G15	Cigarette Lighter Adapter for Single & Multi Unit Motorola Conditioning Chargers	\$7.00
Vehicular Chargers/Adapters & Accessories:									
	X	X		X			AAEN1006	Vehicular Adapter - VHF (136-174 MHz) provides tri-chemistry charging, supports external speaker, includes microphone and can be used with an external mobile antenna (3dB gain antenna is recommended).	\$405.00
	X	X		X			AAEN1007	Vehicular Adapter - UHF (403-470 MHz) provides tri-chemistry charging, supports external speaker, includes microphone and can be used with an external mobile antenna (3dB gain antenna is recommended).	\$405.00
X							NNTN6343	Vehicular Battery Charger	\$25.00
				X			NTN9176	Vehicular Charger	\$390.00
	X	X		X			ENKN4002	Programming Cable for VHF & UHF Vehicular Adapters (required when using external speaker and/or with LS radios)	\$143.00
	X	X		X			GSN6059	13 Watt External Speaker	\$71.50
	X	X		X			GKN6270	Power Cable with 10A Fuse	\$25.00

PROFESSIONAL PORTABLE

Date 1/9/06

SUGGESTED RETAIL

ACCESSORIES

DIR350/DIR650	PR400	PR860	HT750/HT1260	EX600/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
General Accessories:									
	X	X	X	X			RLN4890	Assistive Turning Knobs	\$15.75
		X		X			HLN9820	Accessory Dust Cover	\$6.60
			X				JMLN4638	Accessory Dust Cover	\$6.00
			X				PMLN4455	Audio Accessory Adapter (this allows use of the HT1000 3.5mm audio accessories as noted within the price pages) - Intrinsically Safe (FM)	\$43.50
				X			BDN6676	3.5mm Jack Adapter with Quick Disconnect Latch - for use with 1, 2 & 3-wire earpiece and lightweight headset accessories - Intrinsically Safe (FM)	\$52.50
				X			NTN7660	Tilt/Man Down Switch	\$165.00
				X			BDN6673	Headset Adapter Cable - Intrinsically Safe (FM)	\$230.00
				X			NTN8613	Keyload Adapter	\$89.25
X							RLN5500	Accessory Retainer Clip	\$10.75
Headsets and Accessories:									
X							BDN6773	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone	\$53.00
		X	X		X		AARMN4018	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	\$100.00
		X	X		X		AARMN4031	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone - Intrinsically Safe (FM)	\$65.00
				X	X		NMN6245	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line Push-to-Talk Switch (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$149.00
				X			JMMN4066	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	\$115.00
				X			NMN1020	Lightweight Helmet Worn Headset (requires BDN6676) - Intrinsically Safe (FM)	\$329.00
X							HMN9013	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone (Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$57.00
X							RMN4016	Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone and In-Line PTT - Intrinsically Safe (FM)	\$105.00
X							RLN5238	NFL Style Lightweight Single Muff Headset with In-Line PTT	\$125.00
			X				RLN5590	Lightweight Headset with Boom Microphone (EX500 models only)	\$80.00
			X	X			NMN6246	Ultra-Light Headset with Boom Microphone and In-Line Push-to-Talk, Earbud Style Receiver (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$129.00
X							RLN5580	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$55.00
		X	X		X		ENMN4012	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone - Intrinsically Safe (FM)	\$110.00
		X	X		X		AARMN4017	Ultra-Light Headset with Boom Microphone, Earbud Style Receiver - Intrinsically Safe (FM)	\$55.00
X							RLN5411	Ultra-Light Headset, behind-the-head with In-Line PTT and Boom Microphone	\$60.00
	X	X		X			ENMN4016	Medium Duty Headset, behind-the-head, with In-Line PTT & Noise Cancelling Boom Microphone, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$270.00
	X	X		X			AARMN4019	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone & In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$265.00

PROFESSIONAL PORTABLE

Date 1/9/06

SUGGESTED RETAIL

ACCESSORIES

DTK350/DTR650	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Headsets and Accessories continued:									
	X	X		X			AARMN4032	Medium Weight over-the-head Dual Muff Headset with Noise Cancelling Microphone - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$240.00
						X	NMN6258	Medium Weight Headset, Over-the-Head, with In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$389.00
						X	NMN6259	Medium Duty Headset, Behind-the-Head, with In-Line PTT - Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$425.00
X							HMN9022	Medium Weight Dual Muff Headset, behind-the-head (can be worn with hardhat), Noise Reduction Rating = 24dB	\$300.00
X							HMN9021	Medium Weight Dual Muff Headset, over-the-head, Noise Reduction Rating = 24dB	\$230.00
X							BDN6647	Medium Weight Single Muff Headset with Boom Microphone (PR400 - Intrinsically Safe (FM))	\$151.00
X							BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone, behind-the-head (can be worn with hardhat) - Noise Reduction Rating = 24dB	\$525.00
				X	X		BDN6645	Heavy Duty Noise Cancelling Boom Microphone Headset with PTT on Earcup - (requires separate adapter cable) - Noise Reduction Rating = 24dB (EX500 & EX600-XLS - requires RKN4093) (PR1500 - requires BDN6673 - Intrinsically Safe (FM))	\$439.00
				X	X		BDN6635	Heavy Duty Noise Cancelling Boom Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600-XLS - requires RKN4093) (PR1500 - requires BDN6673)	\$906.00
				X	X		BDN6636	Heavy Duty Noise Cancelling Throat Microphone Headset with VOX - Noise Reduction Rating = 24dB (EX500 & EX600-XLS - requires RKN4093) (PR1500 - requires BDN6673 - Intrinsically Safe (FM))	\$857.00
X	X						RMN5047	NFL Style Heavy Duty Headset (HT750, HT1250 & PR860 - requires AAHLN9716 Adapter)	\$225.00
X	X	X	X	X			RMN5015	Racing Headset - Same headset worn by pit crews on the CART racing circuit. Heavy Duty, behind-the-head (can be worn with hardhat) Headset with Noise Cancelling Swivel Boom Microphone. Noise Reduction Rating = 24dB (adapter cable required and sold separately)	\$500.00
				X			RKN4093	Adapter Cable (use with RMN5015, BDN6645, BDN6635 & BDN6636 headsets)	\$105.00
X							RKN4090	Adapter Cable for Racing Headset (for use with RMN5015)	\$100.00
X	X			X			RKN4091	Adapter Cable for Racing Headset (for use with RMN5015)	\$140.00
						X	RMN5049	Rugged Temple Transducer Headset - features a noise cancelling boom microphone and In-Line PTT	\$410.00
	X	X		X			RMN4048	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	\$175.00
						X	RMN4049	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	\$225.00
				X			PMLN4585	Temple Transducer - Receive audio without covering the ear; behind-the-head style headset allows user to receive audio through the temples. Headset features a noise cancelling boom microphone and In-Line PTT - Intrinsically Safe (FM)	\$175.00
X	X			X			RMN5048	Rugged Temple Transducer - Fully adjustable over-the-head style headset allows user to receive audio through the temples. Headset comes with a larger In-Line PTT and a larger noise canceling boom microphone than the standard model - Intrinsically Safe (FM)	\$340.00

PROFESSIONAL PORTABLE

Date 1/9/06

SUGGESTED RETAIL

ACCESSORIES

				MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Headsets and Accessories continued:						
	X	X	X	AARMN4020	Push-to-Talk or (VOX) Voice Activated Heavy Duty Dual Muff Headset with Noise Cancelling Microphone and PTT on Earcup, Noise Reduction Rating = 24dB - Intrinsically Safe (FM)	\$525.00
	X	X	X	RMN4051	2-Way Hard-Hat Mount Headset, Black - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$225.00
	X	X	X	RMN4052	Tactical Headband-Style Headset, Gray - Noise Reduction Rating = 24dB (requires RKN4097 or RKN4094)	\$330.00
	X	X	X	RMN4053	Tactical Hard-Hat Mount Headset, Gray - Noise Reduction Rating = 22dB (requires RKN4097 or RKN4094)	\$330.00
	X	X	X	RKN4097	In-Line PTT Adapter Cable (for use w/RMN4051, RMN4052 & RMN4053 Headsets)	\$199.00
X				REX4648	Replacement Windscreen (for use with Boom Microphone) and Foam Ear Pad	\$7.20
X				3580371E59	Replacement Windscreen (for use with Boom Microphone) for use with BDN6647	\$4.05
X				5080371E66	Replacement Ear Pads for use with BDN6647	\$6.85
Earpieces:						
X				RLN4895	2 Piece Surveillance Kit, with Microphone and PTT Combined, Black (2-wire - rubber eartip style)	\$114.00
X				HMN9754	2 Piece Surveillance Kit, with Microphone and PTT Combined, Beige (2-wire - rubber eartip style - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$114.00
	X	X	X	RLN5315	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$108.00
	X	X	X	RLN5316	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$108.00
X				RLN5318	2-Wire Comfort Earpiece with Combined Microphone and PTT, Black Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
X				RLN5317	2-Wire Comfort Earpiece with Combined Microphone and PTT, Beige Surveillance Kits with Extended-Wear Comfort Earpieces include a Low Noise enhancement (NTN8371) already attached for extra comfort and convenience.	\$120.00
	X	X	X	AARMN4029	2-Wire Surveillance Kit with Microphone & PTT Combined, Black - Intrinsically Safe (FM)	\$100.00
	X	X	X	AARMN4022	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige - Intrinsically Safe (FM) - (Resale Packaging available through RPSD)	\$100.00
X				RLN5198AP	2-Wire Surveillance Kit with Clear Comfortable Acoustic Tube, Beige (Resale Packaged)	\$125.00
		X	X	BDN6729	2-Wire Surveillance Kit with Microphone and PTT Combined, Black (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$114.00
		X	X	BDN6667	2-Wire Surveillance Kit with Microphone and PTT Combined, Beige (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6673 - Intrinsically Safe (FM))	\$114.00

PROFESSIONAL PORTABLE

Date 1/9/06

SUGGESTED RETAIL

ACCESSORIES

DT1350/DT1360	PR400	PR860	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Earpieces continued:									
			X	X			BDN6731	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$118.00
			X	X			BDN6669	2-Wire Surveillance Kit with Microphone and PTT Combined with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$118.00
				X			ZMN6032	2-Wire Surveillance Kit with Microphone & PTT Combined, Beige (PR1500 - requires NTN8613 adapter)	\$143.00
				X			ZMN6038	2-Wire Surveillance Kit with Microphone and PTT Combined, Beige (PR1500 - requires NTN8613 adapter - exceeds OSHA limits - Extra Loud)	\$149.00
	X	X		X			ENMN4014	3-Wire Surveillance Kit with Microphone & PTT Separate, Black - Intrinsicly Safe (FM)	\$165.00
	X	X		X			ENMN4017	3-Wire Surveillance Kit with Microphone & PTT Separate, Beige - Intrinsicly Safe (FM)	\$165.00
				X			ZMN6031	3-Wire Surveillance Kit with Microphone & PTT Combined, Beige (PR1500 - requires NTN8613 adapter)	\$177.00
				X			ZMN6039	3-Wire Surveillance Kit with Microphone & PTT Combined, Beige (PR1500 - requires NTN8613 adapter - exceeds OSHA limits - Extra Loud)	\$190.00
			X	X			BDN6730	3-Wire Surveillance Kit with Microphone and PTT Separate, Black (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$150.00
			X	X			BDN6668	3-Wire Surveillance Kit with Microphone and PTT Separate, Beige (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$150.00
			X	X			BDN6732	3-Wire Surveillance Kit with Microphone & PTT Separate with Extra Loud Earphone, Black (exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$135.00
			X	X			BDN6670	3-Wire Surveillance Kit with Microphone and PTT Separate with Extra Loud Earphone, Beige (exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$135.00
			X	X			BDN6726	Receive-Only Surveillance Kit, Black (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$40.00
			X	X			BDN6664	Receive-Only Surveillance Kit, Beige (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$40.00
			X	X			BDN6727	Receive-Only Surveillance Kit with Extra Loud Earphone, Black (single wire, exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$42.00
			X	X			BDN6665	Receive-Only Surveillance Kit with Extra Loud Earphone, Beige (single wire, exceeds OSHA limits) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM)) (PR1500 - requires BDN6676 - Intrinsicly Safe (FM))	\$42.00

PROFESSIONAL PORTABLE

ACCESSORIES

DTX550D TR660	PR400	PR860	HT750HT1250	EX500EX600XLS	HT1550XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Earpieces continued:									
			X	X			BDN6728	Receive-Only Surveillance Kit with Volume Control, Black (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$53.00
				X	X		BDN6666	Receive-Only Surveillance Kit with Volume Control, Beige (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$53.00
X							BDN6774	Earpiece with Microphone (worn over ear with streamlined boom microphone)	\$51.00
X							56517	Earpiece with In-Line PTT & Microphone	\$25.00
X							56518	Earpiece with Boom Microphone	\$25.00
	X						HMN9752	Earpiece with Volume Control (single wire) (PR400 - Intrinsically Safe (FM))	\$45.00
	X						HMN9727	Earpiece without Volume Control, Beige (single wire - Resale Packaging available through RPSD) (PR400 - Intrinsically Safe (FM))	\$36.00
	X						RLN4894	Earpiece without Volume Control, Black (single wire)	\$35.00
	X						PMMN4001	Ultra-Light Earpiece with Boom Microphone and In-Line PTT	\$54.00
X							HLN9132	Earbud (single wire - Receive only - not recommended for use with PL codes above 225 Hz)	\$21.00
X							HMN9004	Earbud (single wire - Receive only)	\$18.00
X							HMN8435	Earbud with Clip Microphone and PTT (2-wire - transmit & receive)	\$40.00
			X				PMLN4519	Earbud with Clip Microphone and PTT, Transmit and Receive - (2-wire - Intrinsically Safe (FM))	\$85.00
				X	X		BDN6781	Earbud, Receive Only (single wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$27.00
				X	X		BDN6780	Earbud with Clip Microphone and PTT Combined, Transmit & Receive (2-wire) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsically Safe (FM)) (PR1500 - requires BDN6676 - Intrinsically Safe (FM))	\$67.00
	X						HMN9036	Earbud with Clip Microphone and PTT, Transmit & Receive (2-wire - not recommended for use with PL codes above 225 Hz - Resale Packaging is also available through RPSD)	\$40.00
	X	X	X				AARLN4885	Receive-Only Foam Earbud with 3.5mm plug - (for use with AAHMN9053, AAHMN9054 & AAHMN9057) - Intrinsically Safe (FM)	\$25.00
	X	X	X				AARMN4021	Receive-Only Earpiece without Volume Control, Beige - Intrinsically Safe (FM)	\$40.00
	X	X	X				AARMN4028	Receive-Only Earpiece without Volume Control, Black - Intrinsically Safe (FM) (Resale Packaging available through RPSD)	\$40.00
	X	X	X				RLN4941	Receive-Only Earpiece with translucent tube, rubber eartip and 3.5mm plug (for use with AAHMN9053, AAHMN9054 & AAHMN9057)	\$58.00
	X	X	X	X	X		RLN4922	Completely Discreet Earpiece Kit - must be used with any standard 2 or 3-wire surveillance kit	\$340.00
X	X	X	X	X			NTN8370	Extreme Noise Earpiece Adapter Kit, Noise Reduction Rating = 24dB - (for use with surveillance accessories)	\$32.00
X	X	X	X	X			NTN8371	Low Noise Earpiece Adapter Kit - (for use with surveillance accessories - clear comfortable earpieces can be added for extra comfort - must be ordered separately through RPSD)	\$20.00
X	X	X	X	X			5080370E97	Replacement Rubber Eartips, Clear - Pack of 25 (for use with NTN8371)	\$29.25
X	X	X	X	X			5080384F72	Replacement Foam Plugs-Pack of 50 (for use with NTN8370), Noise Reduction Rating = 24dB	\$47.25

Date 1/9/06

PROFESSIONAL PORTABLE

ACCESSORIES

SUGGESTED RETAIL

DTK350D TR650	PR400	PR660	HT750/HT1250	EX500/EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Earpieces continued:									
				X			PMLN4393	Flexible Ear Receiver with 2.5mm Plug (for use with Remote Speaker Microphone JMMN4073) - contains a flexible earloop and speaker that rests external to the ear	\$35.50
		X	X		X		ENMN4013	Flexible Ear Receiver (flexible earloop & speaker that rests external to the ear) - Intrinsicly Safe (FM)	\$60.00
		X	X		X		WADN4190	Flexible Ear Receiver to be used with the Remote Speaker Microphone or Public Safety Microphone - Intrinsicly Safe (FM)	\$43.00
				X			BDN6719	Flexible Ear Receiver, Black - Earpiece without Volume Control - (flexible earloop & speaker that rests external to the ear) (EX500 & EX600-XLS - requires PMLN4455 - Intrinsicly Safe (FM))	\$35.00
X							BDN6720	Flexible Ear Receiver, Black - Earpiece without Volume Control (flexible earloop & speaker that rests external to ear - Resale Packaging through RPSD)	\$35.00
X	X	X	X	X	X		RLN4760	Small Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X	X	X	X		RLN4761	Medium Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X	X	X	X		RLN4762	Large Custom Earpiece, Right Ear (for use with NTN8371)	\$20.50
X	X	X	X	X	X		RLN4763	Small Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	X	X	X	X		RLN4764	Medium Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
X	X	X	X	X	X		RLN4765	Large Custom Earpiece, Left Ear (for use with NTN8371)	\$20.50
Microphones:									
X							HMN9051	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip	\$57.75
		X	X		X		AAHMN9052	Remote Speaker Microphone with Coiled Cord & Swivel Clothing Clip - Intrinsicly Safe (FM) - (Resale Packaging available through RPSD)	\$66.25
		X	X		X		HKN9055	Remote Speaker Microphone Replacement Cable	\$40.00
					X		JMMN4073	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - Intrinsicly Safe (FM)	\$85.00
X							HMN9030	Remote Speaker Microphone with Coiled Cord and Swivel Clothing Clip - (Resale Packaging available through RPSD) (PR400 - Intrinsicly Safe (FM))	\$73.50
		X	X		X		RMN5055	Heavy Duty Remote Speaker Microphone with 3.5mm Audio Jack	\$110.00
					X		NMN6193	Remote Speaker Microphone with coiled cord, swivel clothing clip and 3.5mm audio jack - Intrinsicly Safe (FM)	\$87.25
					X		RMN5038	Remote Speaker Microphone with Emergency Button - Intrinsicly Safe (FM)	\$120.00
Ear Microphones and Accessories:									
		X	X		X		AAHMN9053	Noise Cancelling Remote Speaker Microphone with Coiled Cord, Swivel Clothing Clip & 3.5mm Audio Jack - Intrinsicly Safe (FM) - (Resale Packaging available through RPSD)	\$72.50
					X		NMN6191	Noise Cancelling Remote Speaker Microphone with coiled cord, swivel clothing clip & 3.5 mm audio jack - Intrinsicly Safe (FM)	\$96.75
		X	X		X		AAHMN9057	VHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch and Antenna (148-174 MHz Only) - Intrinsicly Safe (FM)	\$86.25
		X	X		X		AAHMN9054	UHF Public Safety Speaker Microphone with 3.5mm Audio Jack, Volume Switch & Antenna (450-470 MHz Only) - Intrinsicly Safe (FM)	\$86.25
		X	X		X	X	BDN6677	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module - Intrinsicly Safe (FM)	\$198.00

PROFESSIONAL PORTABLE

ACCESSORIES

HT1550D-TR650	PR400	PR869	HT150HT1250	EX500EX600-XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Ear Microphones and Accessories continued:									
	X	X		X	X		BDN6678	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module - Intrinsicly Safe (FM)	\$198.00
		X	X		X		BDN6641	Ear Microphone, Gray (for high noise levels up to 105dB) - requires Interface Module - Intrinsicly Safe (FM)	\$247.00
	X						BDN6646	Ear Microphone with PTT Interface Module (PR400 - Intrinsicly Safe (FM))	\$461.00
	X						BDN6706	Ear Microphone with PTT & VOX Interface Module (External VOX included-selectable switch for PTT or VOX) (PR400 - Intrinsicly Safe (FM))	\$524.00
					X		BDN6768	Ear Microphone, Black (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600-XLS - Intrinsicly Safe (FM))	\$198.00
					X		BDN6769	Ear Microphone, Beige (for noise levels up to 95dB) - requires Interface Module (EX500 & EX600-XLS - Intrinsicly Safe (FM))	\$198.00
					X		BDN6770	Ear Microphone, Gray (for high noise levels up to 105dB) - req. Interface Module (EX500 & EX600-XLS - Intrinsicly Safe (FM))	\$247.00
			X				JMMN4064	Interface Module for PTT or VOX Operation - Intrinsicly Safe (FM)	\$347.00
	X	X		X			AARMN4044	Interface Module for PTT Operation Only - Intrinsicly Safe (FM)	\$284.00
	X	X		X			AARMN4045	Interface Module for PTT or VOX Operation - Intrinsicly Safe (FM)	\$347.00
	X	X	X	X	X		0180358B38	Finger Push to Talk Switch for Ear Microphone System - Intrinsicly Safe (FM)	\$52.50
	X	X	X	X	X		0180300E83	Body Switch Push to Talk for Ear Microphone System - Intrinsicly Safe (FM)	\$159.00
					X		BDN6708	Ear Microphone Interface Module, PTT Operation Only - Intrinsicly Safe (FM)	\$284.00
					X		BDN6671	Ear Microphone Interface Module with Selectable Switch for PTT or VOX Operation - Intrinsicly Safe (FM)	\$347.00
CommPort: Integrated Microphone/Receiver:									
CommPort Integrated Microphone/Receiver System is a communication device that is intelligible in high noise levels up to 100dB. This device's acoustic technology does not rely on bone conduction for communication.									
	X	X		X			NTN1722	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsicly Safe (FM)	\$344.00
	X	X		X			NTN1723	Integrated Ear Microphone & Receiver System with Palm PTT - Intrinsicly Safe (FM)	\$370.00
	X	X		X			NTN1724	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsicly Safe (FM)	\$370.00
	X	X		X			NTN1737	Integrated Ear Microphone & Receiver with Snap-on-Side PTT - Intrinsicly Safe (FM)	\$378.00
	X	X		X			NNTN4187	Integrated Microphone Receiver with Remote Push-to-Talk Body Switch - Intrinsicly Safe (FM)	\$485.00
					X		NTN1624	Integrated Ear Microphone & Receiver System with Palm PTT - Intrinsicly Safe (FM)	\$370.00
					X		NTN1625	Integrated Ear Microphone & Receiver System with PTT on Radio Adapter - Intrinsicly Safe (FM)	\$344.00
					X		NTN1663	Integrated Ear Microphone & Receiver System with Ring PTT - Intrinsicly Safe (FM)	\$370.00
					X		NTN1736	Integrated Ear Microphone / Receiver with Snap-on-Side PTT - Intrinsicly Safe (FM)	\$378.00
	X	X		X			NKN6510	Replacement Palm PTT Cable for NTN1624 & NTN1723	\$53.00
	X	X		X	X		NKN6512	Replacement Ring PTT Cable for NTN1663 & NTN1724	\$60.25
	X	X		X	X		NKN6508	Replacement Cable for NTN1722 & NTN1625	\$34.50
	X	X		X	X		NKN6525	Replacement Snap-on-Side PTT Cable for NTN1736 & NTN1737	\$75.00

PROFESSIONAL PORTABLE

Date 1/27/06

SUGGESTED RETAIL

ACCESSORIES

DTR550/DTR650	PR400	PR300	HT750/HT1250	EX500/EX600/XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
CommPort: Integrated Microphone/Receiver continued:									
	X	X		X			AAHLN9717	Replacement Audio Adapter with 3.5mm jack for CommPort Integrated Microphone Receiver System	\$52.50
		X	X		X		NNTN4188	Replacement Remote PTT Body Switch	\$180.00
		X	X		X		NTN8821	CommPort Maintenance Kit - includes Replacement Ear Tubes (qty 10), Windscreens (qty 2) and Microphone Seal Strips (qty 10)	\$46.00
		X	X		X		NTN8986	Adhesive Pads (qty 90) for secure attachment to the ear	\$23.00
		X	X		X		NTN8988	Ear Straps (qty 10) for secure attachment to the ear	\$17.25
Mag One Audio Accessories:									
	X						PMLN4442	Mag One Earbud with MIC/PTT/VOX Switch	\$18.00
	X						PMLN4443_B	Mag One Ear Receiver with MIC/PTT/VOX Switch	\$20.00
	X						PMLN4444	Mag One Earset Boom Microphone with PTT/VOX	\$26.00
	X						PMLN4445	Mag One Headset with PTT/VOX Switch	\$30.00
	X						PMMN4008	Mag One Remote Speaker Microphone	\$31.00
Call Boxes:									
Allows for integration into most existing radio systems and provides direct access to personnel connected to the system. Allows for expansion of security coverage and can help improve response time without the need for additional personnel. Includes a voice instruction message for the user, automatic call box ID and user location identifiers, a courtesy light, easy push-to-talk operation, a silent tamper alert broadcast to security, low battery alert, 40-day standby battery capacity, one 12-volt, 12 amp/hour rechargeable battery, call box keys and tamper resistant screw bits. Pricing does not include radio or installation.									
A106.5 Call Boxes - Freestanding. Solar or AC/DC power. The .090 thick, white powder-coated aluminum box measures 6.5" H x 10" W x 5" D. Includes antenna and choice of reflective vinyl message decal.									
	X	X	X	X	X	X	RRDN4588	Solar Powered	\$1,999.00
	X	X	X	X	X	X	RRDN4589	AC/DC Powered	\$1,969.00
A144 Call Boxes - Flexibility. Can be wall or pole mounted for convenient accessibility. The .090 thick, white, powder-coated aluminum enclosure measures 4' H x 14" W x 7.5" D. Includes a 6-watt locator LED that converts to a strobe light when callbox is activated. Comes standard with a 10-watt solar panel and choice of large reflective vinyl message decal.									
	X	X	X	X	X	X	RRDN4590	Solar Powered	\$2,995.00
	X	X	X	X	X	X	RRDN4591	AC/DC Powered	\$2,895.00
A1 Call Boxes - Field programmable. Mounts on a wall, or on a PVC or aluminum stanchion. Solar or AC/DC power. The .090 thick aluminum enclosure with white powder coat measures 13"H x 9.5"W x 6.5"D. Provides protection against dust and falling rain. For indoor and outdoor use. Includes antenna and set of small reflective decals.									
	X	X	X	X	X	X	RRDN4362	Solar Powered	\$2,585.00
	X	X	X	X	X	X	RRDN4363	AC/DC Powered	\$2,350.00
	X	X	X	X	X	X	RRDN4364	Solar Powered with PVC Stanchion	\$2,850.00
	X	X	X	X	X	X	RRDN4365	Solar Powered with Aluminum Stanchion	\$3,175.00
	X	X	X	X	X	X	RRDN4366	AC/DC Powered with Aluminum Stanchion	\$2,975.00
ACB Call Boxes - Push-to-talk communication. No door to open. The indoor/outdoor wall mount aluminum enclosure is .090 thick with white powder coat. It measures 20"H x 14"W x 7.5"D with a thick, clear Lexan face-plate cover. Includes activation ringer, antenna and set of small reflective decals.									
	X	X	X	X	X	X	RRDN4367	Solar Powered	\$2,695.00
	X	X	X	X	X	X	RRDN4368	AC/DC Powered	\$2,550.00

PROFESSIONAL PORTABLE

SUGGESTED RETAIL

ACCESSORIES

DTR5500/DTR650	PR400	PR369	HT750/HT1250	EX500/EX560/XLS	HT1550-XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Call Boxes continued:									
								A1410 Call Boxes - Self-standing. The .090 thick aluminum stanchion with white powder coat measures 10'H x 14"W x 7.5"D. Thick, clear Lexan faceplate cover and includes an activation ringer, antenna and set of large reflective decals. 10 watt solar panel provides additional charging power to allow the beacon/locator light to function 24 hours a day.	
X	X	X	X	X	X	X	RRDN4369	Solar Powered	\$3,185.00
X	X	X	X	X	X	X	RRDN4370	AC/DC Powered	\$2,900.00
								MACPlus Call Boxes - Four-button notification panel. The software-driven system sends automatic audible and digital signals to a dispatch center & is ADA compliant. Alerts the dispatch center every 24 hours with a status report. The powder coated stainless steel enclosure measures 15"H x 11 3/8"W x 7"D and features a self-closing pneumatic/mechanical door with ADA compliant hinges. Includes activation ringer, help-enroute LED light, set of small reflective decals and a 2"D Call Box pole/wall mounting bracket. Requires RRDN4373 Software Package for programming of Call Buttons. Only one software package is required regardless of number of Call Boxes in system.	
X	X	X	X	X	X	X	RRDN4371	Solar Powered	\$3,785.00
X	X	X	X	X	X	X	RRDN4372	AC/DC Powered	\$3,600.00
X	X	X	X	X	X	X	RRDN4373	MACPlus Computer Aided Maintenance Software Package	\$1,450.00
Antennas:									
	X	X					NAB6064	LowBand Heliflex Antenna, 29.7-50 MHz	\$24.50
X	X	X	X	X			NAD6502_R	VHF Heliflex Antenna, 150-162 MHz	\$11.75
	X	X	X	X			PMAD4012	VHF Stubby Antenna, 136-155 MHz (Red Color Code)	\$13.25
X							HAD9742	VHF Stubby Antenna, 146-162 MHz	\$10.75
	X	X	X	X			PMAD4025	VHF Stubby Antenna, 150-161 MHz (Brown Color Code)	\$13.25
	X	X	X	X			PMAD4013	VHF Stubby Antenna, 155-174 MHz (Black Color Code)	\$13.25
X							HAD9743	VHF Stubby Antenna, 162-174 MHz	\$10.75
	X	X	X	X			8504762J01	VHF Whip Antenna, 136-155 MHz (Red Color Code)	\$13.50
	X	X	X	X			NAD6579	VHF Whip Antenna, 148-161 MHz (Enhanced Performance, 7.5")	\$13.50
	X	X	X	X			PMAD4023	VHF Whip Antenna, 150-161 MHz (Brown Color Code)	\$13.50
	X	X	X	X			8504762J02	VHF Whip Antenna, 155-174 MHz (Black Color Code)	\$13.50
					X		8505644V01	VHF Helical Antenna, 136-150.8 MHz	\$16.50
					X		8505518V01	VHF Wideband Dipole 7.5", 136-174 MHz	\$24.00
					X		8505644V02	VHF Helical Antenna, 150.8-162 MHz	\$16.50
					X		8505644V03	VHF Helical Antenna, 162-178 MHz	\$16.50
X							NAE6522_R	UHF Heliflex Stubby Antenna, 438-470 MHz	\$12.25
X							8505816K26	UHF Heliflex Stubby Antenna, Black, Molded, 470-512 MHz	\$12.25
	X	X	X	X			PMAE4002	UHF Stubby Antenna, 403-430 MHz (Green Color Code)	\$11.25
	X	X	X	X			PMAE4003	UHF Stubby Antenna, 430-470 MHz (Natural Color Code)	\$11.25
					X		PMAE4006	UHF Stubby Antenna, 465-490 MHz (Orange Color Code)	\$14.75
X	X	X	X	X			NAE6483_R	UHF Whip Antenna, 403-520 MHz	\$11.75
					X		NAE6546_R	UHF Helical Antenna, 403-435 MHz	\$16.50
					X		NAE6547_R	UHF Helical Antenna, 435-470 MHz	\$16.50
					X		NAE6548_R	UHF Helical Antenna, 470-520 MHz	\$16.50
					X		NAE6549_R	UHF Helical Antenna, 403-520 MHz	\$21.50
Retrofit Boards:									
	X	X					AAHLN9725	Voice Storage Option Board - Field Install Only	\$74.75
	X	X					AAENLN4150	Mandown Option Board - Field Install Only	\$150.00
	X	X	X				AAHLN9729	DTMF Decode Option Board - Field Install Only	\$104.00
	X						HLN9984	DTMF & Keypad Retrofit Kit for HT750 - 16 Channel Models ONLY	\$79.25

PROFESSIONAL PORTABLE

Date 1/9/06

ACCESSORIES

SUGGESTED RETAIL

DTR850D/PR860	PR400	PR860	HT750/HT1250	EX500/EX800/XLS	HT1550/XLS	PR1500	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Service Accessories:									
			X	X	X		H5177	Portable & Mobile Programming Software Plus (CPS+) - 3 Year Subscription Package - HVN9025 includes CPS/PPCPS (PassPort® Customer Programming Software), CPS tutorial, reflashing tool and freq. finder application for the HT, EX, CDM & MTX-LS Series. HVN9067 for MTX Series Privacy Plus - includes HT & MTX Series Programming & Test Cable (AARKN4074). Also is compatible with RLN4460 used for radio testing. (HVN9025 is compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®. HVN9067 is compatible with Windows® 95/98/Windows NT®.) A Mobile Programming Cable (AARKN4081 or AARKN4083) must be purchased separately. Note: Software requires a license agreement and is not intended for resale.	\$299.00
	X						RVN4191	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - Portables require AAPMKN4004 Programming/Test Cable. Mobiles require one of the following Programming Cables & Adapter: AARKN4081 Programming Cable with FKN8096 Program Adapter, 3080070N01 Programming Cable with FKN8096 Program Adapter or AARKN4083 Programming Cable with FKN8113 Program Adapter Note: Software requires a license agreement and is not intended for resale.	\$199.00
		X					RVN5022	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package - PR860. Compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®, and Windows XP®. Uses programming cables AARKN44074 (requires Radio Interface Box) or RKN4075 and must be purchased separately if required. Note: Software requires a license agreement and is not intended for resale.	\$99.00
					X		RVN4181	Portable & Mobile Programming Software (CPS) - 3 Year Subscription Package Programs - PR1500 / MT1500 / XTS1500 / XTS2500 / XTS5000 / SSE5000. Compatible with Windows® 95/98/2000 (SP3 or later version) / Millennium (ME) / Windows NT®, and Windows XP®. Uses Ribless programming cables RKN4105 (USB) or RKN4106 (RS232) and must be purchased separately if required. Note: Software requires a license agreement and is not intended for resale.	\$265.00
	X						AAPMKN4004	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing.	\$50.00
		X	X		X		AARKN4074	Programming & Test Cable - Programming cables require a Radio Interface Box (RIB), also compatible with RLN4460 used for radio testing. (Multi-Language manual)	\$63.00
					X		AAJMKN4123	Programming & Test Cable - Progr. cables require a Radio Interface Box (RIB).	\$150.00
					X		RKN4105	USB Programming Cable - uses RVN4181 CPS - No RIB Box required.	\$237.00
					X		RKN4106	RS232 Programming Cable - uses RVN4181 CPS - No RIB Box required.	\$251.00
	X	X	X	X	X		3080369B72	9 Pin PC to Radio Interface Box Cable (IBM AT or compatible)	\$52.00
		X	X		X		RKN4075	Ribless Programming Cable - provides interface between computer and radio - (not compatible with RIB) (Multi-Language Manual)	\$88.00
		X	X		X		AA0180305G54	Battery Eliminator Cable (requires RLN4510 - 7.5 V)	\$60.00
X							53968	Cloning Cable	\$30.00
		X	X		X		RKN4073	Cloning Cable (Multi-Language manual)	\$43.00
					X		AAJMKN4124	Cloning Cable	\$125.00

PROFESSIONAL PORTABLE

Date 1/9/06



ACCESSORIES




SUGGESTED RETAIL




					MODEL NUMBER	DESCRIPTION	MANUF. SUGG. RETAIL PRICE
Service Accessories continued:							
X	X	X	X	X	RLN4008	Radio Interface Box (RIB)	\$200.00
X	X	X	X	X	0180357A57	Wall Mounted Power Supply, 120V (for use with RLN4008)	\$24.25
X	X	X	X	X	RLN4460	Test Box for Portables and Mobiles	\$395.00
	X	X		X	RLN4510	7.5 Volt Universal Battery Eliminator	\$150.00
	X	X			AAHLN9742	Flash Upgrade Adapter - adapts either AARKN4074 or RKN4075 for use in flashing	\$56.00
X					RLN5583	Flash Upgrade Adapter	\$99.75
X					NTN2074	Mini Keyboard	\$45.00
Manuals:							
X					6881096C24	PR400 Basic Service Manual	\$16.00
X					6881096C25	PR400 Detailed Service Manual	\$25.00
	X				6881098C42	PR860 Basic Service Manual	\$15.00
	X				6881098C43	PR860 Detailed Service Manual	\$20.00
	X	X		X	6880906Z54-D	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Basic Service Manual	\$11.00
	X	X		X	6881088C46-E	HT750, HT1250, HT1250-LS+, HT1550-XLS, MTX850, MTX950, MTX8250, MTX9250, MTX850-LS & MTX8250-LS Detailed Service Manual	\$27.00
	X				6881089C97-O	HT750 User Manual	\$14.00
	X				6881088C37-O	HT1250 User Manual	\$14.00
		X			6881094C00-A	EX500 & EX600-XLS Basic Service Manual	\$10.00
		X			6881094C21-O	EX500 & EX600-XLS Detailed Service Manual	\$25.00
		X			HKLN4118	EX500 User Guide (English & French)	\$13.52
			X		6881094C09	PR1500/Astro Basic Service Manual	\$13.75
			X		6881094C10	PR1500/Astro Detailed Service Manual	\$31.75

PORTABLE

ACCESSORIES

<p>Page 20</p>  <p>HNN9013_R Li-Ion, 1200 mAh, 7.5V Battery</p>	<p>Page 21</p>  <p>HLN9665 Leather Case with Belt Loop for NiMH & NiCd Batteries</p> <p>HLN9694 Leather DTMF Case with Swivel for NiMH & NiCd Batteries</p>
--	---

<p>Page 22</p>  <p>AAHTN3000 120 Volt Single Unit Rapid Rate Charger</p>	 <p>AAHTN3003 120 Volt 6 Unit Rapid Rate Charger</p>	 <p>RLN4883 Travel Charger</p>
---	---	--

<p>Page 23</p>  <p>WPLN4107_R Motorola Conditioning Charger Kit</p>	 <p>RLN4814 Vehicular Mounting Bracket</p>	 <p>AAEN1006 / AAEN1007 Vehicular Adapter</p>
---	--	--

<p>Page 24</p>  <p>AARMN4018 Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone & In-Line PTT</p>	 <p>AARMN4031 Lightweight Single Muff Adjustable Headset with Swivel Boom Microphone</p>
--	--

PORTABLE

ACCESSORIES

Page 24




AARMN4019
Medium Weight over-the-head Dual Muff
Headset with Noise Cancelling Microphone &
In-Line PTT

Page 25



AARMN4032
Medium Weight over-the-head Dual Muff
Headset with Noise Cancelling Microphone



RMN4048
Temple Transducer

Page 26




AARMN4022 / AARMN4029
2 Wire Surveillance Kit with
Microphone & PTT - Combined

Page 27



AARMN4017
Ultra-Light Headset with Boom
Microphone

Page 28




RLN4941
Receive-Only Earpiece

Page 29




AAHMN9052
Remote Speaker
Microphone

Page 29



AAHMN9057 / AAHMN9054
Public Safety Speaker Microphone

Page 30



NTN1722
Integrated Ear Microphone / Receiver
System with PTT on Radio