Tait Orca 5010 Conventional – 16 Channel Portable Radio

Features:

- 16 Channels
- 2 Programmable Function Keys
- Handset operation
- Rugged construction
- IP54 certified, MIL STD 810 C, D & E
- Programmable Channel Spacing (12.5/20/25kHz)
- Monitor Function
- Scanning and Voting
- Repeater Talk around
- Emergency Mode
- Selective calling
- Power Saving Modes
- Remote Stun and Revive
- One touch call

*Antenna sold separately

Tait Orca 5010 – Radio Only		
Frequency	**Product Code**	**Price**
136-174 MHz	TOP-B2410-B0	367
216-222 MHz	TOP-C2410-B0	
400-470 MHz	TOP-H2410-B0	
450-530 MHz	TOP-I2410-B0	
806-870 MHz Tx 851-870 MHz Rx	TOP-J2410-B0	
896-941 MHz Tx 935-941 MHz Rx	TOP-K2410-B0	

Not all combination of radios and options may be possible, please check with your Tait Customer Service Representative.

Tait Orca 5011 Conventional – 16 Channel Portable Radio

Features:

- 16 Channels
- 2 Programmable Function Keys
- 2 Tone signaling
- G Star
- Handset operation
- Rugged construction
- IP54 certified, MIL STD 810 C, D & E
- Programmable Channel Spacing (12.5/20/25kHz)
- Monitor Function
- Scanning and Voting
- Repeater Talk around
- Emergency Mode
- Selective calling
- Power Saving Modes
- Remote Stun and Revive
- One touch call

*Antenna sold separately

Tait Orca 5011 – Radio Only		
Frequency	**Product Code**	**Price**
136-174 MHz	TOP-B2430-B0	451
216-222 MHz	TOP-C2430-B0	
400-470 MHz	TOP-H2430-B0	
450–530 MHz	TOP-I2430-B0	
806-870 MHz Tx 851-870 MHz Rx	TOP-J2430-B0	
896-941 MHz Tx 935-941 MHz Rx	TOP-K2430-B0	

Tait Orca 5011 – Intrinsically Safe* 16 Channel Radio Only			
	**Frequency**	**Product Code**	**Price**
	136-174 MHz	TOP-B2430-B2	508
	216-222 MHz	TOP-C2430-B2	
	400-470 MHz	TOP-H2430-B2	
	450–530 MHz	TOP-I2430-B2	
	806-870 MHz Tx 851-870 MHz Rx	TOP-J2430-B2	
	896-941 MHz Tx 935-941 MHz Rx	TOP-K2430-B2	

* Factory Mutual Approved Intrinsically Safe Class I, Division 1, Groups C, D, T3C
* Factory Mutual Approved Non-Incendive Class I, Division 2, Groups A, B, C, D, T3C
* Intrinsically Safe portables can only be used with Intrinsically Safe approved accessories

Not all combination of radios and options may be possible, please check with your Tait Customer Service Representative.

Tait Orca 5020 Conventional – 350 Channel Portable Radio

Features:

- 350 Channels
- 100 Alphanumeric Presets
- 2 Programmable Function Keys
- Send and Receive Short Data Messages
- Handset operation
- Keypad Lock, Battery Charge Indicator, Menu System
- One touch call
- Monitor Function
- Selective calling, Scanning and Voting
- Repeater Talk around
- Call Queuing
- Emergency and Power Saving Modes
- Remote Stun and Revive
- Rugged construction
- IP54 certified, MIL STD 810 C, D & E
- Programmable Channel Spacing (12.5/20/25kHz)

*Antenna sold separately

Tait Orca 5020 - Radio Only		
Frequency	**Product Code**	**Price**
136-174 MHz	TOP-B2610-B0	586
216-222 MHz	TOP-C2610-B0	
400-470 MHz	TOP-H2610-B0	
806-870 MHz Tx 851-870 MHz Rx	TOP-J2610-B0	
896-941 MHz Tx 935-941 MHz Rx	TOP-K2610-B0	

Tait Orca 5021 Conventional – 100 Channel Portable Radio

Features:

- 100 Channels
- 100 Alphanumeric Presets
- 2 Programmable Function Keys
- Send and Receive Short Data Messages
- 2 Tone signaling
- G Star
- Handset operation
- Keypad Lock, Battery Charge Indicator, Menu System
- One touch call
- Monitor Function
- Selective calling, Scanning and Voting
- Repeater Talk around
- Call Queuing
- Emergency and Power Saving Modes
- Remote Stun and Revive
- Rugged construction
- IP54 certified, MIL STD 810 C, D & E
- Programmable Channel Spacing (12.5/20/25kHz)

*Antenna sold separately

Tait Orca 5021 - Radio Only		
Frequency	**Product Code**	**Price**
136-174 MHz	TOP-B2630-B0	586
216-222 MHz	TOP-C2630-B0	
400-470 MHz	TOP-H2630-B0	
450–530 MHz	TOP-I2630-B0	
806-870 MHz Tx 851-870 MHz Rx	TOP-J2630-B0	
896-941 MHz Tx 935-941 MHz Rx	TOP-K2630-B0	

Tait Orca 5021 – Intrinsically Safe* 100 Channel Radio Only			
	Frequency	**Product Code**	**Price**
	136-174 MHz	TOP-B2630-B2	650
	216-222 MHz	TOP-C2630-B2	
	400-470 MHz	TOP-H2630-B2	
	450–530 MHz	TOP-I2630-B2	
	806-870 MHz Tx 851-870 MHz Rx	TOP-J2630-B2	
	896-941 MHz Tx 935-941 MHz Rx	TOP-K2630-B2	

* Factory Mutual Approved Intrinsically Safe Class I, Division 1, Groups C, D, T3C
* Factory Mutual Approved Non-Incendive Class I, Division 2, Groups A, B, C, D, T3C
* Intrinsically Safe portables can only be used with Intrinsically Safe approved accessories

Not all combination or radios and options may be possible, please check with your Tait Customer Service Representative.

Tait Orca 5030 - MPT 1327 Trunked

Features:

- 16 Preset Calls
- Conventional Channel CTCSS
- Two Programmable Function Keys
- Programmable Channel Spacing (12.5/20/25kHz)
- Rugged Construction - meets IP54 & Mil-Std 810 C,D & E
- Compact Ergonomic Design
- Intelligent Power Saving - to prolong battery life
- Universal Accessory Interface
- Dynamic Regrouping
- Dynamic Power Control

*Antenna sold separately

Tait Orca 5030 – Radio Only		
Frequency	**Product Code**	**US List Price**
136-174 MHz	TOP-B2420-B0	500
216-222 MHz	TOP-C2420-B0	
400-470 MHz	TOP-H2420-B0	
450–530 MHz	TOP-I2420-B0	
806-870 MHz Tx 851-870 MHz Rx	TOP-J2420-B0	
896-941 MHz Tx 935-941 MHz Rx	TOP-K2420-B0	

Tait Orca 5030 – Intrinsically Safe* Radio Only			
	Frequency	**Product Code**	**US List Price**
	136-174 MHz	TOP-B2420-B2	575
	216-222 MHz	TOP-C2420-B2	
	400-470 MHz	TOP-H2420-B2	
	450–530 MHz	TOP-I2420-B2	
	806-870 MHz Tx 851-870 MHz Rx	TOP-J2420-B2	
	896-941 MHz Tx 935-941 MHz Rx	TOP-K2420-B2	

* Factory Mutual Approved Intrinsically Safe Class I, Division1, Groups C, D, T3C
* Factory Mutual Approved Non-Incendive Class I, Division 2, Groups A, B, C, D, T3C
* Intrinsically Safe portables can only be used with Intrinsically Safe approved accessories

Not all combination or radios and options may be possible, please check with your Tait Customer Service Representative.

Tait Orca 5035 - MPT 1327 Trunked

Features:

- 100 Alphanumeric Presets
- 10 Conventional Channels
- MPT1327 Signaling Standards
- 3 Programmable Function Keys (4 Functions)
- Handset Operation, Battery Charge Indicator
- Menu System
- Call Queuing
- Emergency and Power saving modes
- Remote Stun and Revive
- PSTN & PABX Calls
- Alpha Status calls
- Multiple Networks
- Receive Short Data Messages
- Programmable Channel Spacing (12/20/25kHz)

*Antenna sold separately

Tait Orca 5035 – Radio Only		
Frequency	**Product Code**	**US List Price**
136-174 MHz	TOP-B2520-B0	593
216-222 MHz	TOP-C2520-B0	
400-470 MHz	TOP-H2520-B0	
450–530 MHz	TOP-I2520-B0	
806-870 MHz Tx 851-870 MHz Rx	TOP-J2520-B0	
896-941 MHz Tx 935-941 MHz Rx	TOP-K2520-B0	

Tait Orca 5035 – Intrinsically Safe* Radio Only			
	Frequency	**Product Code**	**US List Price**
	136-174 MHz	TOP-B2520-B2	683
	216-222 MHz	TOP-C2520-B2	
	400-470 MHz	TOP-H2520-B2	
	450–530 MHz	TOP-I2520-B2	
	806-870 MHz Tx 851-870 MHz Rx	TOP-J2520-B2	
	896-941 MHz Tx 935-941 MHz Rx	TOP-K2520-B2	

* Factory Mutual Approved Intrinsically Safe Class I, Division1, Groups C, D, T3C
* Factory Mutual Approved Non-Incendive Class I, Division 2, Groups A, B, C, D, T3C
* Intrinsically Safe portables can only be used with Intrinsically Safe approved accessories

Not all combinations of radios and options may be possible, please check with your Tait Customer Service Representative.

Tait Orca 5040 - MPT 1327 Trunked

Features:

- 100 Alphanumeric Presets
- 10 Conventional Channels
- 3 Programmable Function Keys (4 Functions)
- MPT1327 Signaling Standards
- DTMF Overdialing
- Keypad Lock, Handset Operation, Battery Charge Indicator
- Menu System, Call Queuing
- Emergency and Power saving modes
- Remote Stun and Revive
- PSTN & PABX Calls
- Send and Receive Short Data Messages
- Programmable Channel Spacing (12/20/25kHz)
- Alpha Status calls
- Multiple Networks

*Antenna sold separately

Tait Orca 5040 – Radio Only		
Frequency	**Product Code**	**US List Price**
136-174 MHz	TOP-B2620-B0	634
216-222 MHz	TOP-C2620-B0	
400-470 MHz	TOP-H2620-B0	
450–530 MHz	TOP-I2620-B0	
806-870 MHz Tx 851-870 MHz Rx	TOP-J2620-B0	
896-941 MHz Tx 935-941 MHz Rx	TOP-K2620-B0	

Tait Orca 5040 – Intrinsically Safe* Radio Only			
	Frequency	**Product Code**	**US List Price**
	136-174 MHz	TOP-B2620-B2	729
	216-222 MHz	TOP-C2620-B2	
	400-470 MHz	TOP-H2620-B2	
	450–530 MHz	TOP-I2620-B2	
	806-870 MHz Tx 851-870 MHz Rx	TOP-J2620-B2	
	896-941 MHz Tx 935-941 MHz Rx	TOP-K2620-B2	

* Factory Mutual Approved Intrinsically Safe Class I, Division1, Groups C, D, T3C
* Factory Mutual Approved Non-Incendive Class I, Division 2, Groups A, B, C, D, T3C
* Intrinsically Safe portables can only be used with Intrinsically Safe approved accessories

Not all combinations of radios and options may be possible, please check with your Tait Customer Service Representative.

Tait Orca 5000 Portable Accessories			
	Product Code	**Description**	**US List Price**
Antennas	TOPA-AN-101	130-230 MHz, 3" 8 cm Helical VHF	24
	TOPA-AN-102	336-500 MHz, 3" 8 cm Helical UHF	24
	TOPA-AN-201	136-340 MHz, 6" 15 cm Helical VHF	24
	TOPA-AN-212	400-550 MHz, 6" 15 cm Whip UHF	24
	TOPA-AN-204	806-870 MHz, ½ Wave Pre-tuned	29
	TOPA-AN-205	896-941 MHZ, ½ Wave Pre-tuned	29
Batteries & Chargers	TOPB200	Battery, Ni-Cad - 1500mAh	57
	TOPB500	Battery, Ni-MH - 2000mAh	74
	TOPB800	Battery, Ni-MH - 2300mAh, slim pack	74
	TOPA-CH-204	Desktop Fast Chgr (TOPA-CH-200), Plugpack (T952-042)	71
	TOPA-CH-304	Six-way Multicharger, Plugpack	600
Portable Carry Accessories	950-00015-00	Heavy Duty Case - Orca 5021/35/40 (keypad) + Belt Loop	36
	950-00016-00	Heavy Duty Case - Orca 5011/30 c/w Belt Loop	36
	TOPA-CA-004	Accessory Port Covers (Packs of 10)	7
	TOPA-CA-007	Belt Clip, 38mm	5
	TOPA-CA-003	Belt Clip, 38mm (Packs of 10)	12
	TOPA-CA-005	Belt Clip, 55mm	12
	TOPA-CA-006	Belt Clip, 55mm (Packs of 10)	110
	950-00029-00	Belt Loop (TCN-ZZ-3000)	13
	TOPA-CA-104G	D-Clip	7
Standard Speaker Mics & Accessories	TOPA-AA-001G	Speaker Mic (-10°C), 2 Function Buttons	69
	TOPA-AA-002G	Speaker Mic (-30°C), 2 Function Buttons	139
	TOPA-AA-003G	Spkr Mic (-30°C), Mil Spec, 1 Fn Button, 2.5mm jack	164
	TOPA-AA-004G	Spkr Mic (-30°C), Mil Spec,RF,1 Fn Button, 2.5mm jack	179
	T952-051	Speaker Mic Earphone Kit, 2.5mm plug	53
	TOPA-AA-005G	7.5mm Two-Pin Accessory Adaptor	32
	TOPA-AA-006G	TOP Accessory Connector Kit	37
	TOPA-AA-007G	TOP RF Accessory Connector Kit	44
	TOPA-AA-008	Speaker Mic –30°C, hi/lo vol, 7.5mm, 2-pin plug	103
	TOPA-AA-009	2 wire Palm Microphone and Earphone	101
	TOPA-AA-010	3 wire Lapel Microphone and Earphone	132
	TOPA-AA-011	Light Headset with in-line PTT	134
	TOPA-AA-012	Over-the-head Headset with Noise Cancel boom mic	373
	TOPA-AA-013	Behind-the-head Headset with Noise Cancel boom mic	477
Speaker Mics TOPA-AA-008, -011, -012, -013 must be ordered with TOPA-AA-005G to connect to Orca 5000 Portables			
D-Clip Speaker Mics &	TOPA-AA-101G	D-Clip Speaker Mic (-10°C), 2 Function Buttons	69
	TOPA-AA-102G	D-Clip Speaker Mic (-30°C), 2 Function Buttons	139
	TOPA-AA-103G	D-Clip Speaker Mic (-30°C),Mil Spec,1 Fn Button,2.5mm jack	95
	TOPA-AA-104G	D-Clip Speaker Mic (-30°C),Mil Spec,RF,1Fn Button,2.5mm	179
	TOPA-AA-106G	D-Clip TOP Accessory Connector Kit	37
	TOPA-AA-107G	D-Clip TOP RF Accessory Connector Kit	44
Vehicle Kit	TOPA-VK-011A	TOP Vehicle Kit w/ Heavy Duty Mic and Remote Spkr	363
	Vehicle Kits can be used with Ni-Cad batteries and Ni-MH batteries		
Programming Kit	950-00028-00	TOP 5000 Programming Kit with CD incl. TOPA-SV-003G	127
FM Approved Intrinsically Safe Portables Accessories			
IS Battery	TOPB200-IF	Intrinsically Safe Battery Ni Cad 1500mAh	114
	TOPB500-IF	Intrinsically Safe Battery NiMH 2000mAh	114
IS Accessories	TOPA-AA-003G	Rugged Speaker-Mic	164
	TOPA-AA-004G	Rugged RF Speaker-Mic	179
	T952-051	Earphone Kit Speaker-Mic	53
	TOPA-AA-012	Headset (over head) with noise canceling mic	299
	TOPA-AA-013	Headset (behind neck) with noise canceling mic	380
	TOPA-AA-005G	7.5mm Accessory Connector (for headset)	32

Tait Orca Replacement Parts and Spares		
Product Code	**Description**	**US List Price**
	Portable Carry Accessories	
950-00019-00	Leather Case for Orca Elan c/w Belt Loop - TCN-148	34
950-00021-00	Leather Case for Orca Excel c/w Belt Loop - TCN-150	34
	Display Radios	
TOPA-DR-009	Tait Orca 5010/5011 Display Radio	115
TOPA-DR-013	Tait Orca 5021 Display Radio	150
TOPA-DR-005	Tait Orca Display Charger	34
	Programming & Test Accessories	
950-00028-00	TOP 5000 Programming Kit with CD incl. TOPA-SV-003G (TCN-PGMTOP-01G)	127
TOPA-SV-003G	Tait Orca Programming Lead – for E Series order TOPA-SV-003	35
TOPA-SV-024	Tait Orca Portable Calibration Test Unit	139
TOPA-SV-005	Tait Orca Portable DC Service Lead	47
TOPA-SV-006	Tait Orca Portable RF Lead	19
TOPA-SV-007G	Tait Orca Portable Calibration Cable	57
TOPA-SV-009	Open radio power lead	12
TOPA-SV-011	Tait Orca Portable Service Tools	25
TOPA-SV-018	Programming lead: Tait Radio Modem	18
TOPA-SV-019	Programming 9-pin lead: between PC and TOP-SV-003G	40
TOPA-SV-117G	TOP 5000 Service Kit incl. 5010/11/20/21/30/35/40	380
	Spares Kits	
TOPA-SP-101	Orca Elan Spares Kit	722
TOPA-SP-103	Orca Excel Spares Kit	997
TOPA-SP-401	Tait Orca 5010/5011/5030 Spares Kit	722
TOPA-SP-403	Tait Orca 5020/5021/5040 Spares Kit	997
TOPA-SP-102	Orca Elan front panel reskinning Kit	46
TOPA-SP-104	Orca Excel front panel reskinning Kit	51
TOPA-SP-106	Orca Excel Front panel Parts Kit	32
TOPA-SP-107	Tait Orca Excel/Eclipse User Interface, PCB and Shield	27
TOPA-SP-407	Tait Orca 5020/5021/5040 User Interface, PCB and Shield	91
TOPA-SP-404	Tait Orca 5010/5011/5030 reskinning Kit	41
TOPA-SP-405	Tait Orca 5035 reskinning kit	56
TOPA-SP-406	Tait Orca 5020 reskinning kit	56
TOPA-SP-408	Tait Orca 5021 reskinning Kit	56
TOPA-SP-202	Tait Orca Fast Charger Spares Kit	338
TOPA-SP-204	Tait Orca Charger Upgrade Kit – complete replacement PCB, no housing	89
TOPA-SP-205	Tait Orca Charger Upgrade Kit incl. software and chip	149
TOPA-SP-501	Volume knobs (Pack of 10)	12
TOPA-SP-502	Channel knobs (Pack of 10)	12
TOPA-SP-503	Accessory port cover (Pack of 10)	9
TOPA-SP-504	Battery clip (Pack of 10)	6
	Vehicle Kits	
TOPA-VK-500	TOP Vehicle Kit Heavy Duty microphone	46
TOPA-VK-100	TOP Vehicle Kit fist microphone	30
TOPA-VK-200	TOP Vehicle External Speaker	23
TOPA-VK-300	TOP Vehicle Visor Microphone	23
TOPA-VK-400	TOP Vehicle Remote PTT	42

TP9155 and TP9160 P25 Portable Radios



TP9155 **TP9160**

Designed with the functionality required for public safety and public service organizations, the TP9155 and TP9160 portables offer state of the art radio design coupled with robust specs and excellent digital audio clarity.

Available in two models with a limited keypad on the TP9155 and a full alphanumeric keypad on the TP9160. Both models meet full P25 compliance and are designed with a similar User Interface to the TM9155 mobile radio, making training, and therefore interoperability, even easier with the full Tait range of P25 digital products.

Features:

- 512 Channel/Talkgroup Conventional Radio
- 12.5/25/30 kHz programmable channel spacing
- Limited Keypad and Full Alpha Keypad models available
- Full Project 25 Compliance
- Intelligent NiMH battery standard
- DTMF Encoder
- Built-in CTCSS/DCS
- Multiple Scanning & Voting Formats Supported
- Digital, Analog and Mixed Mode Capable
- Speaker Microphone accessory
- Lapel Microphone accessory
- Emergency Mode plus many personal safety features
- Caller ID
- Radio Inhibit
- Status Messages
- Radio Check
- Repeater Talkaround / Direct Mode
- Windows-based Programming Application

TP9155 Limited Keypad P25 Conventional Radio Packages			
Frequency	**Product Code**	**Description**	**Price**
136-174 MHz	TP9155-B1A06	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 136-151MHz helical antenna	**2,000**
	TP9155-B1A07	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 150-162 MHz helical antenna	
	TP9155-B1A08	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 162-174 MHz helical antenna	
400-470 MHz	TP9155-H5A05	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 400-470 MHz whip antenna	
450-520 MHz	TP9155-H6A05	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 450-520 MHz whip antenna	

TP9160 Full Keypad P25 Conventional Radio Packages			
Frequency	**Product Code**	**Description**	**Price**
136-174 MHz	TP9160-B1A06	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 136-151MHz helical antenna	**2,300**
	TP9160-B1A07	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 150-162 MHz helical antenna	
	TP9160-B1A08	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 162-174 MHz helical antenna	
400-470 MHz	TP9160-H5A05	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 400-470 MHz whip antenna	
450-520 MHz	TP9160-H6A05	Radio body, NiMH battery, beltclip, user guide, P25 CAI and 450-520 MHz whip antenna	

TP9155 Conventional Radio Bodies		
Product Code	**Description**	**Price**
TPAB11-B100A	VHF 136-174 MHz Limited Keypad radio body with P25 CAI	**1,830**
TPAB11-H500A	UHF 400-470 MHz Limited Keypad radio body with P25 CAI	
TPAB11-H600A	UHF 450-520 MHz Limited Keypad radio body with P25 CAI	

TP9160 Conventional Radio Bodies		
Product Code	**Description**	**Price**
TPAB12-B100A	VHF 136-174 MHz Full Keypad radio body with P25 CAI	**2,130**
TPAB12-H500A	UHF 400-470 MHz Full Keypad radio body with P25 CAI	
TPAB12-H600A	UHF 450-520 MHz Full Keypad radio body with P25 CAI	

TP9155 and TP9160 Software Options		
Product Code	**Description**	**Price**
TPAS050	P25 Common Air Interface (included with radio packages)	**700**
TPAS051	P25 'Dispatch' type Services (when ordered with radio) - Radio Check – transmits a Radio Check to another terminal - Radio Monitor – enables discreet listening of another terminal - Status Request – requests the status of another radio - Stun/Revive – can stun or revive another terminal - Acknowledge Group Addresses Services – in the absence of a dispatcher can acknowledge services e.g., emergency alerts, status calls	**600**
TPAS053	P25 Encryption Compatibility (fixed Key) (when ordered with radio)	**400**

TP9155 and TP9160 Portable Accessories – Conventional

Batteries and Charters		
Product Code	**Description**	**Price**
TPA-BA-201	Battery, NiCd	**100**
TPA-BA-203	Battery, NiMH	**100**
TPA-CH-001	Single Desktop Charger (requires power cord)	**150**
T952-340	IEC Power Cord – USA and Canada	**10**
TPA-CH-011	Multi (6) Station Charger	**650**
TPA-CH-012	Multi (6) Station Charger Wall Mount Kit	**20**

Antennas		
Product Code	**Description**	**Price**
TPA-AN-002	136-151MHz Helical Antenna	**40**
TPA-AN-003	150-162M Helical Antenna	
TPA-AN-004	162-174M Helical Antenna	
TPA-AN-011	400-470M Whip Antenna	
TPA-AN-012	450-520M Whip Antenna	
TPA-AN-013	400-450M Helical Antenna	
TPA-AN-014	435-480M Helical Antenna	
TPA-AN-015	470-520M Helical Antenna	

Portable Carry Accessories		
Product Code	**Description**	**Price**
TPA-CA-201	Beltclip	**20**
TPA-CA-202	Fixed Leather Case	**35**
TPA-CA-203	D-Clip Leather Case	**45**
TPA-CA-204	D-Clip Nylon Case	**45**

Microphones and Audio Accessories		
Product Code	**Description**	**Price**
TPA-AA-203	Speaker Mic - "Evolution" standard microphone	**138**
TPA-AA-204	Speaker Mic - RF "Evolution" includes antenna	**150**
TPA-AA-205	Speaker Mic - "Genesis" meets IP68 specifications	**160**
TPA-AA-210	Accessory Adapter – Hirose 6-pin connector interface	**25**
TPA-AA-211	Headset - Light Duty	**95**
TPA-AA-212	Headset - Heavy Duty	**300**
TPA-AA-213	Lapel Mic Kit - 3-wire	**120**
T952-051	Earphone Kit 2.5mm	**53**
TPA-AA-201	Accessory Connector Kit	**50**
TPA-AA-202	Accessory Connector Cable Kit	**95**

TP9155 and TP9160 Portable Accessories – Conventional

Programming Kits		
Product Code	**Description**	**Price**
TMAA23-00	Programming Kit - TM9000 & TP9000. Includes programming software, cables and USB adapter	**300**
TMAA24-00	Service Kit – TM9100 & TP9100. Includes calibration and programming software, cables, interface unit, USB adapter and service documentation	**500**

User Guides		
Product Code	**Description**	**Price**
MPA-00001-01	TP9155 & TP9160 User Guide	**10**

Approved 3rd Party Items

The following accessories have been tested and approved for use with our products. ***Require a TPA-AA-210 adaptor***

http://www.ottoeng.com/comm/index.htm

Single speaker Headset	V4-10190
Hurricane Headset	V4-HC2MD3B
Earphone: Beige	V1-10167
Earphone: Black	V1-10168
2-wire Palm Mic: Beige	V1-10165
2-wire Palm Mic: Black	V1-10166
3-wire Mini-lapel Mic Kit: Black	V1-10164
2-wire Earbud Kit	V1-10777

This page intentionally left blank.