

JULIE D. KOHLER
Please Reply to Bridgeport
Writer's Direct Dial: (203) 337-4157
E-Mail: jkohler@cohenandwolf.com

May 31, 2006

**VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

Thomas Dunn
First Selectman
Town of Wolcott
10 Kenea Avenue
Wolcott, CT 06716

**Re: Proposed Development of a Telecommunications Facility
Wolcott, Connecticut**


Dear Selectman Dunn:

Enclosed please find two (2) copies of the technical report in compliance with Connecticut General Statutes Section 16-501(e) and in anticipation of filing an application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance and operation of a telecommunications facility at the above-referenced location. The technical report includes information regarding the public need for the facility, the site selection process, and the environmental effects of the facility.

The municipality may conduct public hearings and meetings as it deems necessary to provide recommendations or comments to Optasite, Inc. concerning this proposal. If a hearing or meeting is scheduled, we request notice and will be pleased to provide an informational summary of the proposal. If the Town has any recommendations or comments, it must provide them to us within sixty (60) days of the receipt of this filing.

We would like to meet with you (or your designee) to review the proposed project and will contact you next week to set up an appointment at your convenience.

If you have any questions, please do not hesitate to contact me directly.

Very truly yours,

Julie D. Kohler

JDK:dlo
Enclosures

cc: Keith Coppins, Optasite, Inc.
Jennifer Young Gaudet

JULIE D. KOHLER
Please Reply to Bridgeport
Writer's Direct Dial: (203) 337-4157
E-Mail: jkohler@cohenandwolf.com

May 31, 2006

**VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

Mayor Michael J. Jarjura
Office of the Mayor
City of Waterbury
236 Grand Street
Waterbury, CT 06702

**Re: Proposed Development of a Telecommunications Facility
Waterbury, Connecticut**

Dear Mayor Jarjura:


Enclosed please find two (2) copies of the technical report in compliance with Connecticut General Statutes Section 16-501(e) and in anticipation of filing an application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance and operation of a telecommunications facility at the above-referenced location. The technical report includes information regarding the public need for the facility, the site selection process, and the environmental effects of the facility.

The municipality may conduct public hearings and meetings as it deems necessary to provide recommendations or comments to Optasite, Inc. concerning this proposal. If a hearing or meeting is scheduled, we request notice and will be pleased to provide an informational summary of the proposal. If the City has any recommendations or comments, it must provide them to us within sixty (60) days of the receipt of this filing.

We would like to meet with you (or your designee) to review the proposed project and will contact you next week to set up an appointment at your convenience.

If you have any questions, please do not hesitate to contact me directly.

Very truly yours,


Julie D. Kohler

JDK:dlo
Enclosures

cc: Keith Coppins, Optasite, Inc.
Jennifer Young Gaudet