



Daniel F. Caruso
Chairman

STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Internet: ct.gov/csc

August 1, 2007

Julie Kohler, Esq.
Carrie L. Larson, Esq.
Cohen and Wolf, P.C.
1115 Broad Street
Bridgeport, CT 06604

RE: DOCKET NO. 339- Optasite Towers LLC and Omnipoint Communications, Inc. application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance and operation of a telecommunications facility located at 640 Hilliard Street, Manchester, Connecticut.

Dear Ms. Kohler & Ms. Larson:

The Connecticut Siting Council (Council) requests your responses to the enclosed questions no later than August 15, 2007. To help expedite the Council's review, please file individual responses as soon as they are available.

Please forward an original and 15 copies to this office and a .pdf file on a compact disc. In accordance with the State Solid Waste Management Plan, the Council is requesting that all filings be submitted on recyclable paper, primarily regular weight white office paper. Please avoid using heavy stock paper, colored paper, and metal or plastic binders and separators. Fewer copies of bulk material may be provided as appropriate.

Yours very truly,

S. Derek Phelps
Executive Director

c: Council Members
Parties and Intervenors

PRE-HEARING INTERROGATORIES (SET TWO)
DOCKET NO. 339 – MANCHESTER
OPTASITE TOWERS LLC (OPTASITE) & OMNIPOINT COMMUNICATIONS INC. (T-MOBILE)
AUGUST 1, 2007

27. How was the wetland delineation to the south of the proposed site determined?
28. Provide a detailed report of soil samples taken from the beneath the parking lot surface at the proposed site for the soil survey. If wetland soil is found beneath the parking lot, would the site meet the definition of a wetland?
29. Provide a map showing the location of soil samples taken on the host property.
30. How was the edge of the wetland, shown on the wetland sketch in the application Tab J, determined?