


-  Underground Alignment
- 1** PERIMETER EROSION CONTROLS ON DOWNSLOPE ALONG CONSTRUCTION AREA & AROUND SPOIL PILE (AS APPROPRIATE)
- 2** INSTALL INLET PROTECTION (AS APPROPRIATE)
- 3** INSTALL CONSTRUCTION ENTRANCE PAD (AS APPROPRIATE)
- 4** STREETS WILL BE PERIODICALLY SWEEPED TO KEEP FREE OF SEDIMENT.




Stamford Reliability Cable Project
Preferred Route with Canal Street
Option (Updated)

Sediment and Erosion Control
Figures
Map 7 of 10




Date: October 7, 2013

Path: Y:\Projects\NorthEast\Utilities\Stamford_Reliability_Cable_Project\WXD\ES_Mapping\ES_Mapping_Line.mxd




-  **Underground Alignment**
- 1** PERIMETER EROSION CONTROLS ON DOWNSLOPE ALONG CONSTRUCTION AREA & AROUND SPOIL PILE (AS APPROPRIATE)
- 2** INSTALL INLET PROTECTION (AS APPROPRIATE)
- 3** INSTALL CONSTRUCTION ENTRANCE PAD (AS APPROPRIATE)
- 4** STREETS WILL BE PERIODICALLY SWEEPED TO KEEP FREE OF SEDIMENT.

1 inch = 50 feet  Feet





Stamford Reliability Cable Project
Preferred Route with Canal Street
Option (Updated)

Sediment and Erosion Control
Figures
Map 8 of 10



Date: October 7, 2013

Path: Y:\Projects\NorthEast\Utilities\Stamford_Reliability_Cable_Project\XDXES_Mapping\ES_Mapping_Line.mxd




-  Underground Alignment
- 1** PERIMETER EROSION CONTROLS ON DOWNSLOPE ALONG CONSTRUCTION AREA & AROUND SPOIL PILE (AS APPROPRIATE)
- 2** INSTALL INLET PROTECTION (AS APPROPRIATE)
- 3** INSTALL CONSTRUCTION ENTRANCE PAD (AS APPROPRIATE)
- 4** STREETS WILL BE PERIODICALLY SWEEPED TO KEEP FREE OF SEDIMENT.



Stamford Reliability Cable Project
Preferred Route with Canal Street
Option (Updated)

Sediment and Erosion Control
Figures
Map 9 of 10



Date: October 7, 2013

Path: Y:\Projects\NorthEast\Utilities\Stamford_Reliability_Cable_Project\WxD\ES_Mapping\ES_Mapping_Line.mxd