

# Unit 1- 12 Quiz

Place the letter that correctly answers each question in the blank space in front of the question number.

\_\_\_\_\_ 1. The Controlled medication count must be done:

Unit 10

- a. by the shift supervisor and the person responsible for administering the controlled medications
- b. by the facility director and the person responsible for administering the medications
- c. by only the person leaving the shift who was responsible for the controlled medications
- d. by the person leaving the shift who was responsible for the controlled medications and the person coming on duty and who is assuming the responsibility of the controlled medications

\_\_\_\_\_ 2. The three components of asthma are:

Unit 6

- a. bronchial constriction, inflammation, and increased mucous
- b. bronchial constriction, inflammation, and decreased mucous

\_\_\_\_\_ 3. Antibiotics are used to treat:

Unit 7

- a. viral infections
- b. bacterial infections
- c. fungal infections
- d. parasitic infections

\_\_\_\_\_ 4. According to DCF regulation, licensed practitioner's orders must be reviewed:

Unit 4

- a. at least 30 days
- b. at least every 60 days
- c. at least every 90 days
- d. at least every 120 days

# Unit 1- 12 Quiz

\_\_\_\_\_ 5. A child has been taking an antipsychotic medication for a few weeks. As you are preparing to administer the medication to her this morning, you notice that her mouth is twitching when you speak to her. You should:

Unit 8

- a. give the medication since the mouth twitching is not caused by the medication
- b. give the medication, document and notify the chain of command at shift change
- c. hold the medication, contact your chain of command and document
- d. hold the medication and document

## True or False:

Unit 1

\_\_\_\_\_ 6. You must have a current licensed practitioner's order for any oral medication you administer.

Unit 6

\_\_\_\_\_ 7. Inhaled steroids do not treat an asthma attack.

Unit 8

\_\_\_\_\_ 8. Anticonvulsant medications are administered PRN.

Unit 2

\_\_\_\_\_ 9. Unlabeled use means the medication is being used for a purpose that has **not** been approved by the FDA.

\_\_\_\_\_ 10. When would you NOT administer a medication:

Unit 12

- a. if there is **NO** change in status of the client
- b. if the client refuses
- c. if the medication is stored in a locked and immobile cabinet
- d. if the licensed practitioner's order is present

# Unit 1- 12 Quiz

\_\_\_\_\_ 11. Who may legally dispense medication?

Unit 10

- a. licensed practitioners, registered nurses, medication certified staff
- b. pharmacists, licensed practitioners , registered nurses
- c. pharmacist, licensed practitioners
- d. pharmacists, medication certified staff

12. The Five Rights are:

Unit 1

\_\_\_\_\_

\_\_\_\_\_

**13. Below is a partial list of tasks that are completed during the medication administration procedure. Rank each task in the order that it should be done.**

Unit 1 &  
9

- \_\_\_\_\_ check to see if the medication was swallowed if it is an oral medication
- \_\_\_\_\_ pour accurate dose of medication and administer it to the correct child
- \_\_\_\_\_ assemble equipment (med cups, orders, MAR's, etc.)
- \_\_\_\_\_ document
- \_\_\_\_\_ perform the Rule of Three
- \_\_\_\_\_ return the medication to the locked area and clean up
- \_\_\_\_\_ wash your hands
- \_\_\_\_\_ wash your hands



# Unit 1- 12 Quiz

Unit 6,7,8

## Match the use with the medication classification listed

Choose the best answer - each classification will be used once.

Use	Classification
____21. Treat psychotic conditions	A. Antipyretics
____22. Treat muscle movement disorders seen with antipsychotic medication	B. Anticonvulsants
____23. Medications that treat depression	C. Cardiovascular
____24. Promote sleep	D. Antitussives
____25. Treat anxiety, tension and nervousness	E. Inhaled Steroids
____26. Reduce the symptoms of an allergic reaction	F. Expectorants
____27. May mask symptoms of pneumonia or bronchitis because they suppress the cough reflex	G. Antihistamines
____28. Promote coughing out mucous from the lungs	H. Bronchodilators
____29. Reduce congestion in the sinuses and nasal passages	I. Hypnotics
____30. Affect the heart and blood pressure	J. Decongestants
____31. Relax muscles of the airway to open the airways	K. Anticholinergics
____32. Used to treat Attention Deficit Hyperactivity Disorder (ADHD)	L. Analgesics
____33. Control seizures; often used for unlabeled use	M. Antianxiety
____34. Reduces inflammation in the lungs (airways); used for asthma maintenance/prevention.	N. Antidepressants
	O. Stimulants
	P. Antipsychotics

## Unit 1- 12 Quiz

- \_\_\_\_\_ 35. Licensed Practitioner's Order: Give INH 300mg.  
Concentration: 150 mg / tablet. Tablets are scored.  
How many tablets should you administer?

Unit 5

- a. 1 tablet
- b. 3 tablets
- c. 1 and 1/2 tablets
- d. 2 tablets

- \_\_\_\_\_ 36. Licensed Practitioner's Order: Give Benadryl 75mg.  
Concentration: 25mg per 5 ml  
How many cc's should you give?

Unit 5

- a. 15 cc
- b. 50 cc
- c. 25 cc
- d. 5 cc

- \_\_\_\_\_ 37. Licensed Practitioner's Order: Thorazine 250 mg.  
Concentration: 50mg/ 1 ml.  
How many teaspoons should you give?

Unit 5

- a. 3 tsp
- b. 2 tsp
- c. 1 tsp
- d. 4 tsp

- \_\_\_\_\_ 38. Licensed Practitioner's Order: Doxycycline 750 mg.  
Concentration: 250mg/5ml.  
How many teaspoons should you administer?

Unit 5

- a. 2 tsp.
- b. 3 tsp.
- c. 6 tsp.
- d. 1 tsp.

## Unit 1- 12 Quiz

\_\_\_\_\_ 39. Licensed Practitioner's Order: Lithium 300mg.  
Concentration: 150mg/15 ml  
How many tablespoons should you administer?

Unit 5

- a. 2 Tbsp
- b. 5 Tbsp
- c. 1 Tbsp
- d. 3 Tbsp

\_\_\_\_\_ 40. You have just made a medication error. You have checked on the child and called the chain of command. The child is having no ill effects from the error. You spoke with the nurse and the doctor. No medical attention is required. What documentation must you complete?

Unit 11

- a. an incident report and an objective description of the event written in the child's record by the end of your shift.
- b. an incident report and objective description of the event to be sent to the child's social worker within seven days
- c. an incident report to be sent to the drug control division of consumer protection within 24 hours.

\_\_\_\_\_ 41. Which of the following would be considered a medication error?

Unit 11

- a. giving a double dose of an antibiotic to make up for a missed dose
- b. calling the chain of command about a question you have about an order.
- c. storing controlled medications in a locked immobile container inside another locked immobile container each with a separate lock.
- d. writing your initials in the correct place on the MAR after administering a medication.

# Unit 1- 12 Quiz

\_\_\_\_\_ 42. Part of the procedure to administer an MDI is to instruct the child to:

Unit 6

- a. exhale completely then administer 2 quick puffs while inhaling
- b. exhale completely, then administer one puff while inhaling. Ask the child hold his breath for up to 10 seconds before exhaling.
- c. exhale completely, then administer one puff while inhaling. Ask the child to hold his breath for up to one minute before exhaling.

\_\_\_\_\_ 43. The components of a Licensed Practitioner's Order are:

Unit 4

- a. five rights, allergies, signature, and a license number
- b. five rights, date, signature, and any special instructions
- c. five rights, date, signature and allergies
- d. five rights, signature, allergies, and a pharmacy phone number

## True or False:

\_\_\_\_\_ 44. A child is prescribed the *stimulant medication Ritalin* to be given BID. You know that this medication most likely will be scheduled to be given at 8am and at Bedtime.

Unit 8

\_\_\_\_\_ 45. Hand washing is the most effective way of preventing the spread of infection

Unit 9

---

\_\_\_\_\_ 46. Which is the largest dose of medication?

Unit 5

- a. Tenex 0.05mg
- b. Tenex 0.125mg
- c. Tenex 0.1mg
- d. Tenex 0.5mg

# Unit 1- 12 Quiz

\_\_\_\_ 47. What is the allowable time frame for giving 12 noon medications?

Unit 11

- a. 10am – 12noon
- b. 9am – 1pm
- c. 11am – 1pm
- d. 11am – 12noon

\_\_\_\_ 48. To administer an eye ointment you will:

Unit 9

- a. place a thin ribbon of ointment in a small pocket you form with the lower eye lid.
- b. place a thin ribbon of ointment along the lower eye lid going from the outer corner of the eye to the inner corner of the eye
- c. place a thin ribbon of ointment in a small pocket formed from the inner corner to the outer corner of the eye.
- d. place a thin ribbon of ointment along the lower eye lid going from the inner corner of the eye to the outer corner of the eye

\_\_\_\_ 49. To administer ear drops to a 2 year old child, you will:

Unit 9

- a. straighten the ear canal by gently pulling the ear lobe down and back
- b. straighten the ear canal by gently pulling the ear lobe up and back
- c. straighten the ear canal by gently pulling the top of the ear up and back.
- d. straighten the ear canal by gently pulling the top of the ear down and back.

\_\_\_\_ 50. A child having an asthma attack may have:

Unit 6

- a. vomiting, diarrhea and swelling
- b. rash, swelling in the face and high fever
- c. facial twitches, tremors and eye pain
- d. shortness of breath, wheezing, chest tightness