

# **CTDEP INTERIM PM2.5 NEW SOURCE REVIEW**

## **MODELING POLICY AND PROCEDURES**

### **August 1, 2007 Draft**

#### **Policy Considerations**

Effective December 15, 2006, the U.S. Environmental Protection Agency (EPA) revised the fine particulate matter (PM2.5) national ambient air quality standards (NAAQS), retaining the annual standard of 15  $\mu\text{g}/\text{m}^3$  and tightening the 24-hour average to 35  $\mu\text{g}/\text{m}^3$ . Connecticut has monitored ambient levels of PM2.5 considerably higher than 35  $\mu\text{g}/\text{m}^3$ , a concern as the revised standard is set to better protect public health. While EPA has not yet fully provided implementation rules or guidance for these revised standards, the Connecticut Department of Environmental Protection (CTDEP) is developing a strategy and implementing procedures to better protect public health and to help provide for attainment of both the 1997 and 2006 revised PM2.5 NAAQS.

This interim policy describes CTDEP's requirements for new source review (NSR) permitting and modeling for sources of PM2.5. In particular, for permit applications subject to this policy, a demonstration of compliance with the PM10 NAAQS will no longer serve as a surrogate for compliance with the PM2.5 NAAQS. Instead, potential NSR permit applicants must consider PM2.5 as a criteria pollutant and address it in preparing an application. These interim procedures will serve the policy goal of public health protection by minimizing PM2.5 ambient air impacts from new stationary sources, particularly in Fairfield and New Haven Counties (which are designated as nonattainment for PM2.5).

This interim policy applies to applications for NSR permits or modifications for which a tentative determination was not issued prior to August ???, 2007. These procedures apply until CTDEP adopts a regulation, a State Implementation Plan revision, or a revised policy addressing the PM2.5 NAAQS.

#### **New Source Review Permitting**

Except as noted below, this policy applies a "business as usual" approach to taking PM2.5 into account in CTDEP NSR technology reviews and any necessary requirements to reduce PM2.5 impacts.

**Non-attainment review.** Although EPA has not yet made designations of nonattainment for the 2006 24-hour PM2.5 NAAQS, Fairfield and New Haven Counties are designated as nonattainment for the 1997 annual PM2.5 NAAQS. The remainder of Connecticut is currently designated as attainment for PM2.5. Permit applicants should assume that these boundaries would also apply to the 2006 24-hour PM2.5 NAAQS. See Figure 1 for a map of the assumed designations. New major stationary sources in nonattainment areas are required by the Clean Air Act to install technology deemed to produce the lowest achievable emission rate (LAER). Also, new major stationary sources and major modifications are required to offset emissions increases at a ratio of at least 1:1 from other sources located in the nonattainment area. Offsetting emissions of SO<sub>2</sub> at a greater than 1:1 ratio may be substituted for PM2.5 on a case-by-case basis. The source must provide a sound technical justification, which demonstrates that, any proposed SO<sub>2</sub> offset will provide a net air quality benefit equal to or greater than a 1:1 PM2.5 offset.

**PM2.5 emission limits.** A permit applicant may assume PM2.5 emissions are equivalent to PM10 emissions or propose a PM2.5-specific emission limit based on supporting data. Applications should include separate emission limits for filterable and condensable fractions of expected total PM2.5 emissions. Sources will be required to meet the filterable fraction using appropriate EPA reference stack test methods. A source will not be required to demonstrate compliance with an expected condensable emission limit until one year after the USEPA promulgates a new reference stack test method for the condensable fraction. At that time, the PM2.5 emissions will be evaluated and the permit will be modified to reflect the results of the stack test for condensables.

## **New Source Review Modeling**

**General requirement.** Applications for new sources with potential PM<sub>2.5</sub> emissions in excess of 15 tons per year must include an adequate PM<sub>2.5</sub> modeling analysis to demonstrate compliance with both the PM<sub>2.5</sub> NAAQS of 15 µg/m<sup>3</sup> (annual average) and 35 µg/m<sup>3</sup> (24-hour average). CTDEP's modeling procedures typically used in the NSR application process are unchanged, except for the addition of PM<sub>2.5</sub> as a pollutant to be assessed. The procedures for different source situations are summarized in Figure 2. The specific criteria to apply in performing a PM<sub>2.5</sub> modeling demonstration are described below.

**Applicability thresholds.** The modeling applicability thresholds apply to any new stationary source or modification subject to the provisions of sections 22a-174-2a and 22a-174-3a of the Regulations of Connecticut State Agencies (R.C.S.A.), including:

- New major PM<sub>2.5</sub> sources (100 tons per year or more);
- Proposed modifications to existing major PM<sub>2.5</sub> sources (100 tons per year or more) with a PM<sub>2.5</sub> net emissions increase of more than 15 tons per year; and
- New minor sources or modifications with a proposed PM<sub>2.5</sub> net emissions increase greater than 15 tons per year but less than 100 tons per year.

Any new source or modification, required to receive a NSR permit, with a net emission increase of  $\geq 3.0$  tpy but  $< 15$  tpy, should follow existing screening modeling procedures for PM and use PM<sub>10</sub> emissions as a surrogate for PM<sub>2.5</sub>.

**Background air quality.** CTDEP's existing ambient PM<sub>2.5</sub> monitoring network may be used to estimate background PM<sub>2.5</sub> levels for all locations in Connecticut. The annual background PM<sub>2.5</sub> value should be based on the average of the most recent three years of available data. The 24-hour background PM<sub>2.5</sub> value should be based on the average of the 98<sup>th</sup> percentile 24-hour values measured over the last three years of available data. An applicant may choose to develop a more refined background PM<sub>2.5</sub> value by performing a full year of on-site pre-construction monitoring. CTDEP may allow an applicant to define background values that are less than the observed design values, provided that the applicant provides sound technical reasoning for such an approach (e.g., a directional-specific analysis of monitored levels).

**Ambient air quality modeling.** Applications requiring air quality modeling must demonstrate expected compliance with the PM<sub>2.5</sub> NAAQS based on a total expected PM<sub>2.5</sub> emission rate that includes both filterable and condensable PM<sub>2.5</sub>.

When calculating impacts for comparison to the annual NAAQS of 15 µg/m<sup>3</sup>, the maximum three-year average of annual PM<sub>2.5</sub> predicted impacts from the new source at each receptor over the five years modeled should be added to the monitored background concentration. When calculating impacts for comparison to the 24-hour NAAQS of 35 µg/m<sup>3</sup>, the three-year average of the yearly maximum 8<sup>th</sup> high 24-hour PM<sub>2.5</sub> predictions at each receptor should be added to the monitored background concentration and the result compared to the NAAQS.


CTDEP is adopting the PM<sub>2.5</sub> significant impact levels (SILs) recommended by the Northeast States for Air Use Management (NESCAUM) of 0.30 µg/m<sup>3</sup> (annual average) and 2.0 µg/m<sup>3</sup> (24-hour average).

Background information regarding the selection of these SILs is available at <http://www.nescaum.org/topics/permit-modeling>.

Questions concerning the PM<sub>2.5</sub> modeling procedures should be directed to Jude Catalano at 860-424-3384 or [jude.catalano@po.state.ct.us](mailto:jude.catalano@po.state.ct.us). The regulations that apply to NSR permitting, namely R.C.S.A. sections 22a-174-2a and 22a-174-3a, are available at:

[http://www.ct.gov/dep/cwp/view.asp?a=2684&q=322184&depNav\\_GID=1619](http://www.ct.gov/dep/cwp/view.asp?a=2684&q=322184&depNav_GID=1619).

**Figure 1. PM<sub>2.5</sub> nonattainment area boundaries for the 24-hr NAAQS are likely to be the same as for annual NAAQS.**



**Figure 2. PM-2.5 NSR FLOW DIAGRAM**

