



Civil Engineering | Land Surveying | Environmental Sciences

Environmental Review Record
and
Statutory Checklist

Residence of Salvatore Esposito
306 Cosey Beach Avenue
East Haven, CT

NEPA Compliance Document
Prepared Pursuant to 24 CFR Part 58

February 19, 2014

Prepared for:
State of Connecticut
Department of Housing
and
Lothrop Associates
100 Pearl Street, 14th Floor
Hartford, CT 06103

Prepared by:
FREEMAN
Freeman Companies, LLC
10 Columbus Blvd, 10th Floor
Hartford, CT 06103

Table of Contents

1.0	Project Description and Location	1
2.0	Explanation of Categorical Exclusion	1
3.0	Statutory Checklist	1
4.0	Agency Consultation and Mitigation Measures Required	2
5.0	Determination	3
6.0	References	3
7.0	Summary of Preparer Qualifications	4

Appendices

Appendix A	Statutory Checklist
Appendix B	Project Location and Vicinity Maps
Appendix C	Resource Maps and Supporting Documents
Appendix D	Limited Hazardous Materials Inspection Report

1.0 Project Description and Location

The State of Connecticut Action Plan for Community Development Block Grant Program Disaster Recovery submitted a Plan to the U.S. Department of Housing and Urban Development (“HUD”) as part of a receipt of \$71,820,000 of federal funding under the Community Development Block Grant - Disaster Recovery (CDBG-DR) Program.

The funding was authorized under The Disaster Relief Appropriations Act of January 29, 2013. The allocation of the Funding to the State is intended to address immediate unmet housing and economic revitalization needs in those counties and jurisdictions that were most severely impacted by Hurricane Sandy.

Pursuant to the National Environmental Policy Act (NEPA), Freeman Companies, LLC has prepared the following environmental documentation for rehabilitation of the property located at 306 Cosey Beach Avenue in East Haven, Connecticut. We are preparing the environmental documentation in accordance with the HUD regulations 24 CFR Part 58. This project is within Connecticut Department of Housing’s (DOH) Owner Occupied Rehabilitation and Rebuilding (OORR) Program.

The property is a single family residence located at approximately 41.244724 Latitude and -72.876291 Longitude. The residence, constructed in 2002, is located on the south side of Cosey Beach Avenue, to the west of the intersection with Catherine Street.. The northern part of the property is located within an AE flood plain and southern part of the property is located within a VE flood plain.

The project will entail the following:

- Replacement of one steel staircase that is missing
- Installation of new steel railings for newly installed masonry front stairs
- Installation of caulk/sealant at the perimeter gaps along the breakaway walls at interface with piers, floors, and beams
- Replacement of damaged air conditioning equipment
- Repairs/replacement to concrete block in masonry pier
- Repoint of brick mortar on pier
- Repairs to cracks in the wall finish
- Installation of owner supplied outdoor composite railing
- Replacement of damaged bracket for one building mounted light fixture

2.0 Explanation of Categorical Exclusion

A Categorical Exclusion in accordance with 24 CFR Part 58.35 refers to a category of activities for which no environmental impact statement or environmental assessment and finding of no significant impact under NEPA is required, except in extraordinary circumstances. Because the project involves building rehabilitation that does not increase the unit density of the building or change land use, the project is categorically excluded under 24 CFR 58.35(a)(3)(i).

3.0 Statutory Checklist

This project is determined to be Categorical Excluded according to 24 CFR 58.35(a)(3)(i). Projects may be additionally subject to review under related federal laws and authorities as determined by

completing a statutory checklist. The following checklist and documentation of the findings of the checklist are incorporated into this Environmental Review Record in compliance with 24 CFR 58.

Tier 1 of a 2-step Tiered Environmental Review has already been conducted by DOH, and this Statutory Checklist shall be considered Tier 2.

The Statutory Checklist indicates whether the activity does or does not affect the resources under consideration. Status "A" indicates that the project does not require formal consultation with an outside agency and does not affect the resource in question. Status "B" indicates that the activity requires formal compliance consultation with the oversight agency or affects the resource. The documents and/or information sources used in making the determination are listed in the checklist. A compliance determination is provided following the checklist.

The checklist is included as Appendix A.

4.0 Agency Consultation and Mitigation Measures Required

Based on the completion of the checklist, the following Agencies were consulted and inspections performed.

4.1 Town of East Haven - Engineering Department

The Town of East Haven's Engineering Department was consulted in regards to inland wetlands, coastal zone management and local zoning approvals. According to Mr. Jerry Tramontaro, a coastal area management review may be required for the project. In addition approvals from inland wetlands as well as local planning and zoning may also be required.

4.2 Endangered Species

Activities located at waterfront properties with sandy beaches require consultation with CT DEEP's Natural Diversity Data Base (NDDDB) Section. A request for Natural Diversity Data Base State Listed Species Review was submitted to the CT DEEP on December 9, 2014

A December 15, 2014 response letter from the CT DEEP states that the department did not anticipate any negative impacts to State-listed species resulting from proposed activities at the site.

4.3 Lead

According to the information presented within the Limited Hazardous Materials Report, residential structures are exempt from EPA's Renovation, Repair, and Painting Rule (RRP) and the Lead Safe Housing Rule if the residence was constructed after 1978.

According to the Town East Haven Assessor's office, the residential structure at 306 Cosey Beach Avenue in East Haven, Connecticut, was constructed in 2002. Based on the construction date Fuss & O'Neill determined that the residence was exempt from RRP and the Lead Safe Housing Rule. Therefore, Fuss & O'Neill did not conduct any testing for lead-based paint at the Site.

4.4 Asbestos

An asbestos inspection was performed at the property by Fuss & O'Neill on January 13, 2015. Based on the results of the inspection, none of the tested materials were identified to contain asbestos.

Any suspect material encountered during renovation/demolition that is not identified in this report as being non-asbestos containing material, should be assumed to be asbestos containing material unless sample results prove otherwise.

4.5 Radon

From January 13, 2015 through January 16, 2015, Fuss & O'Neill conducted radon testing at the residence utilizing passive radon detection canisters for at least 48 hours but no longer than 96 hours. During the course of the assessment, four samples, including one duplicate and one blank, were placed within the residence. The radon gas concentrations in the samples collected during the assessment ranged from 0.1 pCi/L to 0.4 pCi/L.; which are below the EPA recommended action guideline of 4.0 pCi/L.

4.6 Mold

On January 13, 2015 Fuss & O'Neill performed a visual assessment for the presence of suspect mold and water intrusion. No suspected mold growth was identified on accessible/visible building materials observed within the residence at the time and date of the inspection.

5.0 Determination

For Categorically Excluded actions pursuant to §58.35(a), the project cannot convert to "Exempt" since one or more authority requires compliance, including but not limited to consultation with or approval from an oversight agency, performance of a study or analysis, completion of remediation or mitigation measure, or obtaining of license or permit.

6.0 References

Environmental Justice Maps, CTDEEP, accessed at
http://www.ct.gov/deep/lib/deep/environmental_justice/maps/east_haven.pdf

Endangered Species Maps, CTDEEP, accessed at
<http://www.depdata.ct.gov/naturalresources/endangeredspecies/nddbpdfs.asp?nddbsel=44>

Environmental Data Resource Report, *EDR Radius Map with GeoCheck*, March 19, 2014

Environmental Data Resource Report, *NEPACheck*, March 19, 2014

Flood Insurance Rate Map, Map Number 09009C0557J

Google Earth, accessed on December 3, 2014

Sole Source Aquifer Map, EPA, accessed at EPA Region 1
http://www.epa.gov/region1/eco/drinkwater/pc_solesource_aquifer.html

Town of East Haven Assessor Card, accessed at <http://www.equalitycama.com>

Town of East Haven Building Department

Town of East Haven Coastal Area Management Program

Zoning Regulations of the Town of East Haven

7.0 Summary of Preparer Qualifications

Mr. Charles D. Brink possesses over 20 years of experience performing and leading environmental assessment and investigation projects. He has overseen numerous hazardous material investigations and performed dozens of Phase I Environmental Site Assessments. To further his knowledge base, he has also been trained in the investigation of mold, PCBs in building materials as well as possessing experience with the management of an asbestos laboratory analyzing both bulk and air monitoring samples for asbestos.

Appendix A
Statutory Checklist

Statutory Checklist for Compliance with 24 CFR §58.5 – NEPA Related Federal Laws and Authorities

(Must be completed for each individual addressed included under overall project description)

Use this worksheet for projects that are Categorically Excluded Subject to 24 CFR §58.5 listed at 24 CFR §58.35(a) and for projects that require an Environmental Assessment.

Project Name: Property of Salvatore Esposito – 306 Cosey Beach Avenue, East Haven

ERR FILE # Application Number 1376

Definitions: **A:** The project is in compliance.
 B: The project requires an additional compliance step or action.

Statute, Authority, Executive Order Cited at 24 CFR §58.5	A	B	COMPLIANCE FINDING	SOURCE DOCUMENTATION
1. 58.5(a) Historic Properties [36 CFR 800]	A		Building was constructed in 2002 and is less than 50 years of age	Town of East Haven property card
2. 58.5(b)(1) Floodplain Management [24 CFR 55, Executive Order 11988]	A		DOH has conducted 8-step analysis. Site is in AE and VE flood plain. The house is already on piers and the portion over the piers appears to be over the flood elevation. Mitigation will not involve substantial improvement. Mitigation activities to be included in construction scope of work.	NFIP FIRM Map 09009C0557J A copy of the map with project location depicted is attached.
3. 58.5(b)(2) Wetland Protection [24 CFR 55, Executive Order 11990]		B	DOH has conducted 8-step analysis. The southernmost part of the property parcel is located in a National Wetland Inventory Estuarine and Marine wetland. The project area is not located within a wetland. Mitigation will involve minor repairs and does not include substantial improvements. Mitigation activities to be included in construction scope of work. Obtaining local wetland approvals, if necessary, will be included within construction Scope of Work.	The southernmost part of the property parcel is located in a National Wetland Inventory Estuarine and Marine wetland. The project area is not located within a wetland. USGS Wetland map, EDR NEPA Check report, and EDR Radius Map

4. 58.5(c) Coastal Zone Management [Coastal Zone Management Act sections 307(c) & (d)]		B	Project is located within Coastal Management Zone. Project does not involve substantial improvement, but a Coastal Area Management review may be required. Review to be conducted as part of construction scope of work. No construction will be conducted until local approval is obtained.	Town of East Haven Coastal Area Management Program. http://cteco.uconn.edu/map_catalog/maps/town/Coastal_Boundary/cstlbnd_EAST_HAV_EN.pdf A copy of the map depicting the location of the property is attached.
5. 58.5(d) Sole Source Aquifers [40 CFR 149]	A		The property is not located within a sole source aquifer area. Site utilizes municipal sewer and water.	EPA Region 1 http://www.epa.gov/region1/eco/drinkwater/pc_solesource_aquifer.html A copy of the GNHWPCA service area map with project location depicted is attached
6. 58.5(e) Endangered Species [50 CFR 402]	A		The project location contains waterfront property with a sandy beach. A request for Natural Diversity Data Base State Listed Species Review was submitted to CTDEEP on December 9, 2014. A determination letter from CTDEEP on December 15, 2014 stated that negative impacts to State-listed species are not anticipated	http://www.depdata.ct.gov/naturalresources/endangeredspecies/nddbpdfs.asp?nddbssel=44 A copy of the map with project location depicted is attached. December 15, 2014 CT DEEP response on NDDB request
7. 58.5(f) Wild and Scenic Rivers [36 CFR 297]	A		Project does not involve substantial improvements. Project location is not within one mile of Eight Mile River (only designated wild and scenic river within program area)	Mapping obtained from http://www.rivers.gov/maps/conus.php
8. 58.5(g) Air Quality [40 CFR parts 6, 51,61, 93]	A		Project on existing developed site and should not substantially affect the CT SIP due to the implementation of standard BMPs. Project consists of residential construction with no anticipated quantifiable increase in air pollution.	http://www.epa.gov/region1/topics/air/sips/sips_ct.html
9. 58.5(h) Farmland Protection [7 CFR 658]	A		Property does not include prime or unique farmland.	http://websoilsurvey.sc.egov.usda.gov
10. 58.5(i)(1) Noise Control and Abatement [24 CFR 51B]	A		Project is not located within the 65 decibel zone of Tweed Airport.	Tweed New Haven Airport Master Plan
11. 58.5 (i) (1) Explosive and Flammable Operations [24 CFR 51C]	A		Mitigation will not result in an increase to residential density of the property.	Rehabilitation work that does not alter the number dwelling units or a change of land use is not subject to Acceptable Separation Distance (ASD) requirements for HUD

12. 58.5(i)(1) Airport Hazards (Runway Clear Zones and Clear Zones/Accident Potential Zones) [24 CFR 51D]	A		Mitigation will not result in an increase to residential density of the property nor is the property located within an airport clear zone.	Tweed-New Haven Airport Runway Protection Zone maps are attached
13. 58.5(i)(2)(i-iv) Contamination and Toxic Substances [24 CFR 58.5(i)(2)]	A		No hazard which could affect the health and safety of occupants or conflict with the intended utilization of the property was identified	Opinion of preparer who is a qualified environmental professional
14. 58.5(j) Environmental Justice [Executive Order 12898]	A		The project is not located in predominantly minority and low income census block area according to EJ Mapping. The project will not create high and adverse human health and environmental effects.	http://www.ct.gov/deep/lib/deep/environmental_justice/maps/east_haven.pdf A copy of the map depicting the site location is attached
15 A. Flood Insurance [58.6(a) & (b)]		B	Per federal regulations and OORR program guidelines the homeowner will need to provide proof of flood insurance policy prior to construction. Homeowners are required to maintain flood insurance for not less than 5 years from the date of assistance.	Community Development Block Grant – Disaster Recovery (CDBG-DR) Owner Occupied Rehabilitation and Rebuilding Program guideline requirements
15 B. Coastal Barriers [58.6(c)]	A		Town of East Haven does not contain any coastal barrier resources	Connecticut Map of Coastal Barrier Resources System. A copy of the map depicting the site location is attached.
16. A Solid Waste Disposal [42 U.S.C. S3251 et seq.] and [42 U.S.C. 6901-6987 eq seq.]	A		Activities are limited to existing building footprint. Town of East Haven provides weekly curbside pickup of refuse for all 1 to 3 family homes	http://www.townofeasthavenct.org/public_refuse.shtml
16 B. Fish and Wildlife [U.S.C. 661-666c]	A		Project will not involve the impounding, diverting, channelizing or modification of any stream or body of water	Mitigation information obtained from Initial property Inspection report
16 C. Lead-Based Paint [24 CFR Part 35] and [40 CFR 745.80 Subpart E]	A		Residential structures are exempt from RRP and the Lead Safe Housing Rule if constructed after 1978. Since the residence was constructed in 2002 it is exempt.	Limited Hazardous Materials Inspection Report. A copy of the report is attached.
16 D. Asbestos	A		The results of sampling of suspect ACM material did not identify the presence of any asbestos.	Limited Hazardous Materials Inspection Report. A copy of the report is attached.
16 E. Radon [50.3 (i) 1]	A		Radon was not identified within living spaces at concentration exceeding EPA recommended guidelines	Limited Hazardous Materials Inspection Report. A copy of the report is attached.

16 F. Mold	A		Water damage was not identified as part of the inspection	Limited Hazardous Materials Inspection Report. A copy of the report is attached.
Other: State or Local 17 A. Flood Management Certification [CGS 25-68]		B	Property within an AE and VE Flood Zone. Certification though the General Permit for CDBG-DR activities with CTDEEP is required	FEMA Map 09009C0557J. See Appendix C for Certification form and attached application documentation
17 B. Structures, Dredging & Fill Act [CGS 22a-359 through 22a-363f]	A		Project is not located waterward of coastal jurisdiction line	Office of Long Island Sound Programs Coastal Jurisdiction Line Elevations
17 C. Tidal Wetlands Act [CGS 22a-28 through 22a-35]		B	Project is not located within a tidal wetland. Obtaining local wetland approvals, if necessary, will be included within construction Scope of Work.	USGS Wetland map, CT DEEP Tidal Wetlands Map, EDR NEPA Check report and EDR Radius Map
17 D. Local inland wetlands/watercourses [CGS 22a-42]		B	Project is not located within an inland wetland. Obtaining local wetland approvals, if necessary, will be included within construction Scope of Work.	Town of East Haven inland wetlands areas do not differ from DEEP identified wetlands
17 E. Various Municipal Zoning Approvals		B	Obtaining any local zoning approvals to conduct mitigation efforts will be included within the construction scope of work	Zoning Regulations of the town of east haven

DETERMINATION:

- Box "A" has been checked for all authorities.** For Categorically Excluded actions pursuant to §58.35(a) [Does not apply to EA or EIS level of review which can never convert to Exempt], the project can convert to Exempt, per §58.34(a) (12), since the project does not require any compliance measures (e.g., consultation, mitigation, permit or approval) with respect to any law or authority cited at §58.5. The project is now made Exempt and **funds may be drawn down**; OR
- Box "B" has been checked for one or more authority.** For Categorically Excluded actions pursuant to §58.35(a), the project cannot convert to Exempt since one or more authority requires compliance, including but not limited to consultation with or approval from an oversight agency, performance of a study or analysis, completion of remediation or mitigation measure, or obtaining of license or permit. **Complete pertinent compliance requirement(s), publish NOI/RROF, request release of funds (HUD-7105.15), and obtain HUD's Authority to Use Grant Funds (HUD-7015.16) per §58.70 and §58.71 before committing funds; OR**
- This project is not a Categorically Excluded action pursuant to §58.35(a), or may result in a significant environmental impact to the environment, and requires preparation of an Environmental Assessment (EA). Prepare the EA according to 24 CFR Part 58 Subpart E.

MITIGATION MEASURES AND CONDITIONS FOR PROJECT APPROVAL: *(If Box B is checked, provide details regarding further consultation, mitigation, permit requirements or approvals required to be incorporated into public notices and project requirements such as contracts, grants, loan conditions, etc. as described in the Statutory Worksheet). Ensure required measures are included in 7015.15 Project Description Section.*

PREPARER:



Preparer's Signature

2/19/2015

Date

Charles D. Brink

Preparer's Name (printed)

Manager Environmental Services

Title (printed)

AUTHORIZED RESPONSIBLE ENTITY OFFICIAL:

Authorized Responsible Entity Signature

Date

Hermia Delaire

Authorized Responsible Entity Name (printed)

CDBG-DR Program Manager

Title (printed)

Worksheet for Preparing 24 CFR §58.5 Statutory Checklist

[Attach to Statutory Checklist]

1. §58.5(a) Historical Properties [36 CFR Part 800]

Historic Properties

- a. Does the project include the type of activity that would have the potential to affect historic properties such as acquisition, demolition, disposition, ground disturbance, new construction or rehabilitation?
 Yes No

If Yes, continue.

If No, the project is not the type of activity that has the potential to affect historic properties. Compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b. Do the RE and State Historic Preservation Office (SHPO) have a Programmatic Agreement (PA) that does not require consultation for this type of activity?
 Yes No

If Yes, document compliance with the PA. Compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

If No, continue.

- c. Is the project located within or directly adjacent to a historic district?
 Yes No

- d. Is the structure or surrounding structures listed on or eligible for listing on the National Register of Historic Places (e.g. greater than 45 years old)?
 Yes No

- e. Were any properties of historical, architectural, religious or cultural significance identified in the project’s Area of Potential Effect (APE)?
 Yes No

If Yes to any of the questions above, continue.

If No to all of the questions above, the project will not affect historic properties. A concurrence from the SHPO that “no historic properties will be affected” is required. Compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- f. Have you consulted with the SHPO to determine whether the project will have “No Adverse Effect on Historic Properties?”
 Yes No

If Yes, continue.

If No, consultation with the SHPO is required.

- g.** Does the SHPO concurrence letter received for this project require mitigation or have conditions?
 Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- h.** Have the SHPO and RE agreed on required mitigation or conditions?
 Yes No

If Yes, include mitigation requirements and/or conditions from the SHPO in the mitigation section of the Statutory Checklist. Mark box “B” on the Statutory Checklist for this authority.

If No, continue with consultation until resolved.

Historic properties of religious and cultural significance to tribes and Native Hawaiian organizations

- i.** Does the project include the types of activities such as those listed below that have the potential to affect historic properties of religious and cultural significance to tribes?
- Ground disturbance (digging);
 - New construction in undeveloped natural areas;
 - Incongruent visual changes – impairment of the vista or viewshed from an observation point in the natural landscape;
 - Incongruent audible changes – increase in noise levels above an acceptable standard in areas known for their quiet, contemplative experience;
 - Incongruent atmospheric changes – introduction of lights that create skyglow in an area with a dark night sky;
 - Work on a building with significant tribal association;
 - Transfer, lease or sale of a historic property of religious and cultural significance.
- Yes No

If Yes, continue.

If No, tribal consultation is not required.

- j.** Does HUD’s Tribal Directory Assessment Tool indicate that tribes have an interest in the location where the project is sited?
(<http://egis.hud.gov/tdat/Tribal.aspx>)

Yes No

If Yes, contact federally recognized tribe(s) and invite consultation. Continue.

If No, document the result in the ERR. Tribal consultation is not required.

k. Did the tribe(s) respond that they want to be a consulting party?

Yes No

If Yes, continue.

If No, (no response within 30 days or responded that they do not wish to consult), document response or lack of response in ERR. Further consultation is not required.

l. After consulting with the tribe(s) and discussing the project, were any properties of religious or cultural significance to the tribe(s) identified in the project's APE?

Yes No

If Yes, continue.

If No, notify tribe(s) and other consulting parties of your finding of "No Historic Properties Affected." Tribe(s) has 30 days to object to a finding.

m. After consulting with the tribe(s), will the project have an adverse effect on properties of religious or cultural significance to the tribe(s)?

Yes No

If Yes, consult with tribe(s) and other consulting parties to resolve adverse effects, including considering alternatives and mitigation measures that would avoid or minimize adverse effects.

If No, notify tribe(s) and other consulting parties of your finding of "No Adverse Effects." Tribe(s) has 30 days to object to a finding.

n. Were any objections to a finding received from a consulting tribe?

Yes No

If Yes, continue with consultation until resolved.

If No, consultation is complete.

Comments:

Cite and attach source documentation: (Correspondence with SHPO/THPO. How determination of "no potential to cause effects" to historic properties was made.)

Information Resources:

National Register of Historic Places:

<http://nrhp.focus.nps.gov/natreghome.do?searchtype=natreghome>

National Conference of State Historic Preservation Officers:

<http://ncshpo.org/>

Map of Currently Recognized THPO's:

<http://www.nathpo.org/map.html>

Section 106 Agreements Database:

http://portal.hud.gov/hudportal/HUD?src=/program_offices/comm_planning/environment/section106

2. §58.5(b) (1) Floodplain Management [24 CFR Part 55]

- a. Does the project involved minor repairs or improvements on one to four family properties that do not meet the threshold for “substantial improvement” of §55.2(b)(8), i.e., the cost does not equal or exceed 50% of the market value of the structure before improvement or repair started, before damage occurred.

Yes No

If Yes, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

If No, continue.

- b. Is the project located within (or have an impact on) a 100 year floodplain (Zone A) or Coastal High Hazard (Zone V) identified by FEMA maps?

Yes No

- c. Does the project involve a “critical action,” per §55.2(b) (2) (i), located within a 500 year floodplain (Zone B) identified by FEMA maps?

Yes No

If Yes to (b) or (c), follow HUD’s Floodplain Management Regulations 8-Step decision-making process of §55.20 to comply with 24 CFR Part 55. The 8-Step decision-making process must show that there are no practicable alternatives to locating the project in the floodplain, and if there are no alternatives, define measures to mitigate impacts to floodplains and location of the project in the floodplain. Completion of the 8-Step decision-making process must be completed before the completion of an EA per §55.10(a). See Attachment 2 for an example of the 8-Step decision-making process. The 8-step decision-making process must be included in the ERR and summarized in Part 55 and Part 58 public notices, as well as NOI/RROF and FONSI notices. Mark box “B” on the Statutory Checklist for this authority.

If No to (b) and (c), compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- d. Does the project involve a critical action in a coastal high hazard area or a floodway?

Yes No

If, Yes, HUD assistance may not be used for this project.

- e. Does the project involve a non-critical action which is not a functionally dependent use that is located in a floodway?

Yes No

If Yes, HUD assistance may not be used for this project

- f. Does the project involve a non-critical action which is not a functionally dependent use that is located in a coastal high hazard area?

Yes No

If Yes, project is allowed **only** if it is designed for a location in a coastal high hazard area **and** is processed under Section 55.20. Design requirements must be noted in Statutory Checklist and 8-Step decision-making process.

Comments:

Cite and attach source documentation: (FEMA flood map used to make this finding with the project location marked on the map. Include the community name, map panel number and date of map. As applicable, §55.20 8-Step decision-making process analysis. If FEMA has not published the appropriate flood map, the RE must make a finding based on best available data.)

For more information see:

FEMA Map Service Center:

<http://www.store.msc.fema.gov>

3. §58.5(b) (2) Wetlands Protection (E.O. 11990)

- a. Does the project involve new construction, land use conversion, major rehabilitation, or substantial improvements?
 Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b. Is the project within or adjacent to or will it affect wetlands, marshes, wet meadows, mud flats or natural ponds per field observation and maps issued by the US Fish & Wildlife Service (USFWS) or U.S. Army Corps of Engineers (Corps)?
 Yes No

- c. Are there drainage ways, streams, rivers, or coastlines on or near the site?
 Yes No

- d. Are there ponds, marshes, bogs, swamps or other wetlands on or near the site?
 Yes No

- e. Does the project involve new construction and/or filling located within a wetland designated on a USFWS National Wetlands Inventory map?
 Yes No

If Yes to any of b – e above, comply with wetlands decision-making process of 24 CFR §55.20. (Use proposed Part 55 published in the Federal Register January 2012 for wetland procedures). Continue.

If No to all of b - e above, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- f. Will the project require a permit from the Corps under Section 404 of the Clean Water Act and/or will USFWS require wetland mitigation?

Yes No

If Yes, ensure this is noted in Part 55 and Part 58 public notices. Include all mitigation measures and permit requirements in the mitigation section of the Statutory Checklist. Compliance with this section is complete. Mark box “B” on the Statutory Checklist for this authority.

If No, compliance with this section is complete. Mark box “B” on the Statutory Checklist for this authority.

Comments:

Cite and attach source documentation: (NWI Map with project location noted in reference to wetlands. §55.20 8/5-Step decision-making process analysis for new construction and/or filling, and any permits received.)

For more information see:

USFWS National Wetlands Inventory – Geospatial Wetlands Digital Data:

<http://www.FWS.gov/wetlands/data/index.html>

Recognizing wetlands:

http://www.usace.army.mil/Portals/2/docs/civilworks/regulatory/techbio/rw_bro.pdf

4. §58.5(c) Coastal Zone Management [Coastal Zone Management Act of 1972, Sections 307(c) & (d)]

- a. Does the project involve new construction, land use conversion, major rehabilitation, or substantial improvements?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b. Is the project located within a Coastal Zone as defined in your state Coastal Zone Management (CZM) Plan?

Yes No

If Yes, the State CZM Agency must make a finding that the project is consistent with the approved State CZM Plan. Mark box “B” on the Statutory Checklist for this authority.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

Comments:

Cite and attach source documentation: (Map showing project in relation to the nearest Coastal Zone Management area. If applicable, State’s findings.)

For additional information see:

States and Territories Working with NOAA on Ocean and Coastal Zone Management:

<http://coastalmanagement.noaa.gov/mystate/welcome.html>

Texas Coastal Zone Management Program:

<http://www.glo.texas.gov/what-we-do/caring-for-the-coast/grants-funding/cmp/index.html>

Texas Coastal Zone Boundary:

<http://www.glo.texas.gov/what-we-do/caring-for-the-coast/documents/landing-page-folder/CoastalBoundaryMap.pdf>

Louisiana Office of Coastal Management:

<http://dnr.louisiana.gov/index.cfm?md=pagebuilder&tmp=home&pid=85&ngid=5>

Louisiana Coastal Zone Boundary:

<http://dnr.louisiana.gov/index.cfm?md=pagebuilder&tmp=home&pid=88>

5. §58.5(d). Sole Source Aquifers [40 CFR Part 149]

- a. Does the project involve new construction or land use conversion?
 Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b. Is the project located within a U.S. Environmental Protection Agency (EPA)-designated sole source aquifer watershed area per EPA Ground Water Office?
 Yes No

If Yes, consult with the Water Management Division of EPA to design mitigation measures to avoid contaminating the aquifer and implement appropriate mitigation measures. Include mitigation measures in mitigation section of Statutory Checklist. Mark box “B” on the Statutory Checklist for this authority.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

Comments:

Cite and attach source documentation: (Map showing project in relation to the nearest Sole Source Aquifer.)

For more information see:

Region 6 Sole Source Aquifers: <http://www.epa.gov/region6/water/swp/ssa/maps.htm>

6. §58.5(e) Endangered Species [50 CFR Part 402]

- a. Does the project involve the type of activities that are likely to have “no effect on endangered species, such as:
- Demolition and construction or placement of a single family residence within a developed lot, and/or any loans or mortgages affiliated with such construction, demolition or placement provided they are not within 750 feet of habitat for federally-listed species or 300 feet of mapped wetlands, wildlife refuges, fish hatcheries, wildlife management areas, or related significant fish and wildlife resources?

Yes No

• Rehabilitation or renovation activities associated with existing structures (e.g., houses, buildings), including additional structures attached to or associated with the primary structure, and/or any loans or mortgages affiliated with such rehabilitation or renovation?

Yes No

• Acquisition of existing structures (e.g., houses, buildings), including additional structures attached to or associated with the primary structure, and/or any loans or mortgages affiliated with such acquisition.

Yes No

• Purchase and placement of playground equipment within existing parks?

Yes No

• Resurfacing, repairing, or maintaining existing streets, sidewalks, curbs, trails, parking lots and/or any other existing paved surfaces where additional ground disturbance, outside of the existing surface is not necessary?

Yes No

If Yes to any of the above, the project is likely to have “No Effect” on federally protected species and critical habitat. Informal consultation with the US Fish and Wildlife Service or the National Marine Fisheries Service (Services) is not necessary. The RE is required to make this finding and include a memorandum to the file supporting the finding (note that this finding should be made by the RE, and not by third party contractors and non-RE grant recipients). Compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

If No to all of the above, continue.

b. Has the US Fish and Wildlife Service or the National Marine Fisheries Services identified listed species or designated critical habitat in the county where the project is located?

Yes No

If Yes, continue.

If No, the project is likely to have “No Effect” on federally protected species and critical habitat. Informal consultation with the Services is not necessary. The RE is required to make this finding and include a memorandum to the file supporting the finding (note that this finding should be made by the RE, and not by third party contractors). Compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

c. Is the project located within 750 feet of habitat for federally-listed species or 300 feet of mapped wetlands, wildlife refuges, fish hatcheries, wildlife management areas, or related significant fish and wildlife resources?

Yes No

If Yes, conduct special studies by a qualified professional to determine whether the project may affect the species or habitat to support a May Effect finding.

If No, continue below

- d.** Does the project constitute a major construction activity (a major Federal action that modifies the physical environment and would normally require the preparation of an EIS)?

Yes No

If Yes, formal consultation with the Services is required in accordance with procedural regulations contained in 50 CFR Part 402. Mark box “B” on the Statutory Checklist for this authority.

If No, continue.

- e.** If federally protected species or critical habitat have been identified within the project area, has a special study been conducted by a qualified professional to determine the effects of the project on each species and critical habitat?

Yes No

If Yes, continue.

If No, a special study should be conducted to determine the effects of the project on federally protected species and critical habitat. Continue.

- f.** Has the RE made a determination based on professional findings that the project is “Not Likely to Adversely Affect” any federally protected (listed or proposed) threatened or endangered species (i.e., plants or animals, fish, or invertebrates), nor adversely modify critical habitats?

Yes No

If Yes, Service’s concurrence with findings is required. Mark box “B” on the Statutory Checklist for this authority.

If No, continue.

- g.** Has the RE determined based on professional findings that the project “May Affect” federally protected (listed or proposed) threatened or endangered species (i.e., plants or animals, fish, or invertebrates), or adversely modify critical habitats?

Yes No

If Yes, formal consultation is required with the Services, in accordance with procedural regulations contained in 50 CFR Part 402, which mandates formal consultation in order to preserve the species. Mark box “B” on the Statutory Checklist for this authority.

If No, contact your FEO for assistance in determining impacts to federally protected species and critical habitat.

Comments:

Cite and attach source documentation: (Memorandum to the file by the RE supporting the finding of “No Effect.” Concurrence memo from one or both of the Services for a finding of

“Not Likely to Adversely Affect.” Biological Opinion from one or both of the Services for a finding of “May Affect.”)

For additional information see: (The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.* as amended: particularly Section 7 (b) and (c). 50 CFR 402).

USFWS ESA Species Search:

<http://www.FWS.gov/endangered/species/index.html>

NMFS ESA Species Search:

<http://www.nmfs.noaa.gov/pr/species/esa/>

USFWS Critical Habitat Maps:

<http://crithab.FWS.gov/>

NMFS Critical Habitat Maps:

<http://www.nmfs.noaa.gov/pr/species/criticalhabitat.htm>

Endangered Species Consultation Handbook:

http://www.nmfs.noaa.gov/pr/pdfs/laws/esa_section7_handbook.pdf

7. §58.5(f) Wild and Scenic Rivers [36 CFR Part 297]

- a. Does the project involve new construction, land use conversion, major rehabilitation, or substantial improvements?
 Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b. Is the project is located within one (1) mile of a designated Wild & Scenic River, or river being studied as a potential component of the Wild & Scenic River system or an inventory river?
 Yes No

If Yes, determination from the National Park Service (NPS) must be obtained, with a finding that the project will not have a direct and adverse effect on the river nor invade or diminish values associated with such rivers. For NRI Rivers, consultation with NPS is recommended to identify and eliminate direct and adverse effects. Mark box “B” on the Statutory Checklist for this authority.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

Comments:

Cite and attach source documentation: (Maps noting project location and showing proximity to protected rivers. Relevant determinations or results of consultation)

For further information see:

National Park Service:

Designated Rivers <http://www.rivers.gov/rivers/map.php>

Study Rivers <http://www.rivers.gov/rivers/study.php>

National River Inventory (NRI) listed rivers: <http://www.nps.gov/ncrc/programs/rtca/nri/>

8. §58.5(g) Air Quality [40 CFR Parts 6, 51, 61 and 93]

- a. Does the project involve demolition or renovation of buildings likely to contain asbestos containing materials?

Yes No

If Yes, ensure the project is in compliance with EPA's Asbestos regulations found at 40 CFR Part 61 (NESHAP) and all State and local regulations. Continue below.

If No, continue.

- b. Does the project require an environmental assessment or environmental impact statement?

Yes No

If Yes, continue.

If No, compliance with CAA State Implementation Plan factor is complete. Mark Box A on the Statutory checklist.

- c. Does the project involve five or more dwelling units, acquisition of undeveloped land, a change of land use, demolition, major rehabilitation, or new construction?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box "A" on the Statutory Checklist for this authority.

- d. Is the project located in a Non-Attainment area?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box "A" on the Statutory Checklist for this authority.

- e. Is the project consistent with the air quality State Implementation Plan (SIP)?

Yes No

If **Yes**, obtain letter of consistency showing that the project is consistent with the SIP. Compliance is complete. Mark box "B" on the Statutory Checklist for this authority.

If No, continue.

- f. Has EPA determined that the proposed activity is one that requires a permit under the SIP?

Yes No

If Yes, continue.

If No, compliance is complete. Mark box "B" on the Statutory Checklist for this authority.

- g.** Will project exceed any of the *de minimis* emissions levels of all non-attainment and maintenance level pollutants or exceed the screening level established by the state or air quality management district?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box "B" on the Statutory Checklist for this authority. Attach all documents used to make your determination (See Conformity determination thresholds at 40 CFR 93.153(b) Include engineering/construction assessments of emissions during construction and operating phases).

- h.** Can project be brought into compliance through mitigation?

Yes No

If Yes, list mitigation measures required to achieve conformance with SIP in the mitigation section of the Statutory Checklist. Mark box "B" on the Statutory Checklist for this authority.

If No, Federal assistance may not be used at this location.

Comments:

Cite and attach source documentation: (Letter of consistency with SIP, assessment of emissions, air permits received, mitigation measures taken, etc.)

For further information see:

The Green Book Nonattainment Areas for Criteria Pollutants:

<http://www.epa.gov/oar/oaqps/greenbk/>

Region 6 Air State Implementation Plans:

<http://www.epa.gov/region6/6pd/air/pd-l/sip.htm>

9. §58.5(h) Farmlands Protection [7 CFR Part 658]

- a.** Does the project involve acquisition of undeveloped land, conversion of undeveloped land, new construction or site clearance?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box "A" on the Statutory Checklist for this authority.

- b.** Is project located in an area committed (zoned) to urban uses?

Yes No

If Yes, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

If No, continue.

- c. Does the project site include prime or unique farmland, or other farmland of statewide or local importance as identified by the U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS) (formerly the Soil Conservation Service)?

Yes No

If Yes, request evaluation of land type from the NRCS using Form AD-1006, and consider the resulting rating in deciding whether to approve the proposal, as well as mitigation measures (including measures to prevent adverse effects on adjacent farmlands). Mark box “B” on the Statutory Checklist for this authority. Include mitigation measures in the mitigation section of the Statutory Checklist.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

Comments:

Cite and attach source documentation: (Zoning map with project location noted. Form AD-1006 from NRCS.)

For additional information see:

NRCS Soil Maps:

<http://websoilsurvey.nrcs.usda.gov/app/>

Form AD-1006 and instructions:

http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb1045394.pdf

Farmland Protection Policy Act

http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/programs/alphabetical/fppa/?&cid=nrcs143_008275

10. §58.5(i) (1) Noise Abatement and Control [24 CFR Part 51B]

- a. Does the project involve a noise sensitive use such as a residential structure, school, hospital, nursing home, library, etc.?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b. Is the project located within:

- 15 miles of a civilian or military airfield with more than 9,000 carrier operations annually;

Yes No

- 1000 feet of a major highway or busy road;

Yes No

- within 3000 feet of a railroad.

Yes No

If Yes to any the above, complete a noise calculation assessment. Use adopted DNL contours if the noise source is an airport. Continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- c. Do noise calculations or airport noise contour maps indicate noise levels above 65dB (outside)?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- d. Do noise calculations or airport noise contour maps indicate noise levels above 75dB (outside)?

Yes No

If No, for projects in the normally unacceptable zone (65dB – 75dB), noise attenuation measures are strongly encouraged for rehabilitation and required for new construction to reduce noise levels to below 65dB (outside). Mark box “B” on the Statutory Checklist for this authority. List all attenuation measures in the mitigation section of the Statutory Checklist.

If Yes, HUD assistance for the construction of new noise sensitive uses is generally prohibited for projects with unacceptable noise exposure (>75dB). Noise attenuation measures are strongly encouraged for rehabilitation projects with unacceptable noise exposure to reduce noise levels to below 65dB (outside). Mark box “B” on the Statutory Checklist for this authority. List all attenuation measures in the mitigation section of the Statutory Checklist.

Comments:

Cite and attach source documentation: (Maps with project location indicating distance from noise sources. DNL calculations and/or NAG worksheets.)

For more information see:

HUD noise guidebook:

http://portal.hud.gov/hudportal/HUD?src=/program_offices/comm_planning/environment/trainin/g/guidebooks/noise

http://portal.hud.gov/hudportal/HUD?src=/program_offices/comm_planning/environment/review/noise

<http://www.hud.gov/offices/cpd/environment/dnlcalculator.cfm>

<http://www.hud.gov/offices/cpd/environment/mitigation.cfm>

<http://portal.hud.gov/hudstracat/noiseCalcEntry.jsp>

FAA:

http://www.faa.gov/airports/planning_capacity/npas/reports/

11. §58.5(i) (1) Explosive and Flammable Operations [24 CFR 51C]

- a.** Does the project involve development, construction, rehabilitation, modernization or land use conversion of a property intended for residential, institutional, recreational, commercial, or industrial use?

Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b.** Was a field observation performed by a qualified professional which documents there are above ground storage tanks within line of site of the project?

Yes No

- c.** Is the project site within 1 mile of current or planned stationary aboveground storage tanks of more than 100 gallon capacity, containing common liquid industrial fuels OR of any capacity, containing hazardous liquids or gases, that are not liquid industrial fuels?

Yes No

- d.** Are industrial facilities handling explosive or fire-prone materials such as liquid propane, gasoline or other storage tanks adjacent to or visible from the project site?

Yes No

If Yes to any of b – d above, use HUD Hazards Guide to calculate an Acceptable Separation Distance to comply with 24 CFR Part 51, Subpart C. Continue.

If No to all of b – d above, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- e.** Is the project located at an Acceptable Separation Distance from any above-ground explosive or flammable fuels or chemicals containers as calculated above?

Yes No

If Yes, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

If No, continue.

- f.** Can mitigation measures, such as construction of a barrier of adequate size and strength, reduce the blast overpressure or thermal radiation hazard to protect the project (per 24 CFR §51.205)?

Yes No

If Yes, Mark box “B” on the Statutory Checklist for this authority. List all mitigation measures in the mitigation section of the Statutory Checklist.

If No, HUD assistance cannot be used for this project.

Comments:

Cite and attach source documentation: (Maps with project location noted showing distance from explosives and flammable operations. ASD calculations/worksheet.)

For additional information see:

HUD Guidance on Siting Projects near Explosive and Flammable Facilities:

http://portal.hud.gov/hudportal/HUD?src=/program_offices/comm_planning/environment/review/explosive

Acceptable Separation Distance Guidebook :

<http://portal.hud.gov/hudportal/documents/huddoc?id=HUD-Guidebook.pdf>

Barrier Design Guidance for HUD Assisted Project Near Hazardous Facilities:

http://portal.hud.gov/hudportal/HUD?src=/program_offices/comm_planning/environment/training/guidebooks/hazfacilities

12. §58.5(i) (1) Airport Hazards [24 CFR 51D]

- a.** Will the project use HUD assistance, subsidy or insurance for construction; land development; community development or redevelopment; substantial modernization and rehabilitation which prolongs the physical or economic life of existing facilities; provide facilities and services which make land available for construction; change the use of a facility; increase the unit density or number of people at the site?
 Yes No

If **Yes**, continue.

If **No**, compliance with this section is complete. Mark box "A" on the Statutory Checklist for this authority.

- b.** Is the property within 2,500 feet of a civilian airport, the Runway Clear Zone (RCZ)?
 Yes No
- c.** Is the project is within 15,000 feet of a military airfield, the Clear Zone (CZ) or Accident Potential Zone (APZ)?
 Yes No

If **Yes** to either of the above questions, request a written finding from the airport operator stating whether or not the project is located in a RCZ, CZ or APZ. Continue.

If **No** to both of the above questions, compliance with this section is complete. Mark box "A" on the Statutory Checklist for this authority.

- d.** If the project is within 15,000 feet of a military airfield or within 2,500 feet of a civilian airport, did your written confirmation from the airport operator confirm that the project is located in a RCZ, CZ or APZ?
- Yes No

If **Yes**, continue.

If **No**, compliance with this section is complete. Mark box "A" on the Statutory Checklist for this authority.

- e.** If the project is located in a military airfield APZ, is the project consistent with the Land Use Compatibility Guidelines for Accident Potential Zones (32 CFR Part 256, DOD Instruction 4165.57).
- Yes No

If **Yes**, attach copy of written assurance from airport operator. Mark box "B" on the Statutory Checklist for this authority.

If **No**, HUD funds may not be used for this project.

- f.** If the project is in a RCZ/CZ will the project be frequently used or occupied by people?
- Yes No

If **Yes**, HUD funds may not be used for this project.

If **No**, continue.

- g.** If the project will not frequently be used by people, has the airport operator provided a written statement that there are no plans to purchase the land involved with such facilities as part of an RCZ/CZ acquisition program?
- Yes No

If **Yes**, attach copy of written assurance from airport operator. Mark box "B" on the Statutory Checklist for this authority.

If **No**, HUD funds may not be used for this project.

Comments:

Cite and attach source documentation: (Map with project location noted showing the distance from civilian airports and/or military airfields. Written confirmation from airport operating stating whether or not project is located in a RCZ, CZ or APZ. Written assurance from airport operator on purchase of property.)

For further information see:

Airport Information: <http://www.airnav.com/airports/>

HUD Airport Hazards Q&A:

http://portal.hud.gov/hudportal/HUD?src=/program_offices/comm_planning/environment/review/qa/airport

13. §58.5(i) (2) Contamination and Toxic Substances

- a. Is the property located within the search distances of any of the types of environmental contamination sources?

Standard Environmental Record Sources	Approximate Minimum Search Distance (mi)	Yes	No
Federal National Priorities List (NPL)	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal Delisted NPL Site List	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) List	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal CERCLIS No Further Remedial Action Planned (NFRAP) Site List	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal RCRA Correction Action (CORRACTS) Facilities List	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal RCRA Non-CORRACTS Treatment, Storage and Disposal (TSD) Facilities List	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal RCRA Generators List	Property/Adjoining Properties	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal Institutional Control/Engineering Control Registries	Property Only	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Federal Emergency Response and Notification System (ERNS) List	Property Only	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State- and Tribal-Equivalent NPL	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State- and Tribal-Equivalent CERCLIS	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State and Tribal Landfill and/or Solid Waste Disposal Site Lists	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State and Tribal Leaking Storage Tank Lists	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State and Tribal Registered Storage Tank Lists	Property/Adjoining Properties	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State and Tribal Institutional Control/Engineering Control Registries	Property Only	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State and Tribal Voluntary Cleanup Sites	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>
State and Tribal Brownfield Sites	0.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>

b. Did a visual inspection of the site show the following?

	Yes	No
Distressed vegetation	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Vent or Fill Pipes	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Storage Oil Tanks or Questionable Containers	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pits, Ponds or Lagoons	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stained Soil or Pavement (other than water stains)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pungent, Foul or Noxious Odors	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Dumped Material or Soil, Mounds of Dirt, Rubble, Fill, etc.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

c. Has the property ever been used for any of the following types of uses?

	Yes	No		Yes	No
Gas Station	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Vehicle Repair Shop	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Car Dealership	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Auto Garage	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Depot	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Commercial Printing Facility	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Industrial or commercial warehouses	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Dry Cleaners	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Photo Developing Laboratory	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Hospital	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Junkyard or landfill	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Agricultural/Farming Operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tannery	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Livestock Operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>

d. Does the project have an underground storage tank other than a residential fuel tank, or known or suspected to be contaminated by toxic chemicals or radioactive materials?

Yes No

e. Is the project site near an industry disposing of chemicals or hazardous wastes?

Yes No

If Yes to any of the above, a qualified environmental professional must undertake investigations necessary to ensure that the project is free of hazardous materials, contamination, toxic chemicals and gases, and radioactive substances such that there is no hazard which could affect the health and safety of occupants or conflict with the intended utilization of the property. Continue.

If No to all of the above, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- f.** Could nearby toxic, hazardous or radioactive substances affect the health and safety of project occupants or conflict with the intended use of the property?
 Yes or No
- g.** Are there unresolved concerns that could lead to the RE being determined to be a Potentially Responsible Party (PRP)?
 Yes No

If Yes, continue.

If No, provide written documentation from a qualified environmental professional which documents that identified potential sources of contamination does not pose a hazard which would restrict the intended uses of the property or to the occupants.

- h.** Was an ASTM Phase I Environmental Site Assessment (ESA) report completed for this project? (Note: HUD regulations do not require an ASTM Phase I ESA report for single family homes of 1-4 units. HUD requires an ASTM Phase I ESA for multifamily (5 or more units) and/or Non-residential properties for environmental review prepared under Part 50.)
 Yes No
- i.** Did the ASTM Phase I ESA or other documentation uncover any Recognized Environmental Conditions (RECs) or recommend a Phase II, special/specific Phase II, or recommend Phase III environmental site assessments?
 Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- j.** Do ESAs or other documentation conclude that nearby toxic, hazardous or radioactive substances could affect the health and safety of project occupants or conflict with the intended use of the property?
 Yes or No

If Yes, continue below.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- k.** Did any of the ESA reports or other documentation identify the need to mitigate the environmental condition by removing, stabilizing or encapsulating the toxic substances in accordance with the requirements of the appropriate Federal, state or local oversight agency?
 Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- I. Can all adverse environmental conditions identified in any of the ESAs or other documentation be mitigated?
 Yes No

If Yes, compliance with this section is complete. List specific remedial actions or mitigations in the mitigation section of the Statutory Checklist, according to the requirements of the appropriate Federal, state, or local oversight agency. Mark box “B” on the Statutory Checklist for this authority.

If No, HUD cannot provide assistance for the project at this site.

Comments:

Cite and attach source documentation: (Maps showing project distance to contaminated sites. Phase I (ASTM) Report. All ESAs and mitigation plans performed for this project.)

For additional information see:

HUD Information on Hazardous, Toxic or Radioactive Substances

http://portal.hud.gov/hudportal/HUD?src=/program_offices/comm_planning/environment/review/hazardous

NEPAssist: <http://134.67.99.123/nepassist/entry.aspx>

EPA Envirofacts Data:

<http://www.epa.gov/enviro/>

EPA Toxic Release Inventory (TRI):

http://www.epa.gov/enviro/html/toxic_releases.html

EPA Maps:

<http://www.epa.gov/emefdata/em4ef.home>

EPA CERCLIS/NPL – Superfund database:

<http://www.epa.gov/superfund/sites/query/basic.htm>

ATSDR “ToxFAQs” summaries about hazardous substances:

<http://www.atsdr.cdc.gov/toxfaqs/index.asp>

Right-To-Know Network: <http://www.rtknet.org/>

14. §58.5(j) Environmental Justice (E.O. 12898)

- a. Is the project located in or designed to serve a predominantly minority and low-income neighborhood?
 Yes No

If Yes, continue.

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

- b.** Would there be an adverse environmental impact caused by the proposed action, or would the proposed action be subject to an existing adverse environmental impact?
 Yes No

If No, compliance with this section is complete. Mark box “A” on the Statutory Checklist for this authority.

If Yes, perform an Environmental Justice (EJ) analysis using census, geographic and other data to determine if a low-income/minority population is disproportionately impacted. Continue.

- c.** Will the adverse environmental impact of the proposed action disproportionately impact minority and low-income populations relative to the community-at-large?
 Yes No

If Yes, Mitigation or avoidance of adverse impacts must be considered to the extent practicable; and, public participation processes must involve the affected population(s) in the decision-making process. Continue.

If No, compliance with this section is complete. Document the determination of no disproportionate impacts. Mark box “A” on the Statutory Checklist for this authority.

- d.** Has the mitigation plan been approved by the RE and the impacted community?
 Yes No

If Yes, compliance with this section is complete. Include mitigation plan in the mitigation section of the Statutory Checklist. Mark box “B” on the Statutory Checklist for this authority.

If No, Project cannot move forward until EJ issue is mitigated to the satisfactory of the RE and impacted community.

Comments:

Cite and attach source documentation: (Mapping of low-income and minority populations in the vicinity of the project site. EJ analysis. Mitigation Plan.)

For additional information see:

EJ maps & analysis, by location:

<http://www.scorecard.org/community/ej-index.tcl>

EPA’s “EJ View” Tool provides information relevant to EJ assessments:

<http://epamap14.epa.gov/ejmap/entry.html>

Census data and maps also avail-able at:

<http://factfinder2.census.gov/faces/nav/jsf/pages/index.xhtml>

Tract-level data on race & income:


<http://www.ffiec.gov/geocode>

Appendix B

Project Location and Vicinity Maps



Prepared For:
Residence of Salvatore Esposito
306 Cosey Beach Avenue
East Haven, CT



Not to Scale

Figure 1

Site Location Plan



Prepared For:
Residence of Salvatore Esposito
306 Cosey Beach Avenue
East Haven, CT



Not to Scale

Figure 2

Site Vicinity Map
12/12/14

Environmental Review Record and Statutory Checklist
306 Cosey Beach Avenue
East Haven, CT



Appendix C

Resource Maps and Supporting Documents

The Assessor's office is responsible for the maintenance of records on the ownership of properties. Assessments are computed at 70% of the estimated market value of real property at the time of the last revaluation which was 2011.



TOWN of EAST HAVEN ASSESSOR



Information on the Property Records for the Municipality of East Haven was last updated on 12/3/2014.

Parcel Information

Location:	306 COSEY BEACH AVE	Property Use:	Residential	Primary Use:	Residential
Unique ID:	C0750800	Map Block Lot:	020 0113 004	Acres:	0.42
490 Acres:	0.00	Zone:	R-3	Volume / Page:	1142/0049
Developers Map / Lot:	BET 8&10	Census:	1801000		

Value Information

	Appraised Value	70% Assessed Value
Land	493,920	345,750
Buildings	687,959	481,570
Detached Outbuildings	18,121	12,680

Total

1,200,000


840,000

Owner's Information

Owner's Data

ESPOSITO SALVATORE A
306 COSEY BEACH AVE
EAST HAVEN CT 06512

Building 1



Building Use:	Single Family	Style:	Colonial	Living Area:	4,876
Stories:	2.00	Construction:	Masonry	Year Built:	2002
Total Rooms:	10	Bedrooms:	4	Kitchens:	1
Full Baths:	4	Half Baths:	1	Fireplaces:	3
Heating:	Forced Hot Air	Fuel:	Gas	Cooling Percent:	100%
Basement Area:	2,162	Basement Finished Area:	0	Basement Garages:	2
Roof Material:		Siding:	Brick	Units:	

Special Features

Outdoor Shower	1
Whirlpool	1

Attached Components

Type:	Year Built:	Area:
Open Porch	2002	60
Open Porch	2002	144
Open Porch	2002	470
Open Porch	2002	470
Open Porch	2002	144
Open Porch	2002	60

Detached Outbuildings


Type:	Year Built:	Length:	Width:	Area:
Conc/Masonry Patio	2002			690

Owner History - Sales

Owner Name	Volume	Page	Sale Date	Deed Type	Valid Sale	Sale Price
ESPOSITO SALVATORE A	1142	049	02/01/2001	Quit Claim	No	\$0
ESPOSITO SALVATORE A	1142	049	02/01/2001		No	\$0
ESPOSITO SALVATORE A	1142	049	02/01/2001		No	\$0

Information Published With Permission From The Assessor

Tidal Wetlands Map_306 Cosey Beach



Address Candidates



- Streets
- Interstate
 - US Route
 - State Route
 - Ramp
 - Street

- CT Town Line
- State Boundary
 - State Boundary - LIS
 - Town Boundary
 - Coastline

MA, NY, RI Town Line

- State
 - Town
 - Shoreline
- CT Town Name

MA, NY, RI Town Name

- State Line
- State
 - Coastline

Waterbody Line 7

- Water
- Dam


Waterbody Poly 7

- Water

Tidal Wetland 1990s

- Tidal Wetland 1990s
- Tidal Wetland 1970s

Inland Wetland Soils_306 Cosey Beach



Address Candidates



- Streets
- Interstate
 - US Route
 - State Route
 - Ramp
 - Street
- CT Town Line
- State Boundary
 - State Boundary - LIS
 - Town Boundary
 - Coastline

MA, NY, RI Town Line

- State
- Town
- Shoreline

CT Town Name

MA, NY, RI Town Name

- State Line
- State
 - Coastline

Waterbody Line 7

- Water
- Dam

Waterbody Poly 7

- Water

Inland Wetland Soils

- Poorly Drained and Very Poorly Drained Soils
- Alluvial and Floodplain Soils



U.S. Fish and Wildlife Service National Wetlands Inventory

FWS_Wetlands Map

Dec 3, 2014




Wetlands

- Freshwater Emergent
- Freshwater Forested/Shrub
- Estuarine and Marine Deepwater
- Estuarine and Marine
- Freshwater Pond
- Lake
- Riverine
- Other

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.


User Remarks:



Long Island Sound



MAP SCALE 1" = 500'



NATIONAL FLOOD INSURANCE PROGRAM

PANEL 0557J

FIRM

FLOOD INSURANCE RATE MAP
 NEW HAVEN COUNTY,
 CONNECTICUT
 (ALL JURISDICTIONS)

PANEL 557 OF 635

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
EAST HAVEN, TOWN OF	090076	0557	J
NEW HAVEN, CITY OF	090084	0557	J

Notice to User: The **Map Number** shown below should be used when placing map orders; the **Community Number** shown above should be used on insurance applications for the subject community.



MAP NUMBER
 09009C0557J

MAP REVISED
 JULY 8, 2013

Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov

Natural Diversity Data Base Areas

EAST HAVEN, CT

December 2013

-  State and Federal Listed Species & Significant Natural Communities
-  Town Boundary

NOTE: This map shows general locations of State and Federal Listed Species and Significant Natural Communities. Information on listed species is collected and compiled by the Natural Diversity Data Base (NDDB) from a number of data sources. Exact locations of species have been buffered to produce the general locations. Exact locations of species and communities occur somewhere in the shaded areas, not necessarily in the center. A new mapping format is being employed that more accurately models important riparian and aquatic areas and eliminates the need for the upstream/downstream searches required in previous versions.

This map is intended for use as a preliminary screening tool for conducting a Natural Diversity Data Base Review Request. To use the map, locate the project boundaries and any additional affected areas. If the project is within a shaded area there may be a potential conflict with a listed species. For more information, complete a Request for Natural Diversity Data Base State Listed Species Review form (DEP-APP-007), and submit it to the NDDB along with the required maps and information. More detailed instructions are provided with the request form on our website.


www.ct.gov/deep/nddbrequest


This file has PDF Layers. Look for the Layers tab on the left. Expand the layers and use the "eye" icons to change visibility.

QUESTIONS: Department of Energy and Environmental Protection (DEEP)
79 Elm St., Hartford CT 06106
Phone (860) 424-3011



Connecticut Department of Energy & Environmental Protection
Bureau of Natural Resources
Wildlife Division





Legend


- GNHWPCA Sanitary Sewer Area
- *Existing Preserved Open Space

GNHWPCA Sewer Service Area Map

Disclaimer:
 Sewer mapping data is for planning purposes only. Although compiled from recent plans, there is no guarantee that this data is free from errors and omissions.

*GNHWPCA Sanitary Sewer Area to be developed consistent with the Connecticut Office of Policy and Management Conservation and Development Plan Locational Guide Map designated as an Existing Preserved Open Space.

JOHN H. CHAFEE COASTAL BARRIER RESOURCES SYSTEM CONNECTICUT



Number of CBRS Units:	32
Number of System Units:	25
Number of Otherwise Protected Areas:	7
Total Acres:	9,245
Upland Acres:	1,130
Associated Aquatic Habitat Acres:	8,115
Shoreline Miles:	22

Boundaries of the John H. Chafee Coastal Barrier Resources System (CBRS) shown on this map were transferred from the official CBRS maps for this area and are depicted on this map (in red) for informational purposes only. The official CBRS maps are enacted by Congress via the Coastal Barrier Resources Act, as amended, and are maintained by the U.S. Fish and Wildlife Service. The official CBRS maps are available for download at http://www.fws.gov/habitatconservation/coastal_barrier.html.

COASTAL BOUNDARY EAST HAVEN, CONNECTICUT

LEGEND

 Coastal Boundary

EXPLANATION

The coastal boundary map shows the extent of lands and coastal waters as defined by Connecticut General Statute within Connecticut's coastal area. The coastal boundary is a continuous line delineated on the landward side by the interior contour elevation of the one hundred year frequency coastal flood zone, as defined and determined by the National Flood Insurance Act, or a one thousand foot linear setback measured from the mean high water mark in coastal waters, or a one thousand foot linear setback measured from the inland boundary of tidal wetlands, whichever is farthest inland; and shall be delineated on the seaward side by the seaward extent of the jurisdiction of the state.

Any regulated activity conducted within the coastal boundary by a municipal agency (i.e., plans of development, zoning regulations, municipal coastal programs and coastal site plan review (i.e., site plans submitted to zoning commission, subdivision or subdivision plans submitted to planning commission, application for special permit or exception to the zoning or planning commissions or zoning board of appeals, variance submitted to

zoning board of appeals and a referral of a municipal project)) must be conducted in a manner consistent with the requirements of the Connecticut Coastal Management Act (CMA). As the Coastal Boundary is a hybrid of the Coastal Area, all state and federal agency activities must be consistent with the requirements of the CMA. The coastal boundary is a hybrid of the original 1:24,000 version maps prepared by DEP and the revised boundary mapping undertaken by twenty-two coastal towns. This layer therefore does not replace the legal maps and may not be used for legal determinations.

The following twenty-two towns have adopted municipal coastal boundaries: Chester, Clinton, Darien, Deep River, East Haven, Essex, Fairfield, Greenwich, Groton, Guilford, Hamden, Ledyard, Madison, Milford, New Haven, New London, North Haven, Norwalk, Old Lyme, Old Saybrook, Stamford and Waterford. The coastal boundary maps for these towns may be at different scales than the original DEP draft maps and may contain minor adjustments to the boundary.

DATA SOURCES

COASTAL BOUNDARY DATA - The original boundary maps were created in 1979 on stable mylar overlay using the 1:24,000-scale US Geological Survey topographic quadrangle maps (mylar film format). The source for tidal wetland maps were the legal 1:24,000 maps (mylar format) adopted by the Commissioner of DEP and transformed to 1:24,000 mylar-scale maps by the Office of Policy and Management (OPM) using an accurate pantograph. OPM similarly converted FEMA's flood insurance maps (various scales) to a 1:24,000 mylar overlay. The inland extent of coastal waters was plotted on 1:24,000 USGS topographic maps following the procedures and sources described in The Boundary Between Saltwater and Freshwater in Connecticut, December 1978 prepared by the State of Connecticut, Department of Environmental Protection, Coastal Area Management Program.


BASE MAP DATA - Based on data originally from 1:24,000-scale USGS 7.5 minute topographic quadrangle maps published between 1969 and 1992. It includes political boundaries, railroads, airports, hydrography, geographic names and geographic places. Streets and street names are from Tele Atlas® copyrighted data. Base map information is neither current nor complete.

RELATED INFORMATION

This map is intended to be printed at its original dimensions in order to maintain the 1:24,000 scale (1 inch = 2000 feet).

MAPS AND DIGITAL DATA - Go to the CT ECO website for this map and a variety of others. Go to the DEEP website for the digital spatial data shown on this map.

MAP LOCATION





Connecticut Department of
**ENERGY &
ENVIRONMENTAL
PROTECTION**

December 15, 2014

Charles D. Brink
Freeman Companies, LLC
36 John St
Hartford, CT 06106
cbrink@freemancos.com

Project: Repairs to Residential Structure due to Hurricane Sandy at 306 Cosey Beach Ave. in East Haven
NDDB Determination No.: 201411806

Dear Charles D. Brink,

I have reviewed Natural Diversity Data Base (NDDB) maps and files regarding the area delineated on the map provided for the proposed Repairs to Residential Structure due to Hurricane Sandy at 306 Cosey Beach Ave. in East Haven, Connecticut. I do not anticipate negative impacts to State-listed species (RCSA Sec. 26-306) resulting from your proposed activity at the site based upon the information contained within the NDDB. The result of this review does not preclude the possibility that listed species may be encountered on site and that additional action may be necessary to remain in compliance with certain state permits. This determination is good for one year. Please re-submit an NDDB Request for Review if the scope of work changes or if work has not begun on this project by December 15, 2015.


Natural Diversity Data Base information includes all information regarding critical biological resources available to us at the time of the request. This information is a compilation of data collected over the years by the Department of Energy and Environmental Protection's Natural History Survey and cooperating units of DEEP, private conservation groups and the scientific community. This information is not necessarily the result of comprehensive or site-specific field investigations. Consultations with the Data Base should not be substitutes for on-site surveys required for environmental assessments. Current research projects and new contributors continue to identify additional populations of species and locations of habitats of concern, as well as, enhance existing data. Such new information is incorporated into the Data Base as it becomes available.

Please contact me if you have further questions at (860) 424-3592, or dawn.mckay@ct.gov . Thank you for consulting the Natural Diversity Data Base.

Sincerely,

A handwritten signature in cursive script that reads "Dawn M. McKay".

Dawn M. McKay
Environmental Analyst 3



Prepared For:
 306 Cosey Beach Ave.
 East Haven, CT
 East Haven CT 06512



Not to Scale

Figure Attachment A USGS Map

306 Cosey Beach Ave.
 12/5/14

**State of Connecticut Department of Housing
 Community Development Block Grant
 Disaster Recovery (CDBG-DR) “Hurricane Sandy”**

Application No. **1376**
 Residence of Salvatore Esposito
 306 Cosey Beach Avenue
 East Haven CT

LA project No. 1524-17

Initial Property Inspection Report

Property Inspected: 24 April 2014
 Report Date: 29 April 2014
 Rev. 8 July 2014 - rev application number

Present at inspection:

Salvatore Esposito, Homeowner
 Maria Esposito, Homeowners Mother
 Thomas Streicher, AIA, Lothrop Associates LLP
 Maurizio Huaylla, Lothrop Associates LLP



This property is in a AE flood zone with a flood elevation of 13’ above datum elevation zero. The building is on the beach and was subjected to storm surge. The dwelling was built on piers and the portion over the piers appears to be over the flood elevation.

Most of the damage complaints were made by the owner’s mother prior to the owner arriving on the site. The owner concurred with the list of items covered before his arrival on the site.

Damage compliant by owner and/or Owner’s Representative.	Inspection observation Recommendation	Rehabilitation Cost projection
<p>It was reported the building had five (5) sets of steel stairs going from grade up to the elevated living level. It was stated by the Homeowner that one set of stairs was ripped away from the building and two (2) front entry stairs on the front façade where twisted out of shape. The owner had the front set of stairs replaced with new masonry stairs but did not yet have railings installed.</p>	<p>The two (2) stairs going to the front entry door appear to be new and of masonry construction. These do not have railings installed <i>see photo above</i>. It is apparent one (1) stair to a rear deck is missing (evident of a void at a bracket location) and the paving of the deck forming stair nosing <i>see figure 1</i> (same as locations where a stair remains). Two (2) other sets of steel stairs remain but are rusted. The rust is not likely a result of the storm.</p> <p><i>Recommendation: Replace the steel stair with one that matches the remaining steel stairs. Provide new steel railings at the new front stairs (owner may have option to upgrade the railings at his own additional expense). Take no action on the two (2) remaining steel stairs under the CDBG program. Owner should maintain and paint the stairs as</i></p>	<p style="text-align: right;">\$12,500 Replacement stair</p> <p style="text-align: right;">\$2,500 Railing on front stair</p>

	<i>required at his own cost.</i>	
It was reported the breakaway walls enclosing the space under the house were removed by the storm surge. The Homeowner explained the pre-storm breakaway walls had an exterior lath and plaster finish. The breakaway walls where replaced and it was pointed out the new walls have a textured painted finish applied directly to the sheathing and the edges are not sealed.	The breakaway walls present are wood frame with painted sheathing. There are gaps with daylight visible from the interior. The owner provided photos of the site indicating at least some of the breakaway walls were missing when the photos where taken. see figure 2 <i>Recommendation: Provide caulk / sealant at the perimeter gaps along the breakaway walls at the interface with the piers, floor and beams.</i>	\$2,000 Rod and sealant at perimeter
It was reported the air conditioning condensers were flooded by the storm surge and are not operational.	The air conditioning condenser cases (two (2) present) appear to be severally rusted. <i>Recommendation: Replace the air conditioning equipment damaged by the storm.</i>	\$3,500
It was reported several overhead doors where damaged and/or removed by the storm surge and replaced by the owner	Functional and operational overhead doors are present in the locations indicated. <i>Recommendation: The work is complete, take no action. Protect from damage during other operations.</i>	NA
It was reported one concrete block on one of the masonry piers was damaged.	One masonry unit at the corner of an overhead door is broken with a piece of the end and face missing. This may have been caused by floating debris impacting the pier. See figure 3 <i>Recommendation: Repair and / or replace the damaged block.</i>	\$250
It was reported the brick mortar on one of the exterior piers was damaged.	The mortar on the brick of one of the exterior brick clad piers is deteriorating and falling away. . See figure 4 <i>Recommendation: Repoint the brick mortar. Reset any brick as required.</i>	\$500
It was reported the Cabana Room and its fixtures contained under the house within the piers and within the flood zone was destroyed and replaced. It was also reported ever since the storm the floor in the cabana room gets wet from water from below.	The Cabana Room looks to be complete. The tile floor had damp sand on it. <i>Recommendation: It is not recommended to have finished space below the flood level and the work is complete, take no action.</i>	NA
It was reported drywall and some framing of partitions installed under the house between the piers and within the flood zone where destroyed and partially replaced and / or repaired.	Some partitions are in place and there are some framed with no finish. <i>Recommendation: It is not recommended to have finished space below the flood level. Most of the work is complete, take no action.</i>	NA
It was reported and we were shown cracks in the wall finish at tree (3) locations, one at an exterior wall and two on partitions. The partition locations have a corresponding crack on both sides.	There are cracks in the wall finish at second floor locations. The cracks on partitions are primarily vertical/diagonal, above a door and essentially extend from the door head to the ceiling. One crack at an exterior wall is horizontal and about 16" long. The wall finish appears to be drywall with a plaster finish skim coat. See figures 5, 6 & 7	\$1,750

	<i>Recommendation: Repair the cracks and repaint</i>	
It was reported that a portion of the roof was damaged by wind and replaced. The resulting leaks caused minor water damage to finishes that were repaired.	The roof is visually identical to the roof area reported to be existing before the storm. There is a minor area of water staining at some wood work on the walls reported to be from the roof leaking. <i>Recommendation: The roof and water damage are repaired, take no action.</i>	NA
It was reported some of the outdoor railings were damaged. The owner stated he has spare parts to replace.	There are some cracked components and small areas missing from the composite railing. See figure 8 <i>Recommendation: Replace the damaged and missing components with owner supplied spare parts.</i>	\$500 Labor only
It was reported a seawall/patio on the site was damaged.	There are cracks on the structure, primarily on the paving surface. <i>Recommendation: Site items are not covered by the CDBG program and the damaged item presents no danger or hazard, take no action.</i>	NA
It was reported site lighting and the sprinkler system were destroyed.	No site improvement items described could be located. There are some building mounted site light fixtures present, one of which is hanging by the wire due to a broken bracket. See figure 9 This one unit is not working. The owner reported the others do work. <i>Recommendation: Site items are not covered by the CDBG program, take no action except for the one building mounted light fixture. Provide and install a new bracket and repair to working condition.</i>	\$350
Total Cost Projection		\$23,850

Additional comments: It appears this project would be classified as a repair. Asbestos, lead, mold and other hazardous material assessment, abatement or removal is not included in the cost projection.

It appears some portions of the exposed portions of the steel structure are rusting badly considering the 15 to 16 year age of the building. This is not caused by the storm but is of concern enough to warrant mention here. Rusting components include but are not limited to carrier beams composite steel decking and some stair items mentioned above. This issue should be addressed by the owner soon.

See the following pages for photos.



Figure 1



Figure 2 Owner provided

Application No. 1316
LA project No. 1524-17



Figure 3



Figure 4



Figure 5



Figure 6



Figure 7



Figure 8



Figure 9




East Haven, CT 06512

Inquiry Number: 3885633

March 19, 2014

EDR NEPACheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
EDR NEPACheck® Description.....	1
Map Findings Summary.....	2
Natural Areas.....	3
Historic Sites.....	5
Flood Plain.....	32
Wetlands.....	34
Wetlands Classification System.....	40
FCC & FAA Sites.....	44
Key Contacts and Government Records Searched.....	76

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR NEPACheck[®] DESCRIPTION

The National Environmental Policy Act of 1969 (NEPA) requires that Federal agencies include in their decision-making processes appropriate and careful consideration of all environmental effects and actions, analyze potential environmental effects of proposed actions and their alternatives for public understanding and scrutiny, avoid or minimize adverse effects of proposed actions, and restore and enhance environmental quality as much as possible.

The EDR NEPACheck provides information which may be used, in conjunction with additional research, to determine whether a proposed site or action will have significant environmental effect.

The report provides maps and data for the following items (where available). Search results are provided in the Map Findings Summary on page 2 of this report.

Section

Natural Areas Map

- Federal Lands Data:

- Officially designated wilderness areas
- Officially designated wildlife preserves, sanctuaries and refuges
- Wild and scenic rivers
- Fish and Wildlife

- Threatened or Endangered Species, Fish and Wildlife, Critical Habitat Data (where available)

Regulation

47 CFR 1.1307(1)

47 CFR 1.1307(2)

40 CFR 6.302(e)

40 CFR 6.302

47 CFR 1.1307(3); 40 CFR 6.302

Historic Sites Map

- National Register of Historic Places
- State Historic Places (where available)
- Indian Reservations

47 CFR 1.1307(4); 40 CFR 6.302

Flood Plain Map

- National Flood Plain Data (where available)

47 CFR 1.1307(6); 40 CFR 6.302

Wetlands Map

- National Wetlands Inventory Data (where available)

47 CFR 1.1307(7); 40 CFR 6.302

FCC & FAA Map

- FCC antenna/tower sites, FAA Markings and Obstructions, Airports, Topographic gradient

47 CFR 1.1307(8)

Key Contacts and Government Records Searched

MAP FINDINGS SUMMARY

The databases searched in this report are listed below. Database descriptions and other agency contact information is contained in the Key Contacts and Government Records Searched section on page 76 of this report.

TARGET PROPERTY ADDRESS

EAST HAVEN, CT 06512

Inquiry #: 3885633

Date: 3/19/14

TARGET PROPERTY COORDINATES

Latitude (North):	41.246899 - 41° 14' 48.8"
Longitude (West):	72.874199 - 72° 52' 27.1"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	678124.4
UTM Y (Meters):	4568132.5

Applicable Regulation from 47 CFR/FCC Checklist	Database	Search Distance (Miles)	Within Search	Within 1/8 Mile
<u>NATURAL AREAS MAP</u>				
1.1307a (1) Officially Designated Wilderness Area	US Federal Lands	1.00	NO	NO
1.1307a (2) Officially Designated Wildlife Preserve	US Federal Lands	1.00	NO	NO
1.1307a (3) Threatened or Endangered Species or Critical Habitat	CT Natural Diversity	1.00	YES	YES
1.1307a (3) Threatened or Endangered Species or Critical Habitat	County Endangered Species	County	YES	N/A
<u>HISTORIC SITES MAP</u>				
1.1307a (4) Listed or eligible for National Register	CT Historic Sites	1.00	NO	NO
1.1307a (4) Listed or eligible for National Register	National Register of Hist. Pla	1.00	NO	NO
	Indian Reservation	1.00	NO	NO
	APPAL_TRAIL	1.00	NO	NO
<u>FLOODPLAIN MAP</u>				
1.1307 (6) Located in a Flood Plain	FLOODPLAIN	1.00	YES	YES
<u>WETLANDS MAP</u>				
1.1307 (7) Change in surface features (wetland fill)	NWI	1.00	YES	NO
	NY COASTAL ZONE	20.00	YES	NO
<u>FCC & FAA SITES MAP</u>				
	Cellular	1.00	NO	NO
	4G Cellular	1.00	NO	NO
	Antenna Structure Registration	1.00	YES	NO
	Towers	1.00	YES	NO
	AM Antenna	1.00	NO	NO
	FM Antenna	1.00	NO	NO
	FAA DOF	1.00	YES	NO
	Airports	1.00	YES	---
	Power Lines	1.00	NO	---

Natural Areas Map



- ★ Target Property
- ⊕ Locations
- ⚡ Roads
- ▨ Federal Areas
- ⚡ County Boundary
- ⚡ Federal Linear Features
- ⚡ Waterways
- ▨ State Areas
- Water
- ⚡ State Linear Features
- ✈ Airports



SITE NAME:
 ADDRESS:
 East Haven CT 06512
 LAT/LONG: 41.2469 / 72.8742

CLIENT: Freeman Companies LLC
 CONTACT: Doug Brink
 INQUIRY #: 3885633.8s
 DATE: March 19, 2014

NATURAL AREAS MAP FINDINGS

Federal Endangered Species Listed for: NEW HAVEN County, CT.

Source: EPA Endangered Species Protection Program Database

BIRD: EAGLE, BALD
 BIRD: PLOVER, PIPING
 BIRD: TERN, ROSEATE
 BIRD: TERN, ROSEATE
 MAMMAL: BAT, INDIANA

Map ID Direction Distance Distance (ft.)		EDR ID Database
1 SW 0-1/8 mi 231	Text: No details provided by source agency	CTEN000001 CT Natural Diversity
2 East 0-1/8 mi 542	Text: No details provided by source agency	CTEN000001 CT Natural Diversity
3 East 1/2-1 mi 3632	Text: No details provided by source agency	CTEN000001 CT Natural Diversity
4 WNW 1/2-1 mi 4191	Text: No details provided by source agency	CTEN000001 CT Natural Diversity
5 West 1/2-1 mi 5233	Text: No details provided by source agency	CTEN000001 CT Natural Diversity

Historic Sites Map



- ★ Target Property
- ◇ Historic Sites
- ≡ Streets
- ▨ Federal Historic Areas
- ⚡ County Boundary
- ▨ State Historic Areas
- ~ Waterways
- ▨ US Indian Reservations
- Water
- ▲ Scenic Trail
- ✈ Airports



SITE NAME:
 ADDRESS:
 East Haven CT 06512
 LAT/LONG: 41.2469 / 72.8742

CLIENT: Freeman Companies LLC
 CONTACT: Doug Brink
 INQUIRY #: 3885633.8s
 DATE: March 19, 2014

HISTORIC SITES MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

No mapped sites were found in EDR's search of available government records within the search radius around the target property.

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fname: AHAVAS SHOLEM SYNAGOGUE (HISTORIC SYNAGOGUES OF CONNECTICUT MPS)
Address: 30 White St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 11-MAY-95
Fagency: Not Reported
Edr id: CT2008000001217

Unmappable
CT2008000001217
CT Historic Sites

Resname: Beaver Hills Historic District
Address: Roughly bounded by Crescent St., Goffe Terr., and Boulevard
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19860731
Multname: Not Reported
Acre: 97.0+

Unmappable
86002108
National Register of Hist. Places

Fname: BEAVER HILLS HISTORIC DISTRICT
Address: Roughly bounded by Crescent St., Goffe Ter., and Boulevard
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 31-JUL-86
Fagency: Not Reported
Edr id: CT2008000001218

Unmappable
CT2008000001218
CT Historic Sites

Fname: BLACKMAN, ELISHA BUILDING (York-Chapel Building)
Address: 176 York St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 20-DEC-78
Fagency: Not Reported
Edr id: CT2008000001220

Unmappable
CT2008000001220
CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Unmappable
87000636
National Register of Hist. Places

Resname: Branford Center Historic District
 Address: Roughly bounded by US I, Branford River on the East and South, Monroe, and Kirkham Sts.
 City: Branford
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19870506
 Multname: Not Reported
 Federal agency: U.S. POSTAL SERVICE
 Resource name: Branford Center Historic District
 Address: Roughly bounded by US I, Branford River on the East and South, Monroe, and Kirkham Sts.
 State: CONNECTICUT
 County: New Haven
 City: Branford
 Listed date: 1.9870506E+007
 Multiple name: Not Reported
 Acre: 250.0+

Unmappable
CT200800000906
CT Historic Sites

Fname: BRANFORD CENTER HISTORIC DISTRICT
 Faddress: Roughly bounded by U.S. 1, Branford River on E. and S., Monroe and Kirkham Sts.
 Fcity: BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 06-MAY-87
 Fagency: Not Reported
 Fdr id: CT200800000906

Unmappable
83001278
National Register of Hist. Places

Resname: Branford Electric Railway Historic District
 Address: 17 River St. to Court St.
 City: Branford
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19830603
 Multname: Not Reported
 Acre: 21.0+

Unmappable
CT200800000907
CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

**Status
EDR ID
Database**

Fname: Address: Fcity: Fcnty: Flisted: Fagency: Edr id:	BRANFORD ELECTRIC RAILWAY HISTORIC DISTRICT (also in East Haven) 17 River St. to Court St. BRANFORD NEW HAVEN COUNTY 03-JUN-83 Not Reported CT2008000000907
---	---

Unmappable
CT2008000001149
CT Historic Sites

Fname: Address: Fcity: Fcnty: Flisted: Fagency: Edr id:	BRANFORD ELECTRIC RAILWAY HISTORIC DISTRICT (also in Branford) 17 River St. to Court St. EAST HAVEN NEW HAVEN COUNTY 03-JUN-83 Not Reported CT2008000001149
---	---

Unmappable
88001583
National Register of Hist. Places

Resname: Address: City: Vicinity: County: State: Certdate: Multname: Acre:	Branford Point Historic District Roughly along Harbor St. N from Curve St. to Branford Point, also Maple St. E. from Reynolds St. to Harbor St. Branford Not Reported New Haven CONNECTICUT 19880915 Not Reported 54.0+
--	--

Unmappable
CT2008000000908
CT Historic Sites

Fname: Address: Fcity: Fcnty: Flisted: Fagency: Edr id:	BRANFORD POINT HISTORIC DISTRICT Roughly along Harbor St. N. from Curve St. to Branford Point, also Maple St. E. from Reynolds St. to Harbor St. BRANFORD NEW HAVEN COUNTY 15-SEP-88 Not Reported CT2008000000908
---	--

Unmappable
02000335
National Register of Hist. Places

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Resname: Canoe Brook Historic District
Address: Roughly along Bradley St., Cherry Hill Rd., Home Place, Lincoln Ave.,
Main and N. Harbor Sts.
City: Branford
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 20020411
Multname: Not Reported
Acre: 52.0+

Unmappable
CT2008000000909
CT Historic Sites

Fname: CANOE BROOK HISTORIC DISTRICT
Faddress: Roughly along Bradley St., Cherry Hill Rd. Home Place, Lincoln Ave.,
Main and N. Harbor Sts
Fcity: BRANFORD
Fcnty: NEW HAVEN COUNTY
Flisted: 11-APR-02
Fagency: Not Reported
Fedr id: CT2008000000909

Unmappable
84001123
National Register of Hist. Places

Resname: Chapel Street Historic District
Address: Roughly bounded by Park, Chapel, Temple, George, and Crown Sts.
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19840405
Multname: Not Reported
Acre: 23.0+

Unmappable
CT2008000001221
CT Historic Sites

Fname: CHAPEL STREET HISTORIC DISTRICT
Faddress: Roughly bounded by Park, Chapel, Temple, George, and Crown Sts.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 05-APR-84
Fagency: Not Reported
Fedr id: CT2008000001221

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Unmappable
CT2008000001222
CT Historic Sites

Fname: CHITTENDEN, RUSSELL HENRY, HOUSE (John C. Flanagan Law Office)
Faddress: 83 Trumbull St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 15-MAY-75
Fagency: NHL
Fedr id: CT2008000001222

Unmappable
CT2008000000910
CT Historic Sites

Fname: COLONIAL HOUSES OF BRANFORD TR
Faddress: Townwide
Fcity: BRANFORD
Fcnty: NEW HAVEN COUNTY
Flisted: 01-DEC-88
Fagency: Not Reported
Fedr id: CT2008000000910

Unmappable
CT2008000001224
CT Historic Sites

Fname: CONNECTICUT HALL, YALE UNIVERSITY
Faddress: Bounded by High, Chapel, Elm, and College Sts.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 15-OCT-66
Fagency: NHL, HABS
Fedr id: CT2008000001224

Unmappable
CT2008000001225
CT Historic Sites

Fname: COOK, JOHN, HOUSE
Faddress: 35 Elm St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 03-NOV-83
Fagency: Not Reported
Fedr id: CT2008000001225

Unmappable
83001281
National Register of Hist. Places

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Resname: Dwight Street Historic District
 Address: Roughly bounded by Park, N. Frontage, Scranton, Sherman, and Elm Sts.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19830908
 Multname: Not Reported
 Acre: 135.0+

Unmappable
CT2008000001227
CT Historic Sites

Fname: DWIGHT STREET HISTORIC DISTRICT
 Faddress: Roughly bounded by Park, N. Frontage, Scranton, Sherman, and Elm Sts.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 08-SEP-83
 Fagency: Not Reported
 Fdr id: CT2008000001227

Unmappable
02000336
National Register of Hist. Places

Resname: East Haven Green Historic District
 Address: 263,270,274 Hemingway Ave., 125,129,133,139,143,150 Main St.,
 3,7,11,15,23,27,39,47 Park Pl. & 58,100 River St.
 City: East Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 20020411
 Multname: Not Reported
 Acre: 28.0+

Unmappable
CT2008000001150
CT Historic Sites

Fname: EAST HAVEN GREEN HISTORIC DISTRICT
 Faddress: 263,270,274 Hemingway Ave. 125,129,133,139,143,150 Main St.
 3,7,11,15,23,27,39,47 Park Pl. & 58, 100 River St.
 Fcity: EAST HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 11-APR-02
 Fagency: Not Reported
 Fdr id: CT2008000001150

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Unmappable
97000299
National Register of Hist. Places

Resname: East Rock Park
Address: Roughly bounded by State, Davis, Livingston Sts., Park and Mitchell
Drs., and Whitney Ave.
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19970415
Multname: Not Reported
Acre: 427.0+

Unmappable
CT2008000001228
CT Historic Sites

Fname: EAST ROCK PARK (also in Hamden)
Faddress: Roughly bounded by State, Davis, Livingston Sts., Park and Mitchell
Drs., and Whitney Ave.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 15-APR-97
Fagency: Not Reported
Fedr id: CT2008000001228

Unmappable
88001469
National Register of Hist. Places

Resname: Edgerton
Address: 840 Whitney Ave.
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19880919
Multname: Not Reported
Acre: 20.0+

Unmappable
86001991
National Register of Hist. Places

Resname: Edgewood Park Historic District
Address: Roughly bounded by Whalley Ave. and Elm St., Sherman Ave. and
Boulevard, Edgewood and Derby, and Yale Aves.

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19860909
Multname: Not Reported
Acre: 240.0+

Unmappable
CT2008000001229
CT Historic Sites

Fname: EDGEWOOD PARK HISTORIC DISTRICT
Address: Roughly bounded by Boulevard, Derby, Sherman, W. Park, Whalley, and
Yale Aves. and Elm St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 09-SEP-86
Fagency: Not Reported
Edr id: CT2008000001229

Unmappable
CT2008000001231
CT Historic Sites

Fname: FARMINGTON CANAL (New Haven and Northampton Canal)
Address: Runs roughly southeast through the city from Cherry Ann St. to State
St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 12-SEP-85
Fagency: Not Reported
Edr id: CT2008000001231

Unmappable
CT2008000001232
CT Historic Sites

Fname: FIVE MILE POINT LIGHTHOUSE
Address: Lighthouse Point Park
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 01-AUG-90
Fagency: Not Reported
Edr id: CT2008000001232

Unmappable
CT2008000001233
CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fname: FORT NATHAN HALE (Fort Hale Park, Black Rock)
 Address: Woodward Ave.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 28-OCT-70
 Fagency: Not Reported
 Edr id: CT2008000001233

Unmappable
 CT2008000000939
 CT Historic Sites

Fname: FOURTH DISTRICT SCHOOL
 Address: Old Post Rd.
 Fcity: NORTH BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 29-AUG-85
 Fagency: Not Reported
 Edr id: CT2008000000939

Unmappable
 CT2008000001236
 CT Historic Sites

Fname: HALL-BENEDICT DRUG COMPANY BUILDING
 Address: 763-767 Orange St.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 05-JUN-86
 Fagency: Not Reported
 Edr id: CT2008000001236

Unmappable
 85002507
 National Register of Hist. Places

Resname: Hillhouse Avenue Historic District
 Address: Bounded by Sachem, Temple, Trumbull, and Prospect Sts., Whitney and Hillhouse Aves. & RR tracks
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19850913
 Multname: Not Reported
 Acre: 18.0+

Unmappable
 CT2008000001237
 CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fname: HILLHOUSE AVENUE HISTORIC DISTRICT
 Address: Bounded by Sachem, Temple, Trumbull, and Prospect Sts., Whitney and Hillhouse Aves., and Railroad Tracks
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 13-SEP-85
 Fagency: Not Reported
 Edr id: CT2008000001237

Unmappable
85002308
National Register of Hist. Places

Resname: Howard Avenue Historic District
 Address: Properties along Howard Ave. between I-95 and Cassius St.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19850912
 Multname: Not Reported
 Acre: 32.0+

Unmappable
CT2008000001238
CT Historic Sites

Fname: HOWARD AVENUE HISTORIC DISTRICT
 Address: Properties along Howard Ave., between I-95 and Cassius St.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 12-SEP-85
 Fagency: Not Reported
 Edr id: CT2008000001238

Unmappable
CT2008000000940
CT Historic Sites

Fname: HOWD-LINSLEY HOUSE
 Address: 1795 Middletown Ave.
 Fcity: NORTH BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 10-DEC-86
 Fagency: Not Reported
 Edr id: CT2008000000940

Unmappable
CT2008000001239
CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fname: IMPERIAL GRANUM-JOSEPH PARKER BUILDING
Faddress: 47 and 49-51 Elm St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 06-MAR-86
Fagency: Not Reported
Fedr id: CT2008000001239

Unmappable
CT2008000001240
CT Historic Sites

Fname: LIGHTHOUSE POINT CAROUSEL
Faddress: Lighthouse Point Park, Lighthouse Ave
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 15-DEC-83
Fagency: Not Reported
Fedr id: CT2008000001240

Unmappable
CT2008000001241
CT Historic Sites

Fname: LINCOLN THEATER
Faddress: 1 Lincoln St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 01-MAR-84
Fagency: Not Reported
Fedr id: CT2008000001241

Unmappable
CT2008000000941
CT Historic Sites

Fname: MALTBY-STEVENS FACTORY SITE
Faddress: Not Reported
Fcity: NORTH BRANFORD
Fcnty: NEW HAVEN COUNTY
Flisted: 27-JAN-00
Fagency: Not Reported
Fedr id: CT2008000000941

Unmappable
CT2008000001243
CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fname: MENDEL, LAFAYETTE B., HOUSE
Faddress: 18 Trumbull St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 07-JAN-76
Fagency: NHL
Fedr id: CT2008000001243

Unmappable
CT2008000001245
CT Historic Sites

Fname: MORY'S
Faddress: 306 York St.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 25-JAN-05
Fagency: Not Reported
Fedr id: CT2008000001245

Unmappable
CT2008000001246
CT Historic Sites

Fname: NEW HAVEN CITY HALL AND COUNTY COURTHOUSE (Annex)
Faddress: 161 Church St
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 09-SEP-75
Fagency: Not Reported
Fedr id: CT2008000001246

Unmappable
CT2008000001247
CT Historic Sites

Fname: NEW HAVEN COUNTY COURTHOUSE
Faddress: 121 Elm St
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 16-MAY-03
Fagency: Not Reported
Fedr id: CT2008000001247

Unmappable
70000838
National Register of Hist. Places

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Resname: New Haven Green Historic District
 Address: Bounded by Chapel, College, Elm, and Church Sts.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19701230
 Multname: Not Reported
 Acre: 16.0+

Unmappable
 CT2008000001248
 CT Historic Sites

Fname: NEW HAVEN GREEN HISTORIC DISTRICT
 Faddress: Bounded by Chapel, College, Elm, and Church Sts.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 30-DEC-70
 Fagency: NHL, HABS
 Fdr id: CT2008000001248

Unmappable
 CT2008000001251
 CT Historic Sites

Fname: NEW HAVEN RAILROAD STATION (Union Station)
 Faddress: Union Ave.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 03-SEP-75
 Fagency: Not Reported
 Fdr id: CT2008000001251

Unmappable
 CT2008000001252
 CT Historic Sites

Fname: NICOLL, CAROLINE, HOUSE
 Faddress: 27 Elm St
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 14-JAN-83
 Fagency: Not Reported
 Fdr id: CT2008000001252

Unmappable
 84001135
 National Register of Hist. Places

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Resname: Ninth Square Historic District
Address: Roughly bounded by Church, State, George, and Court Sts.
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19840503
Multname: Not Reported
Acre: 18.0+

Unmappable
CT2008000001253
CT Historic Sites

Fname: NINTH SQUARE HISTORIC DISTRICT
Faddress: Roughly bounded by Church, State, George, and Court Sts.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 03-MAY-84
Fagency: Not Reported
Fedr id: CT2008000001253

Unmappable
03000315
National Register of Hist. Places

Resname: Norcross Brothers Granite Quarry
Address: Quarry Rd.
City: Branford
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 20030606
Multname: Not Reported
Acre: 69.0+

Unmappable
CT2008000000922
CT Historic Sites

Fname: NORCROSS BROTHERS GRANITE QUARRY
Faddress: Quarry Rd
Fcity: BRANFORD
Fcnty: NEW HAVEN COUNTY
Flisted: 06-JUN-03
Fagency: Not Reported
Fedr id: CT2008000000922

Unmappable
CT2008000000942
CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

**Status
EDR ID
Database**

Fname: NORTH BRANFORD CENTER HISTORIC DISTRICT
 Address: Roughly along Church and North Sts.
 Fcity: NORTH BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 09-DEC-99
 Fagency: Not Reported
 Edr id: CT2008000000942

Unmappable
 CT2008000000943
 CT Historic Sites

Fname: NORTHFORD CENTER HISTORIC DISTRICT
 Address: Roughly along Middletown Ave, and parts of Old Post Rd
 Fcity: NORTH BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 31-DEC-02
 Fagency: Not Reported
 Edr id: CT2008000000943

Unmappable
 85002314
 National Register of Hist. Places

Resname: Orange Street Historic District
 Address: Roughly bounded by Whitney Ave., State, Eagle & Trumbull Sts.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19850912
 Multname: Not Reported
 Acre: 125.0+

Unmappable
 CT2008000001254
 CT Historic Sites

Fname: ORANGE STREET HISTORIC DISTRICT
 Address: Roughly bounded by Whitney Ave., State, Eagle and Trumbull Sts
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 12-SEP-85
 Fagency: Not Reported
 Edr id: CT2008000001254

Unmappable
 89001085
 National Register of Hist. Places

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Resname: Oyster Point Historic District
Address: Roughly bounded by I-95, S. Water St., Howard Ave., Sea St., and
Greenwich Ave.
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19890810
Multname: Not Reported
Acre: 26.0+

Unmappable
CT2008000001255
CT Historic Sites

Fname: OYSTER POINT HISTORIC DISTRICT
Address: Roughly bounded by I-95, S. Water St., Howard Ave., Sea St., and
Greenwich Ave.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 10-AUG-89
Fagency: Not Reported
Edr id: CT2008000001255

Unmappable
CT2008000001130
CT Historic Sites

Fname: PALMER, HEZEKIAH, HOUSE (COLONIAL HOUSES OF BRANFORD TR)
Address: 340-408 Leete's Island Rd.
Fcity: BRANFORD
Fcnty: NEW HAVEN COUNTY
Flisted: 01-DEC-88
Fagency: Not Reported
Edr id: CT2008000001130

Unmappable
CT2008000001131
CT Historic Sites

Fname: PALMER, ISAAC, HOUSE (COLONIAL HOUSES OF BRANFORD TR)
Address: 736-756 Main St.
Fcity: BRANFORD
Fcnty: NEW HAVEN COUNTY
Flisted: 01-DEC-88
Fagency: Not Reported
Edr id: CT2008000001131

Unmappable
79002670
National Register of Hist. Places

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Resname: Prospect Hill Historic District
 Address: Off CT 10
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19791102
 Multname: Not Reported
 Acre: 185.0+

Unmappable
 CT2008000001258
 CT Historic Sites

Fname: PROSPECT HILL HISTORIC DISTRICT
 Faddress: Off CT 10
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 02-NOV-79
 Fagency: Not Reported
 Fdr id: CT2008000001258

Unmappable
 CT2008000001259
 CT Historic Sites

Fname: QUINNIPIAC BREWERY
 Faddress: 19-23 River St.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 15-JUL-83
 Fagency: Not Reported
 Fdr id: CT2008000001259

Unmappable
 84001139
 National Register of Hist. Places

Resname: Quinnipiac River Historic District
 Address: Roughly bounded by Quinnipiac Ave., Lexington, Chapel, Ferry, Pine,
 Front, and Lombard Sts.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19840628
 Multname: Not Reported
 Acre: 313.0+

Unmappable
 CT2008000001260
 CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fname: QUINNIPIAC RIVER HISTORIC DISTRICT
 Address: Roughly bounded by Quinnipiac Ave., Lexington, Chapel, Ferry, Pine,
 Front and Lombard Sts
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 28-JUN-84
 Fagency: LHD
 Edr id: CT2008000001260

Unmappable
80004062
National Register of Hist. Places

Resname: Raynham
 Address: 709 Townsend Ave.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19800711
 Multname: Not Reported
 Acre: 15.0+

Unmappable
88003213
National Register of Hist. Places

Resname: River Street Historic District
 Address: Roughly bounded by Chapel St., Blatchley Ave., New Haven Harbor, and
 James St.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19890126
 Multname: Not Reported
 Acre: 8.5+

Unmappable
CT2008000001262
CT Historic Sites

Fname: RIVER STREET HISTORIC DISTRICT
 Address: Roughly bounded by Chapel St., Blatchley Ave., New Haven Harbor, and
 James St.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 26-JAN-89
 Fagency: Not Reported

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Edr id: CT2008000001262

Unmappable
90000569
National Register of Hist. Places

Resname: Route 146 Historic District
Address: Rt. 146 between Flat Rock Rd. and West River bridge
City: Branford
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19900405
Multname: Not Reported
Acre: 169.0+

Unmappable
CT2008000001134
CT Historic Sites

Fname: ROUTE 146 HISTORIC DISTRICT (also in Guilford)
Faddress: Rt. 146 between Flat Rock Rd. and West River Bridge
Fcity: BRANFORD
Fcnty: NEW HAVEN COUNTY
Flisted: 05-APR-90
Fagency: Not Reported
Fedr id: CT2008000001134

Unmappable
CT2008000000924
CT Historic Sites

Fname: SOUTHERN NEW ENGLAND TELEPHONE COMPANY ADMINISTRATIVE BUILDING
Faddress: 227 Church St
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 24-NOV-97
Fagency: Not Reported
Fedr id: CT2008000000924

Unmappable
CT2008000000925
CT Historic Sites

Fname: SOUTHWEST LEDGE LIGHTHOUSE (OPERATING LIGHTHOUSES IN CONNECTICUT MPS)
Faddress: SW end of east breakwater at entrance to New Haven Harbor
Fcity: NEW HAVEN

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fcnty: NEW HAVEN COUNTY
 Flisted: 29-MAY-90
 Fagency: Not Reported
 Edr id: CT2008000000925

Unmappable
 CT2008000000926
 CT Historic Sites

Fname: ST.LUKE'S EPISCOPAL CHURCH
 Faddress: 111-113 Whalley Ave
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 21-NOV-03
 Fagency: Not Reported
 Edr id: CT2008000000926

Unmappable
 88002844
 National Register of Hist. Places

Resname: Stony Creek--Thimble Islands Historic District
 Address: Roughly Thimble Islands Rd. between Rt. 146 and Long Island Sound and
 the Thimble Islands
 City: Branford
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19881216
 Multname: Not Reported
 Acre: 1400.0+

Unmappable
 CT2008000001136
 CT Historic Sites

Fname: STONY CREEK-THIMBLE ISLANDS HISTORIC DISTRICT
 Faddress: Roughly Thimble Islands Rd., between Rt. 146 and Long Island Sound and
 Thimble Island
 Fcity: BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 16-DEC-88
 Fagency: Not Reported
 Edr id: CT2008000001136

Unmappable
 CT2008000000927
 CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fname: STRATFORD SHOAL LIGHTHOUSE (OPERATING LIGHTHOUSES IN CONNECTICUT MPS)
Faddress: SW end of east breakwater at entrance to New Haven Harbor
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 29-MAY-90
Fagency: Not Reported
Fedr id: CT2008000000927

Unmappable
CT2008000000928
CT Historic Sites

Fname: STROUSE ADLER COMPANY CORSET FACTORY
Faddress: 78-84 Olive St
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 22-AUG-02
Fagency: Not Reported
Fedr id: CT2008000000928

Unmappable
85002311
National Register of Hist. Places

Resname: Trowbridge Square Historic District
Address: Roughly bounded by Columbus & Howard Aves.
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19850912
Multname: Not Reported
Acre: 26.0+

Unmappable
CT2008000000929
CT Historic Sites

Fname: TROWBRIDGE SQUARE HISTORIC DISTRICT
Faddress: Roughly bounded by Columbus and Howard Aves., Loop Rd., Liberty St.
and Railroad Tracks
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 12-SEP-85
Fagency: Not Reported
Fedr id: CT2008000000929

Unmappable
CT2008000001137
CT Historic Sites

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

**Status
EDR ID
Database**

Fname: TYLER, JOHN, HOUSE (COLONIAL HOUSES OF BRANFORD TR)
 Address: 242-250 E. Main St.
 Fcity: BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 01-DEC-88
 Fagency: Not Reported
 Edr id: CT2008000001137

Unmappable
 CT2008000001138
 CT Historic Sites

Fname: TYLER, SOLOMON, HOUSE (COLONIAL HOUSES OF BRANFORD TR)
 Address: 260-268 E. Main St.
 Fcity: BRANFORD
 Fcnty: NEW HAVEN COUNTY
 Flisted: 01-DEC-88
 Fagency: Not Reported
 Edr id: CT2008000001138

Unmappable
 84001143
 National Register of Hist. Places

Resname: Upper State Street Historic District
 Address: Roughly State St. from Bradley St. to Mill River St.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19840907
 Multname: Not Reported
 Acre: 23.0+

Unmappable
 CT2008000000930
 CT Historic Sites

Fname: UPPER STATE STREET HISTORIC DISTRICT
 Address: Roughly State St. from Bradley St. to Mill River St.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 07-SEP-84
 Fagency: Not Reported
 Edr id: CT2008000000930

Unmappable
 02001727
 National Register of Hist. Places

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Resname: Westville Village Historic District
 Address: Roughly along Blake St. and Whalley Ave.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 20030123
 Multname: Not Reported
 Acre: 22.0+

Unmappable
 CT2008000000932
 CT Historic Sites

Fname: WESTVILLE VILLAGE HISTORIC DISTRICT
 Address: Roughly along Blake St. and Whalley Ave
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 23-JAN-03
 Fagency: Not Reported
 Edr id: CT2008000000932

Unmappable
 88003209
 National Register of Hist. Places

Resname: Whitney Avenue Historic District
 Address: Roughly bounded by Burns St., Livingston St., Cold Spring St., Orange St., Bradley St., and Whitney Ave.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19890202
 Multname: Not Reported
 Acre: 203.0+

Unmappable
 CT2008000000934
 CT Historic Sites

Fname: WHITNEY AVENUE HISTORIC DISTRICT
 Address: Roughly bounded by Burns, Livingston, Cold Spring, Orange, Bradley Sts., and Whitney Ave.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 02-FEB-89
 Fagency: Not Reported
 Edr id: CT2008000000934

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Unmappable
87002552
National Register of Hist. Places

Resname: Winchester Repeating Arms Company Historic District
 Address: Roughly bounded by Sherman Pkwy., Ivy St., Mansfield St., Admiral St.,
 and Sachem St.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19880128
 Multname: Not Reported
 Acre: 255.0+

Unmappable
CT2008000000935
CT Historic Sites

Fname: WINCHESTER REPEATING ARMS COMPANY HISTORIC DISTRICT
 Faddress: Roughly bounded by Sherman Pkwy., Ivy, Mansfield, Admiral, and Sachem
 Sts.
 Fcity: NEW HAVEN
 Fcnty: NEW HAVEN COUNTY
 Flisted: 28-JAN-88
 Fagency: Not Reported
 Fdr id: CT2008000000935

Unmappable
71000914
National Register of Hist. Places

Resname: Wooster Square Historic District
 Address: Roughly bounded by Columbus, Wooster Sq., Chapel St., and Court St.
 City: New Haven
 Vicinity: Not Reported
 County: New Haven
 State: CONNECTICUT
 Certdate: 19710805
 Multname: Not Reported
 Acre: 40.0+

Unmappable
CT2008000000936
CT Historic Sites

Fname: WOOSTER SQUARE HISTORIC DISTRICT
 Faddress: Wooster Square Park
 Fcity: NEW HAVEN

UNMAPPABLE HISTORIC SITES

Due to poor or inadequate address information, the following sites were not mapped:

Status
EDR ID
Database

Fcnty: NEW HAVEN COUNTY
Flisted: 05-AUG-71
Fagency: LHD
Edr id: CT2008000000936

Unmappable
87000756
National Register of Hist. Places

Resname: Yale Bowl
Address: SW of intersection of Chapel St. and Yale Ave.
City: New Haven
Vicinity: Not Reported
County: New Haven
State: CONNECTICUT
Certdate: 19870227
Multname: Not Reported
Acre: 30.0+

Unmappable
CT2008000000937
CT Historic Sites

Fname: YALE BOWL
Faddress: Southwest of the intersection of Chapel St. and Yale Ave.
Fcity: NEW HAVEN
Fcnty: NEW HAVEN COUNTY
Flisted: 27-FEB-87
Fagency: NHL
Edr id: CT2008000000937

Flood Plain Map



- | | | | | | |
|--|-----------------|--|--------------------------------|--|------------------------------------|
| | Major Roads | | Power Lines | | Water |
| | Contour Lines | | Pipe Lines | | 100-year flood zone |
| | Waterways | | Fault Lines | | 500-year flood zone |
| | County Boundary | | Electronic FEMA data available | | Electronic FEMA data not available |
| | Airports | | | | |

SITE NAME:
ADDRESS:
LAT/LONG: East Haven CT 06512
41.2469 / 72.8742

CLIENT: Freeman Companies LLC
CONTACT: Doug Brink
INQUIRY #: 3885633.8s
DATE: March 19, 2014

FLOOD PLAIN MAP FINDINGS

Source: FEMA DFIRM Flood Data, FEMA Q3 Flood Data

County

FEMA flood data electronic coverage

NEW HAVEN, CT

YES


Flood Plain panel at target property:

09009C (FEMA DFIRM Flood data)

Additional Flood Plain panel(s) in search area:

None Reported

National Wetlands Inventory Map



- | | | |
|-----------------|-------------|-----------------------------------|
| Major Roads | Power Lines | Water |
| Contour Lines | Pipe Lines | National Wetlands Inventory |
| Waterways | Fault Lines | State Wetlands |
| County Boundary | | Electronic NWI data available |
| Airports | | Electronic NWI data not available |

SITE NAME:
ADDRESS:
LAT/LONG: East Haven CT 06512
41.2469 / 72.8742

CLIENT: Freeman Companies LLC
CONTACT: Doug Brink
INQUIRY #: 3885633.8s
DATE: March 19, 2014

WETLANDS MAP FINDINGS

Source: Fish and Wildlife Service NWI data

NWI hardcopy map at target property: Branford OE S

Additional NWI hardcopy map(s) in search area:

Branford
New Haven
Woodmont

Map ID

Direction

Distance

Distance (ft.)

Code and Description*

Database

Map ID	Direction	Distance	Distance (ft.)	Code and Description*	Database
1	North	1/8-1/4 mi	757	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.248962 / -72.874542	NWI
2	SW	1/8-1/4 mi	803	E2EMP5 [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline Lat/Lon: 41.245232 / -72.876114	NWI
3	South	1/8-1/4 mi	820	E1UBL [E] Estuarine, [1] Subtidal, [UB] Unconsolidated Bottom, [L] Subtidal Lat/Lon: 41.244667 / -72.874542	NWI
4	SW	1/8-1/4 mi	1074	E2EMPd [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [d] Partially Drained/Ditched Lat/Lon: 41.245056 / -72.877251	NWI
5	West	1/4-1/2 mi	1521	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.247425 / -72.879684	NWI
6	NNW	1/4-1/2 mi	2122	PSS1/EMF [P] Palustrine, [SS] Scrub-Shrub, [1] Broad-Leaved Deciduous / , [EM] Emergent, [F] Semipermanently Flooded Lat/Lon: 41.252090 / -72.877701	NWI
7	NNW	1/4-1/2 mi	2249	PUBH [P] Palustrine, [UB] Unconsolidated Bottom, [H] Permanently Flooded Lat/Lon: 41.252392 / -72.877930	NWI
8	NNE	1/4-1/2 mi	2265	PSS1E [P] Palustrine, [SS] Scrub-Shrub, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.252937 / -72.872238	NWI

*See Wetland Classification System for additional information.

WETLANDS MAP FINDINGS

Map ID Direction Distance Distance (ft.)	Code and Description*	Database
9 ENE 1/4-1/2 mi 2286	E2EM1P [E] Estuarine, [2] Intertidal, [EM] Emergent, [1] Persistent, [P] Irregularly Flooded Lat/Lon: 41.250099 / -72.867050	NWI
10 NW 1/4-1/2 mi 2405	E2EMP5 [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline Lat/Lon: 41.250648 / -72.881401	NWI
11 NE 1/4-1/2 mi 2411	E2EM1P [E] Estuarine, [2] Intertidal, [EM] Emergent, [1] Persistent, [P] Irregularly Flooded Lat/Lon: 41.250755 / -72.867073	NWI
12 WNW 1/2-1 mi 2762	E2EMP5 [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline Lat/Lon: 41.250103 / -72.883301	NWI
13 NE 1/2-1 mi 2786	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.252483 / -72.867287	NWI
14 NNE 1/2-1 mi 2902	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.253769 / -72.868858	NWI
15 WNW 1/2-1 mi 3138	E2EMP5d [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline, [d] Partially Drained/Ditched Lat/Lon: 41.250034 / -72.884827	NWI
16 WNW 1/2-1 mi 3143	E2EMP5d [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline, [d] Partially Drained/Ditched Lat/Lon: 41.250145 / -72.884789	NWI
17 West 1/2-1 mi 3143	E2EMP5d [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline, [d] Partially Drained/Ditched Lat/Lon: 41.246674 / -72.885628	NWI

*See Wetland Classification System for additional information.

WETLANDS MAP FINDINGS

Map ID Direction Distance Distance (ft.)	Code and Description*	Database
18 NW 1/2-1 mi 3171	E2EMP5 [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline Lat/Lon: 41.253925 / -72.881004	NWI
19 ENE 1/2-1 mi 3214	E2EM1Pd [E] Estuarine, [2] Intertidal, [EM] Emergent, [1] Persistent, [P] Irregularly Flooded, [d] Partially Drained/Ditched Lat/Lon: 41.250103 / -72.863312	NWI
20 WNW 1/2-1 mi 3298	E2EMP5d [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline, [d] Partially Drained/Ditched Lat/Lon: 41.249950 / -72.885498	NWI
21 NE 1/2-1 mi 3358	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.252068 / -72.864090	NWI
22 NW 1/2-1 mi 3377	PFO1/SS1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous / , [SS] Scrub-Shrub, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.253689 / -72.882561	NWI
23 NE 1/2-1 mi 3741	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.255421 / -72.866623	NWI
24 WNW 1/2-1 mi 3774	E2EMP5 [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline Lat/Lon: 41.250191 / -72.887215	NWI
25 WNW 1/2-1 mi 3794	E2EMP5 [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline Lat/Lon: 41.250103 / -72.887329	NWI
26 NNW 1/2-1 mi 3804	E2EMP5 [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline Lat/Lon: 41.256287 / -72.880249	NWI

*See Wetland Classification System for additional information.

WETLANDS MAP FINDINGS

Map ID Direction Distance Distance (ft.)	Code and Description*	Database
27 North 1/2-1 mi 3813	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.257362 / -72.874542	NWI
28 NE 1/2-1 mi 3950	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.254189 / -72.863564	NWI
29 WNW 1/2-1 mi 3975	E2EMP [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded Lat/Lon: 41.251900 / -72.887047	NWI
30 West 1/2-1 mi 4034	E2EMP5d [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline, [d] Partially Drained/Ditched Lat/Lon: 41.245827 / -72.888802	NWI
31 ENE 1/2-1 mi 4082	E1UBL [E] Estuarine, [1] Subtidal, [UB] Unconsolidated Bottom, [L] Subtidal Lat/Lon: 41.252407 / -72.861267	NWI
32 ENE 1/2-1 mi 4336	E1UBL [E] Estuarine, [1] Subtidal, [UB] Unconsolidated Bottom, [L] Subtidal Lat/Lon: 41.250103 / -72.859016	NWI
33 WNW 1/2-1 mi 4421	E1UBL5 [E] Estuarine, [1] Subtidal, [UB] Unconsolidated Bottom, [L] Subtidal, [5] Mesohaline Lat/Lon: 41.250904 / -72.889374	NWI
34 WNW 1/2-1 mi 4436	E2EM1N [E] Estuarine, [2] Intertidal, [EM] Emergent, [1] Persistent, [N] Regularly Flooded Lat/Lon: 41.250969 / -72.889404	NWI
35 NW 1/2-1 mi 4514	E2EMP5d [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [5] Mesohaline, [d] Partially Drained/Ditched Lat/Lon: 41.256653 / -72.884323	NWI

*See Wetland Classification System for additional information.

WETLANDS MAP FINDINGS

Map ID Direction Distance Distance (ft.)	Code and Description*	Database
36 NNW 1/2-1 mi 4603	PEM1E [P] Palustrine, [EM] Emergent, [1] Persistent, [E] Seasonally Flooded/Saturated Lat/Lon: 41.258362 / -72.881233	NWI
37 NNE 1/2-1 mi 4730	PEM1/SS1E [P] Palustrine, [EM] Emergent, [1] Persistent / , [SS] Scrub-Shrub, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.258919 / -72.867691	NWI
38 ENE 1/2-1 mi 4864	E2EM1P [E] Estuarine, [2] Intertidal, [EM] Emergent, [1] Persistent, [P] Irregularly Flooded Lat/Lon: 41.250126 / -72.857040	NWI
39 NNE 1/2-1 mi 4899	PSS1E [P] Palustrine, [SS] Scrub-Shrub, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.259403 / -72.867653	NWI
40 NE 1/2-1 mi 4908	PFO1E [P] Palustrine, [FO] Forested, [1] Broad-Leaved Deciduous, [E] Seasonally Flooded/Saturated Lat/Lon: 41.256279 / -72.861397	NWI
41 West 1/2-1 mi 4984	E2EMPd [E] Estuarine, [2] Intertidal, [EM] Emergent, [P] Irregularly Flooded, [d] Partially Drained/Ditched Lat/Lon: 41.249554 / -72.891983	NWI
42 WNW 1/2-1 mi 5003	E1UBL5 [E] Estuarine, [1] Subtidal, [UB] Unconsolidated Bottom, [L] Subtidal, [5] Mesohaline Lat/Lon: 41.250195 / -72.891861	NWI
43 WNW 1/2-1 mi 5103	E1UBL [E] Estuarine, [1] Subtidal, [UB] Unconsolidated Bottom, [L] Subtidal Lat/Lon: 41.249985 / -72.892296	NWI

*See Wetland Classification System for additional information.

WETLANDS CLASSIFICATION SYSTEM

National Wetland Inventory Maps are produced by the U.S. Fish and Wildlife Service, a sub-department of the U.S. Department of the Interior. In 1974, the U.S. Fish and Wildlife Service developed a criteria for wetland classification with four long range objectives:

- to describe ecological units that have certain homogeneous natural attributes,
- to arrange these units in a system that will aid decisions about resource management,
- to furnish units for inventory and mapping, and
- to provide uniformity in concepts and terminology throughout the U.S.

High altitude infrared photographs, soil maps, topographic maps and site visits are the methods used to gather data for the productions of these maps. In the infrared photos, wetlands appear as different colors and these wetlands are then classified by type. Using a hierarchical classification, the maps identify wetland and deepwater habitats according to:

- system
- subsystem
- class
- subclass
- modifiers

(as defined by Cowardin, et al. U.S. Fish and Wildlife Service FWS/OBS 79/31. 1979.)

The classification system consists of five systems:

1. marine
2. estuarine
3. riverine
4. lacustrine
5. palustrine

The marine system consists of deep water tidal habitats and adjacent tidal wetlands. The riverine system consists of all wetlands contained within a channel. The lacustrine systems includes all nontidal wetlands related to swamps, bogs & marshes. The estuarine system consists of deepwater tidal habitats and where ocean water is diluted by fresh water. The palustrine system includes nontidal wetlands dominated by trees and shrubs and where salinity is below .5% in tidal areas. All of these systems are divided in subsystems and then further divided into class.

National Wetland Inventory Maps are produced by transferring gathered data on a standard 7.5 minute U.S.G.S. topographic map. Approximately 52 square miles are covered on a National Wetland Inventory map at a scale of 1:24,000. Electronic data is compiled by digitizing these National Wetland Inventory Maps.

SYSTEM

MARINE

SUBSYSTEM

1 - SUBTIDAL

2 - INTERTIDAL

CLASS	RB-ROCK BOTTOM	UB-UNCONSOLIDATED BOTTOM	AB-AQUATIC BED	RF-REEF	OW-OPEN WATER / Unknown Bottom	AB-AQUATIC BED	RF-REEF	RS-ROCKY SHORE	US-UNCONSOLIDATED SHORE
Subclass	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic	1 Algal 3 Rooted Vascular 5 Unknown Submergent	1 Coral 3 Worm		1 Algal 3 Rooted Vascular 5 Unknown Submergent	1 Coral 3 Worm	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic

SYSTEM

E - ESTUARINE

SUBSYSTEM

1 - SUBTIDAL

CLASS	RB-ROCK BOTTOM	UB-UNCONSOLIDATED BOTTOM	AB-AQUATIC BED	RF-REEF	OW-OPEN WATER / Unknown Bottom
Subclass	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic	1 Algal 3 Rooted Vascular 4 Floating Vascular 5 Unknown Submergent 6 Unknown Surface	2 Mollusk 3 Worm	

SUBSYSTEM

2 - INTERTIDAL

CLASS	AB-AQUATIC BED	RF-REEF	SB - STREAMBED	RS-ROCKY SHORE	US-UNCONSOLIDATED SHORE	EM-EMERGENT	SS-SCRUB SHRUB	FO-FORESTED
Subclass	1 Algal 3 Rooted Vascular 4 Floating Vascular 5 Unknown Submergent 6 Unknown Surface	2 Mollusk 3 Worm	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic	1 Persistent 2 Nonpersistent	1 Broad-Leaved Deciduous 2 Needle-Leaved Deciduous 3 Broad-Leaved Evergreen 4 Needle-Leaved Evergreen 5 Dead 6 Deciduous 7 Evergreen	1 Broad-Leaved Deciduous 2 Needle-Leaved Deciduous 3 Broad-Leaved Evergreen 4 Needle-Leaved Evergreen 5 Dead 6 Deciduous 7 Evergreen

SYSTEM

R - RIVERINE

SUBSYSTEM

1 - TIDAL 2 - LOWER PERENNIAL 3 - UPPER PERENNIAL 4 - INTERMITTENT 5 - UNKNOWN PERENNIAL

CLASS	RB-ROCK BOTTOM	UB-UNCONSOLIDATED BOTTOM	*SB-STREAMBED	AB-AQUATIC BED	RS-ROCKY SHORE	US-UNCONSOLIDATED SHORE	**EM-EMERGENT	OW-OPEN WATER/ Unknown Bottom
Subclass	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic	1 Bedrock 2 Rubble 3 Cobble-Gravel 4 Sand 5 Mud 6 Organic 7 Vegetated	1 Algal 2 Aquatic Moss 3 Rooted Vascular 4 Floating Vascular 5 Unknown Submergent 6 Unknown Surface	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic 5 Vegetated	2 Nonpersistent	

* STREAMBED is limited to TIDAL and INTERMITTENT SUBSYSTEMS, and comprises the only CLASS in the INTERMITTENT SUBSYSTEM.
 **EMERGENT is limited to TIDAL and LOWER PERENNIAL SUBSYSTEMS.

SYSTEM

L - LACUSTRINE

SUBSYSTEM

1 - LIMNETIC

CLASS	RB-ROCK BOTTOM	UB-UNCONSOLIDATED BOTTOM	AB-AQUATIC BED	OW-OPEN WATER/ Unknown Bottom
Subclass	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic	1 Algal 2 Aquatic Moss 3 Rooted Vascular 4 Floating Vascular 5 Unknown Submergent 6 Unknown Surface	

SUBSYSTEM

2 - LITTORAL

CLASS	RB-ROCK BOTTOM	UB-UNCONSOLIDATED BOTTOM	AB-AQUATIC BED	RS-ROCKY SHORE	US-UNCONSOLIDATED SHORE	EM-EMERGENT	OW-OPEN WATER/ Unknown Bottom
Subclass	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic	1 Algal 2 Aquatic Moss 3 Rooted Vascular 4 Floating Vascular 5 Unknown Submergent 6 Unknown Surface	1 Bedrock 2 Rubble	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic 5 Vegetated	2 Nonpersistent	

SUBSYSTEM

P - PALUSTRINE

CLASS	RB--ROCK BOTTOM	UB--UNCONSOLIDATED BOTTOM	AB-AQUATIC BED	US--UNCONSOLIDATED SHORE	ML--MOSS- LICHEN	EM--EMERGENT	SS--SCRUB-SHRUB	FO--FORESTED	OW-OPEN WATER/ Unknown
Subclass	1 Bedrock 2 Rubble 3 Mud 4 Organic	1 Cobble-Gravel 2 Sand	1 Algal 2 Aquatic Moss 3 Rooted Vascular 4 Floating Vascular 5 Unknown 6 Unknown Surface	1 Cobble-Gravel 2 Sand 3 Mud 4 Organic 5 Vegetated	1 Moss 2 Lichen	1 Persistent 2 Nonpersistent	1 Broad-Leaved 2 Needle-Leaved 3 Broad-Leaved 4 Needle-Leaved 5 Dead 6 Deciduous 7 Evergreen	1 Broad-Leaved 2 Needle-Leaved 3 Broad-Leaved 4 Needle-Leaved 5 Dead 6 Deciduous 7 Evergreen	

MODIFIERS

In order to more adequately describe wetland and deepwater habitats one or more of the water regime, water chemistry, soil, or special modifiers may be applied at the class or lower level in the hierarchy. The farmed modifier may also be applied to the ecological system.

WATER REGIME				WATER CHEMISTRY			SOIL	SPECIAL MODIFIERS
Non-Tidal	Tidal	Coastal	Inland	Salinity	pH	Modifiers		
A Temporarily Flooded	H Permanently Flooded	K Artificially Flooded	*S Temporary-Tidal	1 Hyperhaline	7 Hypersaline	all Fresh Water	g Organic	b Beaver
B Saturated	J Intermittently Flooded	L Subtidal	*R Seasonal-Tidal	2 Euhaline	8 Eusaline	a Acid	n Mineral	d Partially Drained/Ditched
C Seasonally Flooded	K Artificially Flooded	M Irregularly Exposed	*T Semipermanent -Tidal	3 Mixohaline (Brackish)	9 Mixosaline	t Circumneutral		f Farmed
D Seasonally Flooded/ Well Drained	W Intermittently Flooded/Temporary	N Regularly Flooded	V Permanent -Tidal	4 Polyhaline	0 Fresh	i Alkaline		h Diked/Impounded
E Seasonally Flooded/ Saturated	Y Saturated/Semipermanent/ Seasonal	P Irregularly Flooded	U Unknown	5 Mesohaline				r Artificial Substrate
F Semipermanently Flooded	Z Intermittently Exposed/Permanent	*These water regimes are only used in tidally influenced, freshwater systems.			6 Oligohaline			s Spoil
G Intermittently Exposed	U Unknown			0 Fresh				x Excavated

FCC & FAA Sites Map



- Streets
- Contour Lines
- County Boundary
- Waterways
- Power Lines
- Water
- Airports
- Sites



<p>SITE NAME: ADDRESS: LAT/LONG: East Haven CT 06512 41.2469 / 72.8742</p>	<p>CLIENT: Freeman Companies LLC CONTACT: Doug Brink INQUIRY #: 3885633.8s DATE: March 19, 2014</p> <p style="text-align: right;">TC3885633.8s Page 44 of 81</p>
--	--

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

1
 NW
 1/2-1 mi
 2678

ANT130000095501
 ANTREG

Regnum: 1252669
 Filenum: A0639782
 Issuedate: 5/28/2009
 Entity: TowerCo Assets LLC
 Strucht: 21.9
 Strucadd: 60 Commerce Street, CT3672-CT70XC121
 Struccity: East Haven
 Strucstate: CT
 Faastudy: 2008-ANE-396-OE
 Faacirc: Not Reported
 Licid: L01469668
 Contname: Susan Hart
 Contadd: 5000 Valleystone Drive, Suite 200
 Contpo: Not Reported
 Contcity: Cary
 Contstate: NC
 Contzip: 27519
 Edr id: ANT130000095501

This record is for a license, and it may or may not indicate a site which has been built.

2
 NNE
 1/2-1 mi
 2679

DOF130000184587
 NOAA_DOF

Dof 1310: 184587
 Dof 1310 id: 184587
 Ors num: 09-020361
 Verificati: O
 Country: US
 State: CT
 City name: NEW HAVEN
 Latitude: 41.254036
 Longitude: -72.871842
 Obs type: SPIRE
 Quantity: 1
 Agl ht: 70
 Amsl ht: 98
 Lighting: U
 H acc: 2
 V acc: C
 Mark: U
 Faa study: Not Reported
 Action: A
 Jdate: 2010277

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

Edr id: DOF130000184587

3
North
1/2-1 mi
3230

DOF130000184628
NOAA_DOF

Dof 1310: 184628
Dof 1310 id: 184628
Ors num: 09-020596
Verificati: O
Country: US
State: CT
City name: NEW HAVEN
Latitude: 41.255667
Longitude: -72.87245
Obs type: POLE
Quantity: 1
Agl ht: 33
Amsl ht: 67
Lighting: U
H acc: 2
V acc: C
Mark: U
Faa study: Not Reported
Action: A
Jdate: 2010286
Edr id: DOF130000184628

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

A4
 North
 1/2-1 mi
 3289

DOF130000184632
 NOAA_DOF

Dof 1310:	184632
Dof 1310 id:	184632
Ors num:	09-020440
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.255806
Longitude:	-72.876147
Obs type:	POLE
Quantity:	1
Agl ht:	22
Amsl ht:	60
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184632

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

A5
 North
 1/2-1 mi
 3324

DOF130000184638
 NOAA_DOF

Dof 1310:	184638
Dof 1310 id:	184638
Ors num:	09-020588
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.255969
Longitude:	-72.875522
Obs type:	POLE
Quantity:	1
Agl ht:	28
Amsl ht:	65
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184638

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

6
 North
 1/2-1 mi
 3382

DOF130000184647
 NOAA_DOF

Dof 1310:	184647
Dof 1310 id:	184647
Ors num:	09-020594
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.256181
Longitude:	-72.873969
Obs type:	T-L TWR
Quantity:	1
Agl ht:	17
Amsl ht:	59
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184647

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

A7
 North
 1/2-1 mi
 3414

TOW100000057883
 TOWER

Tower id:	43254
City:	EAST HAVEN
Date active:	Nov 18 1981
Date const:	99/99/1999
Date faa:	Sep 10 1981
Date fcc:	Oct 1 1981
Hgt antenna:	0.0000
Hgt antenna (M):	0.0000
Hgt beacon:	0.0000
Hgt beacon (M):	0.0000
Elevation:	98.0000
Elev FAA:	98.0000
Elev FAA (M):	29.9000
Elev (M):	29.9000
Hgt structure:	68.0000
Hgt struc faa:	70.0000
Hgt stru faa (M):	21.3000
Hgt struc (M):	20.7000
Supporting Struc Hgt:	0.0000
Supp. Struct Hgt (M):	0.0000
Tower Hgt:	0.0000
Tower (M):	0.0000
Id asb acc:	C
Faa id:	81-ANE-228-OE
File num:	00163-IB-102
Name owner:	Not Reported
State:	CT
Address:	259 COMMERCE ST
Action:	OLD
Type stru:	TOW
Type tower:	E
Key site:	55355
Id exam:	Not Reported
Xmit lat:	411522
Xmit long:	0725234
Lat deg:	41
Lat min:	15
Lat sec:	22
Lat second:	148522
Long deg:	72
Long min:	52
Long sec:	34
Long secon:	262354
Key rem:	Not Reported
The date:	Not Reported
Type pl:	Not Reported
Spec cond1:	Not Reported

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

Spec cond2: Not Reported
Remarks: Not Reported
Edr id: TOW100000057883

This record is for a license, and it may or may not indicate a site which has been built.

A8
North
1/2-1 mi
3432

DOF130000184645
NOAA_DOF

Dof 1310: 184645
Dof 1310 id: 184645
Ors num: 09-020439
Verificati: O
Country: US
State: CT
City name: NEW HAVEN
Latitude: 41.256172
Longitude: -72.876397
Obs type: POLE
Quantity: 1
Agl ht: 24
Amsl ht: 60
Lighting: U
H acc: 2
V acc: C
Mark: U
Faa study: Not Reported
Action: A
Jdate: 2010286
Edr id: DOF130000184645

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

A9
 North
 1/2-1 mi
 3471

DOF130000184652
 NOAA_DOF

Dof 1310:	184652
Dof 1310 id:	184652
Ors num:	09-020582
Verificati:	O
Country:	US
State:	CT
City name:	EAST HAVEN
Latitude:	41.25635
Longitude:	-72.875783
Obs type:	TOWER
Quantity:	1
Agl ht:	60
Amsl ht:	93
Lighting:	N
H acc:	2
V acc:	C
Mark:	N
Faa study:	2011ANE01372OE
Action:	C
Jdate:	2011272
Edr id:	DOF130000184652

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

A10
North
1/2-1 mi
3490

ANT130000085161
ANTREG

Regnum: 1240728
 Filenum: A0768130
 Issuedate: 5/8/2012
 Entity: New Cingular Wireless PCS, LLC
 Strucht: 18.3
 Strucadd: 259 Commerce Street
 Struccity: East Haven
 Strucstate: CT
 Faastudy: 2011-ANE-1372-OE
 Faacirc: 70/7460-1K
 Lcid: L00024153
 Contname: FCC Group
 Contadd: 5601 Legacy Drive, MS: A-3
 Contpo: Not Reported
 Contcity: Plano
 Contstate: TX
 Contzip: 75024
 Edr id: ANT130000085161

This record is for a license, and it may or may not indicate a site which has been built.

A11
NNW
1/2-1 mi
3519

DOF130000184648
NOAA_DOF

Dof 1310: 184648
 Dof 1310 id: 184648
 Ors num: 09-020575
 Verificati: O
 Country: US
 State: CT
 City name: NEW HAVEN
 Latitude: 41.256272
 Longitude: -72.877286
 Obs type: POLE
 Quantity: 1
 Agl ht: 34
 Amsl ht: 64
 Lighting: U
 H acc: 2
 V acc: C
 Mark: U
 Faa study: Not Reported
 Action: A
 Jdate: 2010286

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

Edr id: DOF130000184648

A12
NNW
1/2-1 mi
3548

DOF130000184655
NOAA_DOF

Dof 1310: 184655
Dof 1310 id: 184655
Ors num: 09-020574
Verificati: O
Country: US
State: CT
City name: NEW HAVEN
Latitude: 41.256428
Longitude: -72.876861
Obs type: POLE
Quantity: 1
Agl ht: 33
Amsl ht: 67
Lighting: U
H acc: 2
V acc: C
Mark: U
Faa study: Not Reported
Action: A
Jdate: 2010286
Edr id: DOF130000184655

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

A13
 North
 1/2-1 mi
 3595

DOF130000184661
 NOAA_DOF

Dof 1310:	184661
Dof 1310 id:	184661
Ors num:	09-020564
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.256639
Longitude:	-72.876286
Obs type:	POLE
Quantity:	1
Agl ht:	38
Amsl ht:	72
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184661

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

A14
 North
 1/2-1 mi
 3630

DOF130000184663
 NOAA_DOF

Dof 1310:	184663
Dof 1310 id:	184663
Ors num:	09-020563
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.256781
Longitude:	-72.8759
Obs type:	POLE
Quantity:	1
Agl ht:	34
Amsl ht:	76
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184663

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

B15
 NNW
 1/2-1 mi
 3638

DOF130000184659
 NOAA_DOF

Dof 1310:	184659
Dof 1310 id:	184659
Ors num:	09-020573
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.256572
Longitude:	-72.877478
Obs type:	BLDG
Quantity:	1
Agl ht:	23
Amsl ht:	54
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184659

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

B16
 NNW
 1/2-1 mi
 3740

DOF130000184662
 NOAA_DOF

Dof 1310:	184662
Dof 1310 id:	184662
Ors num:	09-020565
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.256764
Longitude:	-72.877956
Obs type:	POLE
Quantity:	1
Agl ht:	32
Amsl ht:	62
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184662

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

C17
 North
 1/2-1 mi
 3740

DOF130000184673
 NOAA_DOF

Dof 1310:	184673
Dof 1310 id:	184673
Ors num:	09-020438
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.257133
Longitude:	-72.875256
Obs type:	BLDG
Quantity:	1
Agl ht:	14
Amsl ht:	66
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184673

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

C18
 North
 1/2-1 mi
 3990

DOF130000184693
 NOAA_DOF

Dof 1310:	184693
Dof 1310 id:	184693
Ors num:	09-020528
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.257764
Longitude:	-72.876003
Obs type:	POLE
Quantity:	1
Agl ht:	20
Amsl ht:	69
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184693

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

D19
 North
 1/2-1 mi
 4013

DOF130000184690
 NOAA_DOF

Dof 1310:	184690
Dof 1310 id:	184690
Ors num:	09-020544
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.257714
Longitude:	-72.876958
Obs type:	BLDG
Quantity:	1
Agl ht:	13
Amsl ht:	64
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184690

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

D20
 North
 1/2-1 mi
 4234

DOF130000184712
 NOAA_DOF

Dof 1310:	184712
Dof 1310 id:	184712
Ors num:	09-020436
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.258433
Longitude:	-72.876078
Obs type:	BLDG
Quantity:	1
Agl ht:	17
Amsl ht:	60
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184712

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

E21
 North
 1/2-1 mi
 4348

DOF130000184719
 NOAA_DOF

Dof 1310:	184719
Dof 1310 id:	184719
Ors num:	09-020434
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.258822
Longitude:	-72.874858
Obs type:	POLE
Quantity:	1
Agl ht:	31
Amsl ht:	61
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184719

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

E22
 North
 1/2-1 mi
 4372

DOF130000184721
 NOAA_DOF

Dof 1310:	184721
Dof 1310 id:	184721
Ors num:	09-020437
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.258872
Longitude:	-72.875231
Obs type:	BLDG
Quantity:	1
Agl ht:	15
Amsl ht:	47
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184721

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

E23
 North
 1/2-1 mi
 4506

DOF130000184736
 NOAA_DOF

Dof 1310:	184736
Dof 1310 id:	184736
Ors num:	09-020392
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.259214
Longitude:	-72.875708
Obs type:	BLDG
Quantity:	1
Agl ht:	10
Amsl ht:	44
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184736

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

F24
 North
 1/2-1 mi
 4533

DOF130000184731
 NOAA_DOF

Dof 1310: 184731
 Dof 1310 id: 184731
 Ors num: 09-020002
 Verificati: O
 Country: US
 State: CT
 City name: EAST HAVEN
 Latitude: 41.259156
 Longitude: -72.877028
 Obs type: BLDG
 Quantity: 1
 Agl ht: 29
 Amsl ht: 42
 Lighting: R
 H acc: 5
 V acc: D
 Mark: N
 Faa study: 2007ANE00113OE
 Action: C
 Jdate: 2010176
 Edr id: DOF130000184731

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

25
 WNW
 1/2-1 mi
 4707

DOF130000184567
 NOAA_DOF

Dof 1310:	184567
Dof 1310 id:	184567
Ors num:	09-020265
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.252292
Longitude:	-72.889756
Obs type:	POLE
Quantity:	1
Agl ht:	26
Amsl ht:	45
Lighting:	U
H acc:	1
V acc:	A
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010277
Edr id:	DOF130000184567

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

26
 North
 1/2-1 mi
 4744

TOW100000032707
 TOWER

Tower id:	136719
City:	EAST HAVEN
Date active:	Oct 16 1997
Date const:	Not Reported
Date faa:	Oct 2 1997
Date fcc:	Mar 17 1997
Hgt antenna:	20.0000
Hgt antenna (M):	6.1000
Hgt beacon:	0.0000
Hgt beacon (M):	0.0000
Elevation:	95.0000
Elev FAA:	95.0000
Elev FAA (M):	29.0000
Elev (M):	29.0000
Hgt structure:	85.0000
Hgt struc faa:	85.0000
Hgt stru faa (M):	25.9000
Hgt struc (M):	25.9000
Supporting Struc Hgt:	0.0000
Supp. Struct Hgt (M):	0.0000
Tower Hgt:	65.0000
Tower (M):	19.8000
Id asb acc:	Not Reported
Faa id:	97-ANE-0335-OE
File num:	D073992C
Name owner:	DOUBLE A TRANSPORTATION
State:	CT
Address:	418 SHORT BEACH RD
Action:	ADD
Type stru:	TOW
Type tower:	E
Key site:	87944
Id exam:	PRB1
Xmit lat:	411535
Xmit long:	0725221
Lat deg:	41
Lat min:	15
Lat sec:	35
Lat second:	148535
Long deg:	72
Long min:	52
Long sec:	21
Long secon:	262341
Key rem:	Not Reported
The date:	Not Reported
Type pl:	Not Reported
Spec cond1:	Not Reported

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

Spec cond2: Not Reported
Remarks: Not Reported
Edr id: TOW10000032707

This record is for a license, and it may or may not indicate a site which has been built.

F27
North
1/2-1 mi
4766

DOF130000184749
NOAA_DOF

Dof 1310: 184749
Dof 1310 id: 184749
Ors num: 09-020435
Verificati: O
Country: US
State: CT
City name: NEW HAVEN
Latitude: 41.259811
Longitude: -72.876969
Obs type: BLDG
Quantity: 1
Agl ht: 6
Amsl ht: 42
Lighting: U
H acc: 2
V acc: C
Mark: U
Faa study: Not Reported
Action: A
Jdate: 2010286
Edr id: DOF130000184749

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

F28
 North
 1/2-1 mi
 4859

DOF130000184756
 NOAA_DOF

Dof 1310:	184756
Dof 1310 id:	184756
Ors num:	09-020485
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.260106
Longitude:	-72.876653
Obs type:	BLDG
Quantity:	1
Agl ht:	13
Amsl ht:	44
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184756

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

F29
 North
 1/2-1 mi
 4899

DOF130000184759
 NOAA_DOF

Dof 1310:	184759
Dof 1310 id:	184759
Ors num:	09-020484
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.260172
Longitude:	-72.877039
Obs type:	POLE
Quantity:	1
Agl ht:	17
Amsl ht:	48
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184759

FCC & FAA SITES MAP FINDINGS TOWERS

Map ID
Direction
Distance
Distance (ft.)

EDR ID
Database

30
 North
 1/2-1 mi
 4959

DOF130000184774
 NOAA_DOF

Dof 1310:	184774
Dof 1310 id:	184774
Ors num:	09-020441
Verificati:	O
Country:	US
State:	CT
City name:	NEW HAVEN
Latitude:	41.260458
Longitude:	-72.875753
Obs type:	BLDG
Quantity:	1
Agl ht:	27
Amsl ht:	50
Lighting:	U
H acc:	2
V acc:	C
Mark:	U
Faa study:	Not Reported
Action:	A
Jdate:	2010286
Edr id:	DOF130000184774

FCC & FAA SITES MAP FINDINGS

AIRPORTS

EDR ID
Database

AIR02989
AIRPORTS

Rec type: APT
Site number: 02858.*A
Airport type: AIRPORT
State: CONNECTICUT
County: NEW HAVEN
City: NEW HAVEN
Facility: TWEED-NEW HAVEN
Owner type: PU
Use: PU
Owner: CITY OF NEW HAVEN
Owner address: 770 CHAPEL STREET
City/State: NEW HAVEN, CT 06510
Phone: 203-946-8222
Mgmt name: RICHARD LAMPOR
Mgmt address: 155 BURR ST
Mgmt city: NEW HAVEN, CT 06512
Mgmt phone: 203-466-8833
Latitude: 41-15-50.036N
Longitude: 072-53-13.560W
Latlong method: E
Elev ft: 14
Elev method: S
Aero chart: NEW YORK
Dist from Biz: 03
Direc from Biz: SE
Date Active: 12/1903
Date Certified: AS 05/1973
Fed agreements: NGY3
Intl airport?: N
Customs airport?: Y
Inspection Method: F
Inspected by: F
Last inspected: 09161999
Attendance: ALL/ALL/0600-2030
Lighting: ATC-CTL
Atc tower?: Y
Beacon color: CG
Land fee: Y
Single engine: 062
Multi engine: 009
Jet engines: 001
Helicopters: Not Reported
Gliders: Not Reported
Military: Not Reported
Ulight air: Not Reported
Commercial: 006349
Air taxi: 011293
Local ops: 025069
Edr id: AIR02989
Rec type: RWY

FCC & FAA SITES MAP FINDINGS

AIRPORTS

EDR ID
Database

Lf site nu: 02858.*A
Runway id: 02/20
Runway length: 5600
Runway width: 150
Surface: ASPH
Lights intensity: HIGH
Base end id: 02
Markings: PIR
Latitude: 41-15-21.782N
Longitude: 072-53-17.679W
Elevation: 7.5
Approach lights: MALSF
End lights: Not Reported
Centerline lights: Not Reported
Touchdown lights: Not Reported
Recip end id: 20
Recip markings: NPI
Recip lat: 41-16-17.040N
Recip long: 072-53-13.951W
Recip elev: 13.0
Reci app lights: Not Reported
Recip end lights: Not Reported
Reci center lights: Not Reported
Recip td lights: Not Reported
Rec type: RWY
Lf site nu: 02858.*A
Runway id: 14/32
Runway length: 3175
Runway width: 100
Surface: ASPH
Lights intensity: MED
Base end id: 14
Markings: BSC
Latitude: 41-16-01.465N
Longitude: 072-53-25.228W
Elevation: 6.1
Approach lights: Not Reported
End lights: Not Reported
Centerline lights: Not Reported
Touchdown lights: Not Reported
Recip end id: 32
Recip markings: BSC
Recip lat: 41-15-40.812N
Recip long: 072-52-53.937W
Recip elev: 5.0
Reci app lights: Not Reported
Recip end lights: Not Reported
Reci center lights: Not Reported
Recip td lights: Not Reported

FCC & FAA SITES MAP FINDINGS POWERLINES

EDR ID
Database

No Sites Reported.

KEY CONTACTS & GOVERNMENT RECORDS SEARCHED

Various Federal laws and executive orders address specific environmental concerns. NEPA requires the responsible offices to integrate to the greatest practical extent the applicable procedures required by these laws and executive orders. EDR provides key contacts at agencies charged with implementing these laws and executive orders to supplement the information contained in this report.

NATURAL AREAS

Officially designated wilderness areas

Government Records Searched in This Report

FED_LAND: Federal Lands

Source: USGS

Telephone: 703-648-5094

Federal data from Bureau of Land Management, National Park Service, Forest Service, and Fish and Wildlife Service.

- National Parks
- Forests
- Monuments
- Wildlife Sanctuaries, Preserves, Refuges
- Federal Wilderness Areas.

Date of Government Version: 12/31/2005

Federal Contacts for Additional Information

National Park Service, Northeast Region

200 custom Street, Fifth Floor

Philadelphia, PA 19106

215-597-7013

Fish & Wildlife Service, Region 5

Div. Of Personnel Mgmt. 300 Westgate Center Drive

Hadley, MA 01035-9589

413-253-8313

Officially designated wildlife preserves, sanctuaries and refuges

Government Records Searched in This Report

FED_LAND: Federal Lands

Source: USGS

Telephone: 703-648-5094

Federal data from Bureau of Land Management, National Park Service, Forest Service, and Fish and Wildlife Service.

- National Parks
- Forests
- Monuments
- Wildlife Sanctuaries, Preserves, Refuges
- Federal Wilderness Areas.

Date of Government Version: 12/31/2005

Federal Contacts for Additional Information

Fish & Wildlife Service, Region 5

Div. Of Personnel Mgmt. 300 Westgate Center Drive

Hadley, MA 01035-9589

413-253-8313

State Contacts for Additional Information

Dept. of Environmental Protection 860-424-3474

KEY CONTACTS & GOVERNMENT RECORDS SEARCHED

Wild and scenic rivers

Government Records Searched in This Report

FED_LAND: Federal Lands

Source: USGS

Telephone: 703-648-5094

Federal data from Bureau of Land Management, National Park Service, Forest Service, and Fish and Wildlife Service.

- National Parks
- Forests
- Monuments
- Wildlife Sanctuaries, Preserves, Refuges
- Federal Wilderness Areas.

Date of Government Version: 12/31/2005

Federal Contacts for Additional Information

Fish & Wildlife Service, Region 5

Div. Of Personnel Mgmt. 300 Westgate Center Drive

Hadley, MA 01035-9589

413-253-8313

Endangered Species

Government Records Searched in This Report

Endangered Species Protection Program Database

A listing of endangered species by county.

Source: Environmental Protection Agency

Telephone: 703-305-5239

CT Natural Diversity: CT Natural Diversity Database

Point locations of listed species and significant natural communities

Source: Dept. of Environmental Protection.

Telephone: 860-424-3378

Federal Contacts for Additional Information

Fish & Wildlife Service, Region 5

Div. Of Personnel Mgmt. 300 Westgate Center Drive

Hadley, MA 01035-9589

413-253-8313

State Contacts for Additional Information

Natural Diversity Database, Dept. of Environmental Protection 860-424-3540

LANDMARKS, HISTORICAL, AND ARCHEOLOGICAL SITES

Historic Places

Government Records Searched in This Report

National Register of Historic Places:

The National Register of Historic Places is the official federal list of districts, sites, buildings, structures, and objects significant in American history, architecture, archeology, engineering, and culture. These contribute to an understanding of the historical and cultural foundations of the nation.

KEY CONTACTS & GOVERNMENT RECORDS SEARCHED

The National Register includes:

- All prehistoric and historic units of the National Park System;
- National Historic Landmarks, which are properties recognized by the Secretary of the Interior as possessing national significance; and
- Properties significant in American, state, or local prehistory and history that have been nominated by State Historic Preservation Officers, federal agencies, and others, and have been approved for listing by the National Park Service.

Date of Government Version: 03/23/2006

CT Historic Sites: Connecticut National Register of Historic Places
Listing of historic sites included on the National Register for Connecticut.
Source: Connecticut Historical Commission.
Telephone: 860-566-3005

Federal Contacts for Additional Information

Park Service; Advisory Council on Historic Preservation
1849 C Street NW
Washington, DC 20240
Phone: (202) 208-6843

State Contacts for Additional Information

Connecticut Historical Commission 860-566-3005

Indian Religious Sites

Government Records Searched in This Report

Indian Reservations:

This map layer portrays Indian administrated lands of the United States that have any area equal to or greater than 640 acres.

Source: USGS

Phone: 888-275-8747

Date of Government Version: 12/31/2005

Federal Contacts for Additional Information

Department of the Interior- Bureau of Indian Affairs
Office of Public Affairs
1849 C Street, NW
Washington, DC 20240-0001
Office: 202-208-3711
Fax: 202-501-1516

National Association of Tribal Historic Preservation Officers
1411 K Street NW, Suite 700
Washington, DC 20005
Phone: 202-628-8476
Fax: 202-628-2241

KEY CONTACTS & GOVERNMENT RECORDS SEARCHED

State Contacts for Additional Information

A listing of local Tribal Leaders and Bureau of Indian Affairs Representatives can be found at:
<http://www.doi.gov/bia/areas/agency.html>

Scenic Trails

Government Records Searched in This Report

APPAL_TRAIL: Appalachian National Scenic Trail

Source: Appalachian Trail Conservancy and National Park Service Appalachian Trail Park Office

Telephone: (304) 535-6278

Appalachian Trail centerline.

State Contacts for Additional Information

Appalachian Trail Conference

799 Washington Street P.O. Box 807

Harpers Ferry, WV 25425-0807

(304) 535-6331

FLOOD PLAIN, WETLANDS AND COASTAL ZONE

Flood Plain Management

Government Records Searched in This Report

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

Federal Contacts for Additional Information

Federal Emergency Management Agency 877-3362-627

State Contacts for Additional Information

Office of Emergency Management 860-566-3180

Wetlands Protection

Government Records Searched in This Report

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Soils

Source: Department of Environmental Protection

Telephone: 860-871-4047

Federal Contacts for Additional Information

Fish & Wildlife Service 813-570-5412

State Contacts for Additional Information

Natural Resources and Environment 860-424-3474

KEY CONTACTS & GOVERNMENT RECORDS SEARCHED

Coastal Zone Management

Government Records Searched in This Report

CAMA Management Areas

Dept. of Env., Health & Natural Resources
919-733-2293

Federal Contacts for Additional Information

Office of Ocean and Coastal Resource Management

N/ORM, SSMC4
1305 East-West Highway
Silver Spring, Maryland 20910
301-713-3102

State Contacts for Additional Information

Dept. of Env. Protection, Office of Long Island Sound Programs 860-424-3034

FCC & FAA SITES MAP

For NEPA actions that come under the authority of the FCC, the FCC requires evaluation of Antenna towers and/or supporting structures that are to be equipped with high intensity white lights which are to be located in residential neighborhoods, as defined by the applicable zoning law.

Government Records Searched in This Report

Cellular

Federal Communications Commission
445 12th Street, SW
Washington, DC 20554
888-225-5322

4G Cellular

Federal Communications Commission
445 12th Street, SW
Washington, DC 20554
888-225-5322

Antenna Structure Registration

Federal Communications Commission
445 12th Street, SW
Washington, DC 20554
888-225-5322

Towers

Federal Communications Commission
445 12th Street, SW
Washington, DC 20554
888-225-5322

AM Antenna

Federal Communications Commission
445 12th Street, SW
Washington, DC 20554
888-225-5322

KEY CONTACTS & GOVERNMENT RECORDS SEARCHED

FM Antenna

Federal Communications Commission
445 12th Street, SW
Washington, DC 20554
888-225-5322

FAA Digital Obstacle File

Federal Aviation Administration (FAA)
1305 East-West Highway, Station 5631
Silver Spring, MD 20910-3281
Telephone: 301-713-2817
Describes known obstacles of interest to aviation users in the US. Used by the Federal Aviation Administration (FAA) and the National Oceanic and Atmospheric Administration to manage the National Airspace System.

Airport Landing Facilities

Federal Aviation Administration
Telephone (800) 457-6656
Private and public use landing facilities.

Electric Power Transmission Line Data

Rextag Strategies Corp.
14405 Walters Road, Suite 510
Houston, TX 77014
281-769-2247
U.S. Electric Transmission and Power Plants systems Digital GIS Data.

Excessive Radio Frequency Emission

For NEPA actions that come under the authority of the FCC, Commission actions granting construction permits, licenses to transmit or renewals thereof, equipment authorizations or modifications in existing facilities, require the determination of whether the particular facility, operation or transmitter would cause human exposure to levels of radio frequency in excess of certain limits.

Federal Contacts for Additional Information

Office of Engineering and Technology
Federal Communications Commission
445 12th Street SW
Washington, DC 20554
Phone: 202-418-2470

OTHER CONTACT SOURCES

STREET AND ADDRESS INFORMATION

(c) 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.




East Haven, CT 06512

Inquiry Number: 3885633

March 19, 2014

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	14
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-24
Physical Setting Source Map Findings	A-26
Physical Setting Source Records Searched	A-22

Thank you for your business.
 Please contact EDR at 1-800-352-0050
 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

Á
EAST HAVEN, CT 06512

COORDINATES

Latitude (North): 41.2469000 - 41° 14' 48.84"
Longitude (West): 72.8742000 - 72° 52' 27.12"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 678124.4
UTM Y (Meters): 4568132.5
Elevation: 25 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 41072-B7 BRANFORD OE S, CT
Most Recent Revision: 0

North Map: 41072-C7 BRANFORD, CT
Most Recent Revision: 1984

West Map: 41072-B8 WOODMONT, CT
Most Recent Revision: 1976

Northwest Map: 41072-C8 NEW HAVEN, CT
Most Recent Revision: 1984

AERIAL PHOTOGRAPHY IN THIS REPORT

Photo Year: 2012
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators
RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls
LUCIS..... Land Use Control Information System

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent CERCLIS

SHWS..... Inventory of Hazardous Disposal Sites

EXECUTIVE SUMMARY

SDADB..... Site Discovery and Assessment Database

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... List of Landfills/Transfer Stations

State and tribal leaking storage tank lists

LUST..... Leaking Underground Storage Tank List

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

AST..... Marine Terminals and Tank Information

INDIAN UST..... Underground Storage Tanks on Indian Land

FEMA UST..... Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Engineering Controls Listing

AUL..... ELUR Sites

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

VCP..... Voluntary Remediation Sites

State and tribal Brownfields sites

BROWNFIELDS..... Brownfields Inventory

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

ODI..... Open Dump Inventory

SWRCY..... Recycling Facilities

INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs

CDL..... Clandestine Drug Lab Listing

US HIST CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

LIENS..... Environmental Liens Listing

EXECUTIVE SUMMARY

CT PROPERTY..... Property Transfer Filings

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
SPILLS..... Oil & Chemical Spill Database
SPILLS 90..... SPILLS 90 data from FirstSearch

Other Ascertainable Records

RCRA NonGen / NLR..... RCRA - Non Generators
DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
FUDS..... Formerly Used Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
UMTRA..... Uranium Mill Tailings Sites
US MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
FINDS..... Facility Index System/Facility Registry System
RAATS..... RCRA Administrative Action Tracking System
RMP..... Risk Management Plans
LWDS..... Connecticut Leachate and Wastewater Discharge Sites
MANIFEST..... Hazardous Waste Manifest Data
DRYCLEANERS..... Drycleaner Facilities
ENF..... Enforcement Case Listing
NPDES..... Wastewater Permit Listing
AIRS..... Permitted Air Sources Listing
INDIAN RESERV..... Indian Reservations
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
SEH..... List of Significant Environmental Hazards Report to DEEP
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
COAL ASH DOE..... Steam-Electric Plant Operation Data
US FIN ASSUR..... Financial Assurance Information
PCB TRANSFORMER..... PCB Transformer Registration Database
Financial Assurance..... Financial Assurance Information Listing
PRP..... Potentially Responsible Parties
LEAD SMELTERS..... Lead Smelter Sites
US AIRS..... Aerometric Information Retrieval System Facility Subsystem
2020 COR ACTION..... 2020 Corrective Action Program List
EPA WATCH LIST..... EPA WATCH LIST

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants

EXECUTIVE SUMMARY

EDR US Hist Cleaners..... EDR Exclusive Historic Dry Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank
RGA HWS..... Recovered Government Archive State Hazardous Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Protection's "Town Inventory" UST Listing.

A review of the UST list, as provided by EDR, and dated 12/02/2013 has revealed that there is 1 UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
	HORIZON TRUCK & AUTO SALES & S	37 COE AVE	E 1/8 - 1/4 (0.195 mi.)	A1 7

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

CPCS: A list of Contaminated or Potentially Contaminated Sites within Connecticut. This list represents the "Hazardous Waste Facilities," as defined in Section 22a-134f of the Connecticut General Statutes (CGS). The list contains the following types of sites: Sites listed on the Inventory of Hazardous Waste Disposal Sites; Sites subject to the Property Transfer Act; Sites at which underground storage tanks are known to have leaked; Sites at which hazardous waste subject to the RCRA; Sites that are included in EPA's (CERCLIS); Sites that are the subject of an order issued by the Commissioner of DEP that requires investigation and remediation of a potential or known source of pollution; and Sites that have entered into one of the Department's Voluntary Remediation Programs.

A review of the CPCS list, as provided by EDR, and dated 07/12/2013 has revealed that there is 1 CPCS

EXECUTIVE SUMMARY

site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
COLT REFINING, LLC	12 BAER CIRCLE	NW 1/4 - 1/2 (0.455 mi.)	4	10

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR US Hist Auto Stat: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Auto Stat list, as provided by EDR, has revealed that there are 2 EDR US Hist Auto Stat sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	37 COE AVE	E 1/8 - 1/4 (0.195 mi.)	A2	9
Not reported	35 COE AVE	E 1/8 - 1/4 (0.195 mi.)	A3	10

EXECUTIVE SUMMARY


Due to poor or inadequate address information, the following sites were not mapped. Count: 20 records.

<u>Site Name</u>	<u>Database(s)</u>
BLAKESLEY CHAPMAN ARPIA CONCRETE	CPCS
GETTY STATION	CPCS
BRANFORD HARBOR (C70172)	SPILLS, CPCS
BRANFORD TEXACO (BRANFORD SERVICE	CPCS
LAVIERO METALS	SHWS, SDADB, LWDS, CT PROPERTY, CPCS, RGA HWS
LAKE SALTINSTALL W. T. P.	LUST, RGA LUST, CPCS
TONY'S TEXACO	LUST, RGA LUST, CPCS
EAST HAVEN FINISHING CO.	LUST, RGA LUST, CPCS
PETHICK RESIDENCE	LUST, RGA LUST, CPCS
RICHARDS RESIDENCE	LUST, RGA LUST, CPCS
CURRENT INC.	SHWS, SDADB, NPDES, CPCS, RGA HWS
CONN DEPARTMENT OF TRANSPORTATION	MANIFEST
AUTOMOTIVEONTROLS	MANIFEST
BLAKESLEE PRE STRESS	MANIFEST
ROBINSON TAPE & LABELS INC	MANIFEST
AUTOMOTIVE CONTROLS CORP	MANIFEST
AUTOMOTIVE CONTROLS CORP	MANIFEST
SOUTH CENTRAL REGIONAL WATER AUTHO	MANIFEST
EAST HAVEN BULKY WASTE SITE	ODI
OLD EAST HAVEN DUMP	SDADB

OVERVIEW MAP - 3885633.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites



- ☒ Indian Reservations BIA
- ↯ County Boundary
- ↯ Oil & Gas pipelines from USGS
- ☒ 100-year flood zone
- ☒ 500-year flood zone
- National Wetland Inventory
- State Wetlands



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:
 ADDRESS:
 East Haven CT 06512
 LAT/LONG: 41.2469 / 72.8742

CLIENT: Freeman Companies LLC
 CONTACT: Doug Brink
 INQUIRY #: 3885633.2s
 DATE: March 19, 2014 9:16 pm

DETAIL MAP - 3885633.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

- Indian Reservations BIA
- ▲ County Boundary
- ▲ Oil & Gas pipelines from USGS
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- National Wetland Inventory
- State Wetlands



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Stack Residence
 ADDRESS: 34 Hobson Street
 East Haven CT 06512
 LAT/LONG: 41.2469 / 72.8742

CLIENT: Freeman Companies LLC
 CONTACT: Doug Brink
 INQUIRY #: 3885633.2s
 DATE: March 19, 2014 9:17 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS	0.500		0	0	0	NR	NR	0
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP	0.500		0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	TP		NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS	1.000		0	0	0	0	NR	0
SDADB	0.500		0	0	0	NR	NR	0
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500		0	0	0	NR	NR	0
INDIAN LUST	0.500		0	0	0	NR	NR	0
<i>State and tribal registered storage tank lists</i>								
UST	0.250		0	1	NR	NR	NR	1

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
ENG CONTROLS	0.500		0	0	0	NR	NR	0
AUL	0.500		0	0	0	NR	NR	0
<i>State and tribal voluntary cleanup sites</i>								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
<i>State and tribal Brownfields sites</i>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US CDL	TP		NR	NR	NR	NR	NR	0
CDL	TP		NR	NR	NR	NR	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
<i>Local Land Records</i>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
LIENS	TP		NR	NR	NR	NR	NR	0
CT PROPERTY	TP		NR	NR	NR	NR	NR	0
<i>Records of Emergency Release Reports</i>								
HMIRS	TP		NR	NR	NR	NR	NR	0
SPILLS	TP		NR	NR	NR	NR	NR	0
SPILLS 90	TP		NR	NR	NR	NR	NR	0
<i>Other Ascertainable Records</i>								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	0	NR	0
CONSENT	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
LWDS	0.250		0	0	NR	NR	NR	0
MANIFEST	0.250		0	0	NR	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
ENF	TP		NR	NR	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
SEH	0.500		0	0	0	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
Financial Assurance	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
CPCS	0.500		0	0	1	NR	NR	1

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR US Hist Auto Stat	0.250		0	2	NR	NR	NR	2
EDR US Hist Cleaners	0.250		0	0	NR	NR	NR	0

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LUST	TP		NR	NR	NR	NR	NR	0
RGA HWS	TP		NR	NR	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1
East
1/8-1/4
0.195 mi.
1030 ft.

HORIZON TRUCK & AUTO SALES & SERVICE
37 COE AVE
EAST HAVEN, CT 06512

UST U002176257
N/A

Site 1 of 3 in cluster A

Relative:
Lower

UST:

Facility Id: 44-8947
Latitude: Not reported
Longitude: Not reported
Owner: JOHN GIORDANA
Owner Address: 2 MEADOW PL
Owner Address 2: Not reported
Owner City,St,Zip: EAST HAVEN, CT 065124735

Actual:
24 ft.

Tank ID: 8947-1
Compartment ID: 8947-1
Compartment Num: 1
Alt. Tank ID: A1
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 1000
Substance: Gasoline
Date Installed: 01/01/1950
Date Last Used: 01/01/1950
Closure Status: Tank was Removed From Ground
Pipe Material: Bare or Galvanized Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported

Tank ID: 8947-2
Compartment ID: 8947-2
Compartment Num: 1
Alt. Tank ID: A2
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 1000
Substance: Gasoline
Date Installed: 01/01/1950
Date Last Used: 01/01/1950
Closure Status: Tank was Removed From Ground
Pipe Material: Bare or Galvanized Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported

Tank ID: 8947-3
Compartment ID: 8947-3
Compartment Num: 1
Alt. Tank ID: A3
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 1000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HORIZON TRUCK & AUTO SALES & SERVICE (Continued)

U002176257

Substance: Gasoline
Date Installed: 01/01/1950
Date Last Used: 01/01/1950
Closure Status: Tank was Removed From Ground
Pipe Material: Bare or Galvanized Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported

Tank ID: 8947-4
Compartment ID: 8947-4
Compartment Num: 1
Alt. Tank ID: A4
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 1000
Substance: Used Oil
Date Installed: 01/01/1950
Date Last Used: 01/01/1987
Closure Status: Tank was Removed From Ground
Pipe Material: Bare or Galvanized Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported

Tank ID: 8947-5
Compartment ID: 8947-5
Compartment Num: 1
Alt. Tank ID: A5
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 4000
Substance: Gasoline
Date Installed: 01/01/1950
Date Last Used: 11/01/1987
Closure Status: Tank was Removed From Ground
Pipe Material: Bare or Galvanized Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported

Tank ID: 8947-6
Compartment ID: 8947-6
Compartment Num: 1
Alt. Tank ID: A6
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 3000
Substance: Gasoline
Date Installed: 01/01/1950
Date Last Used: 11/01/1987

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HORIZON TRUCK & AUTO SALES & SERVICE (Continued)

U002176257

Closure Status: Tank was Removed From Ground
Pipe Material: Bare or Galvanized Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported

Tank ID: 8947-7
Compartment ID: 8947-7
Compartment Num: 1
Alt. Tank ID: A7

Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 4000
Substance: Gasoline
Date Installed: 01/01/1950
Date Last Used: 11/01/1987

Closure Status: Tank was Removed From Ground
Pipe Material: Bare or Galvanized Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported

A2
East
1/8-1/4
0.195 mi.
1030 ft.

37 COE AVE
EAST HAVEN, CT 06512

EDR US Hist Auto Stat 1015452851
N/A

Site 2 of 3 in cluster A

Relative:
Lower

EDR Historical Auto Stations:

Name: A A TRANSMISSIONS INCORPORATED
Year: 1999
Address: 37 COE AVE

Name: A A TRANSMISSIONS INCORPORATED
Year: 2000
Address: 37 COE AVE

Name: AA TRANSMISSIONS INC
Year: 2001
Address: 37 COE AVE

Name: AA TRANSMISSIONS INC
Year: 2002
Address: 37 COE AVE

Actual:
24 ft.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

A3
East
1/8-1/4
0.195 mi.
1032 ft.

35 COE AVE
EAST HAVEN, CT 06512
Site 3 of 3 in cluster A

EDR US Hist Auto Stat **1015441676**
N/A

Relative:
Lower

Actual:
24 ft.

EDR Historical Auto Stations:
 Name: OCEANVIEW AUTO SERVICES
 Year: 2012
 Address: 35 COE AVE

4
NW
1/4-1/2
0.455 mi.
2404 ft.

COLT REFINING, LLC
12 BAER CIRCLE
EAST HAVEN, CT 06512

NPDES **S106058593**
CT PROPERTY **N/A**
CPCS

Relative:
Lower

Actual:
9 ft.

NPDES:
 Town Id: 44
 Company Name: COLT REFINING, INC.
 Permit Number: GSI001470
 Permit Issued Date: 09/06/2001
 Permit Expiration Date: 10/01/2002
 Application Received Date: 08/02/2001
 Affiliation Type: Not reported
 Permit EI Type: Not reported
 App Id: Not reported
 Site Address Description: Not reported
 Site Address Line 2: Not reported
 Permit Description: Not reported
 Status: Not reported
 Affiliate Address Line 1: Not reported
 Affiliate Address Line 2: Not reported
 Affiliate City/State/Zip: Not reported
 Contact Name: Not reported
 Contact Title: Not reported
 Contact EMail: Not reported

Town Id: 44
 Company Name: COLT REFINING, INC.
 Permit Number: GSI001470
 Permit Issued Date: 09/06/2001
 Permit Expiration Date: 10/01/2002
 Application Received Date: 08/02/2001
 Affiliation Type: Not reported
 Permit EI Type: Not reported
 App Id: Not reported
 Site Address Description: Not reported
 Site Address Line 2: Not reported
 Permit Description: Not reported
 Status: Not reported
 Affiliate Address Line 1: Not reported
 Affiliate Address Line 2: Not reported
 Affiliate City/State/Zip: Not reported
 Contact Name: Not reported
 Contact Title: Not reported
 Contact EMail: Not reported

CT Property:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLT REFINING, LLC (Continued)

S106058593

Seller Name: Evan Realty, LLC
Buyer Name: Snack House, LLC
Certifying Party: Evan Realty, LLC
Certifying Attention Person: Harvey Gottlieb
Title Of Certifying Person: Managing Member
Certifying Person Address: 12 Baer Circle
Certifying Person City,St,Zip: East Haven, CT 06512
Property Transfer Forms: Form III (DEP-PERD-PTP-203) when a discharge, spillage, uncontrolled loss, seepage or filtration of hazardous waste has occurred at the parcel that has not been fully remediated or the environmental conditions at the parcel are unknown. The person signing the Form III certification agrees to investigate and remediate the site in accordance with the remediation standards. The statute does not require completion of remediation before the parcel is transferred. Any person submitting a Form III shall simultaneously submit a completed Environmental Condition Assessment Form (ECAAF)(DEP-PERD-PTP-200).

Date Received: 09/03/2003
Ackn Date: 10/27/2003
Determination Date: 12/10/2003
LEP Verified/DEP Approval Date: 2004-05-25 00:00:00
Rem Id: 5840
Remediation Location Id: 5855
Date Entered: Not reported
Program: Property Transfer Program
GAO Site: False
Staff Full Name: Paul Jameson
Super/Date: 10/28/2003
Stage Of Project: Not reported
RP Level Of Activity: Not reported
RP Needed Level Of Activity: Not reported
Staff Level Of Activity: Not reported
Staff Needed Level Of Activity: Not reported
Public Intrest: Not reported
PRP Cooperation: Not reported
Enforcement Status: Not reported
Level Of Complexity: Not reported
Complex Eng Or Sci: False
Complex Due To Public Involvement: False
Politically Complex: False
Complex Enforcement: False
Coordination With Other Bureaus: False
EPA Involvement: False
Staff Prefrence: Not reported
Readiness For Transfer: Not reported
Project Transfer Time: Not reported
Transfer Comments: Not reported
Staff As Of July 2000: Not reported
Initial Staff: Not reported
Type Of Transfer: real estate
Salutation: Mr. Gottlier
Relationship To Transfer: transferor
Audit Date: Not reported
Verif Type: F
Audit Outcome: acknowledged
GW: GB
Basin: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLT REFINING, LLC (Continued)

S106058593

1st Payment:	2000
Pay Tag1:	0860202784
2nd Payment:	1000
Pay Tag2:	0860202981
RTN:	09/29/2003
Revised:	10/21/2003
ECAF Received:	09/05/03
Old Determination Date:	Not reported
Redeterminationdate:	Not reported
Previous Determination:	Not reported
Monitoringoption:	Not reported
Postremedialmonitoring:	Not reported
Schedule Of I/R:	2003-12-24 00:00:00
Schedule Overdue:	Not reported
Aprvl Sched:	Not reported
Yr 1 Report:	Not reported
Yr 2 Report:	Not reported
Report Overdue:	Not reported
Ext Aprvl Sched:	Not reported
License #:	Not reported
Project Phase:	Not reported
PT Comments:	Not reported
EPA Id Number:	Not reported
GW Class:	Not reported
SW Class:	Not reported
AO/C0:	Not reported
Water Lead(Y Or N):	Not reported
Priority:	Not reported
Project Status(A, I Or D):	Not reported
Last Updated:	Not reported
SR Comments:	Not reported
Priority Or Work-Load:	Not reported
Status:	Not reported
Notes:	Not reported
Special Project Name:	Not reported
Special Project Comments:	Not reported
DOT Project:	Not reported
Pt Counter:	0
Project Complete:	False
Project Inactive:	False
Int Deposit #:	Not reported
Deposit #:	Not reported
Spill Case #:	Not reported
Diversion Id:	0
Public Notice:	Not reported
RAP Received:	Not reported
RAP Approved:	Not reported
Compliance Category:	Not reported
Delete Record:	False
ECAF Reviewed By:	Not reported
Not Locatable:	False
Primary Address:	True
AKA Site Name:	False
Primary Site Name:	True
AKA Site Address:	False
Lead:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLT REFINING, LLC (Continued)

S106058593

CPCS:

Site Type:	Projects
Lust Status:	Not reported
PTP Form:	III
Program:	Property Transfer Program
Comments:	Projects
Site Type Definition:	Property Transfer Form III

Count: 20 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BRANFORD	S113476495	CONN DEPARTMENT OF TRANSPORTATION	RTE 1 (I-95)	06405	MANIFEST
BRANFORD	S113474158	AUTOMOTIVECONTROLS	RTE 1 & ECHIN RD	06405	MANIFEST
BRANFORD	S113478355	BLAKESLEE PRE STRESS	RTE 139	06405	MANIFEST
BRANFORD	S105738617	BLAKESLEY CHAPMAN ARPIA CONCRETE	RTE 139	06405	CPCS
BRANFORD	S105935497	GETTY STATION	RTE. 80 (208 FOXON BLVD)	06405	CPCS
BRANFORD	S101803710	BRANFORD HARBOR (C70172)	BRANFORD HARBOR	06405	SPILLS, CPCS
BRANFORD	S109727140	ROBINSON TAPE & LABELS INC	FLAX HILL RD RTE 139	06405	MANIFEST
BRANFORD	S110775079	BRANFORD TEXACO (BRANFORD SERVICE	379 EAST MAIN STREET, RTE.1 &	06405	CPCS
BRANFORD	1000494183	LAVIERO METALS	894 MIDDLE STREET	06405	SHWS, SDADB, LWDS, CT PROPER1 CPCS, RGA HWS
BRANFORD	S109724876	AUTOMOTIVE CONTROLS CORP	US ROUTE 1	06405	MANIFEST
BRANFORD	S109724877	AUTOMOTIVE CONTROLS CORP	US RT 1	06405	MANIFEST
EAST HAVEN	S110762393	LAKE SALTINSTALL W. T. P.	RTE. 1	06512	LUST, RGA LUST, CPCS
EAST HAVEN	S109737735	SOUTH CENTRAL REGIONAL WATER AUTHO	RTE 1		MANIFEST
EAST HAVEN	S105840051	TONY'S TEXACO	RTE. 42	06512	LUST, RGA LUST, CPCS
EAST HAVEN	S105738645	EAST HAVEN FINISHING CO.	RTE 80	06512	LUST, RGA LUST, CPCS
EAST HAVEN	S105738691	PETHICK RESIDENCE	HELLESTROM RD.	06512	LUST, RGA LUST, CPCS
EAST HAVEN	S105738853	RICHARDS RESIDENCE	RICHARDS WAY	06512	LUST, RGA LUST, CPCS
EAST HAVEN	S104253725	OLD EAST HAVEN DUMP	SILVER SANDS ROAD		SDADB
EAST HAVEN	1007443915	EAST HAVEN BULKY WASTE SITE	SILVER SANDS ROAD		ODI
EAST HAVEN	1001625432	CURRENT INC.	30 TYLER STREET	06512	SHWS, SDADB, NPDES, CPCS, RGA HWS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: N/A
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 01/21/2014
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: N/A
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 01/09/2014
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: N/A
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 01/09/2014
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/28/2014
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/31/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/08/2013	Telephone: 703-603-8704
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/10/2014
Number of Days to Update: 151	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/28/2014
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 12/17/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/14/2014	Telephone: 703-603-0695
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 03/10/2014
Number of Days to Update: 14	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 12/17/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/14/2014	Telephone: 703-603-0695
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 03/10/2014
Number of Days to Update: 14	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 11/20/2013	Source: Department of the Navy
Date Data Arrived at EDR: 11/21/2013	Telephone: 843-820-7326
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 02/14/2014
Number of Days to Update: 95	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/30/2013	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 10/01/2013	Telephone: 202-267-2180
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 02/07/2014
Number of Days to Update: 66	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inventory of Hazardous Disposal Sites

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/23/2010	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 04/23/2010	Telephone: 860-424-3705
Date Made Active in Reports: 05/25/2010	Last EDR Contact: 01/03/2014
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SDADB: Site Discovery and Assessment Database

All sites reported to Permitting, Enforcement, and Remediation Division where it is suspected that hazardous waste may have been disposed or sites that are eligible for listing on the State Inventory of Hazardous Waste Disposal Sites.

Date of Government Version: 04/23/2010	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 04/23/2010	Telephone: 860-424-3705
Date Made Active in Reports: 05/25/2010	Last EDR Contact: 01/06/2014
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Semi-Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: List of Landfills/Transfer Stations

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/14/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 10/30/2013	Telephone: 860-424-3366
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 10/30/2013
Number of Days to Update: 37	Next Scheduled EDR Contact: 02/11/2014
	Data Release Frequency: Annually

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank List

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 02/11/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 02/21/2014	Telephone: 860-424-3376
Date Made Active in Reports: 03/12/2014	Last EDR Contact: 01/06/2014
Number of Days to Update: 19	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Semi-Annually

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/06/2013	Source: EPA Region 10
Date Data Arrived at EDR: 11/07/2013	Telephone: 206-553-2857
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 29	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 03/01/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2013	Telephone: 415-972-3372
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 42	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/27/2012	Source: EPA Region 8
Date Data Arrived at EDR: 08/28/2012	Telephone: 303-312-6271
Date Made Active in Reports: 10/16/2012	Last EDR Contact: 01/27/2014
Number of Days to Update: 49	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 08/27/2013	Source: EPA Region 7
Date Data Arrived at EDR: 08/27/2013	Telephone: 913-551-7003
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 66	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011	Source: EPA Region 6
Date Data Arrived at EDR: 09/13/2011	Telephone: 214-665-6597
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 02/21/2014
Number of Days to Update: 59	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/21/2013	Source: EPA Region 4
Date Data Arrived at EDR: 11/26/2013	Telephone: 404-562-8677
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 90	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/01/2013	Source: EPA Region 1
Date Data Arrived at EDR: 05/01/2013	Telephone: 617-918-1313
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/30/2014
Number of Days to Update: 184	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 02/13/2014	Source: EPA, Region 5
Date Data Arrived at EDR: 02/14/2014	Telephone: 312-886-7439
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

State and tribal registered storage tank lists

UST: Underground Storage Tank Data
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 12/02/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 12/03/2013	Telephone: 860-424-3376
Date Made Active in Reports: 12/10/2013	Last EDR Contact: 03/03/2014
Number of Days to Update: 7	Next Scheduled EDR Contact: 06/16/2014
	Data Release Frequency: Semi-Annually

AST: Marine Terminals and Tank Information
A listing of bulk petroleum facilities that receive petroleum by a vessel.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/01/2013
Date Data Arrived at EDR: 07/08/2013
Date Made Active in Reports: 07/30/2013
Number of Days to Update: 22

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3233
Last EDR Contact: 01/03/2014
Next Scheduled EDR Contact: 01/20/2014
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 01/29/2014
Date Data Arrived at EDR: 01/29/2014
Date Made Active in Reports: 03/12/2014
Number of Days to Update: 42

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/13/2014
Date Data Arrived at EDR: 02/14/2014
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 10

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations).

Date of Government Version: 11/21/2013
Date Data Arrived at EDR: 11/26/2013
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 90

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Semi-Annually

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/01/2013
Date Data Arrived at EDR: 05/01/2013
Date Made Active in Reports: 01/27/2014
Number of Days to Update: 271

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 01/30/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 02/05/2013
Date Data Arrived at EDR: 02/06/2013
Date Made Active in Reports: 04/12/2013
Number of Days to Update: 65

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/29/2013
Date Data Arrived at EDR: 07/30/2013
Date Made Active in Reports: 12/06/2013
Number of Days to Update: 129

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 07/29/2013
Date Data Arrived at EDR: 08/01/2013
Date Made Active in Reports: 11/01/2013
Number of Days to Update: 92

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 02/28/2013
Date Made Active in Reports: 04/12/2013
Number of Days to Update: 43

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 01/13/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Engineering Controls Listing

An Engineered Control is a permanent physical structure designed to safely isolate pollutants which would otherwise not comply with the self-implementing remedial options allowed in the Connecticut Remediation Standard Regulations (RSRs). The ECGD includes a description of what is eligible to be considered as an Engineered Control under section 22a-133k-2(f)(2) of the RSRs, a description of the information necessary for the preparation of complete and approvable applications, a step-by-step outline of the review and approval process, and supplemental resources provided in the appendices.

Date of Government Version: 03/05/2013
Date Data Arrived at EDR: 05/07/2013
Date Made Active in Reports: 06/19/2013
Number of Days to Update: 43

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3000
Last EDR Contact: 02/07/2014
Next Scheduled EDR Contact: 05/19/2014
Data Release Frequency: Varies

AUL: ELUR Sites

Environmental Land Use Restriction sites.

Date of Government Version: 02/11/2014
Date Data Arrived at EDR: 02/13/2014
Date Made Active in Reports: 03/12/2014
Number of Days to Update: 27

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3912
Last EDR Contact: 02/10/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Varies

State and tribal voluntary cleanup sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/17/2013	Source: EPA, Region 1
Date Data Arrived at EDR: 10/01/2013	Telephone: 617-918-1102
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/03/2014
Number of Days to Update: 66	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

VCP: Voluntary Remediation Sites

Sites involved in the Voluntary Remediation Program.

Date of Government Version: 12/05/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 12/06/2013	Telephone: 860-424-3705
Date Made Active in Reports: 12/10/2013	Last EDR Contact: 02/10/2014
Number of Days to Update: 4	Next Scheduled EDR Contact: 05/26/2014
	Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS 2: Brownfields Inventory

A brownfield site is generally defined as "real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant or contaminant?"

Date of Government Version: 11/30/2004	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 06/26/2009	Telephone: 860-424-3705
Date Made Active in Reports: 07/09/2009	Last EDR Contact: 09/27/2013
Number of Days to Update: 13	Next Scheduled EDR Contact: 01/08/2014
	Data Release Frequency: Varies

BROWNFIELDS: Brownfields Inventory

CBRA has identified over 200 brownfield sites eligible for redevelopment. In most cases these are prime properties for commercial or industrial use. CBRA's grants, assistance and financing lower the financial risks and eliminate the legal, regulatory and environmental risks of redevelopment.

Date of Government Version: 10/22/2013	Source: Connecticut Brownfields Redevelopment Authority
Date Data Arrived at EDR: 10/29/2013	Telephone: 860-258-7833
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 12/17/2013
Number of Days to Update: 38	Next Scheduled EDR Contact: 04/07/2014
	Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/24/2013
Date Data Arrived at EDR: 09/24/2013
Date Made Active in Reports: 12/06/2013
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 02/25/2014
Next Scheduled EDR Contact: 04/07/2014
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SWRCY: Recycling Facilities

A listing of recycling facilities.

Date of Government Version: 12/31/2010
Date Data Arrived at EDR: 06/02/2011
Date Made Active in Reports: 06/27/2011
Number of Days to Update: 25

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3223
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 11/04/2013
Next Scheduled EDR Contact: 02/17/2014
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 12/04/2013
Date Data Arrived at EDR: 12/10/2013
Date Made Active in Reports: 02/13/2014
Number of Days to Update: 65

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/04/2014
Next Scheduled EDR Contact: 06/16/2014
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CDL: Clandestine Drug Lab Listing

A listing of clandestine drug lab locations included in the Spills database.

Date of Government Version: 01/28/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 01/30/2014	Telephone: 860-424-3361
Date Made Active in Reports: 03/12/2014	Last EDR Contact: 01/06/2014
Number of Days to Update: 41	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 11/19/2008	Telephone: 202-307-1000
Date Made Active in Reports: 03/30/2009	Last EDR Contact: 03/04/2014
Number of Days to Update: 131	Next Scheduled EDR Contact: 06/16/2014
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/06/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/25/2013	Telephone: 202-564-6023
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 15	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

LIENS: Environmental Liens Listing

A listing of environmental liens placed by the Cost Recovery Program.

Date of Government Version: 02/19/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 02/21/2014	Telephone: 860-424-3120
Date Made Active in Reports: 03/12/2014	Last EDR Contact: 02/14/2014
Number of Days to Update: 19	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Varies

CT PROPERTY: Property Transfer Filings

A listing of sites that meet the definition of a hazardous waste establishment. They can be generators, dry cleaners, furniture strippers, etc. These sites have been sold to another owner.

Date of Government Version: 12/05/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 12/06/2013	Telephone: 860-424-3705
Date Made Active in Reports: 12/10/2013	Last EDR Contact: 02/10/2014
Number of Days to Update: 4	Next Scheduled EDR Contact: 05/26/2014
	Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 01/03/2014
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 52

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 01/03/2014
Next Scheduled EDR Contact: 01/13/2014
Data Release Frequency: Annually

SPILLS: Oil & Chemical Spill Database
Oil and Chemical Spill Data.

Date of Government Version: 01/28/2014
Date Data Arrived at EDR: 01/30/2014
Date Made Active in Reports: 03/12/2014
Number of Days to Update: 41

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3024
Last EDR Contact: 01/06/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: Semi-Annually

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 10/15/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/11/2013
Number of Days to Update: 39

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 02/06/2014
Next Scheduled EDR Contact: 05/19/2014
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 01/15/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2011	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 02/26/2013	Telephone: 202-528-4285
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 03/10/2014
Number of Days to Update: 15	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2013	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 01/24/2014	Telephone: Varies
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 12/26/2013
Number of Days to Update: 31	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013	Source: EPA
Date Data Arrived at EDR: 12/12/2013	Telephone: 703-416-0223
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 03/11/2014
Number of Days to Update: 74	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 02/25/2014
Number of Days to Update: 146	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Varies

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/01/2013	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 09/05/2013	Telephone: 303-231-5959
Date Made Active in Reports: 10/03/2013	Last EDR Contact: 03/05/2014
Number of Days to Update: 28	Next Scheduled EDR Contact: 06/16/2014
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2011	Source: EPA
Date Data Arrived at EDR: 07/31/2013	Telephone: 202-566-0250
Date Made Active in Reports: 09/13/2013	Last EDR Contact: 02/26/2014
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006	Source: EPA
Date Data Arrived at EDR: 09/29/2010	Telephone: 202-260-5521
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 12/26/2013
Number of Days to Update: 64	Next Scheduled EDR Contact: 04/07/2014
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/24/2014
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/24/2014
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/10/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/25/2011	Last EDR Contact: 01/28/2014
Number of Days to Update: 77	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/20/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/10/2011	Telephone: 202-564-5088
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 10/09/2014
Number of Days to Update: 61	Next Scheduled EDR Contact: 04/28/2014
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 06/01/2013	Source: EPA
Date Data Arrived at EDR: 07/17/2013	Telephone: 202-566-0500
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/28/2014
Number of Days to Update: 107	Next Scheduled EDR Contact: 04/28/2014
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/22/2013	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 08/02/2013	Telephone: 301-415-7169
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 03/10/2014
Number of Days to Update: 91	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/09/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/10/2014	Telephone: 202-343-9775
Date Made Active in Reports: 03/12/2014	Last EDR Contact: 01/10/2014
Number of Days to Update: 61	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/18/2013
Date Data Arrived at EDR: 02/27/2014
Date Made Active in Reports: 03/12/2014
Number of Days to Update: 13

Source: EPA
Telephone: (617) 918-1111
Last EDR Contact: 03/14/2014
Next Scheduled EDR Contact: 06/23/2014
Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 11/01/2013
Date Data Arrived at EDR: 12/12/2013
Date Made Active in Reports: 02/13/2014
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 02/26/2013
Date Made Active in Reports: 04/19/2013
Number of Days to Update: 52

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/28/2014
Next Scheduled EDR Contact: 06/09/2014
Data Release Frequency: Biennially

LWDS: Connecticut Leachate and Wastewater Discharge Sites

The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP. These maps locate surface and groundwater discharges that (1) have received a waste water discharge permit from the state or (2) are historic and now defunct waste sites or (3) are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

Date of Government Version: 07/17/2009
Date Data Arrived at EDR: 10/21/2009
Date Made Active in Reports: 10/30/2009
Number of Days to Update: 9

Source: Department of Energy & Environmental Protection
Telephone: N/A
Last EDR Contact: 01/10/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/21/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Annually

DRYCLEANERS: Drycleaner Facilities

A listing of drycleaner facility locations.

Date of Government Version: 07/18/2008
Date Data Arrived at EDR: 08/08/2008
Date Made Active in Reports: 08/27/2008
Number of Days to Update: 19

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3026
Last EDR Contact: 03/17/2014
Next Scheduled EDR Contact: 06/30/2014
Data Release Frequency: Varies

ENFORCEMENT: Enforcement Case Listing

The types of enforcement actions included are administrative consent orders, final unilateral orders and final dispositions of civil cases through the Attorney General's Office.

Date of Government Version: 01/27/2014
Date Data Arrived at EDR: 01/28/2014
Date Made Active in Reports: 03/12/2014
Number of Days to Update: 43

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3265
Last EDR Contact: 01/20/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Varies

NPDES: Wastewater Permit Listing

A listing of permits issued by the DEP.

Date of Government Version: 01/02/2014
Date Data Arrived at EDR: 01/03/2014
Date Made Active in Reports: 02/20/2014
Number of Days to Update: 48

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3832
Last EDR Contact: 12/30/2013
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Varies

AIRS: Permitted Air Sources Listing

A listing of permitted air sources in Connecticut.

Date of Government Version: 05/15/2012
Date Data Arrived at EDR: 05/15/2012
Date Made Active in Reports: 05/31/2012
Number of Days to Update: 16

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3026
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 01/15/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 01/20/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

A listing containing RCRA financial assurance information submitted on behalf of the CT DEP's Program Analysis Group of the Waste Engineering and Enforcement Division.

Date of Government Version: 06/18/2013
Date Data Arrived at EDR: 06/24/2013
Date Made Active in Reports: 07/30/2013
Number of Days to Update: 36

Source: Department of Energy & Environmental Protection
Telephone: 860-418-5930
Last EDR Contact: 12/17/2013
Next Scheduled EDR Contact: 04/07/2014
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 12/02/2013
Date Data Arrived at EDR: 06/24/2013
Date Made Active in Reports: 07/30/2013
Number of Days to Update: 36

Source: Department of Energy & Environmental Protection
Telephone: 860-418-5930
Last EDR Contact: 12/17/2013
Next Scheduled EDR Contact: 04/07/2014
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 01/30/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust.

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 01/15/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: N/A

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/20/2013
Date Data Arrived at EDR: 12/03/2013
Date Made Active in Reports: 02/13/2014
Number of Days to Update: 72

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 02/14/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Quarterly

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 01/13/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Varies

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/23/2013
Date Data Arrived at EDR: 11/06/2013
Date Made Active in Reports: 12/06/2013
Number of Days to Update: 30

Source: EPA
Telephone: 202-564-5962
Last EDR Contact: 12/26/2013
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/23/2013
Date Data Arrived at EDR: 11/06/2013
Date Made Active in Reports: 12/06/2013
Number of Days to Update: 30

Source: EPA
Telephone: 202-564-5962
Last EDR Contact: 12/26/2013
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Annually

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010
Date Data Arrived at EDR: 01/03/2011
Date Made Active in Reports: 03/21/2011
Number of Days to Update: 77

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 03/11/2014
Next Scheduled EDR Contact: 06/23/2014
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/29/2013
Date Data Arrived at EDR: 02/14/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 01/03/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: Varies

CPCS: Contaminated or Potentially Contaminated Sites

A list of Contaminated or Potentially Contaminated Sites within Connecticut. This list represents the "Hazardous Waste Facilities," as defined in Section 22a-134f of the Connecticut General Statutes (CGS). The list contains the following types of sites: Sites listed on the Inventory of Hazardous Waste Disposal Sites; Sites subject to the Property Transfer Act; Sites at which underground storage tanks are known to have leaked; Sites at which hazardous waste subject to the RCRA; Sites that are included in EPA's (CERCLIS); Sites that are the subject of an order issued by the Commissioner of DEP that requires investigation and remediation of a potential or known source of pollution; and Sites that have entered into one of the Department's Voluntary Remediation Programs.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/12/2013
Date Data Arrived at EDR: 10/09/2013
Date Made Active in Reports: 10/30/2013
Number of Days to Update: 21

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3766
Last EDR Contact: 02/10/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Quarterly

SEH: List of Significant Environmental Hazards Report to DEEP

The Significant Environmental Hazard Statute is intended to identify and abate short-term risks associated with specific environmental conditions identified in the statute. After abatement of short-term risks (meaning abatement of the significant environmental hazard condition), there may still be potential long-term risks associated with the release. However, a significant environmental hazard can be considered abated under the statute even though potential long-term risks may not have been addressed.

Date of Government Version: 11/27/2013
Date Data Arrived at EDR: 01/23/2014
Date Made Active in Reports: 02/12/2014
Number of Days to Update: 20

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3766
Last EDR Contact: 01/20/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Varies

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011
Date Data Arrived at EDR: 05/18/2012
Date Made Active in Reports: 05/25/2012
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 02/14/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Varies

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 04/15/2013
Date Data Arrived at EDR: 07/03/2013
Date Made Active in Reports: 09/13/2013
Number of Days to Update: 72

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 01/02/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 06/30/2013
Date Data Arrived at EDR: 08/13/2013
Date Made Active in Reports: 09/13/2013
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 02/10/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Proprietary Historic Dry Cleaners - Cole

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: N/A
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Auto Stat: EDR Proprietary Historic Gas Stations - Cole

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: N/A
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Energy & Environmental Protection formerly know as the DEP which changes in July 2011 in Connecticut.

Date of Government Version: N/A	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/02/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 185	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Energy & Environmental Protection formerly know as the DEP which changes in July 2011 in Connecticut.

Date of Government Version: N/A	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/02/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 185	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/19/2012	Telephone: N/A
Date Made Active in Reports: 08/28/2012	Last EDR Contact: 01/17/2014
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/28/2014
	Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 11/01/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/07/2013	Telephone: 518-402-8651
Date Made Active in Reports: 11/18/2013	Last EDR Contact: 03/12/2014
Number of Days to Update: 11	Next Scheduled EDR Contact: 05/19/2014
	Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2012	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/24/2013	Telephone: 717-783-8990
Date Made Active in Reports: 08/19/2013	Last EDR Contact: 01/20/2014
Number of Days to Update: 26	Next Scheduled EDR Contact: 05/05/2014
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 06/21/2013
Date Made Active in Reports: 08/05/2013
Number of Days to Update: 45

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/24/2014
Next Scheduled EDR Contact: 06/09/2014
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 12/30/2013
Date Data Arrived at EDR: 02/11/2014
Date Made Active in Reports: 03/11/2014
Number of Days to Update: 28

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/20/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 08/09/2013
Date Made Active in Reports: 09/27/2013
Number of Days to Update: 49

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/17/2014
Next Scheduled EDR Contact: 06/30/2014
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.
Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Daycare Centers: Licensed Child Care Facilities
Source: Department of Public Health
Telephone: 860-509-8045

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Soils
Source: Department of Environmental Protection
Telephone: 860-871-4047

Scanned Digital USGS 7.5' Topographic Map (DRG)
Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

EAST HAVEN, CT 06512

TARGET PROPERTY COORDINATES

Latitude (North):	41.2469 - 41° 14' 48.84"
Longitude (West):	72.8742 - 72° 52' 27.12"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	678124.4
UTM Y (Meters):	4568132.5
Elevation:	25 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	41072-B7 BRANFORD OE S, CT
Most Recent Revision:	0
North Map:	41072-C7 BRANFORD, CT
Most Recent Revision:	1984
West Map:	41072-B8 WOODMONT, CT
Most Recent Revision:	1976
Northwest Map:	41072-C8 NEW HAVEN, CT
Most Recent Revision:	1984

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> NEW HAVEN, CT	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	09009C - FEMA DFIRM Flood data
Additional Panels in search area:	Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> BRANFORD OE S	<u>NWI Electronic Data Coverage</u> YES - refer to the Overview Map and Detail Map
---	---

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Ordovian
Series: Lower Paleozoic granitic rocks
Code: Pzg1 (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Plutonic and Intrusive Rocks

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 3885633.2s



- ★ Target Property
- ∕ SSURGO Soil
- ∕ Water



SITE NAME:
ADDRESS:
LAT/LONG: East Haven CT 06512
41.2469 / 72.8742

CLIENT: Freeman Companies LLC
CONTACT: Doug Brink
INQUIRY #: 3885633.2s
DATE: March 19, 2014 9:18 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Cheshire

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	16 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	16 inches	25 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
4	25 inches	64 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

Soil Map ID: 2

Soil Component Name: Holyoke

Soil Surface Texture: moderately decomposed plant material

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 2 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	1 inches	moderately decomposed plant material	A-8	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Organic Clay or Organic Silt.	Max: 141 Min: 42	Max: 6 Min: 3.5
2	1 inches	3 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 6 Min: 3.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
3	3 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 14 Min: 4	Max: 6 Min: 3.5
4	7 inches	18 inches	gravelly silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 14 Min: 4	Max: 6 Min: 3.5
5	18 inches	27 inches	unweathered bedrock	Not reported	Not reported	Max: 141 Min: 0.07	Max: Min:

Soil Map ID: 3

Soil Component Name: Branford

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	7 inches	18 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	18 inches	24 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	24 inches	64 inches	stratified very gravelly coarse sand to loamy fine sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 703 Min: 42	Max: 6 Min: 4.5

Soil Map ID: 4

Soil Component Name: Udorthents

Soil Surface Texture: loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.8 Min: 4.5
2	5 inches	21 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 0.01	Max: 7.8 Min: 4.5
3	21 inches	79 inches	very gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 0.01	Max: 7.8 Min: 4.5

Soil Map ID: 5

Soil Component Name: Cheshire

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 46 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	16 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	16 inches	25 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	25 inches	64 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

Soil Map ID: 6

Soil Component Name: Branford

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	18 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	18 inches	24 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	24 inches	64 inches	stratified very gravelly coarse sand to loamy fine sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 703 Min: 42	Max: 6 Min: 4.5

Soil Map ID: 7

Soil Component Name: Cheshire

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	16 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	16 inches	25 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	25 inches	64 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

Soil Map ID: 8

Soil Component Name: Deerfield

Soil Surface Texture: loamy fine sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 69 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 6.5 Min: 4.5
2	7 inches	16 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 6.5 Min: 4.5
3	16 inches	27 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 6.5 Min: 4.5
4	27 inches	33 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	Not reported	Max: 703 Min: 42	Max: 6.5 Min: 4.5
5	33 inches	59 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6.5 Min: 4.5

Soil Map ID: 9

Soil Component Name: Penwood

Soil Surface Texture: loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
2	7 inches	18 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
3	18 inches	29 inches	sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
4	29 inches	59 inches	sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5

Soil Map ID: 10

Soil Component Name: Beaches

Soil Surface Texture: gravelly sand

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	64 inches	gravelly sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 705 Min: 141.14	Max: 7.8 Min: 6.1

Soil Map ID: 11

Soil Component Name: Westbrook

Soil Surface Texture: mucky peat

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Very poorly drained

Hydric Status: All hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	mucky peat	A-8	Highly organic soils, Peat.	Max: 141 Min: 4	Max: Min:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	9 inches	40 inches	mucky peat	A-8	Highly organic soils, Peat.	Max: 141 Min: 4	Max: Min:
3	40 inches	48 inches	mucky peat	A-8	Highly organic soils, Peat.	Max: 141 Min: 4	Max: Min:
4	48 inches	64 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 0.01	Max: Min:
5	64 inches	98 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 0.01	Max: Min:

Soil Map ID: 12

Soil Component Name: Urban land

Soil Surface Texture: material

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	material	Not reported	Not reported	Max: 141 Min: 0.07	Max: Min:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 13

Soil Component Name: Water

Soil Surface Texture: material

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Unknown
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 14

Soil Component Name: Walpole

Soil Surface Texture: moderately decomposed plant material

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Poorly drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	1 inches	moderately decomposed plant material	Not reported	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Organic Clay or Organic Silt.	Max: 141 Min: 42	Max: 7.3 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	1 inches	7 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 7.3 Min: 4.5
3	7 inches	20 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 7.3 Min: 4.5
4	20 inches	25 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 7.3 Min: 4.5
5	25 inches	40 inches	stratified very gravelly coarse sand to loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 703 Min: 42	Max: 7.3 Min: 4.5
6	40 inches	64 inches	stratified very gravelly coarse sand to loamy fine sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 703 Min: 42	Max: 7.3 Min: 4.5

Soil Map ID: 15

Soil Component Name: Manchester

Soil Surface Texture: gravelly sandy loam

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 6 Min: 4.5
2	9 inches	18 inches	gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
3	18 inches	64 inches	stratified extremely gravelly coarse sand to very gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Well-graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5

Soil Map ID: 16

Soil Component Name: Ellington

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Moderately well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	18 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	18 inches	25 inches	very fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	25 inches	64 inches	stratified loamy fine sand to very gravelly coarse sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5

Soil Map ID: 17

Soil Component Name: Cheshire

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	16 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	16 inches	25 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	25 inches	64 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

Soil Map ID: 18

Soil Component Name: Penwood

Soil Surface Texture: loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
2	7 inches	18 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
3	18 inches	29 inches	sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
4	29 inches	59 inches	sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS40000224646	1/4 - 1/2 Mile NW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION



<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 3885633.2s



SITE NAME:
 ADDRESS:
 East Haven CT 06512
 LAT/LONG: 41.2469 / 72.8742

CLIENT: Freeman Companies LLC
 CONTACT: Doug Brink
 INQUIRY #: 3885633.2s
 DATE: March 19, 2014 9:18 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
NW
1/4 - 1/2 Mile
Higher
FED USGS USGS40000224646

Org. Identifier:	USGS-CT		
Formal name:	USGS Connecticut Water Science Center		
Monloc Identifier:	USGS-411457072524501		
Monloc name:	CT-EHV 70		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	01100004	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	41.2492637
Longitude:	-72.8787117	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25.00
Vert measure units:	feet	Vertacc measure val:	5.
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	16
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 322

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1980-03-25	8.22		1980-02-26	12.91	
1980-01-29	12.29		1979-12-26	12.28	
1979-11-27	12.54		1979-10-22	12.15	
1978-12-27	10.54		1978-11-29	14.01	
1978-10-25	13.90		1978-09-27	14.11	
1978-08-28	13.39		1978-07-25	12.84	
1978-06-26	11.29		1978-05-25	9.67	
1978-04-25	9.63		1978-03-28	7.88	
1978-02-23	9.17		1978-01-24	9.57	
1977-12-21	9.07		1977-11-23	10.27	
1977-10-27	10.90		1977-09-28	13.88	
1977-08-26	14.74		1977-07-27	13.96	
1977-06-23	11.93		1977-05-25	10.37	
1977-04-26	9.48		1977-03-28	8.03	
1977-02-22	12.47		1977-01-26	11.90	
1976-12-23	12.03		1976-11-19	11.68	
1976-10-26	11.75		1976-09-27	12.93	
1976-08-24	10.96		1976-07-27	14.03	
1976-06-22	12.44		1976-05-25	11.14	
1976-04-27	10.46		1976-03-26	9.21	
1976-02-25	8.64		1976-01-28	8.45	
1975-12-24	10.32		1975-11-21	9.58	
1975-10-28	10.03		1975-09-24	14.79	
1975-08-26	12.95		1975-07-23	12.00	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1975-06-30	10.87		1975-05-21	9.80	
1975-04-23	10.02		1975-03-27	9.25	
1975-02-26	9.03		1975-01-21	9.19	
1974-12-23	10.33		1974-11-22	13.50	
1974-10-25	13.40		1974-09-25	14.42	
1974-08-23	14.65		1974-07-26	12.20	
1974-06-24	11.60		1974-05-23	10.75	
1974-04-24	9.15		1974-03-22	8.04	
1974-02-22	9.70		1974-01-24	8.62	
1973-12-26	9.40		1973-11-20	14.65	
1973-10-23	14.50		1973-09-25	11.30	
1973-08-22	12.10		1973-07-24	11.70	
1973-06-21	10.92		1973-05-22	9.54	
1973-04-23	9.16		1973-03-23	9.21	
1973-02-22	9.23		1973-01-22	9.54	
1972-12-20	9.49		1972-11-22	9.05	
1972-10-25	12.72		1972-09-25	13.63	
1972-08-22	12.09		1972-07-24	10.05	
1972-06-21	6.44		1972-05-22	9.00	
1972-04-21	9.56		1972-03-24	10.07	
1972-02-23	9.55		1972-01-24	10.15	
1971-12-27	10.48		1971-11-23	12.22	
1971-10-21	11.67		1971-09-23	12.13	
1971-08-24	12.95		1971-07-26	12.94	
1971-06-24	11.79		1971-05-24	10.50	
1971-04-27	11.17		1971-03-23	8.69	
1971-02-23	10.31		1971-01-26	11.14	
1970-12-28	11.59		1970-11-23	13.62	
1970-10-27	15.03		1970-09-21	14.39	
1970-08-21	13.41		1970-07-22	12.30	
1970-06-22	10.73		1970-05-22	10.32	
1970-04-22	9.19		1970-03-23	10.10	
1970-02-25	9.15		1970-01-21	9.90	
1969-12-23	9.16		1969-11-24	10.39	
1969-10-21	12.80		1969-09-22	12.44	
1969-08-25	12.78		1969-07-23	12.90	
1969-06-23	11.49		1969-05-22	9.88	
1969-04-21	8.95		1969-03-21	10.76	
1969-02-20	10.76		1969-01-22	10.29	
1968-12-23	9.39		1968-11-25	11.79	
1968-10-22	14.58		1967-12-27	10.66	
1967-11-27	13.25		1967-10-25	14.11	
1967-09-25	13.66		1967-09-23	13.77	
1967-08-30	12.61		1967-07-26	11.68	
1967-06-28	10.67		1967-05-23	9.18	
1967-04-27	9.08		1967-03-30	8.26	
1967-02-27	10.54		1967-01-24	10.94	
1966-12-27	12.08		1966-11-28	12.29	
1966-10-26	13.27		1966-09-28	14.76	
1966-08-29	14.80		1966-07-27	13.41	
1966-06-27	11.94		1966-05-25	10.85	
1966-04-26	11.17		1966-03-29	10.14	
1966-02-23	11.30		1966-01-27	14.10	
1965-12-28	15.19		1965-11-23	15.76	
1965-10-27	15.65		1965-09-28	15.42	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1965-08-30	14.59		1965-07-27	13.31	
1965-06-29	12.04		1965-05-26	10.80	
1965-04-28	9.78		1965-03-29	9.87	
1965-02-25	9.11		1965-01-26	11.44	
1964-12-28	13.14		1964-11-24	15.88	
1964-10-26	15.72		1964-08-28	15.50	
1964-08-25	14.33		1964-07-27	13.31	
1964-06-25	12.18		1964-05-27	10.73	
1964-04-27	8.63		1964-03-30	9.78	
1964-03-16	9.06		1964-03-01	9.00	
1964-02-25	9.79		1964-01-30	8.84	
1963-12-27	11.07		1963-11-27	12.13	
1963-10-30	15.72		1963-09-26	15.21	
1963-08-28	14.15		1963-07-30	13.03	
1963-06-28	12.18		1963-05-28	11.72	
1963-04-30	11.44		1963-03-25	10.83	
1963-02-25	11.48		1963-01-28	11.36	
1962-12-27	11.55		1962-11-27	11.55	
1962-10-31	13.85		1962-09-27	15.16	
1962-07-30	13.72		1962-06-28	12.43	
1962-05-31	11.46		1962-04-25	9.57	
1962-03-30	9.35		1962-02-28	9.97	
1962-01-29	9.78		1961-12-27	10.98	
1961-12-01	12.30		1961-10-27	13.03	
1961-09-28	12.88		1961-08-30	12.79	
1961-08-01	12.06		1961-06-29	10.68	
1961-05-31	8.91		1961-04-27	8.52	
1961-03-29	8.86		1961-02-27	8.35	
1961-01-30	11.18		1960-12-29	10.89	
1960-11-29	11.55		1960-10-28	11.68	
1960-09-27	11.30		1960-08-30	13.57	
1960-08-01	12.77		1960-06-29	12.44	
1960-05-31	11.36		1960-04-28	10.01	
1960-03-30	10.03		1960-02-29	8.65	
1960-01-28	10.27		1959-12-29	10.01	
1959-11-30	10.64		1959-10-29	12.16	
1959-09-29	13.67		1959-08-31	12.45	
1959-07-30	11.79		1959-06-29	11.73	
1959-05-28	11.12		1959-05-01	9.97	
1959-03-30	9.60		1959-02-26	11.45	
1959-01-29	11.24		1958-12-29	10.96	
1958-12-01	10.89		1958-10-30	10.40	
1958-09-29	13.65		1958-08-28	13.15	
1958-08-01	12.51		1958-06-27	10.98	
1958-05-29	9.68		1958-04-29	8.81	
1958-03-31	8.69		1958-02-28	9.57	
1958-01-30	7.36		1957-12-30	8.90	
1957-11-29	12.82		1957-10-30	14.10	
1957-09-26	15.75		1957-08-30	15.20	
1957-07-30	14.25		1957-06-27	12.75	
1957-06-03	11.51		1957-04-29	9.91	
1957-03-29	10.08		1957-03-01	10.34	
1957-01-31	10.63		1956-12-29	9.30	
1956-11-30	11.14		1956-10-29	12.54	
1956-09-27	13.86		1956-08-30	13.31	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1956-07-27	11.62		1956-06-27	11.61	
1956-05-28	10.57		1956-04-27	9.74	
1956-03-29	8.79		1956-02-27	8.96	
1956-01-30	10.72		1955-12-30	10.85	
1955-11-28	9.05		1955-10-28	9.01	
1955-09-29	11.88		1955-08-26	9.55	
1955-07-25	13.57		1955-06-30	12.49	
1955-05-27	10.99		1955-04-29	10.03	
1955-03-28	8.58		1955-02-25	10.66	
1955-01-29	10.31		1954-12-27	9.16	
1954-11-26	11.03		1954-10-29	12.17	
1954-09-27	10.63		1954-07-26	13.14	
1954-06-25	11.48		1954-05-28	9.53	
1954-04-29	9.42		1954-03-29	9.83	
1954-02-25	10.93		1954-01-29	10.90	
1953-12-29	10.06		1953-10-28	15.09	
1953-09-30	14.22		1953-08-28	12.65	
1953-07-27	11.09		1953-06-29	11.93	
1953-05-28	10.13		1953-04-27	8.54	
1953-03-30	7.27		1953-02-27	9.24	
1953-01-27	9.22		1952-12-30	12.53	
1952-11-25	12.99		1952-10-27	12.93	
1952-08-28	10.30		1952-05-01	9.13	
1952-02-25	9.40		1951-12-27	9.08	
1951-11-26	10.54		1951-08-27	13.98	
1951-07-25	12.90		1951-07-09	12.22	
1951-05-25	10.67		1951-04-25	9.58	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: CT Radon

Radon Test Results

City	# Sites	< 4 Pci/L	4 < 10 Pci/L	10 < 20 Pci/L	20 < 50 Pci/L	50 < 100 Pci/L	> 100 Pci/L
Wallingford	100	90 (90)	10 (10)	0 (0)	0 (0)	0 (0)	0 (0)
Waterbury	20	19 (95)	1 (5)	0 (0)	0 (0)	0 (0)	0 (0)
West Haven	14	14 (93.3)	1 (6.7)	0 (0)	0 (0)	0 (0)	0 (0)
Wolcott	7	3 (42.9)	4 (57.1)	0 (0)	0 (0)	0 (0)	0 (0)
Woodbridge	126	79 (62.7)	32 (25.4)	9 (7.1)	4 (3.2)	1 (.8)	0 (0)
Yalesville	3	3 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Ansonia	110	62 (56.4)	29 (26.4)	8 (7.3)	10 (1)	1 (9)	0 (0)
Beacon Falls	4	3 (75)	1 (25)	0 (0)	0 (0)	0 (0)	0 (0)
Bethany	3	2 (66.7)	1 (33.3)	0 (0)	0 (0)	0 (0)	0 (0)
Branford	196	126 (64.3)	40 (20.4)	13 (6.6)	14 (7.1)	13 (1.5)	0 (0)
Cheshire	16	10 (62.5)	4 (25)	2 (12.5)	0 (0)	0 (0)	0 (0)
Derby	11	4 (36.4)	6 (54.6)	1 (9)	0 (0)	0 (0)	0 (0)
East Haven	27	22 (81.5)	4 (14.8)	1 (3.7)	0 (0)	0 (0)	0 (0)
Guilford	138	95 (68.8)	22 (15.9)	13 (9.4)	7 (5.1)	0 (0)	1 (.7)
Hamden	39	29 (74.4)	10 (25.6)	0 (0)	0 (0)	0 (0)	0 (0)
Madison	133	84 (63.2)	32 (24)	9 (6.8)	6 (4.5)	2 (1.5)	0 (0)
Meriden	97	76 (78.4)	19 (19.6)	1 (1)	0 (0)	0 (0)	1 (1)
Middlebury	5	5 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Milford	20	15 (.75)	4 (20)	1 (5)	0 (0)	0 (0)	0 (0)
Naugatuck	9	8 (88.9)	1 (11.1)	0 (0)	0 (0)	0 (0)	0 (0)
New Haven	21	16 (76.2)	5 (23.8)	0 (0)	0 (0)	0 (0)	0 (0)
North Branford	13	11 (84.6)	2 (15.4)	0 (0)	0 (0)	0 (0)	0 (0)
North Haven	5	3 (0)	2 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Northford	7	5 (71.4)	0 (0)	1 (14.2)	0 (0)	0 (0)	1 (14.2)
Orange	16	14 (87.5)	2 (12.5)	0 (0)	0 (0)	0 (0)	0 (0)
Oxford	3	2 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Prospect	3	3 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Seymour	9	5 (55.6)	3 (33.3)	1 (11.1)	0 (0)	0 (0)	0 (0)
Southbury	21	10 (47.6)	8 (38.1)	3 (14.3)	0 (0)	0 (0)	0 (0)

Federal EPA Radon Zone for NEW HAVEN County: 1

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 06512

Number of sites tested: 2

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	0.050 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Soils

Source: Department of Environmental Protection

Telephone: 860-871-4047

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Connecticut Leachate and Wastewater Discharge Sites

Source: Department of Environmental Protection

The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP. These maps locate surface and groundwater discharges that (1) have received a waste water discharge permit from the state or (2) are historic and now defunct waste sites or (3) are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

EPA-Approved Sole Source Aquifers in Connecticut

Source: EPA

Sole source aquifers are defined as an aquifer designated as the sole or principal source of drinking water for a given aquifer service area; that is, an aquifer which is needed to supply 50% or more of the drinking water for the area and for which there are no reasonable alternative sources should the aquifer become contaminated.

Community and Non-Community Water System Wells

Source: Department of Public Health, Water Supplies Section

Telephone: 860-509-7333

Active, emergency and inactive wells used for potable purposes that are owned and operated by active community and non-community water systems in Connecticut.

OTHER STATE DATABASE INFORMATION

RADON

State Database: CT Radon

Source: Department of Public Health

Telephone: 860-509-7367

Radon Statistical Summary

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Environmental Review Record and Statutory Checklist
306 Cosey Beach Avenue
East Haven, CT



Appendix D

Limited Hazardous Materials Inspection Report

Limited Hazardous Materials Building Inspection Report

Storm Sandy Residential Rehabilitation Project
306 Cosey Beach Avenue
East Haven, Connecticut

Lothrop Associates, LLP
White Plains, New York

January 2015



Fuss & O'Neill EnviroScience, LLC
56 Quarry Road
Trumbull, CT 06611



FUSS & O'NEILL
EnviroScience, LLC

January 30, 2015

Mr. Arthur Seckler
Senior Associate
Lothrop Associates, LLP
333 Westchester Avenue
White Plains, NY 10604

RE: Limited Hazardous Materials Building Inspection
Storm Sandy Residential Rehabilitation Project
306 Cosey Beach Avenue, East Haven, Connecticut
Fuss & O'Neill EnviroScience Project No.20140370.C4E
Lothrop Associates Project No. 1524-17

Dear Mr. Seckler:

Enclosed is the report for the limited hazardous materials building inspection performed at 306 Cosey Beach Avenue in East Haven, Connecticut.

The inspection was performed on January 13, 2015 and January 16, 2015, by a Fuss & O'Neill EnviroScience, LLC state-licensed inspector and included a limited asbestos inspection, an evaluation of the requirement for lead-based paint testing, airborne radon gas sampling, and an assessment for mold, polychlorinated biphenyl (PCB)-containing light ballasts, and mercury devices.

The information summarized in this document is for the abovementioned materials only. It does not include information on other hazardous materials that may exist in the property (such as underground storage tanks, PCB-containing building materials, etc.).

If you should have any questions regarding the contents of this report, please do not hesitate to contact us at (203)-374-3748. Thank you for this opportunity to have served your environmental needs.

56 Quarry Road
Trumbull, CT
06611
t 203.374.3748
800.286.2469
f .203.374.4391

www.fando.com

Connecticut
Massachusetts
Rhode Island
South Carolina

Sincerely,

Kevin J. McCarthy
Project Manager

Timothy M. Downey
Senior Project Manager



Table of Contents

Limited Hazardous Materials Building Inspection Report
Lothrop Associates, LLP
306 Cosey Beach Avenue, East Haven, Connecticut

1	Introduction.....	1
2	Asbestos Inspection.....	1
2.1	Methodology.....	2
2.2	Results	3
2.3	Discussion	3
2.4	Conclusions & Recommendations.....	3
3	Lead-Based Paint Testing	3
3.1	Conclusions and Recommendations.....	3
4	Assessment of PCB-Containing Fluorescent Ballasts	4
4.1	Methodology.....	4
4.2	Conclusions and Recommendations.....	4
5	Assessment of Mercury-Containing Devices	4
5.1	Methodology.....	5
5.2	Conclusions and Recommendations.....	5
6	Mold Visual Assessment	5
6.1	Observations.....	5
7	Airborne Radon Gas Information, Sampling and Procedure .	5
7.1	Airborne Radon Gas Facts and Health Effects.....	5
7.2	Airborne Radon Gas Sampling Methodology	6
7.3	Airborne Radon Gas Quality Assurance Procedure	6
7.4	Airborne Radon Gas Analytical Results	7
7.5	Conclusions and Recommendations.....	8

Appendices

APPENDIX A	FUSS & O'NEILL ENVIROSCIENCE STATE INSPECTOR LICENSES AND ACCREDITATIONS
APPENDIX B	ASBESTOS LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY FORMS
APPENDIX C	AIRBORNE RADON GAS SAMPLING LABORATORY ANALYTICAL REPROT AND CHAIN-OF-CUSTODY FORM



1 Introduction

On January 13, 2015, and January 16, 2015, Fuss & O'Neill EnviroScience, LLC (EnviroScience) Environmental Technician, Mr. Robert Hobbins, performed a limited hazardous materials building inspection of the residential structure located at 306 Cosey Beach Avenue in East Haven, Connecticut (the "Site"). Mr. Hobbins is a State of Connecticut-licensed Asbestos Consultant - Inspector and Licensed Lead Inspector. The residential structure was occupied at the time and date of the inspection and is scheduled for renovation. Refer to *Appendix A* for the EnviroScience inspector state licenses and accreditations. The scope of work was performed for Lothrop Associates, LLP (the "Client").

This inspection was performed in response to the planned renovation of the Site building due to damage caused by Superstorm Sandy, as identified in the *Initial Property Inspection Report* dated April 29, 2014, provided by Lothrop Associates. The limited inspection consisted of the following:

- A limited inspection for asbestos-containing materials (ACM) associated with the repair of concrete block, brick mortar, interior walls, and replacement of steel stairs and railings;
- An evaluation of the requirement for lead-based paint (LBP) testing;
- An evaluation of fluorescent light fixtures for polychlorinated biphenyls (PCB)-containing light ballasts;
- An inventory of light tubes/lamps and devices for mercury;
- Airborne radon gas sampling; and
- A mold assessment.

2 Asbestos Inspection

A property owner must ensure that performance of a thorough inspection for ACM, prior to possible disturbance of suspect ACM during renovation, is conducted. This is a requirement of the United States (US) Environmental Protection Agency (EPA) National Emission Standards for Hazardous Air Pollutants (NESHAP) regulation located at Title 40 CFR, Part 61, Subpart M.

This includes Friable, Non-Friable Category I, and Non-Friable Category II ACM.

- A Friable Material is defined as material that contains greater than one percent (>1%) asbestos, that when dry can be crumbled, pulverized, or reduced to powder by hand pressure.
- A Category I Non-Friable Material refers to material that contains greater than one percent (>1%) asbestos (e.g. packings, gaskets, resilient floor coverings, asphalt roofing products, etc.) that when dry cannot be crumbled, pulverized, or reduced to powder by hand pressure.
- A Category II Non-Friable Material refers to any non-friable material (excluding Category I materials) that contains greater than one percent (>1%) asbestos that when dry cannot be crumbled, pulverized, or reduced to powder by hand pressure.

During this inspection, suspect ACM were separated into three EPA categories. These categories are: thermal system insulation (TSI), surfacing ACM, and miscellaneous ACM. TSI includes all materials used to prevent heat loss or gain or water condensation on mechanical systems. Examples of TSI are pipe insulation, boiler insulation, duct insulation, and mudded pipe fitting insulations. Surfacing ACM includes

all ACM that is applied by spray or trowel, or otherwise applied to an existing surface. Surfacing ACM is commonly used for fireproofing, decorative, and acoustical applications. Miscellaneous materials include all ACM not listed in thermal or surfacing, such as linoleum, vinyl asbestos flooring, and ceiling tiles. Samples are recommended to be collected in a manner sufficient to determine asbestos content and include homogenous building materials. The EPA NESHAP regulation does not specifically identify a minimum number of samples to be collected and analyzed, but recommends the use of sampling protocols included in EPA Title 40 CFR, Part 763, Subpart E - Asbestos Containing Materials in Schools regulation.

2.1 Methodology

Samples of suspect ACM were collected in accordance with EPA recommendations and Asbestos Hazard Emergency Response Act (AHERA) protocols. The protocols included the following:

1. Surfacing Materials (SURF) (e.g., plaster, spray-applied fireproofing, etc.) were collected in a randomly distributed manner representing each homogenous area based on the overall quantity represented by the sampling as follows:
 - a. Three samples collected from each homogenous area that is less than or equal to (\leq) 1,000 square feet.
 - b. Five samples collected from each homogenous area that is greater than ($>$) 1,000 square feet, but less than or equal to 5,000 square feet.
 - c. Seven samples collected from each homogenous area that is greater than ($>$) 5,000 square feet.
2. Thermal System Insulation (TSI) (e.g., pipe insulation, tank insulation, etc.) was collected in a randomly distributed manner representing each homogenous area. Three bulk samples were collected as representative of each homogeneous material type, and sent to laboratory for asbestos analysis. Also, a minimum of one sample of any patching material (less than 6 linear of square feet) applied to TSI was collected.
3. Miscellaneous Materials (MISC) (e.g. floor tile, gaskets, construction mastics, etc.) had a minimum of two samples collected as representative of each homogenous material type. Sampling was conducted in a manner sufficient to determine asbestos content of the homogenous material as determined by the Asbestos Inspector. If materials identified were of (significant) minimal quantity, only a single sample was collected.

The Asbestos Consultant – Inspector collected samples and prepared proper chain-of-custody forms for transmission of samples to a Connecticut-licensed analytical laboratory for analysis by Polarized Light Microscopy (PLM). The sampling locations, material type, asbestos content, quantity, and sample identification are identified by bulk sample analysis in *Table 1* of the “Results” section. Materials not listed in the following tables, but identified at the Site should be considered suspect ACM until sample results indicate otherwise. Refer to *Appendix B* for the PLM analytical results.

2.2 Results

Utilizing the EPA sampling and analytical protocols, the following materials were identified as non-ACM:

Table 1
Non-Asbestos-Containing Materials

Location	Material Type	Sample No.
2 nd Floor	White Sheetrock & White Joint/Taping Compound	0113BH-01A-B, 02A-B, 03
Garage Footing	Grey Concrete Block & d Gray Concrete Grout	0113BH-04A-B, 05A-B
Exterior Deck Footing	Red Brick & Gray Grout	0113BH-06A-B, 07A-B

2.3 Discussion

The EPA defines any material that contains greater than one percent (> 1%) asbestos, utilizing PLM as ACM. Materials that are identified as "none detected" are specified as not containing asbestos.

2.4 Conclusions & Recommendations

The analytical results of the suspect ACM samples collected and analyzed indicate the suspect ACM observed during this inspection are non-ACM.

Note that since this asbestos inspection was limited, we recommend conducting a supplemental inspection of hidden and inaccessible areas (behind walls/beneath fixed floors, exterior foundation, etc.) prior to large scale demolition/renovation activities. Any suspect material encountered during renovation/demolition activities that is not identified in this report as being non-ACM, should be assumed to be ACM unless sample collection and analysis indicate otherwise.

3 Lead-Based Paint Testing

The purpose of testing is for compliance with EPA's Renovation, Repair, and Painting Rule (RRP) located at Title 40 CFR, Parts 745.80 through 92, and the US Department of Housing and Urban Development (HUD) Lead-Safe Housing Rule (Title 24 CFR, Part 35, Subparts B-R).

3.1 Conclusions and Recommendations

Residential structures are exempt from RRP and the Lead Safe Housing Rule if constructed after 1978. The residential structure at 306 Cosey Beach Avenue in East Haven, Connecticut, was reportedly constructed in 2002, and is therefore exempt from RRP and the Lead Safe Housing Rule. Therefore, EnviroScience did not conduct testing for lead-based paint at the Site.

4 Assessment of PCB-Containing Fluorescent Ballasts

Fluorescent light ballasts manufactured prior to 1979 may contain capacitors that contain PCBs. Light ballasts installed as late as 1985 may contain PCB capacitors. Fluorescent light ballasts that are not labeled as "No-PCBs" must be assumed to contain PCBs unless proven otherwise by quantitative analytical testing. Capacitors in fluorescent light ballasts labeled as non-PCB-containing may contain diethylhexyl phthalate (DEHP). DEHP was the primary substitute to replace PCBs for small capacitors in fluorescent lighting ballasts in use until 1991. DEHP is a toxic substance, a suspected carcinogen and is listed under the EPA Resource Conservation and Recovery Act (RCRA) and the Superfund law as a hazardous waste. Therefore, Superfund liability exists for land filling both PCB and DEHP-containing light ballasts. These listed materials are considered hazardous waste under RCRA, and require special handling and disposal requirements.

4.1 Methodology

On January 13, 2015, EnviroScience representative Mr. Hobbins performed a visual inspection of representative fluorescent light fixtures to identify possible PCB-containing ballasts. The inspection involved visually inspecting labels on representative light ballasts to identify dates of manufacture and labels indicating "No PCB's". Ballasts manufactured after 1991 were not listed as a PCB or DEHP-containing ballast, and not quantified for disposal. Ballasts without a label indicating "No PCB's" are presumed to be PCB waste, and must be segregated for proper removal, packaging, transport and disposal as PCB waste. Ballasts with date labels indicating manufacture prior to 1991 that indicate "No PCB's" are presumed to contain DEHP and must be segregated for proper removal, packaging, transport, and disposal as non-PCB hazardous waste. The disposal requirements are slightly varied, and costs are slightly less for DEHP than for PCB-containing light ballasts.

4.2 Conclusions and Recommendations

No light ballasts were observed within the visible and accessible areas of the Site building. No further action regarding PCB-containing fluorescent light ballasts is required at this time.

5 Assessment of Mercury-Containing Devices

Fluorescent lamps/tubes are presumed to contain mercury vapor, which is a hazardous substance to both human health and the environment. Thermostatic controls and electrical switch gear may contain a vial or bulb of mercury associated with the control. Mercury-containing equipment is regulated for proper disposal by the EPA RCRA hazardous waste regulations. Mercury lamps according to the EPA are considered a universal waste requiring all fluorescent lamps/tubes to be recycled or disposed as hazardous waste.

5.1 Methodology

On January 13, 2015, EnviroScience representative Mr. Hobbins performed a visual in-place inventory of mercury amps/tubes, thermostats, and mercury switches.

5.2 Conclusions and Recommendations

No fluorescent light bulbs/tubes, thermostats, switches, or gauges were observed within accessible and visible areas of the Site structure. No further action regarding mercury-containing devices is required at this time.

6 Mold Visual Assessment

On January 13, 2015, EnviroScience representative Mr. Hobbins performed a visual assessment for the presence of suspect mold and water intrusion.

6.1 Observations

No suspected mold growth was identified on accessible/visible building materials observed within the residence at the time and date of the inspection. No further action regarding mold is required at this time.

7 Airborne Radon Gas Information, Sampling and Procedure

7.1 Airborne Radon Gas Facts and Health Effects

Radon is a naturally-occurring radioactive gas produced by the natural breakdown (decay) of uranium which is found in soil and rock throughout the US. Radon gas travels through soil and enters buildings through cracks and other penetrations in building foundations. Eventually the gas itself decays into radioactive particles (decay products) that can become trapped in the lungs during human respiration. As these particles in turn decay they release small bursts of radiation which can damage lung tissue and lead to lung cancer over the course of a person's lifespan.

EPA studies have determined that radon gas concentrations in outdoor air average approximately 0.4 picoCuries per liter of air (pCi/L). However, radon and its decay products can accumulate to a much higher concentration inside a building. The EPA has adopted a recommended action level of 4.0 pCi/L; equal to or above which the EPA recommends that building owners take action to reduce the level of airborne radon with the building.

Radon is a colorless, odorless and tasteless gas, and thus, the only way to know whether or not an elevated level of radon gas is present in a building is to test the air for radon gas. Each frequently occupied room that is in contact with the lowest living level of the building should be measured, as even adjacent rooms can have significantly different levels of radon.

Again, radon is a known human carcinogen. Prolonged exposure to elevated radon concentrations causes an increased risk of lung cancer. Like other environmental pollutants, there is some uncertainty about the magnitude of radon health risks. However, scientists are more certain about radon risks than risks from most other cancer-causing environmental pollutants as estimates of radon risk are based on studies of cancer in humans (underground miners). Additional studies on more typical, non-occupationally exposed, populations are underway.

EPA estimates that radon may cause about 14,000 lung cancer deaths in the US each year, with a range of 7,000 to 30,000. The US Surgeon General has warned that radon gas is the second-leading cause of lung cancer deaths after smoking, and is the leading cause among non-smokers.

7.2 Airborne Radon Gas Sampling Methodology

On January 13, 2015, Mr. Hobbins of EnviroScience deployed passive radon gas detection canisters in limited areas within the Site structure. Mr. Robert Eaton of EnviroScience retrieved the canisters on January 19, 2015, at least 48-hours, but not later than 96-hours later. The canisters were supplied by Radon Testing Corporation of America (RTCA).

It is recommended that such canisters be placed at least 20-inches from the floor and 12-inches away from exterior walls. Also, it is recommended that the canisters not be placed near drafts resulting from Heating, Ventilating, and Air Conditioning (HVAC) intakes and returns, doors, and at least 36-inches from windows. Also, canisters should not be exposed to direct sunlight, be covered up, or otherwise disturbed during the testing period. A closed building condition is also utilized for 12-hours prior to testing being conducted.

The airborne radon gas sampling laboratory analytical report and chain-of-custody form are included in *Appendix C*.

7.3 Airborne Radon Gas Quality Assurance Procedure

EPA strongly recommends that quality assurance measurements are included in radon measurement studies. Quality assurance measurements include side-by-side canisters (duplicates), and unexposed control canisters (blanks).

Duplicates are pairs of canisters deployed in the same location, side-by-side, for the same measurement period. Duplicates are placed in at least ten percent of all sampling locations. These duplicate canisters are stored, deployed, removed, and shipped to the laboratory for analysis in the same manner as the other canisters. If either or both of the analyses in a duplicate pairing is above the EPA standard of 4.0 pCi/L

the relative percent difference (RPD) between the two tests must be determined. If the allowable difference is exceeded, the test is determined to be invalid and a new duplicate test must be run. If both canister results are below the EPA standard then the RPD is not calculated since, despite any disparity, both results are below the EPA standard.

Blanks are utilized to determine whether the manufacturing, shipping, storage, and processing of the canisters has affected the accuracy of airborne radon gas sampling procedures. Blanks are unopened, unexposed canisters that are deployed with and shipped with the exposed canisters, so the processing laboratory treats them without bias. The number of blanks is at least five percent of the total number of canisters deployed, up to a maximum of 25 canisters.

7.4 Airborne Radon Gas Analytical Results

Four canisters, including one duplicate and one blank, were placed in target locations within the structure during sampling that was performed January 13, 2015 to January 16, 2015. The radon gas concentrations in the samples collected during the assessment were determined to contain 0.1 pCi/L. The EPA threshold for radon gas is 4.0 pCi/L.

In *Table 2* below, the locations and results of quality control duplicate tests are listed for the sampling conducted from January 13, 2015, to January 16, 2015:

Table 2
Duplicate Samples Results – January 13 – January 16, 2015

Location	Canister Numbers	Radon Concentration (pCi/Liter)			Relative Percent Difference (RPD, %)
		Sample	Sample Duplicate	Sample Average	
Entry Way	2357398 & 2357407	0.4	0.4	0.4	Percent Difference Not Needed (No Concentrations Above 4.0 pCi/Liter)

Note Duplicate testing results were satisfactory.

In *Table 3* below, the locations and results of quality control blank tests are listed for sampling conducted from January 13, 2015, to January 16, 2015:

Table 3
Blank Samples Results – January 13 – January 16, 2015

Location	Canister Numbers	Radon Concentration (pCi/Liter)
Living Room/Dining Room	2357454	0.1

Note Blank testing results were satisfactory.

In *Table 4* below, the locations, canister numbers, and radon concentrations are listed for the airborne radon assessment conducted from January 13, 2015, to January 16, 2015:

Table 4
Radon Sampling Results – January 13 – January 16, 2015

Location	Canister Numbers	Radon Concentration (pCi/Liter)
Living Room/Dining Room	2357395	0.3
Entry Way	2357398	0.4


Note Sample testing results were satisfactory.

7.5 Conclusions and Recommendations

During the course of the initial airborne radon gas sampling, four sampling canisters, including one duplicate and one blank, were placed in targeted locations within the Site structure. The analytical results of the samples were below EPA recommended action level of 4.0 pCi/L. No further action regarding radon gas is required at this time.

Report prepared by Environmental Technician Robert Eaton.

Report reviewed by:



Kevin J. McCarthy
Project Manager



Timothy M. Downey
Senior Project Manager

Appendix A

Fuss & O'Neill EnviroScience State Inspector Licenses and Accreditations

1001144 01 AV 0.378 **AUTO T6 1 0564 06040-599246 -C01-P01147-1



JOHN R. HOBBS
C/O FUSS & O'NEILL ENVIROSCIENCE, LLC
146 HARTFORD ROAD
MANCHESTER CT 06040-5992



Dear JOHN R. HOBBS,

Attached you will find your validated certificate for the coming year. Should you have any questions about your certificate renewal, please do not hesitate to write or call:

Department of Public Health
P.O. Box 340308
M.S.#12MQA
Hartford, CT 06134-0308

(860) 509-7603
oplc.dph@ct.gov
www.ct.gov/dph/license

Sincerely,

JEWEL MULLEN, MD, MPH, MPA, COMMISSIONER
DEPARTMENT OF PUBLIC HEALTH

EMPLOYER'S COPY

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

NAME
JOHN R. HOBBS

VALIDATION NO. 03-147894 CERTIFICATE NO. 000700 CURRENT THROUGH 01/31/16

PROFESSION
ASBESTOS CONSULTANT-INSPECTOR

John R Hobbs *Jewel Mullen, MD*
SIGNATURE COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT

THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A
ASBESTOS CONSULTANT-INSPECTOR

JOHN R. HOBBS

CERTIFICATE NO. 000700
CURRENT THROUGH 01/31/16
VALIDATION NO. 03-147894

John R Hobbs *Jewel Mullen, MD*
SIGNATURE COMMISSIONER

INSTRUCTIONS:

1. Detach and sign each of the cards on this form
2. Display the large card in a prominent place in your office or place of business.
3. The wallet card is for you to carry on your person. If you do not wish to carry the wallet card, place it in a secure place.
4. The employer's copy is for persons who must demonstrate current licensure/certification in order to retain employment or privileges. The employer's card is to be presented to the employer and kept by them as a part of your personnel file. Only one copy of this card can be supplied to you.

WALLET CARD

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

NAME
JOHN R. HOBBS

VALIDATION NO. 03-147894 CERTIFICATE NO. 000700 CURRENT THROUGH 01/31/16

PROFESSION
ASBESTOS CONSULTANT-INSPECTOR

John R Hobbs *Jewel Mullen, MD*
SIGNATURE COMMISSIONER

1001144-0001150-0000001 of 0000001-C01-a1d00101-0564-01147

Fuss & O'Neill EnviroScience, LLC

146 Hartford Road, Manchester, CT 06040 – (860) 646-2469

This is to certify that

John Robert Hobbins

XXX-XX-6853

has successfully completed the
4 Hr. Asbestos Inspector Refresher
Asbestos Accreditation under TSCA Title II
40 CFR Part 763



John Rowinski, Principal Instructor

September 3, 2014

Date of Course

September 3, 2014

Examination Date



Robert L. May, Jr., Training Manager

AI-R-09/14-6

Certificate Number

September 3, 2015

Expiration Date

1001143 01 AV 0.378 **AUTO T6 1 0564 06040-599246 -C01-P01146-1



JOHN R. HOBBS
C/O FUSS & O'NEILL ENVIROSCIENCE, LLC
146 HARTFORD ROAD
MANCHESTER CT 06040-5992



Dear JOHN R. HOBBS,

Attached you will find your validated certificate for the coming year. Should you have any questions about your certificate renewal, please do not hesitate to write or call:

Department of Public Health
P.O. Box 340308
M.S.#12MQA
Hartford, CT 06134-0308

(860) 509-7603
opl.c.dph@ct.gov
www.ct.gov/dph/license

Sincerely,

JEWEL MULLEN, MD, MPH, MPA, COMMISSIONER
DEPARTMENT OF PUBLIC HEALTH

EMPLOYER'S COPY

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

NAME
JOHN R. HOBBS

VALIDATION NO. 03-147893 CERTIFICATE NO. 002156 CURRENT THROUGH 01/31/16

PROFESSION
LEAD INSPECTOR

SIGNATURE COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT

THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A
LEAD INSPECTOR

JOHN R. HOBBS

CERTIFICATE NO. 002156
CURRENT THROUGH 01/31/16
VALIDATION NO. 03-147893

SIGNATURE COMMISSIONER

INSTRUCTIONS:

1. Detach and sign each of the cards on this form
2. Display the large card in a prominent place in your office or place of business.
3. The wallet card is for you to carry on your person. If you do not wish to carry the wallet card, place it in a secure place.
4. The employer's copy is for persons who must demonstrate current licensure/certification in order to retain employment or privileges. The employer's card is to be presented to the employer and kept by them as a part of your personnel file. Only one copy of this card can be supplied to you.

WALLET CARD

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

NAME
JOHN R. HOBBS

VALIDATION NO. 03-147893 CERTIFICATE NO. 002156 CURRENT THROUGH 01/31/16

PROFESSION
LEAD INSPECTOR

SIGNATURE COMMISSIONER

1001143-0001149-0000001 of 0000001-C01-ai1d00101-0564-01146

CERTIFICATE OF ACHIEVEMENT

This certifies that

John Robert Hobbins
97 Montowese Street, Branford, CT 06405
000-00-6853

has successfully completed the

INSPECTOR REFRESHER

*Training Course
conducted by
Cardno ATC*

73 William Franks Drive
West Springfield, MA 01089
(413) 781-0070

Principal Instructor: Neal Freuden

January 30, 2014
Date of Course

January 30, 2014
Exam Date

CTLIR-205
Certificate Number

January 30, 2015
Expiration Date

Gregory J. Morsch
Training Manager: Gregory Morsch

*Training received complies with the requirements of the
Connecticut Department of Public Health pursuant to Section 20-
477 of the Connecticut General Statutes.*

Appendix B

Asbestos Laboratory Analytical Reports and Chain-of-Custody Forms



OrderID: 041500979



FUSS & O'NEILL
EnviroScience, LLC

Fuss & O'Neill EnviroScience EMSL Customer No. ENV/54

041500979

www.fando.com

56 Quarry Road, Trumbull, CT 066611

Phone (203) 374-3748 Fax (203) 374-4391

ASBESTOS BULK SAMPLE CHAIN OF CUSTODY FORM

Sheet 1 of 1

Project Name: Lothrop - Storm Sandy Rehab Project No. 20140370.C4E Date: 1/13/2015
 Site Address: 306 Cosey Beach Avenue, East Haven, CT Building Number: 306 Cosey Ave. Project Manager: Kevin McCarthy

Sample ID	Sample Location	Type of Material
0113BH-01A	2 nd Floor	Sheetrock
0113BH-01B	2 nd Floor	Sheetrock
0113BH-02A	2 nd Floor	Taping Compound
0113BH-02B	2 nd Floor	Taping Compound
0113BH-03	2 nd Floor	Sheetrock/Taping Compound Composite
0113BH-04A	Garage Footing	Concrete Block
0113BH-04B	Garage Footing	Concrete Block
0113BH-05A	Garage Footing	Concrete Block Grout
0113BH-05B	Garage Footing	Concrete Grout
0113BH-06A	Exterior Deck Footing	Red Brick
0113BH-06B	Exterior Deck Footing	Red Brick
0113BH-07A	Exterior Deck Footing	Brick Grout
0113BH-07B	Exterior Deck Footing	Brick Grout

Analysis Method PLM TEM Other _____ Turnaround Time 48 hours

Based on the turnaround time indicated above, analyses are due to EnviroScience on or before this date. _____ Please call EnviroScience if analyses will not be completed for requested TAT at (203) 374 - 3748.

Email Results to: kmccarthy@fando.com
 FAX Results to: 888-838-1160

Do Not Mail Hard Copy Report Total # of Samples: 13

Special Instructions: Stop analysis on first positive sample in each homogeneous set of samples unless otherwise noted. Do not layer samples unless indicated. Do Not Point Count If NOB group samples are all negative by PLM, analyze only "A" group sample (as noted by asterisk [*] above) by TEM NOB, per group.

Samples collected by: B. Hobbins RH Date: 1/13/15 Time: _____

Samples Sent by: B. Hobbins RH Date: 1/13/15 Time: _____

Samples Received by: VC EMSL FX Date: 1-14-15 Time: 9:30

Shipped To: EMSL State NJ Other _____

Method of Shipment: FedEx Lab Drop Off Other _____

(B)



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com

cinnaslab@EMSL.com

EMSL Order: 041500979
 CustomerID: ENVI54
 CustomerPO: 20140370.C4E
 ProjectID:

Attn: **Kevin McCarthy**
Fuss & O'Neill EnviroScience, LLC
146 Hartford Road
Manchester, CT 06040

Phone: (860) 646-2469
 Fax: (888) 838-1160
 Received: 01/14/15 9:30 AM
 Analysis Date: 1/16/2015
 Collected: 1/13/2015

Project: **Lothrop-Storm Sandy Rehab / 306 Cosey Beach Avenue, East Haven, CT**

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
0113BH-01A 041500979-0001	2nd Floor - Sheetrock	White Fibrous Homogeneous	15% Cellulose 5% Glass	80% Non-fibrous (other)	None Detected
0113BH-01B 041500979-0002	2nd Floor - Sheetrock	White Non-Fibrous Homogeneous	2% Glass	98% Non-fibrous (other)	None Detected
0113BH-02A 041500979-0003	2nd Floor - Taping Compound	White Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-02B 041500979-0004	2nd Floor - Taping Compound	White Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-03 041500979-0005	2nd Floor - Sheetrock / Taping Compound Composite	Brown/White Fibrous Homogeneous	10% Cellulose 3% Glass	87% Non-fibrous (other)	None Detected
0113BH-04A 041500979-0006	Garage Footing - Concrete Block	Gray Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-04B 041500979-0007	Garage Footing - Concrete Block	Gray Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-05A 041500979-0008	Garage Footing - Concrete Block Grout	Gray Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected

Analyst(s)

Amy Johnson (7)
 Heather Paulson (6)

Stephen Siegel, CIH, Laboratory Manager
 or other approved signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Samples received in good condition unless otherwise noted. Estimated accuracy, precision and uncertainty data available upon request. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Reporting limit is 1%
 Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AIHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036, PA ID# 68-00367

Initial report from 01/16/2015 09:42:05



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-5974
<http://www.EMSL.com> cinnaslab@EMSL.com

EMSL Order: 041500979
 CustomerID: ENVI54
 CustomerPO: 20140370.C4E
 ProjectID:

Attn: **Kevin McCarthy**
Fuss & O'Neill EnviroScience, LLC
146 Hartford Road
Manchester, CT 06040

Phone: (860) 646-2469
 Fax: (888) 838-1160
 Received: 01/14/15 9:30 AM
 Analysis Date: 1/16/2015
 Collected: 1/13/2015

Project: **Lothrop-Storm Sandy Rehab / 306 Cosey Beach Avenue, East Haven, CT**

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
0113BH-05B 041500979-0009	Garage Footing - Concrete Grout	Gray Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-06A 041500979-0010	Exterior Deck Footing - Red Brick	Red Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-06B 041500979-0011	Exterior Deck Footing - Red Brick	Red Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-07A 041500979-0012	Exterior Deck Footing - Brick Grout	Gray Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
0113BH-07B 041500979-0013	Exterior Deck Footing - Brick Grout	Gray Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected

Analyst(s)

Amy Johnson (7)
 Heather Paulson (6)

Stephen Siegel, CIH, Laboratory Manager
 or other approved signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Samples received in good condition unless otherwise noted. Estimated accuracy, precision and uncertainty data available upon request. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Reporting limit is 1%
 Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AIHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036, PA ID# 68-00367

Initial report from 01/16/2015 09:42:05

Appendix C

Airborne Radon Gas Sampling Laboratory Analytical Report and Chain-Of-Custody Form





Site Radon Inspection Report

Date : 01/19/2015

Ms. Karron Redfield
Fuss & O'Neill Enviroscience, LLC
146 Hartford Road
Manchester, CT 06040-

Client: Lothrop-Storm Sandy Rehab-20140370.C4E

Test Location: 306 Cosey Beach Avenue
East Haven, CT 06512-

Individual Canister Results

Canister ID# : 2357395
Canister Type : Charcoal Canister 3 inch
Location : Liv Rm/ Din Rm
Radon Level : 0.3 pCi/L
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 01/13/2015 @ 07:37
Test Stop : 01/16/2015 @ 09:06
Received: 01/19/2015 @ 10:56
Analyzed: 01/19/2015 @ 10:13

Canister ID# : 2357398
Canister Type : Charcoal Canister 3 inch
Location : Entry Way
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 01/13/2015 @ 07:35
Test Stop : 01/16/2015 @ 09:05
Received: 01/19/2015 @ 10:56
Analyzed: 01/19/2015 @ 10:13

Canister ID# : 2357407
Canister Type : Charcoal Canister 3 inch
Location : Entry Way-D
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 01/13/2015 @ 07:35
Test Stop : 01/16/2015 @ 09:05
Received: 01/19/2015 @ 10:56
Analyzed: 01/19/2015 @ 10:13

Canister ID# : 2357454
Canister Type : Charcoal Canister 3 inch
Location : Liv Rm/ Din Rm-B
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 01/13/2015 @ 07:37
Test Stop : 01/16/2015 @ 09:06
Received: 01/19/2015 @ 10:56
Analyzed: 01/19/2015 @ 10:13



Andreas C. George

Andreas C. George
Radon Measurement Specialist

NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 01/19/2015

Ms. Karron Redfield
Fuss & O'Neill Envirosience, LLC
146 Hartford Road
Manchester, CT 06040-

Client: Lothrop-Storm Sandy Rehab-20140370.C4E
Test Location: 306 Cosey Beach Avenue
East Haven, CT 06512-

Individual Canister Results

The reported results indicate that radon levels in the building tested are below the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends retesting if your living patterns change and you begin occupying a lower level of the building, such as a basement or if major remodeling is done.

General radon information may be obtained by consulting the EPA booklet: A Citizen's Guide to Radon (www.epa.gov/radon/pubs/citguide.html). To request a copy or for further information, please contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

(914)345-3380
FAX (914)345-8546

2 Hayes Street, Elmsford, NY 10523
www.rtca.com



FUSS & O'NEILL
EnviroScience, LLC

012
Received
1-19-2015
(2)


Radon Testing Summary Sheet

Contact/Phone #: Bob Hobbins/203-374-3748 x 3526 Placed by: B. Hobbins
 Project #: 20140370.C4E Retrieved by: B. Eaton
 Project: Lothrop-Storm Sandy Rehab Start Date: 1-13-15
 Address: 306 Cosey Beach Avenue Stop Date: 1-16-15
East Haven, CT Weather at Placement: Cloudy, Sunny 25°

email results to jhobbins@fando.com Please Make Sure to Include the Chain of Custody

Instructions: Tear off center bar coded label from canister and affix to sheet in spaces provided. Please make sure top bar coded label is left on detector. Identify test location for each detector in space provided for that detector (room #, location in room)

REMOVE THIS PORTION AND AFFIX TO TEST INFORMATION FORM
2357398



REMOVE THIS PORTION AND KEEP FOR YOUR RECORDS
2357398

Client

RADON TESTING CORP. OF AMERICA
REMOVE THIS PORTION AND AFFIX TO TEST INFORMATION FORM
2357395



REMOVE THIS PORTION AND KEEP FOR YOUR RECORDS
2357395

Client

RADON TESTING CORP. OF AMERICA

Start Time: 7:35
Stop Time: 9:05
Identifier: _____

Entry way

Start Time: 7:37
Stop Time: 9:06
Identifier: _____

Living Rm / Dining Rm

Start Time: _____
Stop Time: _____
Identifier: _____

Start Time: _____
Stop Time: _____
Identifier: _____

Start Time: _____
Stop Time: _____
Identifier: _____

REMOVE THIS PORTION AND AFFIX TO TEST INFORMATION FORM
2357407



REMOVE THIS PORTION AND KEEP FOR YOUR RECORDS
2357407

Client

RADON TESTING CORP. OF AMERICA

REMOVE THIS PORTION AND AFFIX TO TEST INFORMATION FORM
2357454



REMOVE THIS PORTION AND KEEP FOR YOUR RECORDS
2357454

Client

RADON TESTING CORP. OF AMERICA

Start Time: 7:35
Stop Time: 9:05
Identifier: _____

Entry way - D

Start Time: _____
Stop Time: _____
Identifier: _____

Living Room / Dining Room - B

Start Time: _____
Stop Time: _____
Identifier: _____

Start Time: _____
Stop Time: _____
Identifier: _____

Start Time: _____
Stop Time: _____
Identifier: _____