

**The State of Connecticut**  
**Department of Housing (DOH)**  
**Community Development Block Grant Disaster Recovery Program**  
**(CDBG-DR)**  
  
**Owner-Occupied Rehabilitation and Rebuilding Program (OORR)**

BID PACKAGE

(Projects Under \$100,000.00)

For

Roof Replacement and Mold Remediation

To

**LaRusso Residence**

**Smith Residence**

**14 Hawthorne Street South, Units A & B**

**Greenwich, CT 06831**

Prepared by:

Merritt Construction Services, Inc.

1177 High Ridge Road, Stamford, CT 06905

203-832-2670

**Project #1419/Project #1280**

## Table of Contents

### **Section 1:**

Advertisement for Bids .....	3
Information to Bidders .....	4
Bid Form .....	7
Form of Non-Collusive Affidavit.....	9
Bidders Certification of Eligibility.....	10
Certification of General Bidders on CDBG-DR Construction Projects .....	11
Certification of Sub Bidders on CDBG-DR Construction Projects.....	12
Performance and Payment Bonds (for contracts over \$100,000).....	13
Subcontractor Identification .....	14
Certification of Bidder Regarding Equal Employment Opportunity.....	15
Green Building Standards Checklist .....	16

### **Section 2:**

General Conditions.....	20
-------------------------	----

### **Section 3.0:**

Scope of Work and Specifications .....	26
Section 3.1.....	Description of Work
Section 3.2.....	Specifications
Section 3.3.....	Bill of Materials/Quantities/Site Photos
Section 3.4.....	Contractor Bid Breakdown
Appendix A.....	Aerial Measurement Report

*Section 1*

**ADVERTISEMENT FOR BIDS**

**Project #1419/Project #1280**

The State of Connecticut Department of Housing (DOH) is seeking proposals through a Request for Proposal (RFP) process for the rehabilitation, reconstruction and/or mitigation of residential structures damaged by Superstorm Sandy in compliance with all applicable local, federal, and state statutory requirements with special attention paid to requirements for Community Development Block Grants under the United States Department of Housing and Urban Development (“HUD”) Disaster Recovery grant program.

Sealed bids for **Project #1419 LaRusso Residence/Project #1280 Smith Residence, 14 Hawthorne Street South, Units A & B, Greenwich, CT 06831** will be received by Merritt Construction Services, Inc., located at 1177 High Ridge Road, Stamford, CT 06905, until **2:00 PM on Thursday, July 3, 2014**.

**Mandatory Walk Through: All bidders must attend a mandatory walk through of the property designated above. The date and time of the walk through is set for 10:00 AM on Tuesday, June 24, 2014.**

The Information to Bidders, Form of Bid, Form of Contract, Plans, Specifications, and Performance and Payment Bond or Security (*for contracts over \$100,000*), and other contract documents may be examined on the Department of Housing Hurricane Sandy Recover website at [www.ct.gov/doh/](http://www.ct.gov/doh/) and click on the “Hurricane Sandy” link, and at the office of Merritt Construction Services, Inc., located at 1177 High Ridge Road, Stamford, CT 06905.

Copies of plans may be downloaded directly from the Department of Housing website under bid notices or obtained at the office of Merritt Construction Services, Inc., located at 1177 High Ridge Road, Stamford, CT 06905, upon payment of \$15 for each set.

DOH reserves the right to waive any informalities or to reject any or all bids.

Each bidder must deposit with his bid, security in the amount, form and subject to the conditions provided in the Information to Bidders.

Attention to bidders is particularly called to the requirements as to conditions of employment to be observed and minimum wages rates to be paid under the contract (if applicable), Section 3, Segregated Facilities, Section 109 and E. O. 11246.

No bidder may withdraw his bid within 30 calendar days after the actual date of the bid opening thereof.

## INFORMATION FOR BIDDERS

### **Receipt and Opening of Bids:**

The State of Connecticut Department of Housing (herein called the "DOH"), invites bids on the form attached. Bids will be received by DOH at the office of Merritt Construction Services, Inc., until **2:00 PM on Thursday, July 3, 2014.**

The envelopes containing the bids must be sealed, addressed to Andrew Peters, Project Director at Merritt Construction Services, Inc., 1177 High Ridge Road, Stamford, CT 06905, and designated as bid for **Project #1419 LaRusso Residence/Project #1280 Smith Residence, 14 Hawthorne Street South, Units A & B, Greenwich, CT 06831.**

DOH may consider informal any bid not prepared and submitted in accordance with the provisions hereof and may waive any informalities or reject any and all bids. Any bid may be withdrawn prior to the above scheduled time for the opening of bids or authorized postponement there considered. NO bidder may withdraw a bid within 30 days after the actual date of the opening thereof.

**Mandatory Walk Through:** All bidders must attend a mandatory walk through of the property designated above. The date and time of the walk through is set for **10:00 AM on Tuesday, June 24, 2014.**

### **Preparation of Bids:**

Each bid must be submitted on the prescribed form and accompanied by Certification by Bidder Regarding Equal Employment Opportunity, Form HUD-950.1, and Certification of Bidder Regarding Section 3 and Segregated Facilities. All blank spaces for bid process must be filled in, in ink or typewritten, in both words and figures, and the foregoing Certifications must be fully completed and executed when submitted.

Each bid must be submitted in a sealed envelope bearing on the outside the name of the bidder, his/her address, and the name of the project for which the bid is submitted. If forwarded by mail, the sealed envelope containing the bid must be enclosed in another envelope addressed as specified in the bid form.

**Subcontracts:** The bidder is specifically advised that any person, for, or other party to whom it is proposed to award a subcontract under this contract:

1. Must be acceptable to the DOH after verification by the State of the current eligibility status; and,
2. Must submit Form HUD-950.2, Certification by Proposed Subcontractor Regarding Equal Employment Opportunity and Certification of Proposed Subcontractor Regarding Section 3 and Segregated Facilities. Approval of the proposed subcontractor award cannot be given by the DOH unless and until the proposed subcontractor has submitted the Certifications and/or other evidence showing that it has fully complied with any reporting requirements to which it is or was subject. Although the bidder is not required to attach such Certifications by proposed subcontractors to his/her bid, the bidder is here advised of this requirement so that appropriate action can be taken to prevent subsequent delay in subcontract awards.

**Method of Bidding:** DOH invites the following bid(s):

Qualifications of Bidder: The DOH may make such investigations as he/she deems necessary to determine the ability of the bidder to perform the work, and the bidder shall furnish to the DOH all such information and date for

this purpose as the DOH may request. The DOH reserves the right to reject any bid if the evidence submitted by, or investigation of, such bidder fails to satisfy the DOH that such bidder is properly qualified to carry out the obligations of the contract and to complete the work contemplated therein. Conditional bids will not be accepted. The State's set Contractor Prequalifications are available at the Department of Housing's Hurricane Sandy Recovers website [www.ct.gov/doh/](http://www.ct.gov/doh/) and click on the "Hurricane Sandy" link.

**Conditions of Work:** Each bidder must inform him/herself fully of the conditions relating to the construction of the project and the employment of labor thereon. Failure to do so will not relieve a successful bidder of his/her obligation to furnish all material and labor necessary to carry out the provision of his/her contract. Insofar as possible the contractor, in carrying out the work, must employ such methods or means as will not cause any interruption of or interference with the work of any other contractor.

**Addenda and Interpretations:** No interpretation of the meaning of the plans, specifications or other pre-bid documents will be made to any bidder orally.

Every request for such interpretation should be in writing addressed to: **Andrew Peters, Project Director at Merritt Construction Services, Inc., located at 1177 High Ridge Road, Stamford, CT 06905** or emailed to [ctsandy@merrittconstructionservices.net](mailto:ctsandy@merrittconstructionservices.net), and, to be given consideration, must be received at least three days prior to the date fixed for the opening of bids. Any and all such interpretations and any supplemental instruction will be in the form of written addenda to the specifications which, if issued, will be forwarded by electronic mail and posted on DOH's Hurricane Sandy website to all prospective bidders (at the respective email addresses furnished for such purposes), not later than two days prior to the date fixed for the opening of bids. Failure of any bidder to receive any such addendum or interpretation shall not relieve such bidder from any obligation under his/her bid as submitted. All addenda so issued shall become part of the contract documents.

**Performance and Payment Bonds:** A performance and payment bond will be required of the successful bidder (contractor) for 100 percent of the contract price *on contracts over \$100,000*.

**Notice of Special Conditions:** Attention is particularly called to those parts of the contract documents and specifications which deal with the following:

1. Inspection and testing of materials
2. Insurance requirements
3. Wage rates (if applicable)
4. State allowances

**Laws and Regulations:** The bidder's attention is directed to the fact that all applicable State laws, municipal ordinances, and the rules and regulations of all authorities having jurisdiction over construction of the project shall apply to the contract throughout, and they will be deemed to be included in the contract the same as though herein written out in full.

**Method of Award-Lowest Qualified Bidder:** If at the time this contract is to be awarded, the lowest base bid submitted by a responsible bidder does not exceed the amount of funds then estimated by the DOH as available to finance the contract; the contract will be awarded on the base bid only. If such bid exceeds such amount, the DOH may reject all bids or may award the contract on the base bid combined with such deductible alternatives applied in numerical order in which they are listed in the Form of Bids, as produces a net amount which is within the available funds.

If the homeowner wishes to select a prequalified bidding contractor other than the lowest and most responsible bidder, said owner is responsible for paying the difference between the lowest bidder and their chosen bidder from their own financing.

**Obligation of Bidder:** At the time of the opening of bids, each bidder will be presumed to have inspected the site and to have read and to be thoroughly familiar with the plans and contract documents (including all addenda). The failure or omission of any bidder to examine any form, instrument or document shall in no way relieve any bidder from any obligation in respect of his/her bid.

**Safety Standards and Accident Prevention:** With respect to all work performed under this contract, the contractor shall:

1. Comply with the safety standards provision of applicable laws, building and construction codes and the “Manual of Accident Prevention in Construction” published by the Associated General Contractors of America, the requirements of the Occupational Safety and Health Act of 1970 (Public Law 91-596), and the requirements of Title 29 of the Code of Federal Regulations, Section 1518 as published in the “Federal Register,” Volume 36, No 75, Saturday, April 17, 1971.
2. Exercise every precaution at all times for the prevention of accidents and the protection of persons (including employees) who may be injured on the job site before the employer has made a standing arrangement for removal of injured persons to a hospital or a doctor’s care.

**Contract Progress Schedule:** Each bid shall be accompanied by a Contract Progress Schedule. Such Schedule shall list the bidder’s timetable for completion of the contract.

## BID FORM

The undersigned, being familiarized with the local conditions affecting the cost of the work and with the Drawings, Specifications, Invitation to Bidders, Instructions to Bidders, General Conditions, Bid Form, Form of Contract and Form of Bonds for **Project #1419/Project #1280** and Addenda No. \_\_\_\_\_ and \_\_\_\_\_ thereto, as prepared by Merritt Construction Services, Inc., Stamford, Connecticut, and on file in the office of DOH, hereby proposes to furnish all permits, labor, materials, tools, equipment and related items required for the rehabilitation and reconstruction including general construction, site improvements, plumbing, heating, electrical and finish items for said **Project #1419/Project #1280, located at 14 Hawthorne Street South, Units A & B, State of Connecticut**, all in accordance with the Drawings and Specifications, for the sum of:

Dollars (\$ \_\_\_\_\_).

Section	Scope of Work	Subcontractor	Labor Cost	Material	Total
	<b>Project #1419</b>				
3.4	General Demolition				
3.4	Framing & Rough Carpentry				
3.4	Painting (Mold Remediation)				
3.4	Roofing				
3.4	Windows-Skylights				
	<b>#1419 TOTAL</b>				
	<b>Project #1280</b>				
3.4	General Demolition				
3.4	Framing & Rough Carpentry				
3.4	Painting (Mold Remediation)				
3.4	Roofing				
3.4	Windows-Skylights				
	<b>#1280 TOTAL</b>				
<b>TOTAL COST</b>					

### ALTERNATE PROPOSALS

The undersigned bidder further proposes and agrees that should any or all of the following Alternates be accepted and included in the Contract, the amount of the Base Bid, as heretofore stated, shall be adjusted by the amount stated for each Alternate. All materials and workmanship shall be in strict accordance with the Drawings and Specifications and shall be in-place prices.

Alternates

No. \_\_\_\_\_ \$

No. \_\_\_\_\_ \$

No. \_\_\_\_\_ \$

The undersigned agrees to commence the work on a date to be specified in the contract and to complete such work within **60** consecutive calendar days.

The undersigned agrees that if within the period of thirty (30) days after the opening of bids, or when extended to the next work day immediately following said period, notice of the acceptance of this bid shall be mailed, or delivered to him/her at the business address given below, or at any time thereafter before this bid is withdrawn, will within fifteen (15) days thereafter deliver to the DOH, where directed, a contract properly executed in such number of counterparts as may be required by said DOH, on the forms annexed, with such changes therein as shall have been made by DOH, prior to the time named for delivery of this proposal, together with an executed Completion Assurance Agreement with a Letter of Credit in a form satisfactory to the DOH and a letter indicating those Small/Minority Business Enterprises that will perform work and/or provide materials, equipment or services as part of the contract.

In submitting this bid, it is understood that the right is reserved by the abovementioned DOH to reject any and all bids; and it is agreed that this bid may not be withdrawn for a period of thirty (30) days from the date of bid opening or until the next work day immediately following said period if such period ends on a weekend or a State holiday.

Attached hereto is an affidavit, in proof that the undersigned has not entered into any collusion with any person in respect to this proposal, or any other proposal, or the submitting of proposals for the above Project. Also attached is a statement of contractor's qualifications, Certification of Bidder Regarding Equal Employment Opportunity, and Segregated Facilities.

**Acknowledgement of Bidder**

I, THE UNDERSIGNED AS AN AUTHORIZED OFFICER OF:

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Address)

\_\_\_\_\_  
(Telephone)

\_\_\_\_\_  
(City/State/Zip)

\_\_\_\_\_  
(Fax No.)

\_\_\_\_\_  
(FEIN)

I HEREBY SUBMIT THE FOLLOWING PRICES FOR THE PROJECT IDENTIFIED ABOVE: (Indicate in words and numerals)

BASE BID PRICE: Cost \_\_\_\_\_

AMOUNT IN WORDS: \_\_\_\_\_

\_\_\_\_\_  
(Signature)

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Printed Name)

\_\_\_\_\_  
(Title/Position)

(Email address) \_\_\_\_\_

**FORM OF NON-COLLUSIVE AFFIDAVIT**

AFFIDAVIT

State of \_\_\_\_\_)

County of \_\_\_\_\_)

\_\_\_\_\_, being first duly sworn, deposes and says:

That he/she is, \_\_\_\_\_ the party making the foregoing proposal for bid, that such proposal or bid is genuine and not collusive or sham; that said bidder has not colluded, conspired, connived or agreed, directly or indirectly, with any bidder or person, to put in a sham bid or to refrain from bidding, and has not, in any manner, directly or indirectly, sought by agreement or collusion, or communication or conference, with any person, to fix the bid price of affiant or of any other bidder, or to fix any overhead, profit or cost element of said bid price, or of that of any other bidder, or to secure any advantage against DOH or any person interested in the proposed contract, and that all statements in said proposal for bid are true.

Project No. \_\_\_\_\_

Location \_\_\_\_\_

\_\_\_\_\_

Signature

\_\_\_\_\_

Name and Title

\_\_\_\_\_

Date

(Signature should be notarized.)

### BIDDER'S CERTIFICATION OF ELIGIBILITY

By the submission of this bid, the bidder certifies that to the best of its knowledge and belief, neither it, nor any person or firm which has an interest in the bidder's firm, nor any of the bidder's subcontractors, is ineligible to:

- (1) Be awarded contracts by any agency of the United States Government or HUD; or,
- (2) Participate in HUD programs pursuant to 24 CFR part 24.

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address)

BY: \_\_\_\_\_

Title: \_\_\_\_\_

**NOTE:** This certification is a material representation of fact upon which reliance is placed when making award. If it is later determined that the bidder knowingly rendered an erroneous certification, the contract may be terminated for default, and the bidder may be debarred or suspended from participation in HUD programs and other Federal programs.

**CERTIFICATION OF GENERAL BIDDERS ON CDBG-DR CONSTRUCTION PROJECTS**

**I. CERTIFICATION REGARDING HEALTH AND SAFETY**

The undersigned hereby certifies that he/she is able to furnish labor that can work in harmony with all other elements of labor employed or to be employed on the work; that all employees to be employed at the worksite will have successfully completed a course in construction safety and health approved by the United States Occupational Safety and Health Administration that is at least ten hours in duration at the time the employee begins work and who shall furnish documentation of successful completion of said course with the first certified payroll report for each employee

**II. CERTIFICATION REGARDING NON-COLLUSION AND DEBARMENT**

The undersigned further certifies under the penalties of perjury that this bid is in all respects bona fide, fair and made without collusion or fraud with any other person. As used in this subsection the word "person" shall mean any natural person, joint venture, partnership, corporation or other business or legal entity. The undersigned further certifies that neither he/she nor any firm, corporation, partnership or association in which he/she has a substantial interest is designated as an ineligible contractor by the Comptroller General of the United States pursuant to Section 5.6 (b) of the Regulations of the Secretary of Labor, Part 5 (29 CFR, Part 5), or pursuant to Section 3 (a) of the Davis-Bacon Act, as amended (40 USC 276a). The undersigned further certifies that said undersigned is not presently debarred from doing public construction work in the State of Connecticut.

Date: \_\_\_\_\_

\_\_\_\_\_

Name of General Bidder

By \_\_\_\_\_

Signature

\_\_\_\_\_

Print name and title

\_\_\_\_\_

Business Address

\_\_\_\_\_

Street Address City and State

OSHA-10 OSHA-10

**CERTIFICATION OF SUB-BIDDERS (IF ANY) ON CDBG-DR CONSTRUCTION PROJECTS**

**I. CERTIFICATION REGARDING HEALTH AND SAFETY**

The undersigned hereby certifies that he/she is able to furnish labor that can work in harmony with all other elements of labor employed or to be employed on the work; that all employees to be employed at the worksite will have successfully completed a course in construction safety and health approved by the United States Occupational Safety and Health Administration that is at least ten hours in duration at the time the employee begins work and who shall furnish documentation of successful completion of said course with the first certified payroll report for each employee

**II. CERTIFICATION REGARDING NON-COLLUSION AND DEBARMENT**

The undersigned further certifies under penalties of perjury that this subbid is in all responses bona fide, fair and made without collusion or fraud with any other person. As used in this subsection the “person” shall mean any natural person, joint venture, partnership, corporation or other business or legal entity. The undersigned further certifies that neither he/she nor any firm, corporation, partnership or association in which he/she has a substantial interest is designated as an ineligible contractor by the Comptroller General of the United States pursuant to Section 5.6 (b) of the Regulations of the Secretary of Labor, Part 5 (29 CFR, Part 5), or pursuant to Section 3 (a) of the Davis-Bacon Act, as amended (40 USC 276a). The undersigned further certifies that said undersigned is not presently debarred from doing public construction work in the State of Connecticut.

Date \_\_\_\_\_

\_\_\_\_\_

Name of Sub-bidder

By \_\_\_\_\_

Signature

\_\_\_\_\_

Print Name and Title

\_\_\_\_\_

Business Name

\_\_\_\_\_

Street Address, City and State



**SUBCONTRACTOR IDENTIFICATION**

(Provide additional forms for more subcontractors, as needed.)

This form is a part of your bid package and must be submitted along with the itemized and formal bid forms at the time of the bid opening. Failure to submit a completed document could result in the disqualification of your bid.

Name of Subcontractor: \_\_\_\_\_

Address: \_\_\_\_\_

Trade: \_\_\_\_\_

Hourly Wage:   \$\_\_\_\_\_ Full Contract Price:   \$\_\_\_\_\_

Federal Tax# or SSN #: \_\_\_\_\_

Male Owned Business \_\_\_\_\_ Female Owned Business \_\_\_\_\_

Is he/she of Hispanic or Latino ethnicity? Yes \_\_\_\_\_ No \_\_\_\_\_

Race: (Please check one)

- White  American Indian/Alaskan Native  
 Black/African American  Hasidic Jew  
 Asian/Pacific American

---

---

Name of Subcontractor: \_\_\_\_\_

Address: \_\_\_\_\_

Trade: \_\_\_\_\_

Hourly Wage:   \$\_\_\_\_\_ Full Contract Price:   \$\_\_\_\_\_

Federal Tax# or SSN #: \_\_\_\_\_

Male Owned Business \_\_\_\_\_ Female Owned Business \_\_\_\_\_

Is he/she of Hispanic or Latino ethnicity? Yes \_\_\_\_\_ No \_\_\_\_\_

Race: (Please check one)

- White  American Indian/Alaskan Native  
 Black/African American  Hasidic Jew  
 Asian/Pacific American

---

---

Name of Subcontractor: \_\_\_\_\_

Address: \_\_\_\_\_

Trade: \_\_\_\_\_

Hourly Wage:   \$\_\_\_\_\_ Full Contract Price:   \$\_\_\_\_\_

Federal Tax# or SSN #: \_\_\_\_\_

Male Owned Business \_\_\_\_\_ Female Owned Business \_\_\_\_\_

Is he/she of Hispanic or Latino ethnicity? Yes \_\_\_\_\_ No \_\_\_\_\_

Race: (Please check one)

- White  American Indian/Alaskan Native  
 Black/African American  Hasidic Jew  
 Asian/Pacific American

---

Contractor's Signature

---

Date

U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

CERTIFICATION OF BIDDER REGARDING EQUAL EMPLOYMENT OPPORTUNITY

INSTRUCTIONS

This certification is required pursuant to Executive Order 11246 (30 F R 12319-25). The implementing rules and regulations provide that any bidder or prospective contractor, or any of their proposed subcontractors shall state as an initial part of the bid or negotiations of the contract whether it has participated in any previous contract or subcontract subject to the equal opportunity clause; and, if so, whether it has filed all compliance reports due under applicable instructions.

Where the certification indicates that the bidder has not filed a compliance report due under applicable instructions, such bidder shall be required to submit a compliance report within seven calendar days after bid opening. No contract shall be awarded unless such report is submitted.

CERTIFICATION OF BIDDER

Name and address of Bidder (include zip code)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

- 1. Bidder has participated in a previous contract or subcontract subject to the Equal Opportunity Clause.  
     YES    NO
- 2. Compliance reports were required to be filed in connection with such contract or subcontract.  
     YES    NO
- 3. Bidder has filed all compliance reports due under applicable instructions, including SF.100.  
     YES    NO    NOT REQUIRED
- 4. Have you ever seen or are you being considered for sanction due to violation of Executive Order 11246, as amended?  
     YES    NO
- 5. No segregated facilities will be maintained.

NAME AND TITLE OF SIGNER (Please type.)

\_\_\_\_\_

SIGNATURE	DATE
-----------	------

**Project #1419 LaRusso Residence/Project #1280 Smith Residence**  
**Green Building Standards Checklist**  
**HUD CPD Green Building Retrofit Checklist**

The CPD Green Retrofit Checklist promotes energy efficiency and green building practices for residential retrofit projects. Grantees must follow the checklist in its entirety and apply all measures within the Checklist to the extent applicable to the particular building type being retrofitted. The phrase “when replacing” in the Checklist refers to the mandatory replacement with specified green improvements, products, and fixtures only when replacing those systems during the normal course of the retrofit.

**WATER AND ENERGY CONSERVATION MEASURES**

N/A

**Water-Conserving Fixtures**

Install or retrofit water conserving fixtures in any unit and common facility, use the following specifications: Toilets-- 1.28 gpf; Urinals-- 0.5 gpf; Showerheads-- 2.0 gpm; Kitchen faucets-- 2.0 gpm; and Bathroom faucets-- 1.5gpm. [gpf = gallons per flush; gpm = gallons per minute]

N/A

**ENERGY STAR Appliances**

Install ENERGY STAR-labeled clothes washers, dishwashers, and refrigerators, if these appliance categories are provided in units or common areas.

N/A

**Air Sealing: Building Envelope**

Seal all accessible gaps and penetrations in the building envelope. If applicable, use low VOC caulk or foam.

N/A

**Insulation: Attic** (if applicable to building type)

For attics with closed floor cavities directly above the conditioned space, blow in insulation per manufacturer's specifications to a minimum density of 3.5 Lbs. per cubic foot (CF). For attics with open floor cavities directly above the conditioned space, install insulation to meet or exceed IECC levels.

N/A

**Insulation: Flooring** (if applicable to building type)

Install  $\geq$  R-19 insulation in contact with the subfloor in buildings with floor systems over vented crawl spaces. Install a 6-mil vapor barrier in contact with 100% of the floor of the crawl space (the ground), overlapping seams and piers at least 6 inches.

N/A

**Duct Sealing** (if applicable to building type)

In buildings with ducted forced-air heating and cooling systems, seal all penetrations of the air distribution system to reduce leakage in order to meet or exceed ENERGY STAR for Homes' duct leakage standard.

N/A

**Air Barrier System**

Ensure continuous unbroken air barrier surrounding all conditioned space and dwelling units. Align insulation completely and continuously with the air barrier.

X

**Radiant Barriers: Roofing**

When replacing or making a substantial repair to the roof, use radiant barrier sheathing or other radiant barrier material; if economically feasible, also use cool roofing materials.

N/A

**Windows**

When replacing windows, install geographically appropriate ENERGY STAR rated windows.

N/A

**Sizing of Heating and Cooling Equipment**

When replacing, size heating and cooling equipment in accordance with the Air Conditioning Contractors of America (ACCA) Manuals, Parts J and S, or 2012 ASHRAE Handbook--HVAC Systems and Equipment or most recent edition.

N/A

**Domestic Hot Water Systems**

When replacing domestic water heating system(s), ensure the system(s) meet or exceed the efficiency requirements of ENERGY STAR for Homes' Reference Design. Insulate pipes by at least R-4.

N/A

**Efficient Lighting: Interior Units**

Follow the guidance appropriate for the project type: install the ENERGY STAR Advanced Lighting Package (ALP); **OR** follow the ENERGY STAR MFHR program guidelines, which require that 80% of installed lighting fixtures within units must be ENERGY STAR-qualified or have ENERGY STAR-qualified lamps installed; **OR** when replacing, new fixtures and ceiling fans must meet or exceed ENERGY STAR efficiency levels.

N/A

**Efficient Lighting: Common Areas and Emergency Lighting** (if applicable to building type)

Follow the guidance appropriate for the project type: use ENERGY STAR-labeled fixtures or any equivalent high-performance lighting fixtures and bulbs in all common areas; **OR** when replacing, new common space and emergency lighting fixtures must meet or exceed ENERGY STAR efficiency levels. For emergency lighting, if installing new or replacing, all exist signs shall meet or exceed LED efficiency levels and conform to local building codes.

N/A

**Efficient Lighting: Exterior**

Follow the guidance appropriate for the project type: install ENERGY STAR-qualified fixtures or LEDs with a minimum efficacy of 45 lumens/watt; **OR** follow the ENERGY STAR MFHR program guidelines, which require that 80% of outdoor lighting fixtures must be ENERGY STAR-qualified or have ENERGY STAR-qualified lamps installed; **OR** when replacing, install ENERGY STAR compact fluorescents or LEDs with a minimum efficacy of 45 lumens/watt.

## INDOOR AIR QUALITY

N/A

**Air Ventilation: Single Family and Multifamily** (three stories or fewer)

Install an in-unit ventilation system capable of providing adequate fresh air per ASHRAE 62.2 requirements.

N/A

**Air Ventilation: Multifamily** (four stories or more)

Install apartment ventilation systems that satisfy ASHRAE 62.2 for all dwelling units and common area ventilation systems that satisfy ASHRAE 62.1 requirements. If economically feasible, consider heat/energy recovery for 100% of corridor air supply.

N/A

**Composite Wood Products that Emit Low/No Formaldehyde**

Composite wood products must be certified compliant with California 93120. If using a composite wood product that does not comply with California 93120, all exposed edges and sides must be sealed with low-VOC sealants.

N/A	<p><b>Environmentally Preferable Flooring</b></p> <p>When replacing flooring, use environmentally preferable flooring, including the FloorScore certification. Any carpet products used must meet the Carpet and Rug Institute's Green Label or Green Label Plus certification for carpet, pad, and carpet adhesives.</p>
N/A	<p><b>Low/No VOC Paints and Primers</b></p> <p>All interior paints and primers must be less than or equal to the following VOC levels: Flats--50 g/L; Non-flats--50 g/L; Floor--100 g/L. [g/L = grams per liter; levels are based on a combination of the Master Painters Institute (MPI) and GreenSeal standards.]</p>
X	<p><b>Low/No VOC Adhesives and Sealants</b></p> <p>All adhesives must comply with Rule 1168 of the South Coast Air Quality Management District. All caulks and sealants must comply with regulation 8, rule 51, of the Bay Area Air Quality Management District.</p>
N/A	<p><b>Clothes Dryer Exhaust</b></p> <p>Vent clothes dryers directly to the outdoors using rigid-type duct work.</p>
X	<p><b>Mold Inspection and Remediation</b></p> <p>Inspect the interior and exterior of the building for evidence of moisture problems. Document the extent and location of the problems, and implement the proposed repairs according to the Moisture section of the EPA Healthy Indoor Environment Protocols for Home Energy Upgrades.</p>
N/A	<p><b>Combustion Equipment</b></p> <p>When installing new space and water-heating equipment, specify power-vented or direct vent combustion equipment.</p>
N/A	<p><b>Mold Prevention: Water Heaters</b></p> <p>Provide adequate drainage for water heaters that includes drains or catch pans with drains piped to the exterior of the dwelling.</p>
N/A	<p><b>Mold Prevention: Surfaces</b></p> <p>When replacing or repairing bathrooms, kitchens, and laundry rooms, use materials that have durable, cleanable surfaces.</p>
N/A	<p><b>Mold Prevention: Tub and Shower Enclosures</b></p> <p>When replacing or repairing tub and/or shower enclosures, use non-paper-faced backing materials such as cement board, fiber cement board, or equivalent in bathrooms.</p>
N/A	<p><b>Integrated Pest Management</b></p> <p>Seal all wall, floor, and joint penetrations with low-VOC caulking or other appropriate sealing methods to prevent pest entry. [If applicable, provide training to multifamily buildings staff.]</p>
N/A	<p><b>Lead-Safe Work Practices</b></p> <p>For properties built before 1978, if the project will involve disturbing painted surfaces or cleaning up lead contaminated dust or soil, use certified renovation or lead abatement contractors and workers using lead-safe work practices and clearance examinations consistent with the more stringent of EPA's Renovation, Repair, and Painting Rule and HUD's Lead Safe Housing Rule.</p>

X

**Radon Testing and Mitigation** (if applicable based on building location)

For buildings in EPA Radon Zone 1 or 2, test for radon using the current edition of American Association of Radon Scientists and Technologists (AARST)'s Protocols for Radon Measurement in Homes Standard for Single-Family Housing or Duplexes, or AARST's Protocol for Conducting Radon and Radon Decay Product Measurements in Multifamily Buildings. To install radon mitigation systems in buildings with radon level of 4 pCi/L or more, use ASTM E 2121 for single-family housing or duplexes, or AARST's Radon Mitigation Standards for Multifamily Buildings. For new construction, use AARST's Reducing Radon in New Construction of 1 & 2 Family Dwellings and Townhouses, or ASTM E 1465.

## Section 2

### General Conditions

1. The purpose of this HUD and DOH sponsored 0% interest loan Owner Occupied Rehabilitation and Rebuilding program is to make good faith efforts to assist qualified property owners in making repairs to their property damaged by Superstorm Sandy. Eligible repairs include code, health and safety compliance modifications, including but not limited to building envelope and energy efficiency upgrades (See Green Building Standards).
2. In the event that the homeowner is dissatisfied with the work performed although the work has been completed to industry standards, approved by the local municipality's code enforcement officials and approved by the DOH or its agent, the homeowner's approval will be overridden, full payment will be issued to the contractor and the project will be officially closed.
3. The owner is responsible for removal or relocation from the respective work areas the following, including but not necessarily limited to: personal belongings, window treatments, small furniture, fixtures, area carpets, interior and exterior plants. The contractor will be responsible for covering and protecting large furniture unable to be removed from the respective work areas.
4. The Contractor, unless otherwise specified, shall provide all labor, materials, tools, equipment, and related items required for the erection and completion of all work indicated in this project manual and as may be inferred, implied or otherwise necessary for the proper execution of the work.
5. The Contractor shall pay all necessary taxes, fees, and permits necessary to complete all of his work as detailed on the attached scope of work.
6. The premises herein shall be occupied during the course of the construction work.
7. All rehabilitation, alterations, repairs, or extensions shall be in compliance with all applicable codes of the Municipality, HUD requirements or compliance with the latest edition of the International Building Code, which ever applies and is the more strict. All electrical, heating, and plumbing work shall comply with the rules and regulations of the National, State and Local Codes. Before commencing work, contractors and/or subcontractors shall obtain all necessary permits.
8. The Contractor certifies that he has familiarized himself with the requirements of the specifications and plans and understands the extent and character of the work to be done, and inspected the premises and given his full attention to any and all areas with which he might become specifically involved. He must familiarize himself with all conditions relating to and affecting his work and bid.
9. The selected Contractor must, prior to contract signing, supply the DOH and the Owner with the original certificates of insurance in accordance with the following insurance requirements:
  - A. Contractor shall procure and maintain for the duration of the Agreement the following types of insurance, in amounts no less than the stated limits, against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work hereunder:
    - 1) Workers' Compensation Insurance: The Contractor shall maintain full and complete Workers' Compensation Insurance for all of its employees and those of its subcontractors engaged in work on the premises, in accordance with the local and state laws governing the same, in the minimum amounts of \$100,000 each accident, \$500,000 disease – Policy limit, \$100,000 disease – each employee.
    - 2) General Liability Insurance: The Contractor shall furnish evidence of a comprehensive general liability insurance coverage with a combined single limit for bodily injury, death, and property damage in the amount of \$1,000,000 per occurrence, naming the Owner and the State as additional insured. This shall cover the use of all equipment, hoists and vehicles on the Premises not covered by any automobile liability policy. If the Contractor has a "claims-made" policy, then the following additional requirements apply: (a) the policy must provide a retroactive date which must be on or before the execution date of this Agreement and (b) the extended reporting period may not be less than five (5) years following the Construction Completion Date.
    - 3) Automobile Liability: The Contractor shall furnish evidence of Automobile Liability insurance with minimum limits of \$1,000,000 per occurrence, combined single limit for bodily injury and property damage liability. This shall include owned vehicles, non-owned vehicles and employee non-ownership.
    - 4) Cargo Insurance: The Contractor shall furnish evidence of all-risk cargo insurance, with a minimum limit of \$\_\_\_\_\_ per occurrence when the project involves raising a structure above the Base Flood Elevation.
    - 5) Builders Risk: The Contractor shall maintain Builder's Risk (fire and extended coverage) insurance providing coverage for the entire work at the project site, including all work in place, all materials stored at the building site, foundations and building equipment. Coverage shall be on a completed value form basis in an amount equal to the projected value of the project. The Contractor agrees to endorse the State of Connecticut and the Owner as Loss Payees.

B. Additional Insurance Provisions

- 1) Each of the Owner and the State of Connecticut Department of Housing, and their successors and assigns, as their interests may appear, shall be named as an Additional Insured on the Commercial General Liability policy.
  - 2) Described insurance shall be primary coverage and Applicant and Applicant's insurer shall have no right of subrogation recovery or subrogation against the State of Connecticut.
  - 3) Applicant shall assume any and all deductibles in the described insurance policies.
  - 4) Without limiting Applicant's obligation to procure and maintain insurance for the duration identified in (A) above, each insurance policy shall not be suspended, voided, cancelled or reduced except after thirty (30) days prior written notice by certified mail has been given to the State of Connecticut, with the exception that a ten (10) day prior written notice by certified mail for non-payment of premium is acceptable.
  - 5) Each policy shall be issued by an Insurance Company licensed to do business by Connecticut Department of Insurance and having a minimum Best Rating of A- or equivalent or as otherwise approved by the State.
10. DOH and its agents must be notified prior to start of work of any subcontractor to be paid for work on the job who is different from the subcontractor identified in original bid proposal.
  11. Working times for the project shall be Monday through Friday 8 am to 5 pm (EST). Contractors must request permission from owner and be in compliance with local municipal ordinances prior to working longer hours or weekends.
  12. All materials shall be new and of acceptable quality. The Contractor shall submit proof of purchase of warrantee items at closeout. The property Owner shall select all colors, models, etc. as per scope of work. All materials and work must be applied in accordance with the applicable manufacturer's latest instructions and specifications, and in accordance with Federal prohibitions against the use of lead paint.
  13. All manufacturers' warranties are to be extended to the property Owner free and clear of all liens. Unless otherwise specified, all labor, material, and workmanship provided by the Contractor shall be guaranteed by the Contractor, including that of subcontractors, for a one (1) year period from the date of the Final Payment. This guarantee shall be in addition to and not in limitation of, in lieu of, or modify and other guarantee that is due the property Owner from any manufacturer.
  14. The Contractor shall repair or replace all work, materials and equipment which are found to be defective during construction and the guarantee period. Repair shall include all damage to surrounding work caused by the failure and/or necessary for the repair or replacement of the defect. All repairs and replacements shall be performed at no additional expense to the Owner and shall be completed promptly after the Contractor receives notice of the defect.
  15. The Contractor shall take all necessary measures and precautions to protect the surroundings from damage occurring due to performance of the work. All areas and surfaces of the existing building which are affected by the execution of the new work (removals, demolition, repairs etc.) shall be patched and restored to either match the existing adjacent conditions or to match the new work, whichever is applicable. If such damage occurs it will be repaired by the Contractor at no cost to the Owner. Contractor shall provide all temporary shoring, bracing and other construction (interior and exterior) required to perform the work of this contract.
  16. The Contractor shall dispose of all debris and remove all material resulting from his work in accordance with local and State law. The Contractor shall police and maintain a clean and safe job site daily. He shall reinstall accessories taken down and clean up all scrap around the project and remove fingerprints. All on-site maintenance relating to the performance of the work shall be the responsibility of the Contractor until the Certificate of Completion is issued. The project shall be maintained in a habitable and safe condition daily if the project is to remain occupied.
  17. Materials and products not otherwise specified in these documents shall be to match building standards and existing conditions, provided such items are in compliance with all applicable codes. Such codes set the minimum standards to be achieved.
  18. All work shall be neat and accurate and done in a manner in accordance with customary trade practices. **The Contractor, at a minimum, shall leave the premises broom clean and orderly after each working day and shall keep the premises free from accumulation of materials and rubbish by disposing of such debris in an onsite disposal container (provided by the contractor) or removed by vehicle in accordance with all applicable state and local regulations.** At the completion of the project the Contractor shall remove all excess materials from the site. Any surplus material agreed to be left for the owner shall be stored neatly by the contractor in a location directed by the owner free from weather, spoilage or pilferage.
  19. The Contractor shall coordinate any work which interfaces with other Contractors or with the operations of the Owner. The Contractor shall take all necessary precautions to prevent fire, bodily injury, damage to property and any other calamities that may arise which pose a threat to life, limb property.
  20. The Contractor shall not make any changes to the scope of work unless a change order is processed and fully executed by the DOH.

21. The Owner may cancel this contract within three days of signing and not be liable to the Contractor or DOH. Should the Owner opt to cancel they must sign and send a Notice of Cancellation to DOH, otherwise DOH shall issue a Notice to Proceed authorizing the contractor to commence with the proposed improvements.
22. The Contractor shall commence work under this contract within 15 work days of the date of the notice to proceed and complete work within **60** calendar days of the notice to proceed.
23. If the Contractor is delayed at any time in the progress of the work by any act or neglect of the Owner or by any employee of the Owner, or by any separate Contractor employed by the Owner, or by changes ordered in the work or by labor disputes, fire, unusual delay in delivery of materials, transportation, adverse weather conditions not reasonably anticipatable, unavoidable casualties, or any cause beyond the Contractor's control, or by delay authorized by the Owner pending arbitration, or by any other cause which justifies the delay, the contract time may be extended by Change Order for such reasonable time as may be agreed upon by all parties. It shall be the responsibility of the Contractor to request and document in writing such extensions within three (3) work days.
24. In the event that the Contractor does not commence or pursue the work as hereinafter stated, then DOH shall have the right to terminate this agreement and to hire a successor Contractor to perform the work. Any such termination shall be by certified mail to the address noted in this agreement, and shall be effective as of the date of mailing. Payments by the DOH/Owner in the event of termination shall be as follows:
25. The successor Contractor shall first be paid and then the terminated Contractor. Payments to the terminated Contractor shall be limited both as to those funds remaining after payment to the successor Contractor but shall not exceed the value of the work actually performed by the terminated Contractor. Further, should the total cost for work performed under this contract exceed the amount stated in this agreement due to the Contractor's termination, then the Owner shall have a cause of action against the terminated Contractor for any such additional cost.
26. If, through any cause, the Contractor shall fail to fulfill in a timely and proper manner his obligations under this Contract, or if the Contractor shall violate any of the covenants, agreements, or stipulations of this Contract, DOH shall, thereupon, have the right to terminate this Contract by giving written notice to the Contractor of such termination and specifying the effective date of such termination. In such event, all unfinished work required by the Contractor under this Contract shall, at the option of the DOH, be completed or not.
27. Payments
  - 1) DOH/Homeowner shall pay the Contractor the price as provided in this contract.
  - 2) DOH shall make progress payments approximately every 30 days as the work proceeds, on estimates of work accomplished which meets the standards of quality established under the contract, as approved by the Contracting Officer. DOH may, subject to written determination and approval of the Contracting Officer, make more frequent payments to contractors which are qualified small businesses.
  - 3) Before the first progress payment under this contract, the Contractor shall furnish, in such detail as requested by the Contracting Officer, a breakdown of the total contract price showing the amount included therein for each principal category of the work, which shall substantiate the payment amount requested in order to provide a basis for determining progress payments. The breakdown shall be approved by the Contracting Officer and must be acceptable to DOH. The values and quantities employed in making up this breakdown are for determining the amount of progress payments and shall not be construed as a basis for additions to or deductions from the contract price. The Contractor shall prorate its overhead and profit over the construction period of the contract.
  - 4) The Contractor shall submit, on AIA forms provided by DOH, periodic estimates showing the value of the work performed during each period based upon the approved breakdown of the contract price. Such estimates shall be submitted not later than 14 days in advance of the date set for payment and are subject to correction and revision as required. The estimates must be approved by the Contracting Officer with the concurrence of the Architect prior to payment. If the contract covers more than one project, the Contractor shall furnish a separate progress payment estimate for each.
  - 5) Along with each request for progress payments and the required estimates, the Contractor shall furnish lien waivers and labor releases as good and sufficient evidence that the premises are free from all liens, damages, and anything chargeable to said contractor.
  - 6) Except as otherwise provided in State law, DOH shall retain five (5) percent of the amount of progress payments until completion and acceptance of all work under the contract; except, that if upon completion of 50 percent of the work, the Contracting Officer, after consulting with the Architect, determines that the Contractor's performance and progress are satisfactory, DOH may make the remaining payments in full for the work subsequently completed. If the Contracting Officer subsequently determines that the Contractor's performance and progress are unsatisfactory, DOH shall reinstate the five (5) percent retainage until such time as the Contracting Officer determines that performance and progress are satisfactory. Retainage will be released 90 days after project completion.
  - 7) The Contracting Officer may authorize material delivered on the site and preparatory work done to be taken into consideration when computing progress payments. Material delivered to the Contractor at locations other than the site may also be taken into consideration if the Contractor furnishes satisfactory evidence that (1) it has acquired title to such material; (2) the material is properly stored in a bonded warehouse, storage yard, or similar suitable place as may be approved by the Contracting Officer; (3) the material is insured to cover its full value; and (4) the material will be used to perform this contract. Before any progress payment which includes delivered material is made, the Contractor shall furnish such documentation as the Contracting Officer may require to assure the protection of DOH's/Homeowner's interest in such materials. The Contractor shall remain responsible for such stored material notwithstanding the transfer of title to the Homeowner.
  - 8) All material and work covered by progress payments made shall, at the time of payment become the sole property of the Homeowner, but this shall not be construed as (1) relieving the Contractor from the sole responsibility for all material and work upon which payments have been made or the restoration of any damaged work; or, (2) waiving the right of DOH/Homeowner to require the fulfillment of all of the terms of the contract. In the event the work of the Contractor has been damaged by other contractors or persons other than employees of DOH in the course of their employment, the Contractor shall restore such damaged work without cost to DOH/Homeowner and to seek redress for its damage only from those who directly caused it.

- 9) DOH shall make the final payment due the Contractor under this contract after (1) completion and final acceptance of all work; and (2) presentation of release of all claims against DOH/Homeowner arising by virtue of this contract, other than claims, in stated amounts, that the Contractor has specifically excepted from the operation of the release. Each such exception shall embrace no more than one claim, the basis and scope of which shall be clearly defined. The amounts for such excepted claims shall not be included in the request for final payment. A release may also be required of the assignee if the Contractor's claim to amounts payable under this contract has been assigned.
  - 10) Prior to making any payment, the Contracting Officer may require the Contractor to furnish receipts or other evidence of payment from all persons performing work and supplying material to the Contractor, if the Contracting Officer determines such evidence is necessary to substantiate claimed costs.
  - 11) DOH shall not; (1) determine or adjust any claims for payment or disputes arising there under between the Contractor and its subcontractors or material suppliers; or, (2) withhold any moneys for the protection of the subcontractors or material suppliers. The failure or refusal of DOH to withhold moneys from the Contractor shall in nowise impair the obligations of any surety or sureties under any bonds furnished under this contract.
28. Disputes
- 1) "Claim," as used in this clause, means a written demand or written assertion by one of the contracting parties seeking, as a matter of right, the payment of money in a sum certain, the adjustment or interpretation of contract terms, or other relief arising under or relating to the contract. A claim arising under the contract, unlike a claim relating to the contract, is a claim that can be resolved under a contract clause that provides for the relief sought by the claimant. A voucher, invoice, or other routine request for payment that is not in dispute when submitted is not a claim. The submission may be converted to a claim by complying with the requirements of this clause, if it is disputed either as to liability or amount or is not acted upon in a reasonable time.
  - 2) Except for disputes arising under the clauses entitled Labor Standards - Davis Bacon and Related Acts, herein, all disputes arising under or relating to this contract, including any claims for damages for the alleged breach thereof which are not disposed of by agreement, shall be resolved under this clause.
  - 3) All claims by the Contractor shall be made in writing and submitted to the Contracting Officer for a written decision.
  - 4) A claim by the Homeowner against the Contractor shall be subject to a written decision by the Contracting Officer.
  - 5) The Contracting Officer shall, within calendar 60 (unless otherwise indicated) days after receipt of the request, decide the claim or notify the Contractor of the date by which the decision will be made.
  - 6) The Contracting Officer's decision shall be final unless the Contractor (1) appeals in writing to a higher level in DOH in accordance with DOH's policy and procedures, (2) refers the appeal to an independent mediator or arbitrator, or (3) files suit in a court of competent jurisdiction. Such appeal must be made within (30 unless otherwise indicated) calendar days after receipt of the Contracting Officer's decision.
  - 7) The Contractor shall proceed diligently with performance of this contract, pending final resolution of any request for relief, claim, appeal, or action arising under or relating to the contract, and comply with any decision of the Contracting Officer.
29. The Contractor will not discriminate against any employee or applicant for employment because of race, color, creed, religion, sex, sexual preference, national origin, or mental or physical disability during the performance of this agreement. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, in all employment practices such as the following: employment upgrading, demotion or transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation and selection for training, including apprenticeship, without regard to their race, color, creed, religion, sex, sexual preference, national origin or mental or physical disability. This provision will be inserted in all subcontracts, if any, for work covered by this agreement.
30. Equal Employment Opportunity (EEO) Clause
- During the performance of this contract, the Contractor agrees as follows:
- 1) The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and the employees are treated during employment without regard to their race, color, religion, sex or national origin. Such action shall include, but not be limited to the following: Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.
  - 2) The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex or national origin.
  - 3) The Contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representative of the Contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
  - 4) The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations and relevant orders of the Secretary of Labor.
  - 5) The Contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations and orders.
  - 6) In the event of the Contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by the rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

- 7) The Contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The Contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance. Provided, however, that in the event a Contractor becomes involved in, or is threatened with litigation with a subcontractor or vendor as a result of such direction by the administering agency the contractor may request the United States to enter into such litigation to protect the interests of the United States.
31. In the event of the Contractor's noncompliance with this equal opportunity clause or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further contracts in accordance with procedures authorized in Presidential Executive Order 11246, or by rule, regulations, or order of the Secretary of Labor or as provided by law.
32. The following applies to all contracts of \$10,000,000.00 or more: SECTION 402 VETERANS OF THE VIETNAM ERA. AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VEITNAM ERA. The Contractor will not discriminate against any employee or applicant for employment because he or she is a disabled veteran of the Vietnam era in regard to any position for which the employee or applicant for employment is qualified. The Contractor agrees to take affirmative action to employ, advance in employment and otherwise treat qualified disabled veterans and veterans of the Vietnam era without discrimination based upon their disability or veteran status in all employment practices such as the following: employment upgrading, demotion or transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation and selection for training, including apprenticeship.
33. No officer, employee or member of the Governing Body of the Municipality shall have any financial interest, direct or indirect, in this contract or the proceeds of this loan.
34. DOH retains the right to reject any or all bids or any part of any bid in part or in whole if deemed to be in the best interest of the project.
35. Substitutions of materials from that specified are only allowed on an approved/equal basis. The Contractor must submit written documentation of the substitute item or material for approval by the Owner and Program prior to making such substitution. Any items or material substituted by the Contractor without prior written approval of the Owner and Program will at the Contractor's expense be replaced if it is determined not to be equal to the item or material specified. Any surrounding, adjoining, or dependent items affected by replacement of the unequal substituted material shall also be replaced, reworked, and reinstalled at no cost to the Owner.
36. Bids shall contain prices for general categories of work and/or items as specified on the provided bid sheets. In the case of a mathematical error by the Contractor, the correct sum of the individual line items in the cost summary shall be the Contractor's bid.
37. All bids shall remain in effect for thirty (30) calendar days.
38. The Owner will supply all necessary power required by the Contractor at no additional cost to complete his work. Power shall be limited to the use of existing outlets and shall not exceed the existing capacity of the system. Power required over the capacity of the existing electrical system shall be the responsibility of the Contractor. Heating during construction shall be supplied by the Owner.
39. If any unseen or unknown asbestos related conditions arise during the work the Contractor shall stop all work immediately and notify the DOH of such.
40. OTHER PROVISIONS – LEAD BASED PAINT

For properties built before 1978, if the project will involve disturbing painted surfaces or cleaning up lead contaminated dust or soil, use certified renovation or lead abatement contractors and workers using lead-safe work practices and clearance examinations consistent with the more stringent of EPA's Renovation, Repair, and Painting Rule and HUD's Lead Safe Housing Rule. The Contractor shall comply with the requirements concerning lead-based paint contained in the Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4821-4846) as implemented by 24 CFR Part 35 and EPA's Repair Renovation, and Painting Rule at 40 CFR.80 Subpart E.

Any and all rehabilitation work under this Agreement will comply with the requirements of the Federal Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4831) which prohibits the use of lead-based paint in residential structures constructed or rehabilitated with Federal Assistance in any form.

The construction or rehabilitation of residential structures with assistance provided under this contract is subject to the final regulations "Requirements for Notification, Evaluation and Reduction of Lead-Based Paint Hazards in Federally owned Residential Property and Housing Receiving Federal Assistance." The regulation is at 24 CFR part 35. It implements sections 1012 and 1013 of the Residential Lead-Based Paint Hazard Reduction Act of 1992, Title X, of the Housing and Community Development Act of 1992. Sections 1012 and 1013 amend the Lead-Based Paint Poisoning Prevention Act of 1971.

Beginning April 22, 2010, the Contractor is required to have a certificate from a 6 hour EPA/HUD RRP lead remediation course.

41. The Contractor shall comply with the provisions of the immigration Reform and Control Act of 1986 effective and enforceable as of June 6, 1987 which Act makes unlawful the hiring for employment or subcontracting individuals failing to provide documentation of legal eligibility to work in the United States. The Contractor shall hold DOH, its agents and the Homeowner harmless for the failure to comply with the provisions of said Act.

## Section 3.0

# Scope of Work and Specifications

### **Section 3.1 DESCRIPTION OF WORK**

The proposed work plan for the 14 Hawthorne Street South, Units A & B, property includes selective and general demolition, and replacement of the roof shingles. As such, the work zone as described consists of the entire exterior of the structure and attic.

A NEPA Environmental Review was performed and resulted in the identification of mold on wooden surfaces within the attic. The contractor is required to address these items in accordance with all appropriate regulatory requirements and industry standards and guidelines as described herein.

The contractor shall perform all restoration, services and remodeling work as described herein and listed in the Bill of Materials/Quantities/Site Photo Section 3.3. All work shall be performed in accordance with all applicable state and local building codes and manufacturers' specifications for the material being installed. All roofing material and color selections shall be approved by the homeowner.

The contractor is responsible for obtaining any and all permits necessary to complete the work. The contractor shall complete all work to the satisfaction of the homeowner, the CT Department of Housing or their authorized representative, and the local building department.

## **Section 3.2**

### **Specifications**

#### **3.2.1 Environmental Remediation (See “NEPA Environmental Review Report” Appendix B)**

(A) Mold Abatement - Based on the results of the mold inspection; mold was observed on various wooden surfaces throughout the attic of the building. Due to the nature of the project, the mold will need to be abated by a qualified contractor. Additional suspect mold may be encountered during renovations in spaces that were inaccessible or not apparent during the inspection. As such, the contractor shall provide that a competent person who is capable of identifying additional suspect areas of mold be present during the renovation work. To protect occupant health, the mold must be abated. During the completion of the proposed work activities, mold-affected areas and any porous materials containing visible mold that are encountered during the renovation shall be removed in accordance with local, state, and federal regulations including, but not limited to, the guidelines put forward in the most recent version of the Institute for Inspection, Cleaning, and Restoration Certificate (IICRC) Standard and Reference Guide for Mold Remediation as well as the Connecticut Guidelines for Mold Abatement Contractors. The abatement contractor must provide credentials/adequate qualification documentation and a work plan for abatement work with its bid for review by Merritt Construction Services, Inc. and Triton Environmental, Inc.

(B) PCB Evaluation – Given the age of the building, it is possible that PCB-containing Materials (sealants, flashing) are present on the roof. However, due to access limitations, sampling was not conducted at the time of the field surveys. As indicated in Section 5.0 of the NEPA Report, sampling is recommended as part of the project.

The above items are intended to provide professional contractors with the basis on which to provide a bid for abatement services and are not intended to serve as a formal bid specification or design documents.

#### **3.3.2 Roofing**

(A) Roof coverings shall be applied in accordance with the applicable provisions of this section and the manufacturer’s installation instructions.

(B) Asphalt shingles. The installation of asphalt shingles shall comply with the provisions of this section. Asphalt shingles shall only be used on roof slopes of two units vertical in 12 units horizontal (17-percent slope) or greater. The shingles shall be of a 3-Tab Fiberglass Asphalt Construction with a 5” exposure and provide a minimum 25-year Limited Warranty. Asphalt shingles shall have self-seal strips or be

interlocking, and comply with ASTM D 225 or ASTM D 3462. The shingle system shall meet or exceed the ASTM's 110mph and 150mph wind load tests.

(C) Fasteners for asphalt shingles shall be galvanized, stainless steel, aluminum or copper roofing nails, minimum 12 gage [0.105 inch (2.67 mm)] shank with a minimum 0.375 inch-diameter (9.5 mm) head, of a length to penetrate through the roofing materials and a minimum of 0.75 inch (19.1 mm) into the roof sheathing. Where the roof sheathing is less than 0.75 inch (19.1 mm) thick, the nails shall penetrate through the sheathing. Fasteners shall comply with ASTM F 1667.

(D) Attachment. Asphalt shingles shall have the minimum number of fasteners required by the manufacturer and shall be secured to the roof with not less than four fasteners per strip shingle or two fasteners per individual shingle.

(E) Underlayment. Unless otherwise noted, required underlayment shall conform to ASTM D 226, Type I, or ASTM D 4869, Type I.

Self-adhering polymer modified bitumen sheet. Self-adhering polymer modified bitumen sheet shall comply with ASTM D 1970. 1507.2.8.2.

Ice dam membrane. In areas where the average daily temperature in January is 25°F (-4°C) or less or where there is a possibility of ice forming along the eaves causing a backup of water, a membrane that consists of at least two layers of underlayment cemented together or of a self-adhering polymer modified bitumen sheet shall be used in lieu of normal underlayment and extend from the eave's edge to a point at least 24 inches (610 mm) inside the exterior wall line of the building.

For roof slopes from two units vertical in 12 units horizontal (17-percent slope), underlayment shall be two layers applied in the following manner. Apply a minimum 19-inch-wide (483 mm) strip of underlayment felt parallel with and starting at the eaves, fastened sufficiently to hold in place. Starting at the eave, apply 36-inch-wide (914 mm) sheets of underlayment overlapping successive sheets 19 inches (483 mm) and fastened sufficiently to hold in place. For roof slopes of four units vertical in 12 units horizontal (33-percent slope) or greater, underlayment shall be one layer applied in the following manner. Underlayment shall be applied shingle fashion, parallel to and starting from the eave and lapped 2 inches (51 mm), fastened only as necessary to hold in place. Ice and water shield shall be installed for all eaves and valleys per the manufacturer's specification requirements.

(F) Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 2 inches (51 mm). Eave drip edges shall extend 0.25 inch (6.4 mm) below sheathing and extend back on the roof a minimum of 2 inches (51 mm). Drip edge shall be mechanically fastened a maximum of 12 inches (305 mm) o.c. A cricket or saddle shall be installed on the ridge side of any chimney greater than 30 inches (762 mm) wide. Cricket or saddle coverings shall be sheet metal or of the same material as the roof covering.

(G) Flashing and counter flashing shall be made with sheet metal. Valley flashing shall be a minimum of 15 inches (381 mm) wide. Valley and flashing metal shall be a minimum uncoated thickness of 0.0179-inch (0.455 mm) zinc-coated G90. Skylight flashing may be provided in the form of a kit containing pre-painted aluminum or metal flashing with colors matching the shingle color approved by the homeowner. Chimneys, stucco or brick walls shall have a minimum of two plies of felt for a cap flashing consisting of a 4-inch-wide (102 mm) strip of felt set in plastic cement and extending 1 inch (25 mm) above the first felt and a top coating of plastic cement. The felt shall extend over the base flashing 2 inches (51 mm).

## Section 3.3

Bill of Materials/Quantities/Site Photos

**General**

---

<b>DESCRIPTION</b>	<b>QNTY</b>
1. Dumpster load - Approx. 30 yards, 5-7 tons of debris	0.50 EA

NOTES:

---

**Roof**

---

<b>DESCRIPTION</b>	<b>QNTY</b>
2. R&R Sheathing - plywood - 5/8" CDX	192.00 SF
3. 3 tab - 25 yr. - composition shingle roofing - incl. felt	11.33 SQ
4. Remove 3 tab - 25 yr. - composition shingle roofing - incl. felt	10.25 SQ
5. R&R Drip edge	112.50 LF
6. R&R Chimney flashing - average (32" x 36")	0.50 EA
7. R&R Flashing - pipe jack	1.00 EA
8. Additional charge for high roof (2 stories or greater)	7.50 SQ
9. Ice & water shield	190.00 SF
Ice & Watersheild for eaves and valleys.	
10. PCB sampling	1.00 EA
PCB sampling as required by NEPA report prior to removal of caulk around roof vents.	
11. R&R Skylight flashing kit	1.00 EA
 3/26/2014 IMG_8988	
 3/26/2014 IMG_8986	

NOTES:

---

**Attic**

---

**DESCRIPTION**

**QNTY**

12. Seal the surface area w/anti-microbial coating - one coat

150.00 SF

Mold was visually identified on the attic side of some of the roof decking. An allowance for sheathing replacement and encapsulation has been incorporated within the scope of work.

 6/12/2014 IMG\_9224

---

NOTES:

---

**General**

---

<b>DESCRIPTION</b>	<b>QNTY</b>
1. Dumpster load - Approx. 30 yards, 5-7 tons of debris	0.50 EA

NOTES:

---

**Roof**

---

<b>DESCRIPTION</b>	<b>QNTY</b>
2. R&R Sheathing - plywood - 5/8" CDX	192.00 SF
3. 3 tab - 25 yr. - composition shingle roofing - incl. felt	11.33 SQ
4. Remove 3 tab - 25 yr. - composition shingle roofing - incl. felt	10.25 SQ
5. R&R Drip edge	112.50 LF
6. R&R Chimney flashing - average (32" x 36")	0.50 EA
7. R&R Flashing - pipe jack	1.00 EA
8. Additional charge for high roof (2 stories or greater)	7.50 SQ
9. Ice & water shield	190.00 SF
Ice & Watersheild for eaves and valleys.	
10. PCB sampling	1.00 EA
PCB sampling as required by NEPA report prior to removal of caulk around roof vents.	
11. R&R Skylight flashing kit	1.00 EA
 3/26/2014 IMG_8988	
 3/26/2014 IMG_8986	

NOTES:

---

**Attic**

---

**DESCRIPTION**

**QNTY**

12. Seal the surface area w/anti-microbial coating - one coat

150.00 SF

Mold was visually identified on the attic side of some of the roof decking. An allowance for sheathing replacement and encapsulation has been incorporated within the scope of work.

 6/12/2014 IMG\_9224

---

NOTES:

---



1 IMG\_8988

Date Taken: 3/26/2014

Taken By: Merritt Staff Estimator



2 IMG\_8986

Date Taken: 3/26/2014

Taken By: Merritt Staff Estimator



3

IMG\_9224

Date Taken: 6/12/2014

Taken By: Merritt Staff Estimator

Mold Noted on Plywood

## Section 3.4

### Contractor Bid Breakdown

**DMO GENERAL DEMOLITION**

DMO	DUMP>	- Dumpster load - Approx. 30 yards, 5-7 tons of debris	0.50 EA	_____	=	_____	[ ]
DMO	SH5/8	- Sheathing - plywood - 5/8" CDX	192.00 SF	_____	=	_____	[ ]
DMO	240	- 3 tab - 25 yr. - composition shingle roofing - incl. felt	10.25 SQ	_____	=	_____	[ ]
DMO	DRIP	- Drip edge	112.50 LF	_____	=	_____	[ ]
DMO	FLCH	- Chimney flashing - average (32" x 36")	0.50 EA	_____	=	_____	[ ]
DMO	FLPIPE	- Flashing - pipe jack	1.00 EA	_____	=	_____	[ ]
DMO	DDFL>+	- Skylight flashing kit	1.00 EA	_____	=	_____	[ ]

**TOTAL GENERAL DEMOLITION** = \_\_\_\_\_

**FRM FRAMING & ROUGH CARPENTRY**

FRM	SH5/8	+ Sheathing - plywood - 5/8" CDX	192.00 SF	_____	=	_____	[ ]
-----	-------	----------------------------------	-----------	-------	---	-------	-----

**TOTAL FRAMING & ROUGH CARPENTRY** = \_\_\_\_\_

**PNT PAINTING**

PNT	S+++	+ Seal {V} w/anti-microbial coating - one coat	150.00 SF	_____	=	_____	[ ]
-----	------	--	-----------	-------	---	-------	-----

**TOTAL PAINTING** = \_\_\_\_\_

**RFG ROOFING**

RFG	240	+	3 tab - 25 yr. - composition shingle roofing - incl. felt	11.33 SQ	_____	=	_____	[ ]	
RFG	DRIP	+	Drip edge	112.50 LF	_____	=	_____	[ ]	
RFG	FLCH	+	Chimney flashing - average (32" x 36")	0.50 EA	_____	=	_____	[ ]	
RFG	FLPIPE	+	Flashing - pipe jack	1.00 EA	_____	=	_____	[ ]	
RFG	HIGH	+	Additional charge for high roof (2 stories or greater)	7.50 SQ	_____	=	_____	[ ]	
RFG	IWS	+	Ice & water shield	190.00 SF	_____	=	_____	[ ]	
RFG	PCB	+	PCB sampling	1.00 EA	_____	=	_____	[ ]	
<b>TOTAL ROOFING</b>							=	_____	

**WDS WINDOWS - SKYLIGHTS**

WDS	DDFL>+	+	Skylight flashing kit	1.00 EA	_____	=	_____	[ ]	
<b>TOTAL WINDOWS - SKYLIGHTS</b>							=	_____	

Total Bid: \_\_\_\_\_

**DMO GENERAL DEMOLITION**

DMO	DUMP>	- Dumpster load - Approx. 30 yards, 5-7 tons of debris	0.50 EA	_____	=	_____	[ ]
DMO	SH5/8	- Sheathing - plywood - 5/8" CDX	192.00 SF	_____	=	_____	[ ]
DMO	240	- 3 tab - 25 yr. - composition shingle roofing - incl. felt	10.25 SQ	_____	=	_____	[ ]
DMO	DRIP	- Drip edge	112.50 LF	_____	=	_____	[ ]
DMO	FLCH	- Chimney flashing - average (32" x 36")	0.50 EA	_____	=	_____	[ ]
DMO	FLPIPE	- Flashing - pipe jack	1.00 EA	_____	=	_____	[ ]
DMO	DDFL>+	- Skylight flashing kit	1.00 EA	_____	=	_____	[ ]

**TOTAL GENERAL DEMOLITION** = \_\_\_\_\_

**FRM FRAMING & ROUGH CARPENTRY**

FRM	SH5/8	+ Sheathing - plywood - 5/8" CDX	192.00 SF	_____	=	_____	[ ]
-----	-------	----------------------------------	-----------	-------	---	-------	-----

**TOTAL FRAMING & ROUGH CARPENTRY** = \_\_\_\_\_

**PNT PAINTING**

PNT	S+++	+ Seal {V} w/anti-microbial coating - one coat	150.00 SF	_____	=	_____	[ ]
-----	------	--	-----------	-------	---	-------	-----

**TOTAL PAINTING** = \_\_\_\_\_

**RFG ROOFING**

RFG	240	+	3 tab - 25 yr. - composition shingle roofing - incl. felt	11.33 SQ	_____	=	_____	[ ]
RFG	DRIP	+	Drip edge	112.50 LF	_____	=	_____	[ ]
RFG	FLCH	+	Chimney flashing - average (32" x 36")	0.50 EA	_____	=	_____	[ ]
RFG	FLPIPE	+	Flashing - pipe jack	1.00 EA	_____	=	_____	[ ]
RFG	HIGH	+	Additional charge for high roof (2 stories or greater)	7.50 SQ	_____	=	_____	[ ]
RFG	IWS	+	Ice & water shield	190.00 SF	_____	=	_____	[ ]
RFG	PCB	+	PCB sampling	1.00 EA	_____	=	_____	[ ]

---

**TOTAL ROOFING** \_\_\_\_\_ = \_\_\_\_\_

---

**WDS WINDOWS - SKYLIGHTS**

---

WDS	DDFL>+	+	Skylight flashing kit	1.00 EA	_____	=	_____	[ ]
-----	--------	---	-----------------------	---------	-------	---	-------	-----

---

**TOTAL WINDOWS - SKYLIGHTS** \_\_\_\_\_ = \_\_\_\_\_

---

Total Bid: \_\_\_\_\_

# Appendix A


## Aerial Measurement Report



Project #1419, LaRusso Residence/Project #1280, Smith Residence  
14 Hawthorne Street South, Units A & B, Greenwich, CT 06831-4203

Merritt Construction Services, Inc.  
1177 High Ridge Road  
Stamford, CT 06905  
203-832-2670

14 Hawthorne Street South, Units A & B, Greenwich, CT 06831-4203



In this 3D model, facets appear as semi-transparent to reveal overhangs.

Report Details	Roof Details	Report Contents
Report:8288286	Total Roof Area =2,050 sq ft Total Roof Facets =3 Predominant Pitch =4/12 Number of Stories <=1 Total Ridges/Hips =43 ft Total Valleys =0 ft Total Rakes =98 ft Total Eaves =127 ft	Images .....2 Length Diagram.....5 Pitch Diagram.....6 Area Diagram .....7 Notes Diagram .....8 Report Summary .....9 Additional Property Information ....10

Contact: Andrew Peters  
 Company: Merritt Construction Services  
 Address: 1177 High Ridge Road  
 Stamford CT 06905  
 Phone: 203-832-2670

Measurements provided by [www.eagleview.com](http://www.eagleview.com)




**Certified Accurate**  
[www.eagleview.com/Guarantee.aspx](http://www.eagleview.com/Guarantee.aspx)

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

## Images

The following aerial images show different angles of this structure for your reference.

Top View



Report: 8288286

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

14 Hawthorne Street South, Units A & B, Greenwich, CT 06831-4203

North Side



South Side



Report: 8288286

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

14 Hawthorne Street South, Units A & B, Greenwich, CT 06831-4203

East Side



West Side



Report: 8288286

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

14 Hawthorne Street South, Units A & B, Greenwich, CT 06831-4203

**Length Diagram**

Total Line Lengths:

**Ridges = 43 ft**

Hips = 0 ft

Valleys = 0 ft


Rakes = 98 ft

Eaves = 127 ft


Flashing = 43 ft

Step flashing = 0 ft

Parapets = 0 ft



© 2014 EagleView Technologies, Inc.



**Note:** This diagram contains segment lengths (rounded to the nearest whole number) over 5 feet. In some cases, segment labels have been removed for readability. Plus signs preface some numbers to avoid confusion when rotated (e.g. +6 and +9).




Report: 8288286

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

### Pitch Diagram

Pitch values are shown in inches per foot, and arrows indicate slope direction. The predominant pitch on this roof is 4/12.



**Note:** This diagram contains labeled pitches for facet areas larger than 20 square feet. In some cases, pitch labels have been removed for readability. Blue shading indicates a pitch of 3/12 and greater. Gray shading indicates flat, 1/12 or 2/12 pitches.




Report: 8288286


This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

**Area Diagram**

Total Area = 2,050 sq ft, with 3 facets.



© 2014 EagleView Technologies, Inc.



Note: This diagram shows the square feet of each roof facet (rounded to the nearest foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square foot after being totaled).




Report: 8288286


This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

### Notes Diagram

Roof facets are labeled from smallest to largest (A to Z) for easy reference.



© 2014 EagleView Technologies, Inc.



Report: 8288286

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

## Report Summary

Below is a measurement summary using the values presented in this report.

### Areas per Pitch


Roof Pitches	2/12	4/12
Area (sq ft)	610.6	1439.6
% of Roof	29.8%	70.2%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

### Waste Calculation Table

Waste %	0%	10%	12%	15%	17%	20%	22%
Area (sq ft)	2,050	2,255	2,296	2,358	2,399	2,460	2,501
Squares	20.5	22.6	23.0	23.6	24.0	24.6	25.0

This table shows the total roof area and squares (rounded up to the nearest decimal) based upon different waste percentages. The waste factor is subject to the complexity of the roof, individual roofing techniques and your experience. Please consider this when calculating appropriate waste percentages. Note that only roof area is included in these waste calculations. Additional materials needed for ridge, hip, valley, and starter lengths are not included.



Total Roof Facets = 3

### Lengths, Areas and Pitches

Ridges = 43 ft (1 Ridges)  
 Hips = 0 ft (0 Hips).  
 Valleys = 0 ft (0 Valleys)  
 Rakes\* = 98 ft (6 Rakes)  
 Eaves/Starter\*\* = 127 ft (3 Eaves)  
 Drip Edge (Eaves + Rakes) = 225 ft (9 Lengths)  
 Parapet Walls = 0 (0 Lengths).  
 Flashing = 43 ft (1 Lengths)  
 Step flashing = 0 ft (0 Lengths)  
 Total Area = 2,050 sq ft  
 Predominant Pitch = 4/12

### Property Location

Longitude = -73.6526950  
 Latitude = 41.0199859

### Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

### Online Maps

Online map of property

[http://maps.google.com/maps?f=q&source=s\\_q&hl=en&geocode=&q=14+Hawthorne+St+S+#+A,Greenwich,CT,06831-4203](http://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=&q=14+Hawthorne+St+S+#+A,Greenwich,CT,06831-4203)

Directions from Merritt Construction Services to this property

[http://maps.google.com/maps?f=d&source=s\\_d&saddr=1177+High+Ridge+Road,Stamford,CT,06905&daddr=14+Hawthorne+St+S+#+A,Greenwich,CT,06831-4203](http://maps.google.com/maps?f=d&source=s_d&saddr=1177+High+Ridge+Road,Stamford,CT,06905&daddr=14+Hawthorne+St+S+#+A,Greenwich,CT,06831-4203)

- \* Rakes are defined as roof edges that are sloped (not level).
- \*\* Eaves are defined as roof edges that are not sloped and level.



Report: 8288286

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.

## Additional Property Information

### Property Details

<b>Year Built/Effective Year Built:</b>	1971 1981
---	-----------

*Effective Year Built is when the property's major components were revised to meet that year's code.*

### Weather Data

<b>Last Hail Event:</b>	7/4/2012
-------------------------	----------

<b>Hail Count:</b>	5
--------------------	---

*Last hail event is the date of the last recorded hail event (greater than or equal to 3/4") within a one-mile radius.*

*Hail count is the number of recorded hail events (greater than or equal to 3/4") within a one-mile radius in the past three years.*

*Data such as weather and property information has been included to enhance your EagleView experience. The data is provided through strategic partners and is not verified by EagleView for accuracy, completeness or reliability.*



Report: 8288286

This document is provided under License by EagleView Technologies to the requestor for their Internal Use Only subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies Services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.