




U.S. Fish and Wildlife Service

National Wetlands Inventory

37 Jarvis Court,
Fairfield, CT

Jan 27, 2015



Wetlands

- Freshwater Emergent
- Freshwater Forested/Shrub
- Estuarine and Marine Deepwater
- Estuarine and Marine
- Freshwater Pond
- Lake
- Riverine
- Other

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

User Remarks:



Result:


Choose a Map Theme:

Find:

Map Theme:

Aquifer Protection Areas

Choose a Photo Base



Map Scale: 1:50,000

Latitude: 41.16777 Longitude: -73.3639

Re a Mic Th

Map Theme: **Natural Diversity Data Base Area, December 2014**

Choose a Photo Base

© 2014 CT DEEP, UConn


Map Scale: 1:24,000

Latitude: 41.14847 Longitude: -73.29548

JARVIS CT
JARVIS CT
Fairfield, CT 06824

Inquiry Number: 4220894.2s
March 02, 2015

The EDR Radius Map™ Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

10D

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	117
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

GeoCheck - Not Requested

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2015 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

JARVIS CT
FAIRFIELD County, CT 06824

COORDINATES

Latitude (North): 41.1341000 - 41° 8' 2.76"
Longitude (West): 73.2487000 - 73° 14' 55.32"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 646995.2
UTM Y (Meters): 4554909.5
Elevation: 23 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 41073-B2 BRIDGEPORT, CT
Most Recent Revision: 1984

Southeast Map: ,
Most Recent Revision: 0

Southwest Map: 41073-A3 SHERWOOD POINT, CT
Most Recent Revision: 1971

West Map: 41073-B3 WESTPORT, CT
Most Recent Revision: 1975

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20120725, 20120807
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDRfs search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL_____ National Priority List
Proposed NPL_____ Proposed National Priority List Sites
NPL LIENS_____ Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL_____ National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY_____ Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP_____ CERCLIS No Further Remedial Action Planned

Federal RCRA CORRACTS facilities list

CORRACTS_____ Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF_____ RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG_____ RCRA - Large Quantity Generators
RCRA-SQG_____ RCRA - Small Quantity Generators
RCRA-CESQG_____ RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

US ENG CONTROLS_____ Engineering Controls Sites List
US INST CONTROL_____ Sites with Institutional Controls
LUCIS_____ Land Use Control Information System

Federal ERNS list

ERNS_____ Emergency Response Notification System

State and tribal leaking storage tank lists

INDIAN LUST_____ Leaking Underground Storage Tanks on Indian Land

EXECUTIVE SUMMARY

State and tribal registered storage tank lists

CT AST_____ Marine Terminals and Tank Information
INDIAN UST_____ Underground Storage Tanks on Indian Land
FEMA UST_____ Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

CT ENG CONTROLS_____ Engineering Controls Listing
CT AUL_____ ELUR Sites

State and tribal voluntary cleanup sites

CT VCP_____ Voluntary Remediation Sites
INDIAN VCP_____ Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

CT BROWNFIELDS_____ Brownfields Inventory

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS_____ A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI_____ Open Dump Inventory
DEBRIS REGION 9_____ Torres Martinez Reservation Illegal Dump Site Locations
CT SWRCY_____ Recycling Facilities
INDIAN ODI_____ Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL_____ Clandestine Drug Labs
CT CDL_____ Clandestine Drug Lab Listing
US HIST CDL_____ National Clandestine Laboratory Register

Local Land Records

LIENS 2_____ CERCLA Lien Information
CT LIENS_____ Environmental Liens Listing
CT PROPERTY_____ Property Transfer Filings

Records of Emergency Release Reports

HMIRS_____ Hazardous Materials Information Reporting System
CT SPILLS 90_____ SPILLS 90 data from FirstSearch

Other Ascertainable Records

DOT OPS_____ Incident and Accident Data

EXECUTIVE SUMMARY

DOD_____	Department of Defense Sites
CONSENT_____	Superfund (CERCLA) Consent Decrees
ROD_____	Records Of Decision
UMTRA_____	Uranium Mill Tailings Sites
US MINES_____	Mines Master Index File
TRIS_____	Toxic Chemical Release Inventory System
TSCA_____	Toxic Substances Control Act
FTTS_____	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS_____	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS_____	Section 7 Tracking Systems
ICIS_____	Integrated Compliance Information System
PADS_____	PCB Activity Database System
MLTS_____	Material Licensing Tracking System
RADINFO_____	Radiation Information Database
FINDS_____	Facility Index System/Facility Registry System
RAATS_____	RCRA Administrative Action Tracking System
RMP_____	Risk Management Plans
CT LWDS_____	Connecticut Leachate and Wastewater Discharge Sites
CT MANIFEST_____	Hazardous Waste Manifest Data
CT DRYCLEANERS_____	Drycleaner Facilities
CT ENF_____	Enforcement Case Listing
CT NPDES_____	Wastewater Permit Listing
CT AIRS_____	Permitted Air Sources Listing
INDIAN RESERV_____	Indian Reservations
SCRD DRYCLEANERS_____	State Coalition for Remediation of Drycleaners Listing
CT SEH_____	List of Significant Environmental Hazards Report to DEEP
CT Financial Assurance_____	Financial Assurance Information Listing
2020 COR ACTION_____	2020 Corrective Action Program List
US AIRS_____	Aerometric Information Retrieval System Facility Subsystem
US FIN ASSUR_____	Financial Assurance Information
EPA WATCH LIST_____	EPA WATCH LIST
COAL ASH DOE_____	Steam-Electric Plant Operation Data
COAL ASH EPA_____	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER_____	PCB Transformer Registration Database
LEAD SMELTERS_____	Lead Smelter Sites
PRP_____	Potentially Responsible Parties

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP_____	EDR Proprietary Manufactured Gas Plants
EDR US Hist Auto Stat_____	EDR Exclusive Historic Gas Stations
EDR US Hist Cleaners_____	EDR Exclusive Historic Dry Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

CT RGA LUST_____	Recovered Government Archive Leaking Underground Storage Tank
CT RGA HWS_____	Recovered Government Archive State Hazardous Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

EXECUTIVE SUMMARY

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in bold italics are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS list

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 10/25/2013 has revealed that there is 1 CERCLIS site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FAIRFIELD MUNICIPAL LANDFILL	ONE ROD ROAD	SSW 1/4 - 1/2 (0.272 mi.)	11	39

State- and tribal - equivalent CERCLIS

CT SHWS: The State Hazardous Waste Sites records are the statesfiequivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Protection's Inventory of Hazardous Disposal Sites.

A review of the CT SHWS list, as provided by EDR, and dated 04/23/2010 has revealed that there is 1 CT SHWS site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FAIRFIELD MUNI. LANDFILL	ONE ROD HIGHWAY	SW 1/2 - 1 (0.710 mi.)	34	113

CT SDADB: Site Discovery and Assessment Database.

A review of the CT SDADB list, as provided by EDR, and dated 04/23/2010 has revealed that there are 6 CT SDADB sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SNET	293 REEF ROAD	NW 1/4 - 1/2 (0.338 mi.)	D16	60
R. MURRAY PROPERTY	144 PRATT STREET	W 1/4 - 1/2 (0.349 mi.)	E19	69
DURGY PROPERTY	49 PRATT STREET	WNW 1/4 - 1/2 (0.412 mi.)	F23	78

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
614 ROLAND ROAD	614 ROLAND ROAD	ENE 0 - 1/8 (0.066 mi.)	A2	11

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHRISTINGSON PROPERTY	228 FAIRFIELD BEACH ROA	ENE 1/4 - 1/2 (0.355 mi.)	20	71
P. SCHIRMAN PROPERTY	89 EUNICE AVENUE	NE 1/4 - 1/2 (0.433 mi.)	G25	84

State and tribal leaking storage tank lists

CT LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Protection's Leaking Underground Storage Tank List.

A review of the CT LUST list, as provided by EDR, and dated 12/23/2014 has revealed that there are 22 CT LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HAWTHARNE RESIDENCE	235 LALLEY ROAD	NE 1/8 - 1/4 (0.143 mi.)	4	18
EDNA LARSON	245 ROLAND RD	NNW 1/8 - 1/4 (0.181 mi.)	B5	22
LOVEJOY RES.	228 ROWLAND ROAD	NNW 1/8 - 1/4 (0.182 mi.)	B7	27
TISDALE RESIDENCE	347 PENFIELD ROAD	NNE 1/8 - 1/4 (0.230 mi.)	8	30
JENNING	314 BIRCH ROAD	NE 1/4 - 1/2 (0.284 mi.)	12	42
ROBERT MURRAY	144 PRATT ST	W 1/4 - 1/2 (0.349 mi.)	E18	65
FAIRFIELD CENTRAL OFFICE (AT&T)	239 REEF ROAD	NW 1/4 - 1/2 (0.375 mi.)	D22	75
JOHN LLOYD	132 FAIRFIELD BEACH ROA	ENE 1/4 - 1/2 (0.430 mi.)	24	80
SHARON DAVIS	931 OLD POST ROAD	NNW 1/4 - 1/2 (0.441 mi.)	29	97
FRED GARDINIER	357 OLD FIELD RD	WNW 1/4 - 1/2 (0.451 mi.)	F30	100

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROBERT MYLES	614 ROLAND RD	ENE 0 - 1/8 (0.066 mi.)	A1	8
TOM BRYANT	185 EDWARDS STREET	ENE 1/8 - 1/4 (0.250 mi.)	10	36
FAIRFIELD TOWN OF	ONE ROD HWY	SSW 1/4 - 1/2 (0.292 mi.)	13	45
DON WARNITSKI	267 EAST LAWN STREET	W 1/4 - 1/2 (0.312 mi.)	C14	52
ED NADOLNY	305 PURITAN ROAD	NE 1/4 - 1/2 (0.332 mi.)	15	56
BETTY GOODFELLOW	281 EAST LAWN STREET	W 1/4 - 1/2 (0.341 mi.)	C17	61
MS. HAFFINGER	256 EASTLAWN STREET	W 1/4 - 1/2 (0.355 mi.)	21	72
PETER SHCHIMANN	89 EUNICE AVE.	NE 1/4 - 1/2 (0.433 mi.)	G26	85
MR. MOORE	130 EUNICE AVE	NE 1/4 - 1/2 (0.439 mi.)	G27	89
155 ALDEN ST.	155 ALDEN ST.	W 1/4 - 1/2 (0.440 mi.)	28	94
GARRITY	41 CARLYNN DRIVE	NE 1/4 - 1/2 (0.470 mi.)	31	104
MIKE WALSH	655 BEACH RD.	NE 1/4 - 1/2 (0.476 mi.)	H33	108

State and tribal registered storage tank lists

CT UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Protection's "Town Inventory" UST Listing.

A review of the CT UST list, as provided by EDR, and dated 12/02/2014 has revealed that there is 1 CT UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BUS PARKING LOT	1 ROD HIGHWAY	SSE 0 - 1/8 (0.105 mi.)	3	13

EXECUTIVE SUMMARY

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 06/06/2014 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NIKE BR-65		SW 1/2 - 1 (0.894 mi.)	35	116

CT CPCS: A list of Contaminated or Potentially Contaminated Sites within Connecticut. This list represents the "Hazardous Waste Facilities," as defined in Section 22a-134f of the Connecticut General Statutes (CGS). The list contains the following types of sites: Sites listed on the Inventory of Hazardous Waste Disposal Sites; Sites subject to the Property Transfer Act; Sites at which underground storage tanks are known to have leaked; Sites at which hazardous waste subject to the RCRA; Sites that are included in EPA's (CERCLIS); Sites that are the subject of an order issued by the Commissioner of DEP that requires investigation and remediation of a potential or known source of pollution; and Sites that have entered into one of the Department's Voluntary Remediation Programs.

A review of the CT CPCS list, as provided by EDR, and dated 01/15/2015 has revealed that there are 21 CT CPCS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HAWTHARNE RESIDENCE	235 LALLEY ROAD	NE 1/8 - 1/4 (0.143 mi.)	4	18
EDNA LARSON	245 ROLAND RD	NNW 1/8 - 1/4 (0.181 mi.)	B5	22
LOVEJOY RES.	228 ROWLAND RD.	NNW 1/8 - 1/4 (0.182 mi.)	B6	26
TISDALE RESIDENCE	347 PENFIELD ROAD	NNE 1/8 - 1/4 (0.230 mi.)	8	30
JENNING	314 BIRCH ROAD	NE 1/4 - 1/2 (0.284 mi.)	12	42
ROBERT MURRAY	144 PRATT ST	W 1/4 - 1/2 (0.349 mi.)	E18	65
JOHN LLOYD	132 FAIRFIELD BEACH ROA	ENE 1/4 - 1/2 (0.430 mi.)	24	80
SHARON DAVIS	931 OLD POST ROAD	NNW 1/4 - 1/2 (0.441 mi.)	29	97
FRED GARDINIER	357 OLD FIELD RD	WNW 1/4 - 1/2 (0.451 mi.)	F30	100


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROBERT MYLES	614 ROLAND RD	ENE 0 - 1/8 (0.066 mi.)	A1	8
FAIRFIELD DPW	1 ROD HWY OLD NIKE BLDG	SSE 1/8 - 1/4 (0.247 mi.)	9	34
TOM BRYANT	185 EDWARDS STREET	ENE 1/8 - 1/4 (0.250 mi.)	10	36
DON WARNITSKI	267 EAST LAWN STREET	W 1/4 - 1/2 (0.312 mi.)	C14	52
ED NADOLNY	305 PURITAN ROAD	NE 1/4 - 1/2 (0.332 mi.)	15	56
BETTY GOODFELLOW	281 EAST LAWN STREET	W 1/4 - 1/2 (0.341 mi.)	C17	61
MS. HAFFINGER	256 EASTLAWN STREET	W 1/4 - 1/2 (0.355 mi.)	21	72
PETER SHCHIMANN	89 EUNICE AVE.	NE 1/4 - 1/2 (0.433 mi.)	G26	85
MR. MOORE	130 EUNICE AVE	NE 1/4 - 1/2 (0.439 mi.)	G27	89
155 ALDEN ST.	155 ALDEN ST.	W 1/4 - 1/2 (0.440 mi.)	28	94
GARRITY	41 CARLYNN DRIVE	NE 1/4 - 1/2 (0.470 mi.)	31	104
MIKE WALSH	655 BEACH RD.	NE 1/4 - 1/2 (0.476 mi.)	H32	108

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 3 records.

<u>Site Name</u>	<u>Database(s)</u>
MOBIL 01-FBH (#13879)	CT LUST
STEELPOINTE HARBOR DEVELOPMENT	CT VCP
WEST END ELEMENTARY SCHOOL	CT VCP

OVERVIEW MAP - 4220894.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

County Boundary

Oil & Gas pipelines from USGS

100-year flood zone

500-year flood zone

National Wetland Inventory

State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: JARVIS CT
 ADDRESS: JARVIS CT
 Fairfield CT 06824
 LAT/LONG: 41.1341 / 73.2487

CLIENT: Freeman Companies LLC
 CONTACT: Brett Nicholas
 INQUIRY #: 4220894.2s
 DATE: March 02, 2015 10:54 am

DETAIL MAP - 4220894.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  County Boundary
-  Oil & Gas pipelines from USGS
-  100-year flood zone
-  500-year flood zone
-  National Wetland Inventory
-  State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

<p>SITE NAME: JARVIS CT ADDRESS: JARVIS CT Fairfield CT 06824 LAT/LONG: 41.1341 / 73.2487</p>	<p>CLIENT: Freeman Companies LLC CONTACT: Brett Nicholas INQUIRY #: 4220894.2s DATE: March 02, 2015 10:56 am</p>
---	---

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
CERCLIS	0.500		0	0	1	NR	NR	1
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site List								
CERC-NFRAP	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
Federal institutional controls / engineering controls registries								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent CERCLIS								
CT SHWS	1.000		0	0	0	1	NR	1
CT SDADB	0.500		1	0	5	NR	NR	6
State and tribal landfill and/or solid waste disposal site lists								
CT SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
CT LUST	0.500		1	5	16	NR	NR	22
INDIAN LUST	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
CT UST	0.250		1	0	NR	NR	NR	1

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CT AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
CT ENG CONTROLS	0.500		0	0	0	NR	NR	0
CT AUL	0.500		0	0	0	NR	NR	0
State and tribal voluntary cleanup sites								
CT VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
CT BROWNFIELDS	0.500		0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
CT SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	TP		NR	NR	NR	NR	NR	0
CT CDL	TP		NR	NR	NR	NR	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
CT LIENS	TP		NR	NR	NR	NR	NR	0
CT PROPERTY	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
CT SPILLS	TP		NR	NR	NR	NR	NR	0
CT SPILLS 90	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	1	NR	1
CONSENT	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
CT LWDS	0.250		0	0	NR	NR	NR	0
CT MANIFEST	0.250		0	0	NR	NR	NR	0
RI MANIFEST	0.250		0	0	NR	NR	NR	0
NJ MANIFEST	0.250		0	0	NR	NR	NR	0
CT DRYCLEANERS	0.250		0	0	NR	NR	NR	0
CT ENF	TP		NR	NR	NR	NR	NR	0
CT NPDES	TP		NR	NR	NR	NR	NR	0
CT AIRS	TP		NR	NR	NR	NR	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
CT CPCS	0.500		1	6	14	NR	NR	21
CT SEH	0.500		0	0	0	NR	NR	0
CT Financial Assurance	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR US Hist Auto Stat	0.250		0	0	NR	NR	NR	0
EDR US Hist Cleaners	0.250		0	0	NR	NR	NR	0

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

CT RGA LUST	TP		NR	NR	NR	NR	NR	0
-------------	----	--	----	----	----	----	----	---

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Search Distance (Miles)</u>	<u>Target Property</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
CT RGA HWS	TP		NR	NR	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1 **ROBERT MYLES**
ENE **614 ROLAND RD**
< 1/8 **FAIRFIELD, CT 06430**
0.066 mi.
351 ft. **Site 1 of 2 in cluster A**

CT LUST **S105441816**
CT SPILLS **N/A**
CT CPCS

Relative:
Lower

LUST:
LUST Id: 6717
UST Facility Id: Not reported
LUST Case Id: 34792
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False
Removal: False
Incident Date: 09/28/1998
Entry Date: Not reported
Site Case Id: 9806611
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 6832
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBERT MYLES (Continued)

S105441816

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSR Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlaid:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBERT MYLES (Continued)

S105441816

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	#2 FUEL OIL, , REMOVAL OF 275 GAL UST AND IMPACRTED SOIL
Work Performed:	Not reported

SPILLS:

Year of Database:	1998
Case Number:	9806611
Who Took Spill:	923
Assigned To:	0
Report Date:	09/28/1998
Report Time:	12:35:47
Date Release:	09/28/1998
Time Responded:	Not reported
Reported By:	SHANNON MCCARTHY
Phone:	203 3846020
Representing:	CT TANK REMOVAL
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	Closed

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ROBERT MYLES (Continued)

S105441816

Continuous Spill: False
 Released Substance: #2 FUEL OIL
 Qty: 0 (Gallons)
 Emergency Measure: REMOVAL OF 275 GAL UST AND IMPACTED SOIL
 Water Body: N/A
 Discharger: ROBERT MYLES
 Telephone: 203 2558517
 Responsible Party: YES
 RP Address 1: 614 ROLAND RD
 RP City,St,Zip: FAIRFIELD, CT 06430
 Historic: False
 Waterbody: False
 Time Stamp: 1998-09-30 08:27:32
 Sr Inspector: McCann, Mike
 At Inspctor: **NO RESPONSE
 User Stamp: Not reported
 Comments: Not reported
 Action: Removed Tank
 Other Action: Not reported
 Action: Soil Removed
 Other Action: Not reported
 Agency ID: DEP Dispatch
 Other Agency: Not reported
 DEP Bureau: Not reported
 DEP Agency: Not reported
 Cause ID: Inground Tank Failure
 Other Cause: Not reported
 Media ID: Ground Surface
 Other Media: Not reported
 Release Type: petroleum
 Other Release: Not reported
 Waterbody: Groundwater
 Other Wtrbody: Not reported

CPCS:

Site Type: LUST
 Lust Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: #2 Fuel Oil, , Removal Of 275 Gal Ust And Impacted Soil
 Site Type Definition: Leaking Underground Storage Tanks Completed

A2
ENE
 < 1/8
 0.066 mi.
 351 ft.

614 ROLAND ROAD
614 ROLAND ROAD
FAIRFIELD, CT
Site 2 of 2 in cluster A

CT SDADB S104253807
N/A

Relative:
Lower

Site Discovery and Assessment:
 Facility ID: 3257
 Rem Master ID: 3622
 PTP Id: Not reported
 WPC Number: Not reported
 Postal District: Not reported
 Latitude: Not reported
 Longitude: Not reported
 Lat/Long Determined By: Not reported

Actual:
 18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

614 ROLAND ROAD (Continued)

S104253807

Ground Water Quality Classification:	Not reported
Surface Water Quality Classification:	Not reported
Waste Type:	HYDRO/OIL
Disposal:	UST
Sample Data Available:	False
Updated By:	WARZECHA, W.
Update Program:	PWP
Updated:	11/1/1998
Date Created:	Not reported
Duplicate:	False
EPA CERCLIS Id:	Not reported
Number EPA RCRIS Id:	Not reported
Site on EPA's CERCLIS:	Not reported
Site Archived from CERCLIS:	Not reported
Archive Date:	Not reported
EPA's Removal at Site:	Not reported
Deferred to another EPA Program:	Not reported
EPA Env Priority Initiative Site:	Not reported
Federal Facility:	Not reported
Site on EPA's National Priority List:	Not reported
Part of an NPL site:	Not reported
RCRA Generator Status:	Not reported
RCRA Permit Status:	Not reported
Referral Id:	3057
Source of referral:	SPILLS
Date Received:	11/1/1998
Staff Assigned:	WARZECHA, W.
Remediation Program:	PWP
Date dt_assigned:	Not reported
Remediation Complete Approved DEP/Verified by LEP:	11/1/1998
Outcome:	ON RECORD
Remedial Id:	Not reported
PTP Id:	Not reported
Remediation Program:	Not reported
Remediation Program Entered:	Not reported
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assign:	Not reported
Project Phase:	Not reported
Order issued:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Remedial Investigation Start:	Not reported
Remedial Investigation Completed:	Not reported
Remedial Design Start:	Not reported
Remedial Design complet:	Not reported
Remedial Action Start:	Not reported
Remedial Action Completed:	Not reported
Date Oper/ maintenance Started:	Not reported
GW monitoring:	Not reported
Remediation complete Approved DEP/Verified by LEP:	Not reported
Order Id:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Staff Assigned:	Not reported
Type of Order:	Not reported
Order Respondent:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

614 ROLAND ROAD (Continued)

S104253807

Admin Appeal Date: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Final Order: Not reported
Date of Court Appeal: Not reported
Date of Court Ruling: Not reported
Date of Court Ruling: Not reported
Date Order Modified: Not reported
Date Referred to AG: Not reported
Judgement: Not reported
Date of AGR judgement: Not reported
Penalty assessed: Not reported
Order Complete: Not reported
In compliance: Not reported
Comments: Not reported

SDADB:

Waste Id: 11
Waste Type: HYDRO/OIL
Description: Hydrocarbons and/or Fuel Oil

3
SSE
< 1/8
0.105 mi.
556 ft.

BUS PARKING LOT
1 ROD HIGHWAY
FAIRFIELD, CT

CT UST **U002174482**
N/A

Relative:
Lower

UST:
Facility State: CT
Facility Id: 51-11244
Latitude: 41.176534
Longitude: -73.250562

Actual:
14 ft.

Contact:
Owner Name: TOWN OF FAIRFIELD
Owner Address: 611 OLD POST RD
Owner City/State/Zip: FAIRFIELD, CT 068246646
Owner Phone: (203) 255-8200
Owner Phone Ext: Not reported
Affiliation Type: Owner
Contact Name: Not reported
Contact Title: Not reported
Contact EMail: Not reported

Owner Name: TOWN OF FAIRFIELD
Owner Address: 611 OLD POST RD
Owner City/State/Zip: FAIRFIELD, CT 068246646
Owner Phone: Not reported
Owner Phone Ext: Not reported
Affiliation Type: Registrant
Contact Name: Not reported
Contact Title: Not reported
Contact EMail: Not reported

Tank ID: 001
Compartment ID: a
Tank Status: Permanently Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUS PARKING LOT (Continued)

U002174482

Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 1500
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 002
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 1000
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 003
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 2000
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 004
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUS PARKING LOT (Continued)

U002174482

Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 004A
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 2000
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 006
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 2000
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 007
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 275
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUS PARKING LOT (Continued)

U002174482

Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 008
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 2000
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993

Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: 009
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 6500
Substance: Heating Oil(on-site consumption)
Date Installed: 01/01/1950
Date Last Used: 07/01/1993

Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: C1
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 3000
Substance: Diesel
Date Installed: 01/01/1953
Date Last Used: 10/01/1988

Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUS PARKING LOT (Continued)

U002174482

Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: C2
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 2000
Substance: Diesel
Date Installed: 01/01/1953
Date Last Used: 10/01/1988
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: C3
Compartment ID: a
Tank Status: Permanently Closed
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 1000
Substance: Diesel
Date Installed: 01/01/1953
Date Last Used: 10/01/1988
Closure Status: Tank was Removed From Ground
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

Tank ID: C4
Compartment ID: a
Tank Status: Currently In Use
Tank Material: Fiberglass Reinforced Plastic
Secondary Material: Not reported
Capacity: 10000
Substance: Diesel
Date Installed: 10/01/1982
Date Last Used: Not reported
Closure Status: Not reported
Pipe Material: Bare Steel
Pipe Mode Description: Cathodically Protected
Spill Installed: Spill Bucket
Overfill Installed: Flapper Device
Tank Latitude: 41.130900

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUS PARKING LOT (Continued)

U002174482

Tank Longitude: -73.256460

Tank ID: C5
Compartment ID: a
Tank Status: Currently In Use
Tank Material: Fiberglass Reinforced Plastic
Secondary Material: Not reported
Capacity: 10000
Substance: Gasoline
Date Installed: 04/01/1985
Date Last Used: Not reported
Closure Status: Not reported
Pipe Material: Bare Steel
Pipe Mode Description: Cathodically Protected
Spill Installed: Spill Bucket
Overfill Installed: Flapper Device
Tank Latitude: 41.130750
Tank Longitude: -73.256460

4
NE
1/8-1/4
0.143 mi.
756 ft.

HAWTHARNE RESIDENCE
235 LALLEY ROAD
FAIRFIELD, CT 06430

CT LUST S103162306
CT SPILLS N/A
CT CPCS

Relative:
Higher

LUST:
LUST Id: 5307
UST Facility Id: Not reported
LUST Case Id: 33432
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False
Removal: False
Incident Date: 09/25/1997
Entry Date: Not reported
Site Case Id: 9705404
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 5418
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAWTHARNE RESIDENCE (Continued)

S103162306

2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 35
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported
Ground Water Direction: Not reported
Ground Water Gradient: Not reported
Hydro Basin: Not reported
Drastic: Not reported
Geo Setting: Not reported
Ground Water Classification: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAWTHARNE RESIDENCE (Continued)

S103162306

Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAWTHARNE RESIDENCE (Continued)

S103162306

NOV Comments: Not reported
Release Desc: Not reported
Running Comments: # 2 HEATING OIL, , REMOVAL OF A 550 GALLON L.U.S.T & CONTAMINATED SOIL / F.M. NOTIFIED GB AREA
Work Performed: Not reported

SPILLS:

Year of Database: 1997
Case Number: 9705404
Who Took Spill: 922
Assigned To: 0
Report Date: 09/25/1997
Report Time: 15:50:03
Date Release: 09/25/1997
Time Responded: Not reported
Reported By: ROB KELLERMAN
Phone: 203 2268265
Representing: CT. TANK REMOVAL
Terminated: YES
Recovd (Total): 20
Total (Water): 0
Facility Status: closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: REMOVAL OF A 550 GALLON L.U.S.T & CONTAMINATED SOIL / F.M. NOTIFIED GB AREA
Water Body: NA
Discharger: HAWTHARNE RESIDENCE
Telephone: 203 2561797
Responsible Party: YES
RP Address 1: 235 LALLEY ROAD
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1997-09-25 15:53:31
Sr Inspector: Aceto, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Release Type: petroleum

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HAWTHARNE RESIDENCE (Continued)

S103162306

Other Release: Not reported

CPCS:

Site Type: LUST
 LUST Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: # 2 Heating Oil, , Removal Of A 550 Gallon L.u.s.t & Contaminated Soil / F.m. Notified Gb Area
 Site Type Definition: Leaking Underground Storage Tanks Completed

**B5
 NNW
 1/8-1/4
 0.181 mi.
 955 ft.**

**EDNA LARSON
 245 ROLAND RD
 FAIRFIELD, CT 06430
 Site 1 of 3 in cluster B**

**CT LUST S105441793
 CT SPILLS N/A
 CT CPCS**

**Relative:
 Higher**

LUST:

**Actual:
 27 ft.**

LUST Id: 6702
 UST Facility Id: Not reported
 LUST Case Id: 34777
 LUST Status: LUST Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 09/25/1998
 Entry Date: Not reported
 Site Case Id: 9806541
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0
 UST Owner Id: Not reported
 LUST Owner Id: Not reported
 UST Event Id: 6817
 Contact Info: Not reported
 Contact Email: Not reported
 Site Contact City,St,Zip: UNKNOWN
 2nd Contact: Not reported
 2nd Contact Email: Not reported
 2nd Contact Address: Not reported
 2nd Contact City,St,Zip: UNKNOWN
 2nd Contact Address 2: Not reported
 2nd Contact City 2: Not reported
 2nd Contact Phone Number: Not reported
 2nd Contact Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDNA LARSON (Continued)

S105441793

2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 35
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported
Ground Water Direction: Not reported
Ground Water Gradient: Not reported
Hydro Basin: Not reported
Drastic: Not reported
Geo Setting: Not reported
Ground Water Classification: Not reported
Receptor: Not reported
Ground Water Flow Direction: Not reported
Ground Water Depth: Not reported
Areas Of Concern: Not reported
Free Product Inches: Not reported
Fund Date: Not reported
Fund Planned: No
Fund Obligated: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDNA LARSON (Continued)

S105441793

Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	#2 FUEL OIL, , 550 TANK & SOIL REMOVAL
Work Performed:	Not reported

SPILLS:

Year of Database: 1998
Case Number: 9806541

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDNA LARSON (Continued)

S105441793

Who Took Spill: 914
Assigned To: 0
Report Date: 09/25/1998
Report Time: 10:37:24
Date Release: 09/25/1998
Time Responded: Not reported
Reported By: DICK LEWIS
Phone: 203 3805644
Representing: ENVIROSHIELD
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: 550 TANK & SOIL REMOVAL
Water Body: UNK
Discharger: EDNA LARSON
Telephone: 203 0000000
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1998-09-25 10:40:39
Sr Inspector: Porter, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Other
Other Media: SOIL
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: #2 Fuel Oil, , 550 Tank & Soil Removal
Site Type Definition: Leaking Underground Storage Tanks Completed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B6
NNW
1/8-1/4
0.182 mi.
963 ft.
LOVEJOY RES.
228 ROWLAND RD.
FAIRFIELD, CT 06430
Site 2 of 3 in cluster B

CT SPILLS **S105443195**
CT CPCS **N/A**

Relative:
Higher

SPILLS:

Actual:
27 ft.

Year of Database: 1999
Case Number: 9900968
Who Took Spill: 917
Assigned To: 0
Report Date: 02/10/1999
Report Time: 12:00:15
Date Release: 02/10/1999
Time Responded: Not reported
Reported By: rob kellerman
Phone: 203 3846020
Representing: ct tank removal
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: 550 UST REMOVAL SAMPLE RESULTS PENDING / CITY WATER
Water Body: na
Discharger: lovejoy res.
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1999-12-08 15:44:12
Sr Inspector: Emanuelson, Brian
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Other
Other Media: soil subsurface
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: na

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOVEJOY RES. (Continued)

S105443195

PTP Form: Not reported
 Program: Not reported
 Comments: #2 Fuel Oil, Private, 550 Ust Removal Sample Results Pending / City Water
 Site Type Definition: Leaking Underground Storage Tanks Completed

**B7
 NNW
 1/8-1/4
 0.182 mi.
 963 ft.**

**LOVEJOY RES.
 228 ROWLAND ROAD
 FAIRFIELD, CT 06430**

**CT LUST S104237614
 CT SPILLS N/A**

Site 3 of 3 in cluster B

**Relative:
 Higher**

LUST:

**Actual:
 27 ft.**

LUST Id: 7373
 UST Facility Id: Not reported
 LUST Case Id: 32073
 Lust Status: RSRs Reached
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 02/10/1999
 Entry Date: Not reported
 Site Case Id: 9900968
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0
 UST Owner Id: Not reported
 LUST Owner Id: Not reported
 UST Event Id: 7489
 Contact Info: Not reported
 Contact EMail: Not reported
 Site Contact City,St,Zip: UNKNOWN
 2nd Contact: Rich Louis (Enviroshield)
 2nd Contact EMail: Not reported
 2nd Contact Address: P.O. Box 1296
 2nd Contact City,St,Zip: 138, CT 06615
 2nd Contact Address 2: 250 Moffit Street
 2nd Contact City 2: Stratford
 2nd Contact Phone Number: 2033805644
 2nd Contact Fax Number: 2033788736
 2nd Contact Type: Vice President
 Facility City Num: 51
 Site Contact: Not reported
 Site Contact Address: Not reported
 Site Contact Add 2: Not reported
 Site Contact City 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOVEJOY RES. (Continued)

S104237614

Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False
Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSR Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Donald Caulfied
Resp Party Address:	228 Rowand Road
Resp Party City,St,Zip:	Fairfield, CT 06824
Resp Party Town Number:	51
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOVEJOY RES. (Continued)

S104237614

Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Allison Forrest/AForrest
Date Stamp:	11/12/2010
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	Not reported
Work Performed:	Not reported

SPILLS:

Year of Database:	2000
Case Number:	200007430
Who Took Spill:	914
Assigned To:	0
Report Date:	10/02/2000
Report Time:	11:28:18
Date Release:	10/02/2000
Time Responded:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOVEJOY RES. (Continued)

S104237614

Reported By: CAREY
Phone: 203 8767430
Representing: ABSOLUTE TANK TESTING
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: 330 LUST : TANK ALREADY REMOVED, SOIL TO BE ADDRESSED
Water Body: NONE
Discharger: FRED LOVEJOY
Telephone: 203 2591764
Responsible Party: YES
RP Address 1: SAA
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2000-10-02 11:32:10
Sr Inspector: Porter, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Other
Other Action: SAMPLED
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Other
Other Media: SOIL
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

8
NNE
1/8-1/4
0.230 mi.
1215 ft.

TISDALE RESIDENCE
347 PENFIELD ROAD
FAIRFIELD, CT 06430

CT LUST S105440216
CT SPILLS N/A
CT CPCS

Relative:
Higher

LUST:
LUST Id: 5852
UST Facility Id: Not reported
LUST Case Id: 33977
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False

Actual:
33 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TISDALE RESIDENCE (Continued)

S105440216

Removal: False
Incident Date: 05/05/1998
Entry Date: Not reported
Site Case Id: 9802678
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 5967
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TISDALE RESIDENCE (Continued)

S105440216

Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TISDALE RESIDENCE (Continued)

S105440216

Closure Date: Not reported
Rem Sys Monitoring Rpt: False
Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: Not reported
Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: # 2 FUEL OIL, , REMOVAL OF A 550 GALLON STEEL L.U.S.T. / FIRE MARSHAL NOTIFIED
Work Performed: Not reported

SPILLS:

Year of Database: 1998
Case Number: 9802678
Who Took Spill: 922
Assigned To: 0
Report Date: 05/05/1998
Report Time: 12:08:49
Date Release: 05/05/1998
Time Responded: Not reported
Reported By: TOM MONK
Phone: 203 3805644
Representing: CONNECTICUT TANK REMOVAL
Terminated: YES
Recovd (Total): 20
Total (Water): 0
Facility Status: closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: REMOVAL OF A 550 GALLON L.U.S.T. / FIRE MARSHAL NOTIFIED
Water Body: NA
Discharger: TISDALE RESIDENCE
Telephone: Not reported
Responsible Party: YES
RP Address 1: 347 PENFIELD ROAD
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1998-05-05 12:13:49
Sr Inspector: Aceto, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Removed Tank

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TISDALE RESIDENCE (Continued)

S105440216

Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: WASTE ENGINEERING AND ENFORCEMENT
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: # 2 Fuel Oil, , Removal Of A 550 Gallon Steel L.u.s.t. / Fire Marshal
Notified
Site Type Definition: Leaking Underground Storage Tanks Completed

9
SSE
1/8-1/4
0.247 mi.
1305 ft.

FAIRFIELD DPW
1 ROD HWY OLD NIKE BLDG
FAIRFIELD, CT 06430

CT SPILLS S104239883
CT CPCS N/A

Relative:
Lower

SPILLS:

Actual:
15 ft.

Year of Database: 1998
Case Number: 9808231
Who Took Spill: 936
Assigned To: 0
Report Date: 12/03/1998
Report Time: 10:03:02
Date Release: 12/03/1998
Time Responded: Not reported
Reported By: ron manning
Phone: 203 2563177
Representing: fairfield dpw
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 20 (Gallons)
Emergency Measure: soil and tank removal all surface work
Water Body: none
Discharger: fairfield dpw
Telephone: Not reported
Responsible Party: YES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD DPW (Continued)

S104239883

RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1999-02-01 08:58:29
Sr Inspector: Wofford, Ron
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: Other
Other Agency: FAIRFIELD DPW
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Inground Tank Failure
Other Cause: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Cause ID: Seepage
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: #2 Fuel Oil, Governmental, Soil And Tank Removal All Surface Work
Site Type Definition: Leaking Underground Storage Tanks Completed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

10
ENE
1/8-1/4
0.250 mi.
1320 ft.

TOM BRYANT
185 EDWARDS STREET
FAIRFIELD, CT 06430

CT LUST S103162997
CT SPILLS N/A
CT CPCS

Relative:
Lower

LUST:

Actual:
21 ft.

LUST Id: 5439
UST Facility Id: Not reported
LUST Case Id: 33564
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False
Removal: False
Incident Date: 10/24/1997
Entry Date: Not reported
Site Case Id: 9706154
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 5550
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOM BRYANT (Continued)

S103162997

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSR Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOM BRYANT (Continued)

S103162997

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	# 2 HEATING OIL, , REMOVAL OF A 550 GALLON INGROUND TANK / MINIMAL SOIL CONTAMINATION
Work Performed:	Not reported

SPILLS:

Year of Database:	1997
Case Number:	9706154
Who Took Spill:	922
Assigned To:	0
Report Date:	10/24/1997
Report Time:	11:31:02
Date Release:	10/24/1997
Time Responded:	Not reported
Reported By:	ALLAN PARKS
Phone:	203 8319123
Representing:	PARKS ENERGY
Terminated:	YES
Recovd (Total):	6
Total (Water):	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOM BRYANT (Continued)

S103162997

Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: REMOVAL OF A 550 GALLON INGROUND TANK / MINIMAL SOIL CONTAMINATION
Water Body: NA
Discharger: TOM BRYANT
Telephone: 203 2569161
Responsible Party: YES
RP Address 1: 185 EDWARDS STREET
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1997-10-24 11:34:14
Sr Inspector: Aceto, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: # 2 Heating Oil, , Removal Of A 550 Gallon Inground Tank / Minimal Soil Contamination
Site Type Definition: Leaking Underground Storage Tanks Completed

11
SSW
1/4-1/2
0.272 mi.
1434 ft.

FAIRFIELD MUNICIPAL LANDFILL
ONE ROD ROAD
FAIRFIELD, CT 06430

CERCLIS 1000357069
CTD983870296

Relative:
Lower

CERCLIS:
Site ID: 0101524
EPA ID: CTD983870296
Facility County: FAIRFIELD
Short Name: FAIRFIELD MUNICIPAL LANDF

Actual:
17 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD MUNICIPAL LANDFILL (Continued)

1000357069

Congressional District: 04
IFMS ID: Not reported
SMSA Number: 1160
USGC Hydro Unit: 01100006
Federal Facility: Not a Federal Facility
DMNSN Number: 0.00000
Site Orphan Flag: N
RCRA ID: Not reported
USGS Quadrangle: Not reported
Site Init By Prog: Not reported
NFRAP Flag: Not reported
Parent ID: Not reported
RST Code: Not reported
EPA Region: 01
Classification: Not reported
Site Settings Code: Not reported
NPL Status: Not on the NPL
DMNSN Unit Code: Not reported
RBRAC Code: Not reported
RResp Fed Agency Code: Not reported
Non NPL Status: Site Reassessment Start Needed
Non NPL Status Date: 09/07/01
Site Fips Code: 09001
CC Concurrence Date: / /
CC Concurrence FY: Not reported
Alias EPA ID: Not reported
Site FUDS Flag: Not reported

CERCLIS Site Contact Name(s):

Contact ID: 1000085.00000
Contact Name: CAROL GOLDSBERRY-TUCKER
Contact Tel: Not reported
Contact Title: On-Scene Coordinator (OSC)
Contact Email: Not reported

Contact ID: 13004278.00000
Contact Name: Margaret Morris
Contact Tel: Not reported
Contact Title: Site Assessment Manager (SAM)
Contact Email: Not reported

Alias Comments: Not reported
Site Description: Not reported

CERCLIS Assessment History:

Action Code: 001
Action: DISCOVERY
Date Started: / /
Date Completed: 02/15/89
Priority Level: Not reported
Operable Unit: SITEWIDE
Primary Responsibility: State, Fund Financed
Planning Status: Not reported
Urgency Indicator: Not reported
Action Anomaly: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD MUNICIPAL LANDFILL (Continued)

1000357069

Action Code: 001
Action: PRELIMINARY ASSESSMENT
Date Started: / /
Date Completed: 03/24/89
Priority Level: Higher priority for further assessment
Operable Unit: SITEWIDE
Primary Responsibility: State, Fund Financed
Planning Status: Not reported
Urgency Indicator: Not reported
Action Anomaly: Not reported

Action Code: 001
Action: REMOVAL ASSESSMENT
Date Started: 03/06/91
Date Completed: 03/06/91
Priority Level: Not reported
Operable Unit: SITEWIDE
Primary Responsibility: EPA Fund-Financed
Planning Status: Primary
Urgency Indicator: Not reported
Action Anomaly: Not reported

Action Code: 001
Action: SITE INSPECTION
Date Started: / /
Date Completed: 01/20/93
Priority Level: Higher priority for further assessment
Operable Unit: SITEWIDE
Primary Responsibility: EPA Fund-Financed
Planning Status: Not reported
Urgency Indicator: Not reported
Action Anomaly: Not reported

Action Code: 001
Action: SITE REASSESSMENT
Date Started: / /
Date Completed: 08/02/01
Priority Level: Low priority for further assessment
Operable Unit: SITEWIDE
Primary Responsibility: EPA Fund-Financed
Planning Status: Not reported
Urgency Indicator: Not reported
Action Anomaly: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

12
NE
1/4-1/2
0.284 mi.
1498 ft.

JENNING
314 BIRCH ROAD
FAIRFIELD, CT 06430

CT LUST **S105443491**
CT SPILLS **N/A**
CT CPCS

Relative:
Higher

LUST:
 LUST Id: 7760
 UST Facility Id: Not reported
 LUST Case Id: 35811
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 03/18/1999
 Entry Date: Not reported
 Site Case Id: 9901700
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0
 UST Owner Id: Not reported
 LUST Owner Id: Not reported
 UST Event Id: 7941
 Contact Info: Not reported
 Contact EMail: Not reported
 Site Contact City,St,Zip: UNKNOWN
 2nd Contact: Not reported
 2nd Contact EMail: Not reported
 2nd Contact Address: Not reported
 2nd Contact City,St,Zip: UNKNOWN
 2nd Contact Address 2: Not reported
 2nd Contact City 2: Not reported
 2nd Contact Phone Number: Not reported
 2nd Contact Fax Number: Not reported
 2nd Contact Type: Not reported
 Facility City Num: 51
 Site Contact: Not reported
 Site Contact Address: Not reported
 Site Contact Add 2: Not reported
 Site Contact City 2: Not reported
 Site Contact Phone: Not reported
 Site Contact Fax: Not reported
 Site Contact Type: Not reported
 Department Contact 1: Not reported
 Department Contact 2: Not reported
 Referral Source: Not reported
 Offsite Source: False

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JENNING (Continued)

S105443491

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSR Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JENNING (Continued)

S105443491

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	550, Heating Oil, PRIVATE, 550 LUST REMOVED, SOIL REMOVED, SAMPLES TAKEN.
Work Performed:	Not reported

SPILLS:

Year of Database:	1999
Case Number:	9901700
Who Took Spill:	916
Assigned To:	0
Report Date:	03/18/1999
Report Time:	08:37:14
Date Release:	03/17/1999
Time Responded:	08:37:00
Reported By:	CHRIS BARCELLO
Phone:	203 4525560
Representing:	AMERICAN TANK REMOVAL
Terminated:	YES
Recovd (Total):	0
Total (Water):	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JENNING (Continued)

S105443491

Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: 550 LUST REMOVED, SOIL REMOVED, SAMPLES TAKEN.
Water Body: Not reported
Discharger: JENNING
Telephone: 203 2597775
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1999-03-18 08:41:23
Sr Inspector: Stavola, Rosanne
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: 550, Heating Oil, Private, 550 Lust Removed, Soil Removed, Samples Taken.
Site Type Definition: Leaking Underground Storage Tanks Completed

13
SSW
1/4-1/2
0.292 mi.
1541 ft.

FAIRFIELD TOWN OF
ONE ROD HWY
FAIRFIELD, CT 06430

RCRA NonGen / NLR 1000495146
CT LUST CTD983887902
NJ MANIFEST
RI MANIFEST
CT SPILLS

Relative:
Lower

RCRA NonGen / NLR:
Date form received by agency: 08/07/1991
Facility name: FAIRFIELD TOWN OF
Facility address: ONE ROD HWY
FAIRFIELD, CT 06430
EPA ID: CTD983887902
Mailing address: OLD POST RD

Actual:
3 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD TOWN OF (Continued)

1000495146

Contact: FAIRFIELD, CT 06430
Contact address: RICHARD CELLAR
725 OLD POST RD
FAIRFIELD, CT 06430
Contact country: US
Contact telephone: (203) 256-3023
Contact email: Not reported
EPA Region: 01
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TOWN OF FAIRFIELD
Owner/operator address: 725 OLD POST RD
FAIRFIELD, CT 06430
Owner/operator country: Not reported
Owner/operator telephone: (203) 256-3023
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008
Waste name: LEAD

Waste code: D018
Waste name: BENZENE

Waste code: D039

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD TOWN OF (Continued)

1000495146

Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

LUST:

LUST Id: 7011
UST Facility Id: 5612
LUST Case Id: 35086
Lust Status: Cleanup Initiated
Processing Status: Not reported
EPA Reportable: True
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False
Removal: False
Incident Date: 12/03/1998
Entry Date: Not reported
Site Case Id: 201100077
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: 6989
LUST Owner Id: Not reported
UST Event Id: 7127
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Timothy Slater (Excavation Technologies, Inc.)
2nd Contact EMail: info@excavationtech.com
2nd Contact Address: 135 Commerce Court
2nd Contact City,St,Zip: 25, CT 06410
2nd Contact Address 2: Not reported
2nd Contact City 2: Cheshire
2nd Contact Phone Number: 2032712233
2nd Contact Fax Number: 2032710657
2nd Contact Type: President
Facility City Num: 51
Site Contact: TMC Services
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD TOWN OF (Continued)

1000495146

Emergency:	False
Private Heating Fuel:	False
Commercial Heating Fuel:	True
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	True
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSR Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Town of Fairfield
Resp Party Address:	610 Old Post Road
Resp Party City,St,Zip:	Fairfield, CT 068246646
Resp Party Town Number:	51
Resp Party Phone:	2032558200
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	28
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	GB
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD TOWN OF (Continued)

1000495146

Ground Water Gauging: False
Soil Venting: False
Active: True
NOV Action: None
NOV Issued: Not reported
NOV Due: Not reported
NOV Received: Not reported
NOV Closed: Not reported
NOV Disc Date: Not reported
NOV Issued Date: Not reported
NOV Compliance Sched: Not reported
NOV Admin Order: Not reported
NOV Referred To Ag: Not reported
Stop All NOV Actions: False
Release Invest Rpt: False
DEP App Letter 1: False
Correct Action Plan: False
DEP App Letter 2: False
Rem Sys Install: False
Rem Sys Install Date: Not reported
Closure Date: Not reported
Rem Sys Monitoring Rpt: False
Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: forresta/forresta
Date Stamp: 11/25/2014
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Long Island Sound is ~1500 ft southeast of site.
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: Spills Files and UST Enforcement FilesOpen LUST Cases:2013-05866
Work Performed: Not reported

NJ MANIFEST:

EPA Id: CTD983887902
Mail Address: OLD POST RD
Mail City/State/Zip: FAIRFIELD, CT 06430
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: RICHARD CELLAR
Comments: Not reported
SIC Code: Not reported
County: CT001
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD TOWN OF (Continued)

1000495146

Manifest:

Manifest Number: 001819424SKS
EPA ID: CTD983887902
Date Shipped: 07/01/2009
TSDf EPA ID: NJD982270506
Transporter EPA ID: TXR000050930
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 07/01/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 07/09/2009
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: FAIRFIELD, CT 06430
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: 2009 New Jersey Manifest Data
Waste Code: D001
Hand Code: H141
Quantity: 30 G

RI MANIFEST:

EPA Id: CTD983887902
GEN Cert Date: 3/26/2002
TSDf Id: RID040098352
TSDf Name: NORTHLAND ENVIRONMENTAL INC.
TSDf Date: Not reported
Transporter 2 Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD TOWN OF (Continued)

1000495146

Transporter 2 Name: Not reported
Transporter Receipt Date: Not reported
Number Of Containers: 0
Container Type: Not reported
Waste Code1: Not reported
Waste Code2: Not reported
Waste Code3: Not reported
Fee Exempt Code: Not reported
Comment: Not reported

Details:

EPA ID: CTD983887902
Manifest Docket Number: RIH0018174
Waste Description: OIL & WATER
Quantity: 55
WT/Vol Units: G
Item Number: 5827
Transporter Name: FRANKLIN ENVIRONMENTAL SERVICE
Transporter EPA ID: MAD084814136
GEN Cert Date: 3/26/2002
Transporter Receipt Date: Not reported
Transporter 2 Receipt Date: Not reported
TSDf Receipt Date: Not reported
Transporter 2 ID: Not reported

SPILLS:

Year of Database: 2009
Case Number: 200901484
Who Took Spill: 207
Assigned To: 0
Report Date: 03/28/2009
Report Time: 08:59:52
Date Release: 03/28/2009
Time Responded: 08:59:00
Reported By: DISPATCHER
Phone: 203 2544700
Representing: FAIRFIELD FIRE DEPARTMENT
Terminated: NO
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: UNKNOWN CHEMICAL
Qty: 0 (Gallons)
Emergency Measure: Unknown chemical in storm drain, and notify 937.
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-03-30 15:51:41
Sr Inspector: Gilmore, Pete
At Inspctor: **NO RESPONSE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FAIRFIELD TOWN OF (Continued)

1000495146

User Stamp: CGuzman
 Comments: Not reported
 Action: Referred
 Other Action: Not reported
 Cause ID: Seepage
 Other Cause: Not reported
 Media ID: Ground Water
 Other Media: Not reported
 Class ID: Governmental
 Other Class: Not reported
 Release Type: biomedical
 Other Release: Not reported
 Waterbody: Catch Basin
 Other Wtrbody: Not reported

C14
West
1/4-1/2
0.312 mi.
1646 ft.

DON WARNITSKI
267 EAST LAWN STREET
FAIRFIELD, CT 06430

Site 1 of 2 in cluster C

CT LUST S105442566
CT SPILLS N/A
CT CPCS

Relative:
Lower

LUST:
 LUST Id: 7049
 UST Facility Id: Not reported
 LUST Case Id: 35124
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 12/08/1998
 Entry Date: Not reported
 Site Case Id: 9808361
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0
 UST Owner Id: Not reported
 LUST Owner Id: Not reported
 UST Event Id: 7165
 Contact Info: Not reported
 Contact EMail: Not reported
 Site Contact City,St,Zip: UNKNOWN
 2nd Contact: Not reported
 2nd Contact EMail: Not reported
 2nd Contact Address: Not reported
 2nd Contact City,St,Zip: UNKNOWN
 2nd Contact Address 2: Not reported

Actual:
12 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DON WARNITSKI (Continued)

S105442566

2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSRD Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 35
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported
Ground Water Direction: Not reported
Ground Water Gradient: Not reported
Hydro Basin: Not reported
Drastic: Not reported
Geo Setting: Not reported
Ground Water Classification: Not reported
Receptor: Not reported
Ground Water Flow Direction: Not reported
Ground Water Depth: Not reported
Areas Of Concern: Not reported
Free Product Inches: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DON WARNITSKI (Continued)

S105442566

Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	#2 Fuel Oil, Private, Contained and Removed - 550 LUST - No free product, 1/6/99 T.E.C. ENVIRONMENTAL REMOVED 550-GALLON L.U.S.T. / LEWIS ENVIRONMENTAL REMOVED APPROXIMATELY 17 YARDS OF CONTAMINATED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DON WARNITSKI (Continued)

S105442566

Work Performed: SOIL
Not reported

SPILLS:

Year of Database: 1998
Case Number: 9808361
Who Took Spill: 924
Assigned To: 0
Report Date: 12/08/1998
Report Time: 12:58:26
Date Release: 12/08/1998
Time Responded: Not reported
Reported By: tina
Phone: 203 3781066
Representing: TEC
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: Contained and Removed - 550 LUST - No free product
Water Body: None reported
Discharger: Don Warnitski
Telephone: 203 2614684
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1998-12-08 13:01:23
Sr Inspector: Gothberg, Erik
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Contracted
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DON WARNITSKI (Continued)

S105442566

Other Release: Not reported

CPCS:

Site Type: LUST
 LUST Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: #2 Fuel Oil, Private, Contained And Removed - 550 LUST - No Free Product, 1/6/99 T.e.c. Environmental Removed 550-gallon L.u.s.t. / Lewis Environmental Removed Approximately 17 Yards Of Contaminated Soil
 Site Type Definition: Leaking Underground Storage Tanks Completed

**15
 NE
 1/4-1/2
 0.332 mi.
 1755 ft.**

**ED NADOLNY
 305 PURITAN ROAD
 FAIRFIELD, CT 06430**

**CT LUST
 CT SPILLS
 CT CPCS**

**S105440561
 N/A**

**Relative:
 Lower**

LUST:

**Actual:
 22 ft.**

LUST Id: 6023
 UST Facility Id: Not reported
 LUST Case Id: 34148
 LUST Status: LUST Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 06/04/1998
 Entry Date: Not reported
 Site Case Id: 9803495
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0
 UST Owner Id: Not reported
 LUST Owner Id: Not reported
 UST Event Id: 6138
 Contact Info: Not reported
 Contact EMail: Not reported
 Site Contact City,St,Zip: UNKNOWN
 2nd Contact: Not reported
 2nd Contact EMail: Not reported
 2nd Contact Address: Not reported
 2nd Contact City,St,Zip: UNKNOWN
 2nd Contact Address 2: Not reported
 2nd Contact City 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ED NADOLNY (Continued)

S105440561

2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSRD Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 35
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported
Ground Water Direction: Not reported
Ground Water Gradient: Not reported
Hydro Basin: Not reported
Drastic: Not reported
Geo Setting: Not reported
Ground Water Classification: Not reported
Receptor: Not reported
Ground Water Flow Direction: Not reported
Ground Water Depth: Not reported
Areas Of Concern: Not reported
Free Product Inches: Not reported
Fund Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ED NADOLNY (Continued)

S105440561

Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	#2 fuel oil, , 550 LUST removed, 12 yards soil excavated, confirmation samples taken
Work Performed:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ED NADOLNY (Continued)

S105440561

SPILLS:

Year of Database: 1998
Case Number: 9803495
Who Took Spill: 916
Assigned To: 0
Report Date: 06/04/1998
Report Time: 12:53:00
Date Release: 06/02/1998
Time Responded: 12:53:00
Reported By: allan graebert
Phone: 203 3242222
Representing: Hygenix
Terminated: Not reported
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 fuel oil
Qty: 0 (Gallons)
Emergency Measure: 550 LUST removed, 12 yards soil excavated, confirmation samples taken
Water Body: Not reported
Discharger: ed nadolny
Telephone: 203 2598701
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1998-06-04 12:58:50
Sr Inspector: Stavola, Rosanne
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ED NADOLNY (Continued)

S105440561

Program: Not reported
 Comments: #2 Fuel Oil, , 550 Lust Removed, 12 Yards Soil Excavated, Confirmation Samples Taken
 Site Type Definition: Leaking Underground Storage Tanks Completed

**D16
 NW
 1/4-1/2
 0.338 mi.
 1786 ft.**

**SNET
 293 REEF ROAD
 FAIRFIELD, CT**

**CT SDADB S103540821
 N/A**

Site 1 of 2 in cluster D

**Relative:
 Higher**

Site Discovery and Assessment:

**Actual:
 27 ft.**

Facility ID:	4169
Rem Master ID:	4431
PTP Id:	2975
WPC Number:	Not reported
Postal District:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Determined By:	Not reported
Ground Water Quality Classification:	Not reported
Surface Water Quality Classification:	Not reported
Waste Type:	Not reported
Disposal:	Not reported
Sample Data Available:	False
Updated By:	Not reported
Update Program:	Not reported
Updated:	Not reported
Date Created:	Not reported
Duplicate:	False
EPA CERCLIS Id:	Not reported
Number EPA RCRIS Id:	Not reported
Site on EPA's CERCLIS:	Not reported
Site Archived from CERCLIS:	Not reported
Archive Date:	Not reported
EPA's Removal at Site:	Not reported
Deferred to another EPA Program:	Not reported
EPA Env Priority Initiative Site:	Not reported
Federal Facility:	Not reported
Site on EPA's National Priority List:	Not reported
Part of an NPL site:	Not reported
RCRA Generator Status:	Not reported
RCRA Permit Status:	Not reported
Referral Id:	4320
Source of referral:	PTP
Date Received:	11/4/1998
Staff Assigned:	Not reported
Remediation Program:	PTP
Date dt_assigned:	Not reported
Remediation Complete Approved DEP/Verified by LEP:	11/4/1998
Outcome:	PTP
Remedial Id:	Not reported
PTP Id:	Not reported
Remediation Program:	Not reported
Remediation Program Entered:	Not reported
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assign:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SNET (Continued)

S103540821

Project Phase:	Not reported
Order issued:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Remedial Investigation Start:	Not reported
Remedial Investigation Completed:	Not reported
Remedial Design Start:	Not reported
Remedial Design complet:	Not reported
Remedial Action Start:	Not reported
Remedial Action Completed:	Not reported
Date Oper/ maintenance Started:	Not reported
GW monitoring:	Not reported
Remediation complete Approved DEP/Verified by LEP:	Not reported
Order Id:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Staff Assigned:	Not reported
Type of Order:	Not reported
Order Respondent:	Not reported
Admin Appeal Date:	Not reported
Date of Admin Appeal Ruling:	Not reported
Date of Admin Appeal Ruling:	Not reported
Date of Final Order:	Not reported
Date of Court Appeal:	Not reported
Date of Court Ruling:	Not reported
Date of Court Ruling:	Not reported
Date Order Modified:	Not reported
Date Referred to AG:	Not reported
Judgement:	Not reported
Date of AGR judgement:	Not reported
Penalty assessed:	Not reported
Order Complete:	Not reported
In compliance:	Not reported
Comments:	Not reported

C17
West
 1/4-1/2
 0.341 mi.
 1799 ft.

BETTY GOODFELLOW
281 EAST LAWN STREET
FAIRFIELD, CT 06430
 Site 2 of 2 in cluster C

CT LUST S103162950
CT SPILLS N/A
CT CPCS

Relative:
Lower

LUST:
 LUST Id: 5425
 UST Facility Id: Not reported
 LUST Case Id: 33550
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False

Actual:
14 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BETTY GOODFELLOW (Continued)

S103162950

Removal: False
Incident Date: 10/22/1997
Entry Date: Not reported
Site Case Id: 9706105
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 5536
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BETTY GOODFELLOW (Continued)

S103162950

Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BETTY GOODFELLOW (Continued)

S103162950

Closure Date: Not reported
Rem Sys Monitoring Rpt: False
Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: Not reported
Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: # 2 HEATING OIL, , REMOVAL OF A 1,000 GALLON U.S.T / MINIMAL SOIL
CONTAMINATION
Work Performed: Not reported

SPILLS:

Year of Database: 1997
Case Number: 9706105
Who Took Spill: 922
Assigned To: 0
Report Date: 10/22/1997
Report Time: 13:38:30
Date Release: 10/22/1997
Time Responded: Not reported
Reported By: DOUG BRINK
Phone: 203 3242222
Representing: HYGENIX, INC.
Terminated: YES
Recovd (Total): 20
Total (Water): 0
Facility Status: closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: REMOVAL OF A 1,000 GALLON U.S.T / MINIMAL SOIL CONTAMINATION
Water Body: NA
Discharger: BETTY GOODFELLOW
Telephone: 203 2590228
Responsible Party: YES
RP Address 1: 281 EAST LAWN STREET
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1997-10-22 13:41:45
Sr Inspector: Aceto, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BETTY GOODFELLOW (Continued)

S103162950

Other Action: Not reported
 Agency ID: Local Fire Marshal
 Other Agency: Not reported
 DEP Bureau: Not reported
 DEP Agency: Not reported
 Agency ID: DEP
 Other Agency: Not reported
 DEP Bureau: BUREAU OF WASTE MANAGEMENT
 DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
 Cause ID: Inground Tank Failure
 Other Cause: Not reported
 Media ID: Ground Surface
 Other Media: Not reported
 Release Type: petroleum
 Other Release: Not reported

CPCS:

Site Type: LUST
 Lust Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: # 2 Heating Oil, , Removal Of A 1,000 Gallon U.s.t / Minimal Soil Contamination
 Site Type Definition: Leaking Underground Storage Tanks Completed

E18
West
1/4-1/2
0.349 mi.
1842 ft.

ROBERT MURRAY
144 PRATT ST
FAIRFIELD, CT 06430
Site 1 of 2 in cluster E

CT LUST **S104237716**
CT SPILLS **N/A**
CT CPCS

Relative:
Higher

LUST:
 LUST Id: 9237
 UST Facility Id: Not reported
 LUST Case Id: 37263
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 03/11/1999
 Entry Date: Not reported
 Site Case Id: 9901560
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBERT MURRAY (Continued)

S104237716

UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 9418
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 35
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBERT MURRAY (Continued)

S104237716

Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlaid:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBERT MURRAY (Continued)

S104237716

Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: 1000, Heating Oil, PRIVATE, removed 1000 gal lust, removing soil, brooks lab to perform borings, slight sheen on groundwater, referred
Work Performed: Not reported

SPILLS:

Year of Database: 1999
Case Number: 9901560
Who Took Spill: 935
Assigned To: 0
Report Date: 03/11/1999
Report Time: 08:17:43
Date Release: 03/11/1999
Time Responded: Not reported
Reported By: bart liquigli
Phone: 203 3673661
Representing: santa fuel
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: removed 1000 gal lust, removing soil, brooks lab to perform borings, slight sheen on groundwater, referred
Water Body: Not reported
Discharger: robert murray
Telephone: 203 2561705
Responsible Party: YES
RP Address 1: above
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1999-12-08 15:45:08
Sr Inspector: Torres, Neil
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Test Wells
Other Action: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Inground Tank Failure

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ROBERT MURRAY (Continued)

S104237716

Other Cause: Not reported
 Media ID: Ground Water
 Other Media: Not reported
 Media ID: Other
 Other Media: soils
 Class ID: Private
 Other Class: Not reported
 Release Type: petroleum
 Other Release: Not reported
 Waterbody: Groundwater
 Other Wtrbody: Not reported

CPCS:

Site Type: LUST
 Lust Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: 1000, Heating Oil, Private, Removed 1000 Gal Lust, Removing Soil,
 Brooks Lab To Perform Borings, Slight Sheen On Groundwater, Referred
 Site Type Definition: Leaking Underground Storage Tanks Completed

E19
West
1/4-1/2
0.349 mi.
1842 ft.

R. MURRAY PROPERTY
144 PRATT STREET
FAIRFIELD, CT

CT SDADB S104253850
N/A

Site 2 of 2 in cluster E

Relative:
Higher

Site Discovery and Assessment:

Facility ID: 3370
 Rem Master ID: 3780
 PTP Id: Not reported
 WPC Number: Not reported
 Postal District: Not reported
 Latitude: Not reported
 Longitude: Not reported
 Lat/Long Determined By: Not reported
 Ground Water Quality Classification: Not reported
 Surface Water Quality Classification: Not reported
 Waste Type: HYDRO/OIL
 Disposal: UST
 Sample Data Available: False
 Updated By: DANYLUK, M.
 Update Program: D&A
 Updated: 4/8/1999
 Date Created: Not reported
 Duplicate: False
 EPA CERCLIS Id: Not reported
 Number EPA RCRIS Id: Not reported
 Site on EPA's CERCLIS: Not reported
 Site Archived from CERCLIS: Not reported
 Archive Date: Not reported
 EPA's Removal at Site: Not reported
 Deferred to another EPA Program: Not reported
 EPA Env Priority Initiative Site: Not reported
 Federal Facility: Not reported
 Site on EPA's National Priority List: Not reported
 Part of an NPL site: Not reported

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

R. MURRAY PROPERTY (Continued)

S104253850

RCRA Generator Status: Not reported
RCRA Permit Status: Not reported
Referral Id: 3169
Source of referral: SPILLS
Date Received: 3/11/1999
Staff Assigned: DANYLUK, M.
Remediation Program: D&A
Date dt_assigned: Not reported
Remediation Complete Approved DEP/Verified by LEP: 4/8/1999
Outcome: ON RECORD
Remedial Id: Not reported
PTP Id: Not reported
Remediation Program: Not reported
Remediation Program Entered: Not reported
Staff Assigned: Not reported
Remediation Program: Not reported
Date dt_assign: Not reported
Project Phase: Not reported
Order issued: Not reported
Order Number: Not reported
Date order issued: Not reported
Remedial Investigation Start: Not reported
Remedial Investigation Completed: Not reported
Remedial Design Start: Not reported
Remedial Design complet: Not reported
Remedial Action Start: Not reported
Remedial Action Completed: Not reported
Date Oper/ maintenance Started: Not reported
GW monitoring: Not reported
Remediation complete Approved DEP/Verified by LEP: Not reported
Order Id: Not reported
Order Number: Not reported
Date order issued: Not reported
Staff Assigned: Not reported
Type of Order: Not reported
Order Respondent: Not reported
Admin Appeal Date: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Final Order: Not reported
Date of Court Appeal: Not reported
Date of Court Ruling: Not reported
Date of Court Ruling: Not reported
Date Order Modified: Not reported
Date Referred to AG: Not reported
Judgement: Not reported
Date of AGR judgement: Not reported
Penalty assessed: Not reported
Order Complete: Not reported
In compliance: Not reported
Comments: Not reported

SDADB:

Waste Id: 11
Waste Type: HYDRO/OIL
Description: Hydrocarbons and/or Fuel Oil

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

20
ENE
1/4-1/2
0.355 mi.
1872 ft.

CHRISTINGSON PROPERTY
228 FAIRFIELD BEACH ROAD
FAIRFIELD, CT

CT SDADB S104253815
N/A

Relative:
Lower

Site Discovery and Assessment:

Actual:
18 ft.

Facility ID:	2615
Rem Master ID:	3033
PTP Id:	Not reported
WPC Number:	Not reported
Postal District:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Determined By:	Not reported
Ground Water Quality Classification:	Not reported
Surface Water Quality Classification:	Not reported
Waste Type:	HYDRO/OIL
Disposal:	UST
Sample Data Available:	False
Updated By:	DORAN, E.
Update Program:	CORE
Updated:	9/27/1995
Date Created:	Not reported
Duplicate:	False
EPA CERCLIS Id:	Not reported
Number EPA RCRIS Id:	Not reported
Site on EPA's CERCLIS:	Not reported
Site Archived from CERCLIS:	Not reported
Archive Date:	Not reported
EPA's Removal at Site:	Not reported
Deferred to another EPA Program:	Not reported
EPA Env Priority Initiative Site:	Not reported
Federal Facility:	Not reported
Site on EPA's National Priority List:	Not reported
Part of an NPL site:	Not reported
RCRA Generator Status:	Not reported
RCRA Permit Status:	Not reported
Referral Id:	2430
Source of referral:	SPILLS
Date Received:	8/18/1995
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assigned:	Not reported
Remediation Complete Approved DEP/Verified by LEP:	9/27/1995
Outcome:	ON RECORD
Remedial Id:	Not reported
PTP Id:	Not reported
Remediation Program:	Not reported
Remediation Program Entered:	Not reported
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assign:	Not reported
Project Phase:	Not reported
Order issued:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Remedial Investigation Start:	Not reported
Remedial Investigation Completed:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CHRISTINGSON PROPERTY (Continued)

S104253815

Remedial Design Start: Not reported
 Remedial Design complet: Not reported
 Remedial Action Start: Not reported
 Remedial Action Completed: Not reported
 Date Oper/ maintenance Started: Not reported
 GW monitoring: Not reported
 Remediation complete Approved DEP/Verified by LEP: Not reported
 Order Id: Not reported
 Order Number: Not reported
 Date order issued: Not reported
 Staff Assigned: Not reported
 Type of Order: Not reported
 Order Respondent: Not reported
 Admin Appeal Date: Not reported
 Date of Admin Appeal Ruling: Not reported
 Date of Admin Appeal Ruling: Not reported
 Date of Final Order: Not reported
 Date of Court Appeal: Not reported
 Date of Court Ruling: Not reported
 Date of Court Ruling: Not reported
 Date Order Modified: Not reported
 Date Referred to AG: Not reported
 Judgement: Not reported
 Date of AGR judgement: Not reported
 Penalty assessed: Not reported
 Order Complete: Not reported
 In compliance: Not reported
 Comments: Not reported

SDADB:

Waste Id: 11
 Waste Type: HYDRO/OIL
 Description: Hydrocarbons and/or Fuel Oil

21
West
1/4-1/2
0.355 mi.
1873 ft.

MS. HAFFINGER
256 EASTLAWN STREET
FAIRFIELD, CT 06430

CT LUST S105458808
CT CPCS N/A

Relative:
Lower

LUST:

Actual:
13 ft.

LUST Id: 8075
 UST Facility Id: Not reported
 LUST Case Id: 36126
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MS. HAFFINGER (Continued)

S105458808

Removal: False
Incident Date: 05/05/1999
Entry Date: Not reported
Site Case Id: 9902852
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 8256
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSRD Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MS. HAFFINGER (Continued)

S105458808

Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MS. HAFFINGER (Continued)

S105458808

Closure Date: Not reported
 Rem Sys Monitoring Rpt: False
 Qrtly Gwater Mon Rpts: False
 Closure Req Rpt: False
 DEP Closure Letter: False
 Referred To: Not reported
 No Wells: Not reported
 Lph Wells: Not reported
 User Stamp: Not reported
 Date Stamp: Not reported
 Correspondence: Not reported
 Environmental Impact: Not reported
 FollowUp: Not reported
 GW Comments: Not reported
 Location Desc: Not reported
 NOV Comments: Not reported
 Release Desc: Not reported
 Running Comments: 275, Heating Oil, PRIVATE, Insurance claim - no free product - 275
 with hole
 Work Performed: Not reported

CPCS:

Site Type: LUST
 Lust Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: 275, Heating Oil, Private, Insurance Claim - No Free Product - 275
 With Hole
 Site Type Definition: Leaking Underground Storage Tanks Completed

**D22
 NW
 1/4-1/2
 0.375 mi.
 1979 ft.**

**FAIRFIELD CENTRAL OFFICE (AT&T OFFICE #3661)
 239 REEF ROAD
 FAIRFIELD, CT 06824
 Site 2 of 2 in cluster D**

**CT LUST S110538668
 N/A**

**Relative:
 Higher**

LUST:
 LUST Id: 0
 UST Facility Id: 0
 LUST Case Id: 59602
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 10/15/2001
 Entry Date: 10/01/2010
 Site Case Id: 0

**Actual:
 25 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD CENTRAL OFFICE (AT&T OFFICE #3661) (Continued)

S110538668

UST Site Id: 0
Cost Recovery Spill Case #: 0
Old SITS Number: 0
Case Log Id: 0
Monthly Report Id: 0
UST Owner Id: 0
LUST Owner Id: Not reported
UST Event Id: 0
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: False
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: False
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: RM8416@ATT.COM
Resp Party Name: AT&T Corporation
Resp Party Address: 308 South Akard Street
Resp Party City,St,Zip: Dallas, TX 752025315
Resp Party Town Number: Not reported
Resp Party Phone: 2144641477
Resp Party Fax: Not reported
Resp Party Name 2: Rayshell Wamsley (Env. Health & Safety Manager)
Resp Party Address 2: Not reported
Resp Party Phone 2: 2144642744
Investigator Id: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD CENTRAL OFFICE (AT&T OFFICE #3661) (Continued)

S110538668

Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	0
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	True
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FAIRFIELD CENTRAL OFFICE (AT&T OFFICE #3661) (Continued)

S110538668

DEP Closure Letter: False
 Referred To: Not reported
 No Wells: 0
 Lph Wells: 0
 User Stamp: Allison Forrest/AForrest
 Date Stamp: 10/01/2010
 Correspondence: Not reported
 Environmental Impact: Not reported
 FollowUp: Not reported
 GW Comments: Not reported
 Location Desc: Not reported
 NOV Comments: Not reported
 Release Desc: Not reported
 Running Comments: Not reported
 Work Performed: Not reported

F23
WNW
1/4-1/2
0.412 mi.
2176 ft.

DURGY PROPERTY
49 PRATT STREET
FAIRFIELD, CT
Site 1 of 2 in cluster F

CT SDADB S104253817
N/A

Relative:
Higher

Site Discovery and Assessment:
 Facility ID: 2856
 Rem Master ID: 1614
 PTP Id: Not reported
 WPC Number: Not reported
 Postal District: Not reported
 Latitude: Not reported
 Longitude: Not reported
 Lat/Long Determined By: Not reported
 Ground Water Quality Classification: Not reported
 Surface Water Quality Classification: Not reported
 Waste Type: HYDRO/OIL
 Disposal: UST
 Sample Data Available: False
 Updated By: DANYLUK, M.
 Update Program: D&A
 Updated: 9/27/1996
 Date Created: Not reported
 Duplicate: False
 EPA CERCLIS Id: Not reported
 Number EPA RCRIS Id: Not reported
 Site on EPA's CERCLIS: Not reported
 Site Archived from CERCLIS: Not reported
 Archive Date: Not reported
 EPA's Removal at Site: Not reported
 Deferred to another EPA Program: Not reported
 EPA Env Priority Initiative Site: Not reported
 Federal Facility: Not reported
 Site on EPA's National Priority List: Not reported
 Part of an NPL site: Not reported
 RCRA Generator Status: Not reported
 RCRA Permit Status: Not reported
 Referral Id: 2669
 Source of referral: SPILLS
 Date Received: 10/6/1995
 Staff Assigned: Not reported

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DURGY PROPERTY (Continued)

S104253817

Remediation Program: Not reported
Date dt_assigned: Not reported
Remediation Complete Approved DEP/Verified by LEP: 9/27/1996
Outcome: ON RECORD
Remedial Id: Not reported
PTP Id: Not reported
Remediation Program: Not reported
Remediation Program Entered: Not reported
Staff Assigned: Not reported
Remediation Program: Not reported
Date dt_assign: Not reported
Project Phase: Not reported
Order issued: Not reported
Order Number: Not reported
Date order issued: Not reported
Remedial Investigation Start: Not reported
Remedial Investigation Completed: Not reported
Remedial Design Start: Not reported
Remedial Design complet: Not reported
Remedial Action Start: Not reported
Remedial Action Completed: Not reported
Date Oper/ maintenance Started: Not reported
GW monitoring: Not reported
Remediation complete Approved DEP/Verified by LEP: Not reported
Order Id: Not reported
Order Number: Not reported
Date order issued: Not reported
Staff Assigned: Not reported
Type of Order: Not reported
Order Respondent: Not reported
Admin Appeal Date: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Final Order: Not reported
Date of Court Appeal: Not reported
Date of Court Ruling: Not reported
Date of Court Ruling: Not reported
Date Order Modified: Not reported
Date Referred to AG: Not reported
Judgement: Not reported
Date of AGR judgement: Not reported
Penalty assessed: Not reported
Order Complete: Not reported
In compliance: Not reported
Comments: Not reported

SDADB:

Waste Id: 11
Waste Type: HYDRO/OIL
Description: Hydrocarbons and/or Fuel Oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24
ENE
1/4-1/2
0.430 mi.
2269 ft.

JOHN LLOYD
132 FAIRFIELD BEACH ROAD
FAIRFIELD, CT 06430

CT LUST S103159933
CT SPILLS N/A
CT CPCS

Relative:
Higher

LUST:

Actual:
23 ft.

LUST Id: 4917
UST Facility Id: Not reported
LUST Case Id: 33042
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False
Removal: False
Incident Date: 05/27/1997
Entry Date: Not reported
Site Case Id: 9702688
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 5028
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOHN LLOYD (Continued)

S103159933

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSR Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlaid:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOHN LLOYD (Continued)

S103159933

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	#2 HEATING OIL, , Removed 1-550 inground tank and 5 yards of contamination
Work Performed:	Not reported

SPILLS:

Year of Database:	1997
Case Number:	9702688
Who Took Spill:	913
Assigned To:	0
Report Date:	05/27/1997
Report Time:	11:45:00
Date Release:	05/27/1997
Time Responded:	Not reported
Reported By:	jim donaher
Phone:	203 2275181
Representing:	gault construction
Terminated:	YES
Recovd (Total):	0
Total (Water):	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOHN LLOYD (Continued)

S103159933

Facility Status: closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: REmoved 1-550 inground tank and 5 yards of containment
Water Body: Not reported
Discharger: john lloyd
Telephone: 203 2597776
Responsible Party: YES
RP Address 1: 132 fairfield beach road
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1997-05-27 11:59:01
Sr Inspector: Alexander, Ed
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed
Other Action: Not reported
Action: Contained
Other Action: Not reported
Action: Removed Tank
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: #2 Heating Oil, , Removed 1-550 Inground Tank And 5 Yards Of Contamination
Site Type Definition: Leaking Underground Storage Tanks Completed

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

G25
NE
1/4-1/2
0.433 mi.
2284 ft.

P. SCHIRMAN PROPERTY
89 EUNICE AVENUE
FAIRFIELD, CT 064

CT SDADB **S104253845**
N/A

Site 1 of 3 in cluster G

Relative:
Lower

Site Discovery and Assessment:

Actual:
22 ft.

Facility ID:	3574
Rem Master ID:	3891
PTP Id:	Not reported
WPC Number:	Not reported
Postal District:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Determined By:	Not reported
Ground Water Quality Classification:	Not reported
Surface Water Quality Classification:	Not reported
Waste Type:	HYDRO/OIL
Disposal:	UST
Sample Data Available:	False
Updated By:	DANYLUK, M.
Update Program:	D&A
Updated:	3/26/1999
Date Created:	Not reported
Duplicate:	False
EPA CERCLIS Id:	Not reported
Number EPA RCRIS Id:	Not reported
Site on EPA's CERCLIS:	Not reported
Site Archived from CERCLIS:	Not reported
Archive Date:	Not reported
EPA's Removal at Site:	Not reported
Deferred to another EPA Program:	Not reported
EPA Env Priority Initiative Site:	Not reported
Federal Facility:	Not reported
Site on EPA's National Priority List:	Not reported
Part of an NPL site:	Not reported
RCRA Generator Status:	Not reported
RCRA Permit Status:	Not reported
Referral Id:	3368
Source of referral:	SPILLS
Date Received:	3/10/1999
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assigned:	Not reported
Remediation Complete Approved DEP/Verified by LEP:	8/20/1999
Outcome:	ON RECORD
Remedial Id:	Not reported
PTP Id:	Not reported
Remediation Program:	Not reported
Remediation Program Entered:	Not reported
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assign:	Not reported
Project Phase:	Not reported
Order issued:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Remedial Investigation Start:	Not reported
Remedial Investigation Completed:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

P. SCHIRMAN PROPERTY (Continued)

S104253845

Remedial Design Start:	Not reported
Remedial Design complet:	Not reported
Remedial Action Start:	Not reported
Remedial Action Completed:	Not reported
Date Oper/ maintenance Started:	Not reported
GW monitoring:	Not reported
Remediation complete Approved DEP/Verified by LEP:	Not reported
Order Id:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Staff Assigned:	Not reported
Type of Order:	Not reported
Order Respondent:	Not reported
Admin Appeal Date:	Not reported
Date of Admin Appeal Ruling:	Not reported
Date of Admin Appeal Ruling:	Not reported
Date of Final Order:	Not reported
Date of Court Appeal:	Not reported
Date of Court Ruling:	Not reported
Date of Court Ruling:	Not reported
Date Order Modified:	Not reported
Date Referred to AG:	Not reported
Judgement:	Not reported
Date of AGR judgement:	Not reported
Penalty assessed:	Not reported
Order Complete:	Not reported
In compliance:	Not reported
Comments:	Not reported

SDADB:

Waste Id:	11
Waste Type:	HYDRO/OIL
Description:	Hydrocarbons and/or Fuel Oil

G26 **PETER SHCHIMANN**
NE **89 EUNICE AVE.**
1/4-1/2 **FAIRFIELD, CT 06430**
0.433 mi.
2284 ft. **Site 2 of 3 in cluster G**

CT LUST **S105441997**
CT SPILLS **N/A**
CT CPCS

Relative:
Lower

LUST:
 LUST Id: 6795
 UST Facility Id: Not reported
 LUST Case Id: 34870
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False

Actual:
22 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETER SHCHIMANN (Continued)

S105441997

Removal: False
Incident Date: 10/13/1998
Entry Date: Not reported
Site Case Id: 9807032
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 6910
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSRD Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETER SHCHIMANN (Continued)

S105441997

Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETER SHCHIMANN (Continued)

S105441997

Closure Date: Not reported
Rem Sys Monitoring Rpt: False
Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: Not reported
Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: #2 FUEL OIL, , 550 LUST : TANK & SOIL REMOVAL
Work Performed: Not reported

SPILLS:

Year of Database: 1998
Case Number: 9807032
Who Took Spill: 914
Assigned To: 0
Report Date: 10/13/1998
Report Time: 12:17:57
Date Release: 10/13/1998
Time Responded: Not reported
Reported By: MICHAEL GRANATA
Phone: 203 3781066
Representing: TEC
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: 550 LUST : TANK & SOIL REMOVAL
Water Body: N/A
Discharger: PETER SHCHIMANN
Telephone: 203 2553883
Responsible Party: YES
RP Address 1: SAA
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1998-10-13 12:21:13
Sr Inspector: Porter, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PETER SHCHIMANN (Continued)

S105441997

Cause ID: Inground Tank Failure
 Other Cause: Not reported
 Cause ID: Seepage
 Other Cause: Not reported
 Media ID: Other
 Other Media: SOIL
 Release Type: petroleum
 Other Release: Not reported

CPCS:

Site Type: LUST
 Lust Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: #2 Fuel Oil, , 550 Lust : Tank & Soil Removal
 Site Type Definition: Leaking Underground Storage Tanks Completed

**G27
 NE
 1/4-1/2
 0.439 mi.
 2317 ft.**

**MR. MOORE
 130 EUNICE AVE
 FAIRFIELD, CT 06430
 Site 3 of 3 in cluster G**

**CT LUST S104239917
 CT SPILLS N/A
 CT CPCS**

**Relative:
 Lower**

LUST:

**Actual:
 21 ft.**

LUST Id: 7047
 UST Facility Id: Not reported
 LUST Case Id: 35122
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 12/08/1998
 Entry Date: Not reported
 Site Case Id: 9808356
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0
 UST Owner Id: Not reported
 LUST Owner Id: Not reported
 UST Event Id: 7163
 Contact Info: Not reported
 Contact EMail: Not reported
 Site Contact City,St,Zip: UNKNOWN
 2nd Contact: Not reported
 2nd Contact EMail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MR. MOORE (Continued)

S104239917

2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 19
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported
Ground Water Direction: Not reported
Ground Water Gradient: Not reported
Hydro Basin: Not reported
Drastic: Not reported
Geo Setting: Not reported
Ground Water Classification: Not reported
Receptor: Not reported
Ground Water Flow Direction: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MR. MOORE (Continued)

S104239917

Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MR. MOORE (Continued)

S104239917

Running Comments: #2 Fuel Oil, Private, Free product in tank grave - 550 LUST - Insurance STEP Zurich tank insurance- told CT Tank to throw soil back in hole. (See OCSR 9808655 Enviroshield 12/18/98 550 LUST : TANK & SOIL REMOVAL / REMOVAL OF TANK WAS DONE BY ANOTHER CO.)

Work Performed: Not reported

SPILLS:

Year of Database: 1998
Case Number: 9808356
Who Took Spill: 924
Assigned To: 912
Report Date: 12/08/1998
Report Time: 11:53:04
Date Release: 12/08/1998
Time Responded: Not reported
Reported By: Joe Palmeri
Phone: 203 3846020
Representing: ct tank removal
Terminated: NO
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 30 (Gallons)
Emergency Measure: Free product in the tank grave - 550 LUST - Insurance STEP Zurich tank insurance- told Ct Tank to through the soil back in the hole.

Water Body: Ground water
Discharger: Mr. moore
Telephone: Not reported
Responsible Party: YES
RP Address 1: saa
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1999-05-24 08:43:40
Sr Inspector: Gothberg, Erik
At Inspctor: Ciasullo, Rich
User Stamp: Not reported
Comments: Not reported

Action: Other
Other Action: Investigated
Action: Investigated
Other Action: Not reported
Agency ID: DEP
Other Agency: Not reported
DEP Bureau: BUREAU OF WASTE MANAGEMENT
DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Water
Other Media: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MR. MOORE (Continued)

S104239917

Other Release: Not reported

Year of Database: 1998
Case Number: 9808655
Who Took Spill: 914
Assigned To: 0
Report Date: 12/18/1998
Report Time: 13:19:07
Date Release: 12/18/1998
Time Responded: Not reported
Reported By: RICHARD LEWIS
Phone: 800 3942268
Representing: ENVIROSHIELD
Terminated: Not reported
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: 550 LUST : TANK & SOIL REMOVAL / REMOVAL OF TANK WAS DONE BY ANOTHER COMPANY

Water Body: N/A
Discharger: WILLIAM MOORE
Telephone: 203 2592971
Responsible Party: YES
RP Address 1: SAA
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1998-12-18 13:22:52
Sr Inspector: Porter, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Other
Other Media: SOIL
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: #2 Fuel Oil, Private, Free Product In Tank Grave - 550 Lust - Insurance Step Zurich Tank Insurance- Told Ct Tank To Throw Soil Back In Hole. (see Ocsrd 9808655 Enviroshield 12/18/98 550 Lust : Tank & Soil Removal / Removal Of Tank Was Done By Another Co.)

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MR. MOORE (Continued)

S104239917

Site Type Definition: Leaking Underground Storage Tanks Completed

28
West
1/4-1/2
0.440 mi.
2325 ft.

155 ALDEN ST.
155 ALDEN ST.
FAIRFIELD, CT 06430

CT LUST S105456464
CT CPCS N/A

Relative:
Lower

LUST:
 LUST Id: 959
 UST Facility Id: Not reported
 LUST Case Id: 29087
 Lust Status: Lust Completed
 Processing Status: Not reported
 EPA Reportable: False
 Motor Fuel: False
 Diesel: False
 Gasoline: False
 Other: False
 Other Release: Not reported
 No Release: False
 Leak: False
 Tank: False
 Piping: False
 Overfill: False
 Removal: False
 Incident Date: 01/07/1991
 Entry Date: Not reported
 Site Case Id: Not reported
 UST Site Id: Not reported
 Cost Recovery Spill Case #: Not reported
 Old SITS Number: Not reported
 Case Log Id: Not reported
 Monthly Report Id: 0
 UST Owner Id: Not reported
 LUST Owner Id: Not reported
 UST Event Id: 958
 Contact Info: Not reported
 Contact EMail: Not reported
 Site Contact City,St,Zip: UNKNOWN
 2nd Contact: Not reported
 2nd Contact EMail: Not reported
 2nd Contact Address: Not reported
 2nd Contact City,St,Zip: UNKNOWN
 2nd Contact Address 2: Not reported
 2nd Contact City 2: Not reported
 2nd Contact Phone Number: Not reported
 2nd Contact Fax Number: Not reported
 2nd Contact Type: Not reported
 Facility City Num: 51
 Site Contact: Not reported
 Site Contact Address: Not reported
 Site Contact Add 2: Not reported
 Site Contact City 2: Not reported
 Site Contact Phone: Not reported
 Site Contact Fax: Not reported
 Site Contact Type: Not reported
 Department Contact 1: Not reported

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

155 ALDEN ST. (Continued)

S105456464

Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: False
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 22
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported
Ground Water Direction: Not reported
Ground Water Gradient: Not reported
Hydro Basin: Not reported
Drastic: Not reported
Geo Setting: Not reported
Ground Water Classification: Not reported
Receptor: Not reported
Ground Water Flow Direction: Not reported
Ground Water Depth: Not reported
Areas Of Concern: Not reported
Free Product Inches: Not reported
Fund Date: Not reported
Fund Planned: No
Fund Obligated: No
Fund Outlaid: No
Fund Judgment: No
Fund Recovered: No
Cellar Borings: False
Install Micro Wells: False
Ground Water Sample: False
Soil Sample: False
Soil Gas: False
Site Inspect: False
Soil Excavate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

155 ALDEN ST. (Continued)

S105456464

Geo Probe: False
Survey: False
Potable Well Sample: False
Sample MWS: False
Ground Water Gauging: False
Soil Venting: False
Active: False
NOV Action: None
NOV Issued: Not reported
NOV Due: Not reported
NOV Received: Not reported
NOV Closed: Not reported
NOV Disc Date: Not reported
NOV Issued Date: Not reported
NOV Compliance Sched: Not reported
NOV Admin Order: Not reported
NOV Referred To Ag: Not reported
Stop All NOV Actions: False
Release Invest Rpt: False
DEP App Letter 1: False
Correct Action Plan: False
DEP App Letter 2: False
Rem Sys Install: False
Rem Sys Install Date: Not reported
Closure Date: Not reported
Rem Sys Monitoring Rpt: False
Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: Not reported
Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: Not reported
Work Performed: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: Not reported
Site Type Definition: Leaking Underground Storage Tanks Completed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

29
NNW
1/4-1/2
0.441 mi.
2328 ft.

SHARON DAVIS
931 OLD POST ROAD
FAIRFIELD, CT 06430

CT LUST S103160106
CT SPILLS N/A
CT CPCS

Relative:
Higher

LUST:

Actual:
30 ft.

LUST Id: 4954
UST Facility Id: Not reported
LUST Case Id: 33079
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False
Removal: False
Incident Date: 06/03/1997
Entry Date: Not reported
Site Case Id: 9702872
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 5065
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHARON DAVIS (Continued)

S103160106

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSR D Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	28
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHARON DAVIS (Continued)

S103160106

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	#2 HEATING OIL 1000 gallon LUST, , Tank removed, insurance company - Ambrose Environmental contracted AET to oversee removal.
Work Performed:	Not reported

SPILLS:

Year of Database:	1997
Case Number:	9702872
Who Took Spill:	916
Assigned To:	922
Report Date:	06/03/1997
Report Time:	11:51:00
Date Release:	06/03/1997
Time Responded:	11:51:00
Reported By:	mike hegar
Phone:	203 7443477
Representing:	aet
Terminated:	YES
Recovd (Total):	18
Total (Water):	0

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SHARON DAVIS (Continued)

S103160106

Facility Status: Closed
 Continuous Spill: False
 Released Substance: #2 FUEL OIL
 Qty: 0 (Gallons)
 Emergency Measure: 1000 gallon LUST tank removed, insurance company - Ambrose Environmental contracted AET to oversee removal.
 Water Body: Not reported
 Discharger: sharon davis
 Telephone: Not reported
 Responsible Party: YES
 RP Address 1: Not reported
 RP City,St,Zip: CT
 Historic: False
 Waterbody: False
 Time Stamp: 1997-06-10 10:06:36
 Sr Inspector: Stavola, Rosanne
 At Inspctor: Aceto, John
 User Stamp: Not reported
 Comments: Not reported
 Action: Removed Tank
 Other Action: Not reported
 Action: Soil Removed
 Other Action: Not reported
 Agency ID: Local Fire Marshal
 Other Agency: Not reported
 DEP Bureau: Not reported
 DEP Agency: Not reported
 Agency ID: DEP
 Other Agency: Not reported
 DEP Bureau: BUREAU OF WASTE MANAGEMENT
 DEP Agency: OIL AND CHEMICAL SPILL RESPONSE
 Cause ID: Inground Tank Failure
 Other Cause: Not reported
 Media ID: Ground Surface
 Other Media: Not reported
 Release Type: petroleum
 Other Release: Not reported

CPCS:

Site Type: LUST
 LUST Status: LUST Completed (DEP's significant hazard definition)
 PTP Form: Not reported
 Program: Not reported
 Comments: #2 Heating Oil 1000 Gallon Lust, , Tank Removed, Insurance Company - Ambrose Environmental Contracted Aet To Oversee Removal.
 Site Type Definition: Leaking Underground Storage Tanks Completed

F30 FRED GARDINIER
WNW 357 OLD FIELD RD
1/4-1/2 FAIRFIELD, CT 06430
0.451 mi.
2381 ft. Site 2 of 2 in cluster F

CT LUST S103161999
CT SPILLS N/A
CT CPCS

Relative: LUST:
Higher LUST Id: 5245
 UST Facility Id: Not reported
Actual: LUST Case Id: 33370
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRED GARDINIER (Continued)

S103161999

Lust Status:	Lust Completed
Processing Status:	Not reported
EPA Reportable:	False
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	09/09/1997
Entry Date:	Not reported
Site Case Id:	9705061
UST Site Id:	Not reported
Cost Recovery Spill Case #:	Not reported
Old SITS Number:	Not reported
Case Log Id:	Not reported
Monthly Report Id:	0
UST Owner Id:	Not reported
LUST Owner Id:	Not reported
UST Event Id:	5356
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	51
Site Contact:	Not reported
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False
Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRED GARDINIER (Continued)

S103161999

Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported
Resp Party Phone 2: Not reported
Investigator Id: 35
Follow Update: Not reported
Area Lextent: Not reported
Annual Precipitation: Not reported
Affected Population: Not reported
Population Setting: Not reported
Ground Water Direction: Not reported
Ground Water Gradient: Not reported
Hydro Basin: Not reported
Drastic: Not reported
Geo Setting: Not reported
Ground Water Classification: Not reported
Receptor: Not reported
Ground Water Flow Direction: Not reported
Ground Water Depth: Not reported
Areas Of Concern: Not reported
Free Product Inches: Not reported
Fund Date: Not reported
Fund Planned: No
Fund Obligated: No
Fund Outlayed: No
Fund Judgment: No
Fund Recovered: No
Cellar Borings: False
Install Micro Wells: False
Ground Water Sample: False
Soil Sample: False
Soil Gas: False
Site Inspect: False
Soil Excavate: False
Geo Probe: False
Survey: False
Potable Well Sample: False
Sample MWS: False
Ground Water Gauging: False
Soil Venting: False
Active: False
NOV Action: None
NOV Issued: Not reported
NOV Due: Not reported
NOV Received: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRED GARDINIER (Continued)

S103161999

NOV Closed: Not reported
NOV Disc Date: Not reported
NOV Issued Date: Not reported
NOV Compliance Sched: Not reported
NOV Admin Order: Not reported
NOV Referred To Ag: Not reported
Stop All NOV Actions: False
Release Invest Rpt: False
DEP App Letter 1: False
Correct Action Plan: False
DEP App Letter 2: False
Rem Sys Install: False
Rem Sys Install Date: Not reported
Closure Date: Not reported
Rem Sys Monitoring Rpt: False
Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: Not reported
Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: #2 heating oil, , tank and soil removal
Work Performed: Not reported

SPILLS:

Year of Database: 1997
Case Number: 9705061
Who Took Spill: 936
Assigned To: 0
Report Date: 09/09/1997
Report Time: 14:52:05
Date Release: 09/09/1997
Time Responded: Not reported
Reported By: lori
Phone: 203 2551226
Representing: sabia oil
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: tank and soil removal
Water Body: n/a
Discharger: fred gardinier
Telephone: 203 2551226
Responsible Party: YES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRED GARDINIER (Continued)

S103161999

RP Address 1: 357 old field rd
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1997-09-09 14:56:33
Sr Inspector: Wofford, Ron
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed Tank
Other Action: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: Local Fire Marshal
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Other
Other Media: ground subsurface
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: #2 Heating Oil, , Tank And Soil Removal
Site Type Definition: Leaking Underground Storage Tanks Completed

**31
NE
1/4-1/2
0.470 mi.
2484 ft.**

**GARRITY
41 CARLYNN DRIVE
FAIRFIELD, CT 06430**

**CT LUST S103162989
CT SPILLS N/A
CT CPCS**

**Relative:
Lower**

LUST:

**Actual:
17 ft.**

LUST Id: 5438
UST Facility Id: Not reported
LUST Case Id: 33563
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARRITY (Continued)

S103162989

Removal: False
Incident Date: 10/23/1997
Entry Date: Not reported
Site Case Id: 9706145
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 5549
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: True
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARRITY (Continued)

S103162989

Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARRITY (Continued)

S103162989

Closure Date: Not reported
Rem Sys Monitoring Rpt: False
Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: Not reported
Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: #2 HEATING OIL, , 275 LUST : TANK & SOIL REMOVAL
Work Performed: Not reported

SPILLS:

Year of Database: 1997
Case Number: 9706145
Who Took Spill: 914
Assigned To: 0
Report Date: 10/23/1997
Report Time: 16:29:00
Date Release: 10/23/1997
Time Responded: Not reported
Reported By: ROB KELLERMAN
Phone: 203 2268265
Representing: CT TANK REMOVAL
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 0 (Gallons)
Emergency Measure: 275 LUST : TANK & SOIL REMOVAL
Water Body: Not reported
Discharger: GARRITY
Telephone: Not reported
Responsible Party: YES
RP Address 1: 41 CARLYNN DRIVE
RP City,St,Zip: FAIRFIELD, CT 06430
Historic: False
Waterbody: False
Time Stamp: 1997-10-23 16:30:59
Sr Inspector: Porter, John
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Removed
Other Action: Not reported
Action: Removed Tank
Other Action: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARRITY (Continued)

S103162989

Action: Soil Removed
Other Action: Not reported
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Other
Other Media: SOIL
Release Type: petroleum
Other Release: Not reported

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: #2 Heating Oil, , 275 Lust : Tank & Soil Removal
Site Type Definition: Leaking Underground Storage Tanks Completed

H32 MIKE WALSH
NE 655 BEACH RD.
1/4-1/2 FAIRFIELD, CT 06430
0.476 mi.
2514 ft. Site 1 of 2 in cluster H

CT CPCS S105456960
N/A

Relative:
Lower

CPCS:

Site Type: LUST
Lust Status: LUST Completed (DEP's significant hazard definition)
PTP Form: Not reported
Program: Not reported
Comments: Not reported
Site Type Definition: Leaking Underground Storage Tanks Completed

Actual:
18 ft.

H33 MIKE WALSH
NE 655 BEACH RD.
1/4-1/2 FAIRFIELD, CT 06430
0.476 mi.
2514 ft. Site 2 of 2 in cluster H

CT LUST S104098959
CT SPILLS N/A

Relative:
Lower

LUST:

LUST Id: 1918
UST Facility Id: Not reported
LUST Case Id: 30027
Lust Status: Lust Completed
Processing Status: Not reported
EPA Reportable: False
Motor Fuel: False
Diesel: False
Gasoline: False
Other: False
Other Release: Not reported
No Release: False
Leak: False
Tank: False
Piping: False
Overfill: False
Removal: False
Incident Date: 05/17/1995

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKE WALSH (Continued)

S104098959

Entry Date: Not reported
Site Case Id: Not reported
UST Site Id: Not reported
Cost Recovery Spill Case #: Not reported
Old SITS Number: Not reported
Case Log Id: Not reported
Monthly Report Id: 0
UST Owner Id: Not reported
LUST Owner Id: Not reported
UST Event Id: 1917
Contact Info: Not reported
Contact EMail: Not reported
Site Contact City,St,Zip: UNKNOWN
2nd Contact: Not reported
2nd Contact EMail: Not reported
2nd Contact Address: Not reported
2nd Contact City,St,Zip: UNKNOWN
2nd Contact Address 2: Not reported
2nd Contact City 2: Not reported
2nd Contact Phone Number: Not reported
2nd Contact Fax Number: Not reported
2nd Contact Type: Not reported
Facility City Num: 51
Site Contact: Not reported
Site Contact Address: Not reported
Site Contact Add 2: Not reported
Site Contact City 2: Not reported
Site Contact Phone: Not reported
Site Contact Fax: Not reported
Site Contact Type: Not reported
Department Contact 1: Not reported
Department Contact 2: Not reported
Referral Source: Not reported
Offsite Source: False
Date Referred: Not reported
Emergency: False
Private Heating Fuel: True
Commercial Heating Fuel: False
Commercial HF < 2100 Gal.: False
Commercial HF > 2100 Gal.: False
Commercial HF - Size Unk: False
No LUST Site: False
Cost Recvry Prgm Candidate: False
OCSR Complete: False
Follow Up Flag: False
Alternate Water Supply: False
Relocation: False
Responsible Party: False
Responsible EMail: Not reported
Resp Party Name: Not reported
Resp Party Address: Not reported
Resp Party City,St,Zip: Not reported
Resp Party Town Number: UNKNOWN
Resp Party Phone: Not reported
Resp Party Fax: Not reported
Resp Party Name 2: Not reported
Resp Party Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKE WALSH (Continued)

S104098959

Resp Party Phone 2:	Not reported
Investigator Id:	24
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKE WALSH (Continued)

S104098959

Qrtly Gwater Mon Rpts: False
Closure Req Rpt: False
DEP Closure Letter: False
Referred To: Not reported
No Wells: Not reported
Lph Wells: Not reported
User Stamp: Not reported
Date Stamp: Not reported
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: Not reported
Work Performed: Not reported

SPILLS:

Year of Database: 1995
Case Number: 2597
Who Took Spill: TORRES
Assigned To: Not reported
Report Date: 05/17/1995
Report Time: 1130
Date Release: Not reported
Time Responded: Not reported
Reported By: RAY ZABIT
Phone: Not reported
Representing: Not reported
Terminated: Y
Recovd (Total): .
Total (Water): .
Facility Status: Not reported
Continuous Spill: Not reported
Released Substance: Not reported
Qty: . (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: Not reported
Historic: Not reported
Waterbody: Not reported
Time Stamp: Not reported
Sr Inspector: Not reported
At Inspctor: Not reported
User Stamp: Not reported
Comments: Not reported

Year of Database: 1995
Town of Spill: FAIRFIELD
Case Number: 2597
OCSR Inspector: NR
Spill Date: 05/17/95

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKE WALSH (Continued)

S104098959

Spill Time: . .
Report Date: 05/17/95
Report Time: 1130
Reported By: RAY ZABIT
Representing: G R TANK
Work Telephone: 2037
Home Telephone: Not reported
Telephone Pole#: .
Incident Type: PETROLEUM
Substance: 2 FUEL OIL
Quantity: . Gallon(s)
Concentration: .
Action Desc: Not reported
On Going: Not reported
Continuous Spill: Not reported
Release Status: Terminated, Contained
Misc Info: 550 LUST REMOVED W CONTAM SOIL
Water Body: Not reported
Other Media: Not reported
Release Area: Ground Surface
Total (Water): .
Recovd (Water): .
Recovd (Total): .
Polluter Name: MIKE WALSH
Polluted Address: 655 BEACH RD
Polluted City,St,Zip: FAIRFIELD, CT .
Polluter Phone: . . .
Polluter Responsibility: Polluter accepts financial responsibility
Unknown Responsibility: Not reported
Unknown Polluter: Not reported
Cleanup Action: TANK/SOIL REMOVED
Dun and Bradst#: Not reported
UST Unit: Not reported
Agency Notified: Not reported
State Agency: Not reported
Notify Date: .
Notify Time: . .
Other Agency: Not reported
Notify Other: Not reported
Notify Status: Not reported
Class1: Private
Other Class: Not reported
Cause1: Leaking UST Report
Other Cause: Not reported
Actions1: Removed Tank
Other Actions: Soil Removal
Cleanup Contractor: Not reported
Contractor Name: Not reported
Did DEP Hire Contractor: Not reported
Date Contractor Hired: .
When Contractor Requested: Not reported
When Contractor Arrived: Not reported
Who Took Spill: TORRES
Badge # of Who Recieved Spill: 935
Who Assigned Spill: EMANUELSON/NR
Badge # of Who Assigned Spill: .
Date Assigned: 05/17/95

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKE WALSH (Continued)

S104098959

Assigned Time: 12: 0
Spill Status: Closed
Case 1136: Not reported
Federal 311K: .
Case #1: Not reported
Case #2: .
Cost Recovery: .
Property Owner: Not reported
Property Other: .
Property Name: Not reported
Property Addr: Not reported
Property CSZ: .
Polluter: Not reported
Owner: Not reported
Operator: Not reported
Vehicle Make: Not reported
Vehicle Model: Not reported
Truck Reg: Not reported
Trail Reg: Not reported
Additional Info: Not reported
Updated: Not reported
Update Date: .

34
SW
1/2-1
0.710 mi.
3748 ft.

FAIRFIELD MUNI. LANDFILL
ONE ROD HIGHWAY
FAIRFIELD, CT 06430

CT SHWS S104253823
CT SDADB N/A
CT SWF/LF
CT CPCS

Relative:
Lower

Actual:
16 ft.

SHWS:
State ID: 160
PTP Id Number: Not reported
WPC Number: Not reported
EPA ID: CTD983870296
PO Office: Not reported
Lat/Long: 41.1283/-73.2597
Location Method: MAP
Groundwater Class: GB
Surface Water Qualification: SC/SB
Waste Category: INDUSTRIAL
Disposal Method: LANDFILL
Sample: False
Other Dept of Env. Protection: SWMU
Updated By: BOBOWICZ, H. A.
Update Program: FPRE
Date Updated: 10/23/1992
Duplicate: False
Program: SUPERFUND
Inventory Date: 7/6/1987
On Inventory: True
Assessed: True
87 Group: EN
87 Origin: INVENTORY
On 87: True
Comments: ACTIVE LANDFILL 1948-1984

Site Discovery and Assessment:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD MUNI. LANDFILL (Continued)

S104253823

Facility ID: 160
Rem Master ID: 160
PTP Id: Not reported
WPC Number: Not reported
Postal District: Not reported
Latitude: 41.1283
Longitude: -73.2597
Lat/Long Determined By: MAP
Ground Water Quality Classification: GB
Surface Water Quality Classification: SC/SB
Waste Type: INDUSTRIAL
Disposal: LANDFILL
Sample Data Available: False
Updated By: BOBOWICZ, H. A.
Update Program: FPRE
Updated: 10/23/1992
Date Created: Not reported
Duplicate: False
EPA CERCLIS Id: Not reported
Number EPA RCRIS Id: Not reported
Site on EPA's CERCLIS: True
Site Archived from CERCLIS: False
Archive Date: Not reported
EPA's Removal at Site: False
Deferred to another EPA Program: False
EPA Env Priority Initiative Site: False
Federal Facility: False
Site on EPA's National Priority List: False
Part of an NPL site: False
RCRA Generator Status: Not reported
RCRA Permit Status: Not reported
Referral Id: 156
Source of referral: SUPERFUND
Date Received: 7/6/1987
Staff Assigned: DEP
Remediation Program: SUPERFUND
Date dt_assigned: 7/6/1987
Remediation Complete Approved DEP/Verified by LEP: 7/6/1987
Outcome: INVENTORY
Remedial Id: Not reported
PTP Id: Not reported
Remediation Program: Not reported
Remediation Program Entered: Not reported
Staff Assigned: Not reported
Remediation Program: Not reported
Date dt_assign: Not reported
Project Phase: Not reported
Order issued: Not reported
Order Number: Not reported
Date order issued: Not reported
Remedial Investigation Start: Not reported
Remedial Investigation Completed: Not reported
Remedial Design Start: Not reported
Remedial Design complet: Not reported
Remedial Action Start: Not reported
Remedial Action Completed: Not reported
Date Oper/ maintenance Started: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAIRFIELD MUNI. LANDFILL (Continued)

S104253823

GW monitoring: Not reported
Remediation complete Approved DEP/Verified by LEP: Not reported
Order Id: Not reported
Order Number: Not reported
Date order issued: Not reported
Staff Assigned: Not reported
Type of Order: Not reported
Order Respondent: Not reported
Admin Appeal Date: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Admin Appeal Ruling: Not reported
Date of Final Order: Not reported
Date of Court Appeal: Not reported
Date of Court Ruling: Not reported
Date of Court Ruling: Not reported
Date Order Modified: Not reported
Date Referred to AG: Not reported
Judgement: Not reported
Date of AGR judgement: Not reported
Penalty assessed: Not reported
Order Complete: Not reported
In compliance: Not reported
Comments: Not reported

SWF/LF:

Material: MIXED MUNICIPAL WASTE
Company Name: FAIRFIELD, TOWN OF
Permit Expires: 12/31/2011
Facility Type: Permit to Operate
Activity Type: TRANSFER STATION
Facility Status: AC
Application ID: 199701034
Program ID: SWF
Waste Type: Not reported
Owner Name: Not reported
Permit Issued: 7/21/1987
Permit Number: 051-2C
Application Acr: Not reported
Comments: Not reported

CPCS:

Site Type: Sites
Lust Status: Not reported
PTP Form: Not reported
Program: -1
Comments: Active Landfill 1948-1984
Site Type Definition: Inventory of Hazardous Waste Disposal Sites

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

35
SW
1/2-1
0.894 mi.
4719 ft.

NIKE BR-65
FAIRFIELD, CT

FUDS 1010309663
N/A

Relative:
Lower

FUDS:

Federal Facility ID: CT9799F1740
 FUDS #: D01CT0054
 INST ID: 61766
 Facility Name: NIKE BR-65
 City: FAIRFIELD
 State: CT
 EPA Region: 01
 County: FAIRFIELD
 Congressional District: 04
 US Army District: New England District (NAE)
 Fiscal Year: 2012
 Telephone: 978-318-8238
 NPL Status: Not Listed
 RAB: Not reported
 CTC: 412.1000
 Current Owner: Other
 Current Prog: Not reported
 Future Prog: Not reported
 Acreage: Not reported

Actual:
0 ft.

Description: Control site located on Old Rod Highway off of Reef Road. Abutted by Old Rod Highway and the Town of Fairfield wastewater treatment facility to the north and wetlands to the east, west, and south. The control site consists of eight buildings. Administration, recreation, and storage buildings No. 1 and 2, enlisted men barracks and officers quarters buildings No. 1 and 2, combined mess hall, motor repair shop, storehouse, spare parts, and battery charger building, and a lube oil shed. All buildings at control site in satisfactory condition and utilized by the town of Fairfield, CT. Launch site located on Old Dam Road off of South Pine Creek Road. Consisted of three missile silos, an enlisted men and officer quarters barracks, a missile assembly and test building, a generator building, and a acid fueling station and acid shed. The generator building, acid fueling station, and storage shed were removed by the town and a baseball field was constructed at this location. The missile storage silos abut wetlands and a former town landfill to the north and recently constructed athletic fields to the east, west and south.

History: Control site 22.14 acres. Acquired by lease 4/1/1955. Lease terminated in 1965. Launch site 15.82 acres fee and 22.26 acres easement. Acquired by purchase and condemnation in 1955. Reported excess to GSA in 1964. 15.82 acre parcel deed to the town of Fairfield, CT. 22.26 acres easement assumed disposed to the owners. Control and launch areas currently owned by the town of Fairfield, CT.

Latitude: 41.12472222000
 Longitude: -73.26166666999

Count: 3 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BRIDGEPORT	S111119901	STEELPOINTE HARBOR DEVELOPMENT	ANN, STRATFORD, PIERPONT, MAID		CT VCP
BRIDGEPORT	S106592609	WEST END ELEMENTARY SCHOOL	HOWARD AVENUE		CT VCP
FAIRFIELD	S109377293	MOBIL 01-FBH (#13879)	MERRITT PARKWAY NORTHBOUND		CT LUST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/16/2014	Source: EPA
Date Data Arrived at EDR: 01/08/2015	Telephone: N/A
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/08/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/16/2014	Source: EPA
Date Data Arrived at EDR: 01/08/2015	Telephone: N/A
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/08/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/16/2014	Source: EPA
Date Data Arrived at EDR: 01/08/2015	Telephone: N/A
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/08/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/27/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 07/21/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/07/2014	Telephone: 703-603-8704
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 01/09/2015
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/27/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/19/2014	Telephone: 703-603-0695
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/26/2015
Number of Days to Update: 31	Next Scheduled EDR Contact: 06/15/2015
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/19/2014	Telephone: 703-603-0695
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/26/2015
Number of Days to Update: 31	Next Scheduled EDR Contact: 06/15/2015
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/03/2014	Source: Department of the Navy
Date Data Arrived at EDR: 12/12/2014	Telephone: 843-820-7326
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 02/16/2015
Number of Days to Update: 48	Next Scheduled EDR Contact: 06/01/2015
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/29/2014	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 09/30/2014	Telephone: 202-267-2180
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 12/29/2014
Number of Days to Update: 37	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inventory of Hazardous Disposal Sites

State Hazardous Waste Sites. State hazardous waste site records are the statesiequivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/23/2010	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 04/23/2010	Telephone: 860-424-3705
Date Made Active in Reports: 05/25/2010	Last EDR Contact: 01/05/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SDADB: Site Discovery and Assessment Database

All sites reported to Permitting, Enforcement, and Remediation Division where it is suspected that hazardous waste may have been disposed or sites that are eligible for listing on the State Inventory of Hazardous Waste Disposal Sites.

Date of Government Version: 04/23/2010	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 04/23/2010	Telephone: 860-424-3705
Date Made Active in Reports: 05/25/2010	Last EDR Contact: 01/05/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: No Update Planned

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: List of Landfills/Transfer Stations

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/14/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 10/30/2013	Telephone: 860-424-3366
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/30/2015
Number of Days to Update: 37	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Annually

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank List

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 12/23/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 12/29/2014	Telephone: 860-424-3376
Date Made Active in Reports: 02/03/2015	Last EDR Contact: 01/05/2015
Number of Days to Update: 36	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/08/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/08/2015	Telephone: 415-972-3372
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/08/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 11/04/2014	Source: EPA Region 8
Date Data Arrived at EDR: 11/07/2014	Telephone: 303-312-6271
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 09/23/2014	Source: EPA Region 7
Date Data Arrived at EDR: 11/25/2014	Telephone: 913-551-7003
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 01/26/2015
Number of Days to Update: 65	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 10/06/2014	Source: EPA Region 6
Date Data Arrived at EDR: 10/29/2014	Telephone: 214-665-6597
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 19	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 07/30/2014	Source: EPA Region 4
Date Data Arrived at EDR: 08/12/2014	Telephone: 404-562-8677
Date Made Active in Reports: 08/22/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/01/2013	Source: EPA Region 1
Date Data Arrived at EDR: 05/01/2013	Telephone: 617-918-1313
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/30/2015
Number of Days to Update: 184	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/10/2014	Source: EPA Region 10
Date Data Arrived at EDR: 11/14/2014	Telephone: 206-553-2857
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/26/2015
Number of Days to Update: 87	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/03/2014	Source: EPA, Region 5
Date Data Arrived at EDR: 11/05/2014	Telephone: 312-886-7439
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 12	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

State and tribal registered storage tank lists

UST: Underground Storage Tank Data

Registered Underground Storage Tanks. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 12/02/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 12/04/2014	Telephone: 860-424-3376
Date Made Active in Reports: 12/29/2014	Last EDR Contact: 02/26/2015
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/15/2015
	Data Release Frequency: Semi-Annually

AST: Marine Terminals and Tank Information

A listing of bulk petroleum facilities that receive petroleum by a vessel.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 07/07/2014
Date Made Active in Reports: 07/08/2014
Number of Days to Update: 1

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3233
Last EDR Contact: 01/05/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 10/06/2014
Date Data Arrived at EDR: 10/29/2014
Date Made Active in Reports: 11/06/2014
Number of Days to Update: 8

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/03/2014
Date Data Arrived at EDR: 11/05/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 12

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/10/2014
Date Data Arrived at EDR: 11/14/2014
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 87

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014
Date Data Arrived at EDR: 11/25/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 65

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 07/30/2014
Date Data Arrived at EDR: 08/12/2014
Date Made Active in Reports: 08/22/2014
Number of Days to Update: 10

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/13/2014
Date Data Arrived at EDR: 11/18/2014
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 83

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/01/2013
Date Data Arrived at EDR: 05/01/2013
Date Made Active in Reports: 01/27/2014
Number of Days to Update: 271

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 01/30/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 11/04/2014
Date Data Arrived at EDR: 11/07/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 10

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Engineering Controls Listing

An Engineered Control is a permanent physical structure designed to safely isolate pollutants which would otherwise not comply with the self-implementing remedial options allowed in the Connecticut Remediation Standard Regulations (RSRs). The ECGD includes a description of what is eligible to be considered as an Engineered Control under section 22a-133k-2(f)(2) of the RSRs, a description of the information necessary for the preparation of complete and approvable applications, a step-by-step outline of the review and approval process, and supplemental resources provided in the appendices.

Date of Government Version: 03/05/2013
Date Data Arrived at EDR: 05/07/2013
Date Made Active in Reports: 06/19/2013
Number of Days to Update: 43

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3000
Last EDR Contact: 02/06/2015
Next Scheduled EDR Contact: 05/18/2015
Data Release Frequency: Varies

AUL: ELUR Sites

Environmental Land Use Restriction sites.

Date of Government Version: 11/12/2014
Date Data Arrived at EDR: 11/14/2014
Date Made Active in Reports: 12/16/2014
Number of Days to Update: 32

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3912
Last EDR Contact: 02/04/2015
Next Scheduled EDR Contact: 05/25/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal voluntary cleanup sites

VCP: Voluntary Remediation Sites

Sites involved in the Voluntary Remediation Program.

Date of Government Version: 11/12/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 11/14/2014	Telephone: 860-424-3705
Date Made Active in Reports: 12/17/2014	Last EDR Contact: 11/06/2014
Number of Days to Update: 33	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/29/2014	Source: EPA, Region 1
Date Data Arrived at EDR: 10/01/2014	Telephone: 617-918-1102
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 12/31/2014
Number of Days to Update: 36	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS 2: Brownfields Inventory

A brownfield site is generally defined as "real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant or contaminant?"

Date of Government Version: 11/30/2004	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 06/26/2009	Telephone: 860-424-3705
Date Made Active in Reports: 07/09/2009	Last EDR Contact: 12/24/2014
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Varies

BROWNFIELDS: Brownfields Inventory

CBRA has identified over 200 brownfield sites eligible for redevelopment. In most cases these are prime properties for commercial or industrial use. CBRA's grants, assistance and financing lower the financial risks and eliminate the legal, regulatory and environmental risks of redevelopment.

Date of Government Version: 12/29/2014	Source: Connecticut Brownfields Redevelopment Authority
Date Data Arrived at EDR: 01/09/2015	Telephone: 860-258-7833
Date Made Active in Reports: 02/03/2015	Last EDR Contact: 12/18/2014
Number of Days to Update: 25	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/22/2014
Date Data Arrived at EDR: 12/22/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 38

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 12/22/2014
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SWRCY: Recycling Facilities

A listing of recycling facilities.

Date of Government Version: 02/14/2014
Date Data Arrived at EDR: 02/25/2014
Date Made Active in Reports: 03/26/2014
Number of Days to Update: 29

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3223
Last EDR Contact: 12/11/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 02/02/2015
Next Scheduled EDR Contact: 05/18/2015
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 11/10/2014
Date Data Arrived at EDR: 12/01/2014
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 70

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 11/25/2014
Next Scheduled EDR Contact: 03/16/2015
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CDL: Clandestine Drug Lab Listing

A listing of clandestine drug lab locations included in the Spills database.

Date of Government Version: 10/29/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 10/30/2014	Telephone: 860-424-3361
Date Made Active in Reports: 12/17/2014	Last EDR Contact: 01/05/2015
Number of Days to Update: 48	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 11/10/2014	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 12/01/2014	Telephone: 202-307-1000
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 11/25/2014
Number of Days to Update: 70	Next Scheduled EDR Contact: 03/16/2015
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA (fSuperfund) lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/18/2014	Telephone: 202-564-6023
Date Made Active in Reports: 04/24/2014	Last EDR Contact: 01/30/2015
Number of Days to Update: 37	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

LIENS: Environmental Liens Listing

A listing of environmental liens placed by the Cost Recovery Program.

Date of Government Version: 05/20/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 05/23/2014	Telephone: 860-424-3120
Date Made Active in Reports: 06/03/2014	Last EDR Contact: 02/16/2015
Number of Days to Update: 11	Next Scheduled EDR Contact: 06/01/2015
	Data Release Frequency: Varies

CT PROPERTY: Property Transfer Filings

A listing of sites that meet the definition of a hazardous waste establishment. They can be generators, dry cleaners, furniture strippers, etc. These sites have been sold to another owner.

Date of Government Version: 11/12/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 11/14/2014	Telephone: 860-424-3705
Date Made Active in Reports: 12/17/2014	Last EDR Contact: 02/04/2015
Number of Days to Update: 33	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/30/2014
Date Data Arrived at EDR: 10/01/2014
Date Made Active in Reports: 11/06/2014
Number of Days to Update: 36

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 12/30/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Annually

SPILLS: Oil & Chemical Spill Database
Oil and Chemical Spill Data.

Date of Government Version: 10/29/2014
Date Data Arrived at EDR: 10/30/2014
Date Made Active in Reports: 12/17/2014
Number of Days to Update: 48

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3024
Last EDR Contact: 01/05/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Semi-Annually

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 10/15/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/11/2013
Number of Days to Update: 39

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 02/03/2015
Next Scheduled EDR Contact: 05/18/2015
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 01/15/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 06/06/2014	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 09/10/2014	Telephone: 202-528-4285
Date Made Active in Reports: 09/18/2014	Last EDR Contact: 12/12/2014
Number of Days to Update: 8	Next Scheduled EDR Contact: 03/23/2015
	Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2013	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 01/24/2014	Telephone: Varies
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 12/24/2014
Number of Days to Update: 31	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013	Source: EPA
Date Data Arrived at EDR: 12/12/2013	Telephone: 703-416-0223
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 12/12/2014
Number of Days to Update: 74	Next Scheduled EDR Contact: 03/23/2015
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 02/27/2015
Number of Days to Update: 146	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Varies

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 12/30/2014	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 12/31/2014	Telephone: 303-231-5959
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 12/30/2014
Number of Days to Update: 29	Next Scheduled EDR Contact: 03/16/2015
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2011	Source: EPA
Date Data Arrived at EDR: 07/31/2013	Telephone: 202-566-0250
Date Made Active in Reports: 09/13/2013	Last EDR Contact: 01/29/2015
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012	Source: EPA
Date Data Arrived at EDR: 01/15/2015	Telephone: 202-260-5521
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 12/22/2014
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/23/2015
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/23/2015
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/10/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/25/2011	Last EDR Contact: 01/26/2015
Number of Days to Update: 77	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/31/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/29/2014	Telephone: 202-564-5088
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 01/09/2015
Number of Days to Update: 8	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCBs who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014	Source: EPA
Date Data Arrived at EDR: 10/15/2014	Telephone: 202-566-0500
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/16/2015
Number of Days to Update: 33	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 12/29/2014	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 01/08/2015	Telephone: 301-415-7169
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 12/04/2014
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/23/2015
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/07/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/08/2014	Telephone: 202-343-9775
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/27/2015
Number of Days to Update: 12	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and pointers to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/16/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40

Source: EPA
Telephone: (617) 918-1111
Last EDR Contact: 02/27/2015
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2014
Date Data Arrived at EDR: 08/12/2014
Date Made Active in Reports: 11/06/2014
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 02/26/2013
Date Made Active in Reports: 04/19/2013
Number of Days to Update: 52

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/24/2015
Next Scheduled EDR Contact: 06/08/2015
Data Release Frequency: Biennially

LWDS: Connecticut Leachate and Wastewater Discharge Sites

The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP. These maps locate surface and groundwater discharges that (1) have received a waste water discharge permit from the state or (2) are historic and now defunct waste sites or (3) are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

Date of Government Version: 07/17/2009
Date Data Arrived at EDR: 10/21/2009
Date Made Active in Reports: 10/30/2009
Number of Days to Update: 9

Source: Department of Energy & Environmental Protection
Telephone: N/A
Last EDR Contact: 10/15/2014
Next Scheduled EDR Contact: 01/26/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/17/2014
Next Scheduled EDR Contact: 03/02/2015
Data Release Frequency: No Update Planned

DRYCLEANERS: Drycleaner Facilities

A listing of drycleaner facility locations.

Date of Government Version: 07/18/2008
Date Data Arrived at EDR: 08/08/2008
Date Made Active in Reports: 08/27/2008
Number of Days to Update: 19

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3026
Last EDR Contact: 12/11/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Varies

ENFORCEMENT: Enforcement Case Listing

The types of enforcement actions included are administrative consent orders, final unilateral orders and final dispositions of civil cases through the Attorney General's Office.

Date of Government Version: 01/28/2015
Date Data Arrived at EDR: 01/28/2015
Date Made Active in Reports: 02/03/2015
Number of Days to Update: 6

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3265
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Varies

NPDES: Wastewater Permit Listing

A listing of permits issued by the DEP.

Date of Government Version: 01/20/2015
Date Data Arrived at EDR: 01/21/2015
Date Made Active in Reports: 02/13/2015
Number of Days to Update: 23

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3832
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

AIRS: Permitted Air Sources Listing

A listing of permitted air sources in Connecticut.

Date of Government Version: 01/30/2015
Date Data Arrived at EDR: 01/30/2015
Date Made Active in Reports: 02/03/2015
Number of Days to Update: 4

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3026
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 01/15/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 02/18/2015
Next Scheduled EDR Contact: 06/01/2015
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 07/23/2014
Date Data Arrived at EDR: 06/26/2014
Date Made Active in Reports: 07/21/2014
Number of Days to Update: 25

Source: Department of Energy & Environmental Protection
Telephone: 860-418-5930
Last EDR Contact: 12/18/2014
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: Varies

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/16/2014
Date Data Arrived at EDR: 10/31/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 17

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 02/06/2015
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Annually

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/16/2014
Date Data Arrived at EDR: 10/31/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 17

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 02/06/2015
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Annually

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 01/30/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

A listing containing RCRA financial assurance information submitted on behalf of the CT DEP's Program Analysis Group of the Waste Engineering and Enforcement Division.

Date of Government Version: 07/23/2014
Date Data Arrived at EDR: 07/01/2014
Date Made Active in Reports: 07/09/2014
Number of Days to Update: 8

Source: Department of Energy & Environmental Protection
Telephone: 860-418-5930
Last EDR Contact: 12/18/2014
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CPCS: Contaminated or Potentially Contaminated Sites

A list of Contaminated or Potentially Contaminated Sites within Connecticut. This list represents the "Hazardous Waste Facilities," as defined in Section 22a-134f of the Connecticut General Statutes (CGS). The list contains the following types of sites: Sites listed on the Inventory of Hazardous Waste Disposal Sites; Sites subject to the Property Transfer Act; Sites at which underground storage tanks are known to have leaked; Sites at which hazardous waste subject to the RCRA; Sites that are included in EPA's (CERCLIS); Sites that are the subject of an order issued by the Commissioner of DEP that requires investigation and remediation of a potential or known source of pollution; and Sites that have entered into one of the Department's Voluntary Remediation Programs.

Date of Government Version: 01/15/2015	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 01/16/2015	Telephone: 860-424-3766
Date Made Active in Reports: 02/03/2015	Last EDR Contact: 02/09/2015
Number of Days to Update: 18	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Quarterly

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2015
Number of Days to Update: 339	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: N/A

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014	Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014	Last EDR Contact: 02/09/2015
Number of Days to Update: 88	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Quarterly

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 11/25/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/26/2014	Telephone: 703-603-8787
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 01/05/2015
Number of Days to Update: 64	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/12/2014
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/23/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001	Source: American Journal of Public Health
Date Data Arrived at EDR: 10/27/2010	Telephone: 703-305-6451
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 12/02/2009
Number of Days to Update: 36	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

SEH: List of Significant Environmental Hazards Report to DEEP

The Significant Environmental Hazard Statute is intended to identify and abate short-term risks associated with specific environmental conditions identified in the statute. After abatement of short-term risks (meaning abatement of the significant environmental hazard condition), there may still be potential long-term risks associated with the release. However, a significant environmental hazard can be considered abated under the statute even though potential long-term risks may not have been addressed.

Date of Government Version: 09/30/2014	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 10/21/2014	Telephone: 860-424-3766
Date Made Active in Reports: 12/17/2014	Last EDR Contact: 01/23/2015
Number of Days to Update: 57	Next Scheduled EDR Contact: 05/04/2015
	Data Release Frequency: Varies

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/13/2015
Number of Days to Update: 3	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Quarterly

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 01/15/2015
Number of Days to Update: 76	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Varies

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/18/2012	Telephone: 703-308-4044
Date Made Active in Reports: 05/25/2012	Last EDR Contact: 02/13/2015
Number of Days to Update: 7	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 11/19/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/21/2014	Telephone: 202-566-1917
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 02/16/2015
Number of Days to Update: 69	Next Scheduled EDR Contact: 06/01/2015
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800s to 1950s to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Energy & Environmental Protection formerly known as the DEP which changes in July 2011 in Connecticut.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/02/2014
Number of Days to Update: 185

Source: Department of Energy & Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Energy & Environmental Protection formerly know as the DEP which changes in July 2011 in Connecticut.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/02/2014
Number of Days to Update: 185

Source: Department of Energy & Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/19/2012
Date Made Active in Reports: 08/28/2012
Number of Days to Update: 40

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2015
Date Data Arrived at EDR: 02/04/2015
Date Made Active in Reports: 02/27/2015
Number of Days to Update: 23

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 02/04/2015
Next Scheduled EDR Contact: 05/18/2015
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/21/2014
Date Made Active in Reports: 08/25/2014
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/15/2014
Date Made Active in Reports: 08/13/2014
Number of Days to Update: 29

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/23/2015
Next Scheduled EDR Contact: 06/08/2015
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

VT MANIFEST: Hazardous Waste Manifest Data Hazardous waste manifest information.

Date of Government Version: 12/22/2014
Date Data Arrived at EDR: 02/06/2015
Date Made Active in Reports: 02/27/2015
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Annually

WI MANIFEST: Manifest Information Hazardous waste manifest information.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 06/20/2014
Date Made Active in Reports: 08/07/2014
Number of Days to Update: 48

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 12/12/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Child Care Facilities

Source: Department of Public Health
Telephone: 860-509-8045

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Soils

Source: Department of Environmental Protection
Telephone: 860-871-4047

Scanned Digital USGS 7.5ftTopographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

« 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

2014 Distressed Municipalities List
Prepared by DECD Research
8/19/2014

2014 Distressed Municipalities

Ranked by Score

	Total Scores	Ranking
Hartford	1,448	1
Waterbury	1,439	2
New Britain	1,431	3
Bridgeport	1,374	4
New London	1,365	5
Ansonia	1,330	6
Derby	1,327	7
Naugatuck	1,315	8
Windham	1,285	9
Meriden	1,272	10
Torrington	1,255	11
North Canaan	1,251	12
Bristol	1,250	13
Plainfield	1,243	14
Putnam	1,243	15
Killingly	1,229	16
New Haven	1,228	17
Sprague	1,218	18
East Hartford	1,215	19
West Haven	1,196	20
Preston	1,185	21
Enfield	1,180	22
Winchester	1,166	23
Montville	1,164	24
Plymouth	1,159	25


2014 Distressed Municipalities

In town alphabetical order

	Total Scores
Ansonia	1,330
Bridgeport	1,374
Bristol	1,250
Derby	1,327
East Hartford	1,215
Enfield	1,180
Hartford	1,448
Killingly	1,229
Meriden	1,272
Montville	1,164
Naugatuck	1,315
New Britain	1,431
New Haven	1,228
New London	1,365
North Canaan	1,251
Plainfield	1,243
Plymouth	1,159
Preston	1,185
Putnam	1,243
Sprague	1,218
Torrington	1,255
Waterbury	1,439
West Haven	1,196
Winchester	1,166
Windham	1,285

JOHN H. CHAFEE COASTAL BARRIER RESOURCES SYSTEM CONNECTICUT

37 Jarvis Court,
Fairfield, CT



Number of CBRs Units:	32
Number of System Units:	25
Number of Otherwise Protected Areas:	7
Total Acres:	9,245
Upland Acres:	1,130
Associated Aquatic Habitat Acres:	8,115
Shoreline Miles:	22

Boundaries of the John H. Chafee Coastal Barrier Resources System (CBRS) shown on this map were transferred from the official CBRs maps for this area and are depicted on this map (in red) for informational purposes only. The official CBRs maps are enacted by Congress via the Coastal Barrier Resources Act, as amended, and are maintained by the U.S. Fish and Wildlife Service. The official CBRs maps are available for download at http://www.fws.gov/habitatconservation/coastal_barrier.html.



February 18, 2015

Amaya Architects
Attn: Rafael Amaya
284 Racebrook Rd
Orange, CT 06477

RE: Hazardous Building Materials Survey for Proposed Renovations
Location: 37 Jarvis Court, Fairfield, Connecticut
Freeman Companies Project #: 2015-0005

Dear Mr. Amaya,

In accordance with our proposal, Freeman Companies, LLC (Freeman), conducted a comprehensive pre-renovation asbestos, lead-based paint, mold growth and radon-in-air survey and bulk sampling amongst suspect building materials from the residence located at 37 Jarvis Court, Fairfield, Connecticut. The purpose of the bulk sampling and analysis survey was to sample materials for asbestos, lead-based paint and mold growth prior to any further renovations to the surveyed site structure.

The inspections were conducted January 26, 2015.

We thank you for the opportunity to provide you with our consulting services. If you have any questions regarding this report or its contents, please contact me at 860-908-4499.

Sincerely,

Freeman Companies, LLC



Brett Nicholas
Hazardous Building Materials Manager

Appendix A: Asbestos Laboratory Results
Appendix B: Mold / Fungal Laboratory Results
Appendix C: Radon-in-Air Laboratory Results
Appendix D: Licenses and Accreditations

13C, 13D, 13E, 13F

1.0 INTRODUCTION

1.1 Purpose

Freeman Companies, LLC was retained by Amaya Architects to conduct a pre-renovation asbestos, lead-based paint, mold growth and radon-in-air investigative survey amongst suspect materials associated with proposed renovations of the site structure located at 37 Jarvis Court, Fairfield, CT. The asbestos survey was conducted in conformance with the Environmental Protection Agency (EPA) National Emissions Standards for Hazardous Air Pollutants (NESHAP) 40 CFR Part 61.

1.2 Special Terms and Conditions

Freeman Companies LLC was contracted to perform an investigative survey of all accessible interior and exterior materials. These areas included the living spaces, attic, and exterior areas. Roofing materials were excluded per instructions by Amaya Architects. Wood laminate flooring was observed with no asbestos-suspect flooring materials underneath. Exterior finishes were covered with aluminum and vinyl coverings. Non-destructive sampling techniques were conducted. Inaccessible areas were generally identified as above or behind hard finish materials and siding. Estimated quantities and locations of asbestos-containing materials (ACM's) as presented were based on the visual observations at the time of the survey. Every attempt was made to locate all suspect materials, however additional materials may be discovered above hard ceilings or behind walls during demolition or renovation activities.

2.0 ASBESTOS INVESTIGATIVE SURVEY

2.1 General Summary

The following asbestos survey section presents the survey results, methods, and conclusions based on survey findings. Detailed information relative to ACM descriptions and locations are presented in the appendices to this report.

Appendix A Laboratory Analysis Data

Appendix A further illustrates each type of suspect asbestos-containing material identified, their location(s), and whether the materials are classified as ACM or non-ACM based upon the analytical results. All samples were submitted to EMSL Analytical, Inc. EMSL is a CT Licensed Laboratory.

2.2 Methodology

As required by the U.S. Occupational Safety & Health Administration (OSHA), the U.S. Environmental Protection Agency (EPA), and the State of Connecticut Department of Public Health (DPH), sampling was performed by an EPA Asbestos Hazard Emergency Response Act (AHERA)-accredited and DPH-certified asbestos inspector (see Appendix D). Sampling was done in a manner to prevent airborne fiber release and in accordance with the protocols specified in EPA 40 CFR Part 763. Samples were placed in appropriately labeled containers that were sealed, labeled and submitted to the laboratory for analysis. The samples were submitted for petrographic analysis using the EPA-endorsed Polarized

Light Microscopy with Dispersion Staining (PLM/DS) method. The percentage of asbestos present in each sample was determined by the visual area estimation technique.

Samples were collected using a wet technique to prevent airborne fiber release. Each suspect material was sampled using a decontaminated knife to cut through its entire thickness to ensure that a complete cross section was obtained. The sample was then placed in an appropriately labeled container, which was sealed, labeled and submitted to the laboratory for analysis.

2.4 Results of Sampling and Analysis for Asbestos

Table 1 presents a summary of the results of the sampling. Please refer to Appendix A (ACM Laboratory Results) for laboratory analysis results.

Table 1 – Asbestos Analytical Results

Sample Number	Material Description	Location(s)	Estimated Quantity	Analytical Result
012615 – 1a*	Joint Compound	Laundry Room	4,000 Square Feet	1.75% Chrysotile
012615 – 1b*	Joint Compound	Main Hall Closet		Not Analyzed
012615 – 1c*	Joint Compound	S.E. Bedroom Closet		1.25% Chrysotile
012615 – 2a	Sheetrock	Laundry Room	N/A	None Detected
012615 – 2b	Sheetrock	Main Hall Closet	N/A	None Detected
012615 – 2c	Sheetrock	S.E. Bedroom Closet	N/A	None Detected
012615 – 3a	Exterior Window Frame Caulk	Exterior	N/A	None Detected
012615 – 3b	Exterior Window Frame Caulk	Exterior	N/A	None Detected
012615 – 3c	Exterior Window Frame Caulk	Exterior	N/A	None Detected
012615 – 4a	Blown-in White Fibrous Insulation	Attic Space	N/A	None Detected
012615 – 4b	Blown-in White Fibrous Insulation	Attic Space	N/A	None Detected
012615 – 4c	Blown-in White Fibrous Insulation	Attic Space	N/A	None Detected
012615 – 5a	Red Penetration Fire Stop	Laundry Room	N/A	None Detected
012615 – 5b	Red Penetration Fire Stop	Laundry Room	N/A	None Detected
012615 – 5c	Red Penetration Fire Stop	Laundry Room	N/A	None Detected

* Confirmed by PLM Point Count 400 Quantitation Method

3.0 LEAD-BASED PAINT SCREENING SURVEY

The Lead-based paint survey was conducted with an XRF direct reading instrument in accordance with the Department of Housing & Urban Development (HUD) testing guidelines. These protocols were developed for residential or day care facilities and were adopted by the Connecticut Childhood Lead Poisoning Prevention Regulations (CLPPR). The Lead-paint reports were prepared using the CLPPR threshold of 1 mg/cm². Although most surface paints are reported as below the threshold of 1.0 mg/cm², the instrument recorded some results that indicated lead was present in limited locations but **below** the CLPPR threshold of 1.0 mg/cm².

The State of Connecticut and the U.S. Department of Housing and Urban Development (HUD) have developed technical guidelines for testing, abatement, cleanup, and disposal of lead-based paint in specific types of buildings such as public and Indian housing, and locations where children below the age of six years old reside. These guidelines define the regulated level of lead paint (Toxic Level of Lead) as paint containing greater than 1.0 milligrams lead per square centimeter (mg/cm²) of surface as measured on-site by an X-ray fluorescent (XRF) analyzer or more than 0.50 percent lead by dry weight as measured by Atomic Absorption Spectrometry (AAS).

For the purposes of this report, all paints containing detectable amounts of lead should be considered lead-based paints. This action is taken because OSHA regulates lead in construction based on airborne exposures and it cannot be ensured that lead paint with concentrations of lead less than 1.0 mg/cm² or 0.50% mass will not result in exposures exceeding the OSHA standard.

4.0 LEAD-BASED PAINT SURVEY RESULTS

Table 2 – Lead Paint - XRF Results

Room / Area	Floor	Component	Side	Paint Color	Substrate (Condition)	Results (mg/cm ²)
Living Room	1 st	Wall	North	Beige	Sheetrock (Intact)	0.03
Living Room	1 st	Wall	South	Wallpaper	Sheetrock (Intact)	0.06
Living Room	1 st	Wall	East	Beige	Sheetrock (Intact)	0.07
Living Room	1 st	Wall	West	Beige	Sheetrock (Intact)	0.0
Living Room	1 st	Baseboard	North	White	Wood (Intact)	0.0
Living Room	1 st	Baseboard	South	White	Wood (Intact)	0.0
Living Room	1 st	Baseboard	East	White	Wood (Intact)	0.0
Living Room	1 st	Baseboard	West	White	Wood (Intact)	0.0
Living Room	1 st	Front Entry Door	Inner	Beige	Metal (Intact)	0.0
Living Room	1 st	Front Entry Door	Outer	Peach	Metal (Intact)	0.0
Living Room	1 st	Front Entry Door Jamb	-	White	Wood (Intact)	0.0
Living Room	1 st	Front Entry Door Molding	Inner	White	Wood (Intact)	0.0

Room / Area	Floor	Component	Side	Paint Color	Substrate (Condition)	Results (mg/cm ²)
Living Room	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Living Room (Coat Closet)	1 st	Wall	North	White	Sheetrock (Intact)	0.0
Living Room (Coat Closet)	1 st	Wall	South	White	Sheetrock (Intact)	0.0
Living Room (Coat Closet)	1 st	Wall	East	White	Sheetrock (Intact)	0.0
Living Room (Coat Closet)	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Living Room (Coat Closet)	1 st	Door	-	Beige	Wood (Intact)	0.0
Living Room (Coat Closet)	1 st	Door Frame / Molding	-	White	Wood (Intact)	0.0
Living Room (Coat Closet)	1 st	Baseboard	North	White	Wood (Intact)	0.0
Living Room (Coat Closet)	1 st	Baseboard	South	White	Wood (Intact)	0.0
Living Room (Coat Closet)	1 st	Baseboard	East	White	Wood (Intact)	0.0
Living Room	1 st	West Window Molding	-	White	Wood (Intact)	0.0
Living Room	1 st	West Window Frame	-	White	Wood (Intact)	0.0
Living Room	1 st	West Window Sash (North)	-	White	Wood (Intact)	0.0
Living Room	1 st	West Window Sash (South)	-	White	Wood (Intact)	0.0
Living Room	1 st	North Window Molding	-	White	Wood (Intact)	0.0
Living Room	1 st	North Window Frame	-	White	Wood (Intact)	0.0
Living Room	1 st	North Window Sash	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Wall	East	Beige	Sheetrock (Intact)	0.0
Main Hallway	1 st	Wall	West	Beige	Sheetrock (Intact)	0.0
Main Hallway	1 st	Wall	North (@ Bathroom)	Beige	Sheetrock (Intact)	0.05
Main Hallway	1 st	Wall	South (@ Bathroom)	Beige	Sheetrock (Intact)	0.03
Main Hallway	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Main Hallway	1 st	Baseboard	East	White	Wood (Intact)	0.0
Main Hallway	1 st	Baseboard	West	White	Wood (Intact)	0.0
Main Hallway	1 st	Baseboard	North (@ Bathroom)	White	Wood (Intact)	0.0
Main Hallway	1 st	Baseboard	South (@ Bathroom)	White	Wood (Intact)	0.0

Room / Area	Floor	Component	Side	Paint Color	Substrate (Condition)	Results (mg/cm ²)
Main Hallway (Walk-in Closet)	1 st	Door	-	White	Wood (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Door Molding / Jamb	-	White	Wood (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Wall	North	White	Sheetrock (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Wall	West	White	Sheetrock (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Wall	South	White	Sheetrock (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Baseboard	North	White	Wood (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Baseboard	West	White	Wood (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Baseboard	South	White	Wood (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Attic Hatch Molding	-	White	Wood (Intact)	0.0
Main Hallway (Walk-in Closet)	1 st	Attic Hatch Door	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Molding (West Bedroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Jamb (West Bedroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Molding (Southwest Bedroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Jamb (Southwest Bedroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Molding (Southeast Bedroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Jamb (Southeast Bedroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Molding (Bathroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Molding (Bathroom)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door Molding (Linen Closet)	-	White	Wood (Intact)	0.0
Main Hallway	1 st	Door (Linen Closet)	-	Beige	Wood (Intact)	0.0
Main Hallway	1 st	Shelves (Linen Closet)	-	White	Wood (Intact)	0.0
West Bedroom	1 st	Door	-	Beige	Wood (Intact)	0.0
West Bedroom	1 st	Door Molding (Inner)	-	White	Wood (Intact)	0.0

Room / Area	Floor	Component	Side	Paint Color	Substrate (Condition)	Results (mg/cm ²)
West Bedroom	1 st	Wall	North	Beige	Sheetrock (Intact)	0.0
West Bedroom	1 st	Wall	South	Beige	Sheetrock (Intact)	0.0
West Bedroom	1 st	Wall	East	Beige	Sheetrock (Intact)	0.0
West Bedroom	1 st	Wall	West	Beige	Sheetrock (Intact)	0.0
West Bedroom	1 st	Window Molding	-	White	Wood (Intact)	0.0
West Bedroom	1 st	Window Frame	-	White	Wood (Intact)	0.0
West Bedroom	1 st	Window Sash (North)	-	White	Wood (Intact)	0.0
West Bedroom	1 st	Window Sash (South)	-	White	Wood (Intact)	0.0
West Bedroom	1 st	Baseboard	North	White	Wood (Intact)	0.0
West Bedroom	1 st	Baseboard	South	White	Wood (Intact)	0.0
West Bedroom	1 st	Baseboard	East	White	Wood (Intact)	0.0
West Bedroom	1 st	Baseboard	West	White	Wood (Intact)	0.0
West Bedroom	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
West Bedroom	1 st	Closet Door	-	Beige	Wood (Intact)	0.0
West Bedroom	1 st	Closet Door Molding	-	White	Wood (Intact)	0.0
West Bedroom	1 st	Closet Door Jamb	-	White	Wood (Intact)	0.0
West Bedroom	1 st	Closet Baseboard	South	White	Wood (Intact)	0.0
West Bedroom	1 st	Closet Baseboard	East	White	Wood (Intact)	0.0
West Bedroom	1 st	Closet Baseboard	West	White	Wood (Intact)	0.0
West Bedroom	1 st	Closet Wall	South	White	Sheetrock (Intact)	0.0
West Bedroom	1 st	Closet Wall	East	White	Sheetrock (Intact)	0.0
West Bedroom	1 st	Closet Wall	West	White	Sheetrock (Intact)	0.0
West Bedroom	1 st	Closet Ceiling	-	White	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Door	-	Beige	Wood (Intact)	0.0
Southwest Bedroom	1 st	Door Molding (Inner)	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Wall	North	Beige	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Wall	South	Beige	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Wall	East	Beige	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Wall	West	Beige	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Baseboard	North	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Baseboard	South	White	Wood (Intact)	0.0

Room / Area	Floor	Component	Side	Paint Color	Substrate (Condition)	Results (mg/cm ²)
Southwest Bedroom	1 st	Baseboard	East	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Baseboard	West	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	West Window Molding	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	West Window Frame	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	West Window Sash (North)	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	West Window Sash (South)	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	South Window Molding	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	South Window Frame	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	South Window Sash	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Closet Door	-	Beige	Wood (Intact)	0.0
Southwest Bedroom	1 st	Closet Door Molding	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Closet Door Jamb	-	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Closet Baseboard	North	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Closet Baseboard	West	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Closet Baseboard	East	White	Wood (Intact)	0.0
Southwest Bedroom	1 st	Closet Wall	North	White	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Closet Wall	West	White	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Closet Wall	East	White	Sheetrock (Intact)	0.0
Southwest Bedroom	1 st	Closet Ceiling	-	White	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Door	-	Beige	Wood (Intact)	0.0
Southeast Bedroom	1 st	Door Molding (Inner)	-	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Wall	North	Beige	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Wall	South	Beige	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Wall	East	Beige	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Wall	West	Beige	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Baseboard	North	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Baseboard	South	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Baseboard	East	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Baseboard	West	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0

Room / Area	Floor	Component	Side	Paint Color	Substrate (Condition)	Results (mg/cm ²)
Southeast Bedroom	1 st	East Window Molding	-	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	East Window Frame	-	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	East Window Sash	-	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Closet Door	-	Beige	Wood (Intact)	0.0
Southeast Bedroom	1 st	Closet Door Molding	-	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Closet Door Jamb	-	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Closet Baseboard	North	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Closet Baseboard	West	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Closet Baseboard	East	White	Wood (Intact)	0.0
Southeast Bedroom	1 st	Closet Wall	North	White	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Closet Wall	West	White	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Closet Wall	East	White	Sheetrock (Intact)	0.0
Southeast Bedroom	1 st	Closet Ceiling	-	White	Sheetrock (Intact)	0.0
Bathroom	1 st	Wall	East	Grey	Sheetrock (Intact)	0.0
Bathroom	1 st	Wall	North	Grey	Sheetrock (Intact)	0.0
Bathroom	1 st	Wall	West	Grey	Sheetrock (Intact)	0.0
Bathroom	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Bathroom	1 st	East Window Molding	-	White	Wood (Intact)	0.0
Bathroom	1 st	East Window Frame	-	White	Wood (Intact)	0.0
Bathroom	1 st	East Window Sill	-	White	Wood (Intact)	0.0
Bathroom	1 st	Door	-	Beige	Wood (Intact)	0.0
Bathroom	1 st	Door Molding (Inner)	-	White	Wood (Intact)	0.0
Dining Room	1 st	Wall	North	Beige	Sheetrock (Intact)	0.0
Dining Room	1 st	Wall	South	Beige	Sheetrock (Intact)	0.0
Dining Room	1 st	Wall	East	Beige	Sheetrock (Intact)	0.0
Dining Room	1 st	Wall (Upper)	West	Beige	Sheetrock (Intact)	0.0
Dining Room	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Dining Room	1 st	Baseboard	North	White	Wood (Intact)	0.0
Dining Room	1 st	Baseboard	South	White	Wood (Intact)	0.0
Dining Room	1 st	Baseboard	East	White	Wood (Intact)	0.0
Dining Room	1 st	Patio Door Molding	-	White	Wood (Intact)	0.0

Room / Area	Floor	Component	Side	Paint Color	Substrate (Condition)	Results (mg/cm ²)
Dining Room	1 st	Kitchen Entry Molding	-	White	Wood (Intact)	0.0
Dining Room	1 st	North Window Molding	-	White	Wood (Intact)	0.0
Dining Room	1 st	North Window Frame	-	White	Wood (Intact)	0.0
Dining Room	1 st	North Window Sash	-	White	Wood (Intact)	0.0
Kitchen	1 st	Wall	North	White	Sheetrock (Intact)	0.0
Kitchen	1 st	Wall	South	White	Sheetrock (Intact)	0.0
Kitchen	1 st	Wall	East	White	Sheetrock (Intact)	0.0
Kitchen	1 st	Wall	West	White	Sheetrock (Intact)	0.0
Kitchen	1 st	Ceiling	-	White	Sheetrock (Intact)	0.0
Kitchen	1 st	Cabinets Upper (West)	-	White	Wood (Intact)	0.0
Kitchen	1 st	Cabinets Upper (East)	-	White	Wood (Intact)	0.0
Kitchen	1 st	Cabinets Lower (West)	-	White	Wood (Intact)	0.0
Kitchen	1 st	Cabinets Lower (East)	-	White	Wood (Intact)	0.0
Kitchen	1 st	East Window Molding	-	White	Wood (Intact)	0.0
Kitchen	1 st	East Window Frame	-	White	Wood (Intact)	0.0
Kitchen	1 st	East Window Sill	-	White	Wood (Intact)	0.0
Kitchen	1 st	East Window (Crank) Sash	-	White	Wood (Intact)	0.0
Laundry Room	1 st	Entry Molding (kitchen)	-	White	Wood (Intact)	0.04
Laundry Room	1 st	Entry Door (kitchen)	-	White	Wood (Intact)	0.0
Laundry Room	1 st	Wall	North	Beige	Sheetrock (Intact)	0.03
Laundry Room	1 st	Wall	South	Beige	Sheetrock (Intact)	0.07
Laundry Room	1 st	Wall	East	Beige	Sheetrock (Intact)	0.14
Laundry Room	1 st	Wall	West	Beige	Sheetrock (Intact)	0.08
Laundry Room	1 st	Shelf	-	Beige	Wood (Intact)	0.11
Laundry Room	1 st	Exterior Entry Door	-	Beige	Metal (Intact)	0.0
Laundry Room	1 st	Exterior Entry Jamb	-	White	Wood (Intact)	0.11
Laundry Room	1 st	Exterior Entry Molding	-	White	Wood (Intact)	0.09

5.0 MOLD GROWTH

Freeman Companies LLC observed no visible water damage or mold growths either visually or by noticeable odors. The owner stated past mold issues had been observed under the kitchen sink area and one of the closets in the southeast bedroom. Both said locations were swab tested for mold/fungal growth.

Table 3 – Mold / Fungal Laboratory Results

Sample No. / Location	Fungi Detected	Fungi Concentration	Comments
Sample 1 Southeast Bedroom Shoe Closet	None Detected	N/A	None
Sample 2 Kitchen Under Kitchen Sink	Aspergillus / Penicillium	*High*	*Active Colonies*

The impacted surfaces were sampled with a sterile swab and analyzed via direct microscopic examination in order to determine mold type and relative concentration of the mold. The samples were sealed, labeled and delivered with a Chain of Custody to EMSL, which is located in Wallingford, CT. The samples were analyzed by direct examination optical microscopy for mold species identification and quantification. EMSL is an AIHA approved Laboratory. Mold / fungal laboratory analysis results can be found in Appendix B.

Laboratory testing confirmed the presence of *Aspergillus / Penicillium* molds in high concentrations on the surface sampled (under kitchen sink). Hyphal or fruiting structures were also present indicating active mold colonies. These mold types along with the high presence of hyphal structures, indicates that continued mold growth is likely. Microbiological growth can produce offensive odors and can produce upper respiratory allergy-like symptoms if it is disturbed and the spores inhaled.

- *Aspergillus / Penicillium* are mold species that are often present in water that creates mycotoxins, and is a main contributor to the development of harmful bacteria. Continued exposure to this mold may also lead to bronchitis and pulmonary disease.

REPORT LIMITATIONS CRITERIA

Information contained in this report is based on site observations, sample results relevant to the scope of work for this survey. Conclusions of this report are based on the survey, study, and/or investigation. This is not to be interpreted as a complete compilation of all existing information pertaining to the site conditions.

It should be noted that site conditions observed during this investigation may change based on any number of influencing factors and/or environmental variables such as fluctuations in indoor and outdoor temperatures, humidity and seasonal changes in sunlight. These factors can influence the spread and concentration of molds as they change. This report is not intended to guarantee that the investigated site is, or is not, free from conditions, which could pose a threat or hazard to human health or safety. Should further research on the site be conducted, any additional data should be submitted to Freeman Companies for review and revisions as necessary.

This report is intended for the sole use of the Client, and may not be used or relied upon by others without the written consent of the Client. The scope of work conducted in performing this service for the Client may not be appropriate to satisfy the needs of other Parties, and the use or re-use of this document or the findings, conclusions, or recommendations is at the risk of said user.

The criteria used to evaluate the survey results includes, but is not limited to, guidelines recommended by the:

- American Conference of Governmental Industrial; Hygienists (ACGIH);
- The American Society for Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE);
- The U.S. Environmental Protection Agency (EPA);
- The American Industrial Hygiene Association (AIHA);
- The American Indoor Air Quality Council (AIAQC);
- Indoor Environmental Standards Organization (IESO);
- The Institute of Inspection Cleaning and Restoration Certification (IICRC);
- The National Air Duct Cleaners Association (NADCA);

Any comments and/or questions in regards this report should be directed to Freeman Companies LLC.

6.0 RADON TESTING

Radon is an odorless, tasteless and invisible gas produced by the decay of naturally occurring uranium in soil and water. Radon is a form of ionizing radiation and a proven carcinogen. Lung cancer is the only known effect on human health from exposure to radon in air. Thus far, there is no evidence that children are at greater risk of lung cancer than are adults. EPA recommends homes be mitigated if the radon level is 4.0 pCi/L (picocuries per liter) or more. Laboratory results are found in Appendix C.

Radon gas typically moves up through the ground to the air above and into a building through cracks and other holes in the foundation. Radon mitigation may involve sealing the routes of entry or installing sub-slab ventilation systems. The dwelling sampled is built on slab and did not have a basement, so testing was performed in the first floor living space.

Table 4 – Radon Summary Results – 1st Floor

Sample Number	Area	Sample Result
180917	First Floor, Living Room (North)	1.1 pCi/L
180875	First Floor, Living Room (North)	0.9 pCi/L
	AVERAGE	1.0 pCi/L

A standard recommendation by the EPA to reduce Radon gas migration into homes is to caulk all joints and stress fractures or cracks in all slab and concrete foundations if radon concentrations are below 4.0 pCi/L.

This round of Radon testing indicates that the basement is below the EPA 4.0 pCi/L threshold.

7.0 CONCLUSIONS and RECOMMENDATIONS

In accordance with the OSHA regulations (29 CFR Part 1926.1101 and 1910.1001), all potential contractors bidding on work **must first be informed** of the results of this survey.

All materials identified as negative for asbestos may be removed at will and disposed of as standard construction debris. In addition, notification regarding the presence of the ACM must be provided to all employees and tenants who occupy any areas containing ACM.

In accordance with EPA NESHAPS regulations (40 CFR Part 61), building owners must remove all ACM from a facility (or area of a facility) before any activity begins that would break up, dislodge, or similarly disturb the ACM.

In the State of Connecticut, a licensed asbestos abatement contractor must perform all asbestos-related activities, including the renovation/demolition portion of the work that includes asbestos disturbance. Disturbance of asbestos-containing material can only be done by trained and licensed individuals. It should be noted that the State of Connecticut regulations governing asbestos abatement does not distinguish between friable and non-friable material. Therefore, full containment procedures are required for any interior abatement work (removal, encapsulation, or enclosure) involving both Category I and/or Category II non-friable asbestos-containing materials.

Asbestos-Containing Material	Quantity	Per unit abatement cost estimate	Total Abatement Cost
Joint Compound (Laundry Room, Kitchen, Dining Room, Living Room, All Bedrooms, Bathroom, Closets)	~ 4,000 Square Feet	\$6.00	\$24,000
Consulting Fees at 18%			\$4,320
		TOTAL	\$28,320

During any renovation or demolition process, safe work procedures must be implemented by properly (lead-paint) trained workers employed by contractors to address worker protection, lead exposure controls, waste stream management, and ambient air quality monitoring. Specifically, contractors will be required to comply with all applicable OSHA regulations including 29 CFR 1926.62, "Lead Exposure in Construction: Interim Final Rule" and 29 CFR 1926.59, "Hazard Communication for the Construction Industry". In addition, pre-disposal lead-waste testing requirements must be complied with.

Freeman Companies LLC recommends contracting a qualified mold remediation contractor to clean mold affected surfaces prior to renovations.

Mold Contaminated Components	Quantity	Per unit abatement cost estimate	Total Remediation Cost
Under Kitchen Sink and Cabinets (East)	50 Square Feet	\$8.00	\$400
Consulting Fees			\$300
		TOTAL	\$700

HBMI Inspection Services
37 Jarvis Court, Fairfield, CT
February 18, 2015



Appendix A

Asbestos Laboratory Results

**EMSL Analytical, Inc.**

29 North Plains Highway, Unit # 4, Wallingford, CT 06492
 Phone/Fax: 203-284-5948 / (203) 284-5978
<http://www.EMSL.com> wallingfordlab@emsl.com

EMSL Order: 241500352
 CustomerID: FREE42
 CustomerPO:
 ProjectID:

Attn: **Brett Nicholas**
Freeman Companies, LLC
36 John St
Hartford, CT 06106

Phone: (860) 908-4499
 Fax:
 Received: 01/28/15 2:15 PM
 Analysis Date: 1/29/2015
 Collected: 1/26/2015

Project: 37 JARVIS, AMAYA ARCH.

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy. Quantitation using 400 Point Count Procedure

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
012615-1A 241500352-0001	Laundry rm. - joint compound	Tan Non-Fibrous Homogeneous		98.25% Non-fibrous (other)	1.75% Chrysotile
012615-1B 241500352-0002	Hall closet - joint compound				Insufficient Material
012615-1C 241500352-0003	S.E. bed closet - joint compound	Tan Non-Fibrous Homogeneous		98.75% Non-fibrous (other)	1.25% Chrysotile

Analyst(s)
 Kristin Lopez (1)
 Lauren Brennan (1)


 Gloria V. Oriol, Laboratory Manager
 or other approved signatory

Disclaimer: Some samples may contain asbestos fibers present in dimensions below PLM resolution limits. The limit of detection as stated in the method is 0.25%. EMSL Analytical Inc suggests that samples reported as <0.25% or none detected undergo additional analysis via TEM. The above test report relates only to the items tested. This report may not be reproduced, except in full, without written approval of EMSL Analytical Inc. This test report must not be used by the client to claim product endorsement by NVLAP or any agency of the United States Government. EMSL Analytical Inc., bears no responsibility for sample collection activities, analytical method limitations, or the accuracy of results when requested to separate layered samples. EMSL Analytical Inc., liability is limited to the cost of sample analysis. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample.
 Samples analyzed by EMSL Analytical, Inc. Wallingford, CT NVLAP Lab Code 200700-0, CT PH-0322, MA AA000191, RI AAL-108T3, VT AL357101

Initial report from 01/30/2015 08:55:31

**EMSL Analytical, Inc.**

29 North Plains Highway, Unit # 4, Wallingford, CT 06492
 Phone/Fax: 203-284-5948 / (203) 284-5978
<http://www.EMSL.com> wallingfordlab@emsl.com

EMSL Order: 241500352
 CustomerID: FREE42
 CustomerPO:
 ProjectID:

Attn: **Brett Nicholas**
Freeman Companies, LLC
36 John St
Hartford, CT 06106

Phone: (860) 908-4499
 Fax:
 Received: 01/28/15 2:15 PM
 Analysis Date: 1/29/2015
 Collected: 1/26/2015

Project: 37 JARVIS, AMAYA ARCH.

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
012615-2A 241500352-0004	Laundry rm. - sheetrock	Gray Fibrous Homogeneous	10% Cellulose	90% Non-fibrous (other)	None Detected
012615-2B 241500352-0005	Hall closet - sheetrock	Gray Fibrous Homogeneous	15% Cellulose	85% Non-fibrous (other)	None Detected
012615-2C 241500352-0006	S.E. bed closet - sheetrock	Gray Fibrous Homogeneous	10% Cellulose	90% Non-fibrous (other)	None Detected
012615-3A 241500352-0007	Exterior - exterior window frame caulk	White Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
012615-3B 241500352-0008	Exterior - exterior window frame caulk	White Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
012615-3C 241500352-0009	Exterior - exterior window frame caulk	White Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
012615-4A 241500352-0010	Attic area - white fibrous blown-in insulation	White Fibrous Homogeneous	99% Min. Wool	1% Non-fibrous (other)	None Detected
012615-4B 241500352-0011	Attic area - white fibrous blown-in insulation	White Fibrous Homogeneous	99% Min. Wool	1% Non-fibrous (other)	None Detected

Analyst(s)

Kristin Lopez (4)
Lauren Brennan (8)

Gloria V. Oriol, Laboratory Manager
 or other approved signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Samples received in good condition unless otherwise noted. Estimated accuracy, precision and uncertainty data available upon request. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Reporting limit is 1%
 Samples analyzed by EMSL Analytical, Inc. Wallingford, CT NVLAP Lab Code 200700-0.

Initial report from 01/30/2015 08:55:37

**EMSL Analytical, Inc.**

29 North Plains Highway, Unit # 4, Wallingford, CT 06492
 Phone/Fax: 203-284-5948 / (203) 284-5978
<http://www.EMSL.com> wallingfordlab@emsl.com

EMSL Order: 241500352
 CustomerID: FREEE42
 CustomerPO:
 ProjectID:

Attn: **Brett Nicholas**
Freeman Companies, LLC
36 John St
Hartford, CT 06106

Phone: (860) 908-4499
 Fax:
 Received: 01/28/15 2:15 PM
 Analysis Date: 1/29/2015
 Collected: 1/26/2015

Project: 37 JARVIS, AMAYA ARCH.

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
012615-4C 241500352-0012	Attic area - white fibrous blown-in insulation	White Fibrous Homogeneous	99% Min. Wool	1% Non-fibrous (other)	None Detected
012615-5A 241500352-0013	Laundry rm. - red penetration fire-stop	Red Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
012615-5B 241500352-0014	Laundry rm. - red penetration fire-stop	Red Non-Fibrous Homogeneous	<1% Cellulose	100% Non-fibrous (other)	None Detected
012615-5C 241500352-0015	Laundry rm. - red penetration fire-stop	Red Non-Fibrous Homogeneous	<1% Cellulose	100% Non-fibrous (other)	None Detected

Analyst(s)

 Kristin Lopez (4)
 Lauren Brennan (8)



 Gloria V. Oriol, Laboratory Manager
 or other approved signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Samples received in good condition unless otherwise noted. Estimated accuracy, precision and uncertainty data available upon request. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Reporting limit is 1%
 Samples analyzed by EMSL Analytical, Inc. Wallingford, CT NVLAP Lab Code 200700-0.

Initial report from 01/30/2015 08:55:37



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Asbestos Bulk Building Material Chain of Custody

EMSL Order Number (Lab Use Only):

241500352

EMSL ANALYTICAL, INC.
200 ROUTE 130 NORTH
CINNAMINSON, NJ 08077
PHONE: (800) 220-3675
FAX: (856) 786-5974

Company : FREEMAN COMPANIES, LLC (FREE42)		EMSL-Bill to: <input checked="" type="checkbox"/> Same <input type="checkbox"/> Different If Bill to is Different note instructions in Comments**	
Street: 36 JOHN STREET		Third Party Billing requires written authorization from third party	
City: HARTFORD	State/Province: CT	Zip/Postal Code: 06106	Country: USA
Report To (Name): BRETT NICHOLAS		Telephone #: 860-908-4499	
Email Address: BNICHOLAS@FREEMANCOS.COM		Fax #:	Purchase Order:
Project Name/Number: 37 Jarvis, Amaya Arch.		Please Provide Results: <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email	
U.S. State Samples Taken: CT		CT Samples: <input type="checkbox"/> Commercial/Taxable <input checked="" type="checkbox"/> Residential/Tax Exempt	

Turnaround Time (TAT) Options* - Please Check

3 Hour
 6 Hour
 24 Hour
 48 Hour
 72 Hour
 96 Hour
 1 Week
 2 Week

*For TEM Air 3 hr through 6 hr, please call ahead to schedule. *There is a premium charge for 3 Hour TEM AHERA or EPA Level II TAT. You will be asked to sign an authorization form for this service. Analysis completed in accordance with EMSL's Terms and Conditions located in the Analytical Price Guide.

PLM - Bulk (reporting limit)	TEM - Bulk
<input checked="" type="checkbox"/> PLM EPA 600/R-93/116 (<1%) *ZA-5C	<input type="checkbox"/> TEM EPA NOB - EPA 600/R-93/116 Section 2.5.5.1
<input type="checkbox"/> PLM EPA NOB (<1%)	<input type="checkbox"/> NY ELAP Method 198.4 (TEM)
Point Count <input checked="" type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%)	<input type="checkbox"/> Chatfield Protocol (semi-quantitative)
Point Count w/Gravimetric <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%)	<input type="checkbox"/> TEM % by Mass - EPA 600/R-93/116 Section 2.5.5.2
<input type="checkbox"/> NIOSH 9002 (<1%)	<input type="checkbox"/> TEM Qualitative via Filtration Prep Technique
<input type="checkbox"/> NY ELAP Method 198.1 (friable in NY)	<input type="checkbox"/> TEM Qualitative via Drop Mount Prep Technique
<input type="checkbox"/> NY ELAP Method 198.6 NOB (non-friable-NY)	<u>Other</u>
<input type="checkbox"/> OSHA ID-191 Modified	<input type="checkbox"/>
<input type="checkbox"/> Standard Addition Method	

Check For Positive Stop - Clearly Identify Homogenous Group Date Sampled: 1-26-15

Samplers Name: Brett Nicholas Samplers Signature: *[Signature]*

Sample #	HA #	Sample Location	Material Description
012615-1A		Laundry Rm.	Joint Compound
" -1B		Hall Closet	↓
" -1C		S.E. Bed Closet	↓
" -2A		Laundry Rm.	Sheetrock
" -2B		Hall Closet	↓
" -2C		S.E. Bed Closet	↓
" -3A		Exterior	Exterior window frame caulk
" -3B		↓	↓
" -3C		↓	↓

Client Sample # (s): 1A - 5C Total # of Samples: 15

Relinquished (Client): *[Signature]* Date: 1-26-15 Time: FedEx

Received (Lab): Date:

Comments/Special Instructions: 1A-1C = Point Count
2A-5C = Standard PLM.

RECEIVED

JAN 28 2015

By: *[Signature]* 2:15pm

FedEx

Appendix B

Mold / Fungal Laboratory Results



EMSL Analytical, Inc.

29 North Plains Highway, Unit # 4 Wallingford, CT 06492
Phone/Fax: 203-284-5948 / (203) 284-5978
<http://www.EMSL.com> / wallingfordlab@emsl.com

Order ID: 241500353
Customer ID: FREE42
Customer PO:
Project ID:

Attn: Brett Nicholas
Freeman Companies, LLC
36 John St
Hartford, CT 06106

Phone: (860) 908-4499
Fax:
Collected: 01/26/2015
Received: 01/28/2015
Analyzed: 02/04/2015

Proj: 37 JARVIS COURT, FAIRFIELD (AMAYA)

Test Report: Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, and Other Particulates from Swab Samples (EMSL Method: M041)

Lab Sample Number:	241500353-0001	241500353-0002			
Client Sample ID:	012615-M-1	012615-M-2			
Sample Location:	S.E. bedroom- shoe closet	Kitchen- under kitchen sink			
Spore Types	Category	Category			
Agroclybe/Coprinus	-	-			
Alternaria	-	*High*			
Ascospores	-	-			
Aspergillus/Penicillium	-	*High*			
Basidiospores	-	-			
Bipolaris++	-	-			
Chaetomium	-	-			
Cladosporium	-	-			
Curvularia	-	-			
Epicoccum	-	-			
Fusarium	-	-			
Ganoderma	-	-			
Myxomycetes++	-	-			
Paecilomyces	-	-			
Rust	-	-			
Scopulariopsis	-	-			
Stachybotrys	-	-			
Torula	-	-			
Ulocladium	-	-			
Unidentifiable Spores	-	-			
Zygomycetes	-	-			
Fibrous Particulate	-	-			
Hyphal Fragment	-	High			
Insect Fragment	-	-			
Pollen	-	-			

Sample Comment: 241500353-0001 None Detected
Sample Comment: 241500353-0002 Penicillium conidiophores present in sample.

Category: Count/per area analyzed
Rare: 1 to 10 Low: 11 to 100 Medium: 101 to 1000 High: >1000

Bipolaris++ = Bipolaris/Dreschlera/Exserohilum Myxomycetes++ = Myxomycetes/Periconia/Smut
* = Sample contains fruiting structures and/or hyphae associated with the spores.

No discernable field blank was submitted with this group of samples.

Gloria V. Oriol, Laboratory Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation of the data contained in this report is the responsibility of the client. *-* denotes not detected. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Wallingford, CT AIHA-LAP, LLC--EMLAP Accredited #165118

Initial report from: 02/04/2015 10:25:34

For Information on the fungi listed in this report please visit the Resources section at www.emsl.com



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Microbiology Chain of Custody

EMSL Order Number (Lab Use Only):

241500353

EMSL ANALYTICAL, INC.
200 ROUTE 130 NORTH
CINNAMINSON, NJ 08077

PHONE: (800) 220-3675
FAX: (856) 786-0262

Company: FREEMAN COMPANIES LLC (FREE 42)		EMSL-Bill to: <input checked="" type="checkbox"/> Same <input type="checkbox"/> Different If Bill to is Different note instructions in Comments**	
Street: 36 JOHN STREET		Third Party Billing requires written authorization from third party	
City: HARTFORD	State/Province: CT	Zip/Postal Code: 06106	Country: USA
Report To (Name): BRETT NICHOLAS		Telephone #: 860-908-4499	
Email Address: BNICHOLAS@FREEMANCOS.COM		Fax #:	Purchase Order:
Project Name/Number: 37 JARVIS COURT, FAIRFIELD (AMAYA)		Please Provide Results: <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email <input type="checkbox"/> Fax	
U.S. State Samples Taken: CT		Connecticut Samples: <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Residential	

Turnaround Time (TAT) Options* - Please Check

3 Hour
 6 Hour
 24 Hour
 48 Hour
 72 Hour
 96 Hour
 1 Week
 2 Week

*Analysis completed in accordance with EMSL's Terms and Conditions located in the Analytical Price Guide. TATs are subject to methodology requirements

Non Culturable Air Samples (Spore Traps) – Test Codes

• M001 Air-O-Cell	• M173 Allegro M2	• M004 Allergenco	• M032 Allergenco-D	• M172 Versa Trap
• M049 BioSIS	• M003 Burkard	• M043 Cyclex	• M002 Cyclex-d	
• M030 Micro 5	• M174 MoldSnap	• M176 Relle Smart	• M130 Via-Cell	

Other Microbiology Test Codes

<ul style="list-style-type: none"> • M041 Fungal Direct Examination • M005 Viable Fungi ID and Count • M006 Viable Fungi ID and Count (Speciation) • M007 Culturable Fungi • M008 Culturable Fungi (Speciation) • M009 Gram Stain Culturable Bacteria • M010 Bacterial Count and ID – 3 Most Prominent • M011 Bacterial Count and ID – 5 Most Prominent • M013 Sewage Contamination in Buildings 	<ul style="list-style-type: none"> • M014 Endotoxin Analysis • M015 Heterotrophic Plate Count • M180 Real Time Q-PCR-ERMI 36 Panel • M018 Total Coliform (Membrane Filtration) • M020 Fecal Streptococcus (Membrane Filtration) • M210-215 Legionella Detection • M026 Recreational Water Screen • M027 Mycotoxin Analysis 	<ul style="list-style-type: none"> • M029 Enterococci • M019 Fecal Coliform • M133 MRSA Analysis • M028 Cryptococcus neoformans Detection • M120 Histoplasma capsulatum Detection • M033-39 Allergen Testing • M044 Group Allergen (Cat, Dog, Cockroach, Dustmites) • Other See Analytical Price Guide
---	--	--

Preservation Method (Water):

Name of Sampler: BRETT NICHOLAS Signature of Sampler: BRETT NICHOLAS

Sample #	Sample Location	Sample Type	Test Code	Volume/Area	Date/Time Collected
Example: A1	Kitchen	Air	M001	75L	1/1/12 4:00 PM
012615-M-1	S.E. BEDROOM - SHOE CLOSET	SWAB	M041	INNER WALL	1/26/15 1100
012615-M-2	KITCHEN - Under Kitchen Sink	SWAB	M041	Inner Cabinet	1/26/15 1105

Client Sample # (s):	1 - 2	Total # of Samples:	2
Relinquished (Client):	BRETT NICHOLAS	Date:	1-26-15
Received (Client):		Date:	
Time:	FEDEX	Time:	
Comments:			

HBMI Inspection Services
37 Jarvis Court, Fairfield, CT
February 18, 2015



Appendix C

Radon-in-Air Laboratory Results



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381500613
CustomerID: FREE42
CustomerPO:
ProjectID:

Attn: **Brett Nicholas**
Freeman Companies, LLC
36 John St
Hartford, CT 06106

Phone: (860) 908-4499
Fax:
Received: 02/04/15 9:00 AM
Analysis Date: 2/4/2015
Collected: 1/26/2015

Project: 37 Jarvis Court

Test Site: 37 Jarvis Court
Fairfield, CT

Test Report: Radon in Air Test Results

Samples for EMSL Kit 106899

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
180917 381500613-0001	First Floor, Living Room, North	1.1	1/26/2015 9:46:00 AM	1/29/2015 9:00:00 AM	70	40	Customer
Sample Notes:							
180875 381500613-0002	First Floor, Living Room, North	0.9	1/26/2015 9:46:00 AM	1/29/2015 9:00:00 AM	70	40	Customer

Sample Notes:

Summary for EMSL kit 106899 **Average Radon Result: 1.0 pCi/L**

The results indicate that both testing devices registered below the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information. All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Notes

Analyst(s)
Laura Freeman (2)


Garrett A. Ray, Laboratory Manager
Certified Radon Measurement Specialist NRSB 5SS0093
NJ MES12264, FL R2001, NE 116, PA 2572

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS LB 0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ

Initial report from 02/05/2015 10:23:31

Please visit www.radontestinglab.com

OrderID: 381500613

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077
Tel: 800-220-3675 • Fax: 856-786-0327
www.radontestinglab.com



381500613

RECEIVED
EMSL

CINNAMINSON NJ

DOM: 9/2/14
EXP: 9/2/15

FREEH2
sday

2015 FEB -4 A 9:15

Radon In Air Data Sheet

Send Written Report To:

Name Brett Nicholes
Address 36 John St State CT Zip 06106
City Hartford
Phone 860-908-4499 Fax _____
Email bnicholas@freemancos.com
Technician Name Brett Nicholes
Technician Certification # _____
Technician Signature [Signature]

1ST RED VIAL # 180917

LOCATION

- Basement
- First Floor
- Bedroom
- Den
- Living Room
- Other
- Location in Room North

2ND RED VIAL # 180875
(If Purchased)

The device has been scientifically tested to provide reliable indoor radon measurements when exposed to temperatures between 60 and 80 degrees F; temperatures outside this range will invalidate the test results.

Kit # 106899 (Outside of Box)

Property Tested:

Name _____
Address 37 Jarvis Court
City Fairfield County _____
Municipality _____ State CT Zip _____
 Check here if this is a Post Mitigation test.
Technician Name _____
Technician Certification # _____
Technician Signature _____

INDOOR CONDITIONS

Temperature 70 °F Humidity 40 %

EXPOSURE PERIOD

Beginning Date: 1/26/15
Time: 0946 AM PM (Circle)
Ending Date: 1/29/15
Time: 0900 AM PM (Circle)

The test device must remain open for 48 to 96 hours • Return this section with the test device to the laboratory

Appendix D

Licenses and Accreditations

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT

THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A


ASBESTOS CONSULTANT-PROJECT DESIGNER

CERTIFICATE NO.
000308

CURRENT THROUGH
07/31/15

VALIDATION NO.
03-928543

BRETT M NICHOLAS


SIGNATURE


COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT

THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A


ASBESTOS CONSULTANT-INSP/MGMT PLANNER

CERTIFICATE NO.
000313

CURRENT THROUGH
07/31/15

VALIDATION NO.
03-103346

BRETT M NICHOLAS


SIGNATURE


COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT

THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A

ASBESTOS CONSULTANT-INSPECTOR

CERTIFICATE NO.
000685

CURRENT THROUGH
07/31/15

VALIDATION NO.
03-847351

BRETT M. NICHOLAS


SIGNATURE


COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH

PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT

THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A


ASBESTOS CONSULTANT-PROJECT MONITOR

CERTIFICATE NO.
000582

CURRENT THROUGH
07/31/15

VALIDATION NO.
03-847352

BRETT M. NICHOLAS


SIGNATURE


COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH
PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT
THE INDIVIDUAL NAMED BELOW IS LICENSED
BY THIS DEPARTMENT AS A
LEAD CONSULTANT CONTRACTOR

FREEMAN COMPANIES LLC

LICENSE NO.
002097

CURRENT THROUGH
07/31/15

VALIDATION NO.
03-929200


SIGNATURE


COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH
PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT
THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A
LEAD INSPECTOR

BRETT M NICHOLAS

CERTIFICATE NO.
002212

CURRENT THROUGH
07/31/15

VALIDATION NO.
03-847350


SIGNATURE


COMMISSIONER

STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH
PURSUANT TO THE PROVISIONS OF THE GENERAL STATUTES OF CONNECTICUT
THE INDIVIDUAL NAMED BELOW IS CERTIFIED
BY THIS DEPARTMENT AS A
Lead Inspector Risk Assessor


BRETT M NICHOLAS

CERTIFICATION NO.
2255


CURRENT THROUGH
07/31/2015

VALIDATION NO.
DUPLICATE


SIGNATURE


COMMISSIONER

United States Department of Commerce
National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2005

NVLAP LAB CODE: 200700-0

EMSL Analytical, Inc.
Wallingford, CT

is accredited by the National Voluntary Laboratory Accreditation Program for specific services,
listed on the Scope of Accreditation, for:

BULK ASBESTOS FIBER ANALYSIS

*This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality
management system (refer to joint ISO-ILAC-IAF Communiqué dated January 2009).*

2015-01-01 through 2015-12-31

Effective dates



For the National Institute of Standards and Technology



**National Voluntary
Laboratory Accreditation Program**



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

EMSL Analytical, Inc.
 29 North Plains Highway, Unit 4
 Wallingford, CT 06492
 Ms. Gloria Oriol
 Phone: 203-284-5948 Fax: 203-284-5978
 E-Mail: goriol@emsl.com
 URL: <http://www.emsl.com>

BULK ASBESTOS FIBER ANALYSIS (PLM)

NVLAP LAB CODE 200700-0

<i>NVLAP Code</i>	<i>Designation / Description</i>
18/A01	EPA 600/M4-82-020: Interim Method for the Determination of Asbestos in Bulk Insulation Samples
18/A03	EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

2015-01-01 through 2015-12-31

Effective dates

For the National Institute of Standards and Technology

State of Connecticut, Department of Public Health

Approved Environmental Laboratory

THIS IS TO CERTIFY THAT THE LABORATORY DESCRIBED BELOW HAS BEEN APPROVED BY THE STATE DEPARTMENT OF PUBLIC HEALTH PURSUANT TO APPLICABLE PROVISIONS OF THE PUBLIC HEALTH CODE AND GENERAL STATUTES OF CONNECTICUT, FOR MAKING THE EXAMINATIONS, DETERMINATIONS OR TESTS SPECIFIED BELOW WHICH HAVE BEEN AUTHORIZED IN WRITING BY THAT DEPARTMENT.

EMSL ANALYTICAL, INC. - CT

LOCATED AT 29 North Plains Highway, Unit #4 IN Wallingford, CT 06492

AND REGISTERED IN THE NAME OF Gloria Oriol

THIS CERTIFICATE IS ISSUED IN THE NAME OF Gloria Oriol WHO HAS BEEN DESIGNATED

BY THE REGISTERED OWNER/AUTHORIZED AGENT TO BE IN CHARGE OF THE LABORATORY WORK COVERED BY THIS CERTIFICATE OF APPROVAL AS FOLLOWS:

Drinking Water, Non-potable Water/Wastewater

Examination for:
Bacteria


ASBESTOS

Examination for:
Air - PCM, TEM Bulk Materials - PLM, TEM
Water - TEM

SEE COMPUTER PRINT-OUT FOR SPECIFIC TESTS APPROVED

THIS CERTIFICATE EXPIRES September 30, 2015 AND IS REVOCABLE FOR CAUSE BY THE STATE DEPARTMENT OF PUBLIC HEALTH

DATED AT HARTFORD, CONNECTICUT, THIS 13th DAY OF September, 2013



Registration No.

PH-0322

SUZANNE BLANCAFLOR, MS
CHIEF, ENVIRONMENTAL HEALTH SECTION



STATE OF CONNECTICUT
DEPARTMENT OF PUBLIC HEALTH
ENVIRONMENTAL HEALTH SECTION

ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM

CERTIFIED ANALYTES REPORT
FOR ALL MATRICES
EMSL Analytical, Inc. - CT

CT-APP-NUM : PH-0322

LOCATION

29 North Plains Highway
Unit #4
Wallingford CT 06492-
PHONE (203)-284-5948

REGISTERED OWNER/
AUTHORIZED AGENT Gloria Oriol
DIRECTOR Gloria Oriol
CO DIRECTOR(S)

APPROVED BY


DERMOT T. JONES

DATE 09/13/2013 9:04:29 AM

LABORATORY APPROVAL EXPIRATION DATE 09/30/2015
LABORATORY STATUS APPROVED

ANY QUESTIONS CONCERNING THIS DOCUMENT SHOULD BE ADDRESSED TO
THE ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM AT (860) 509-7389

DRINKING WATER (SDWA)

STATUS REPORTED ON 09/13/2013

-SOC: REGULATED SYNTHETIC ORGANIC CHEMICAL
WITH MINIMUM MDL REQUIREMENTS

ANALYTE NAME

MICROBIOLOGY/BACTERIA

TOT. COLIFORM - MF mENDO (SM9222B)

TOT COLIFORM - COLILERT (SM9223 P/A)

E. COLI - COLILERT (SM9223 P/A)

HPC - POUR PLATE (SM9215B)

FECAL COLIFORM- EC Medium(SM9221E)

**NON-POTABLE WATER/
WASTEWATER**

STATUS REPORTED ON 09/13/2013

ANALYTE NAME

MICROBIOLOGY/BACTERIA

TOT. COLIFORM - MF mENDO (SM9222B)

FECAL COLIFORM - MF m-FC (SM9222D)

FECAL STREPT - MF mEnterococcus Agar (SM9230C)

AIR, BULK, & WATER

STATUS REPORTED ON 09/13/2013

•ANALYTE NAME

ASBESTOS

ASBESTOS IN AIR (PCM & TEM)

ASBESTOS IN BULK MATERIALS (PLM & TEM)

ASBESTOS IN WATER (TEM)

REPORT PROFILE

Report Printed on: 09/13/2013 9:04:29 AM lab code = ID1306S4
Report Name: APPROVED TESTS_ALT_NEW test code = *
Printed by: dermat matrix code = *
Report published from: CERTIFICATION REPORTS screen #3 matrix selection = ALL OR SOME MATRICES SELECTED
certifications approved or provisional on 09/13/2013

THIS IS THE LAST PAGE OF THE REPORT



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

EMSL Analytical, Inc.

29 North Plains Highway Unit # 4, Wallingford, CT 06492

Laboratory ID: 165118

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

LABORATORY ACCREDITATION PROGRAMS

- INDUSTRIAL HYGIENE
- ENVIRONMENTAL LEAD
- ENVIRONMENTAL MICROBIOLOGY
- FOOD
- UNIQUE SCOPES

- Accreditation Expires:
- Accreditation Expires:
- Accreditation Expires: 02/01/2016
- Accreditation Expires:
- Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

Larry S. Pierce
Chairperson, Analytical Accreditation Board

Revision 13: 03/12/2013

Cheryl O. Morton
Managing Director, AIHA Laboratory Accreditation Programs, LLC

Date Issued: 09/30/2013



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

EMSL Analytical, Inc.
29 North Plains Highway Unit # 4, Wallingford, CT 06492

Laboratory ID: **165118**
Issue Date: 09/30/2013

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Environmental Microbiology Laboratory Accreditation Program (EMLAP)

Initial Accreditation Date: 06/01/2004

EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
Fungal	Air - Culturable	M005 - Fungal Agar	Standard Operating Procedure for the Analysis of Bulk Specimens or Swabs for Fungi by Culture on Agar Plates and the Analysis of Fungi from Air samples collected on Agar Plates
	Bulk - Culturable	M005 - Fungal Agar	Standard Operating Procedure for the Analysis of Bulk Specimens or Swabs for Fungi by Culture on Agar Plates and the Analysis of Fungi from Air samples collected on Agar Plates
	Surface - Culturable	M005 - Fungal Agar	Standard Operating Procedure for the Analysis of Bulk Specimens or Swabs for Fungi by Culture on Agar Plates and the Analysis of Fungi from Air samples collected on Agar Plates
	Air - Direct Examination	05-TP-003.5	Standard Operating Procedure for the Analysis of Airborne Fungal Spores, Hyphal Fragments, Pollen, Insect Fragments, Skin Fragments and Fibrous Particulates by Optical Microscopy of Spore Trap Samples
	Bulk - Direct Examination	M041	Standard Operating Procedure for the Microscopic examination of Fungal Spores, Fungal Structures, Hyphae, Pollen, Insect Fragments and Fibrous Material from Surface Samples
	Surface - Direct Examination	M041	Standard Operating Procedure for the Microscopic examination of Fungal Spores, Fungal Structures, Hyphae, Pollen, Insect Fragments and Fibrous Material from Surface Samples




EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
Bacterial	Air - Culturable	M009	SOP for the Analysis of Bulk Specimens or Swabs for Bacteria by Culture on Agar Plates and the Analysis of Bacteria from Air Samples Collected on Agar Plates
	Bulk - Culturable	M009	SOP for the Analysis of Bulk Specimens or Swabs for Bacteria by Culture on Agar Plates and the Analysis of Bacteria from Air Samples Collected on Agar Plates
	Surface - Culturable	M009	SOP for the Analysis of Bulk Specimens or Swabs for Bacteria by Culture on Agar Plates and the Analysis of Bacteria from Air Samples Collected on Agar Plates

A complete listing of currently accredited Environmental Microbiology laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

Appendix B

DECD/SHPO/DOH Professional Certification Form


For all General Permit Applications submitted as part of the Flood Management Certification for Disaster Recovery Activities, the following certification must be signed and sealed by a professional engineer licensed to practice in Connecticut.

Property:	
Application Number:	
"I certify that in my professional judgment, the above referenced project has been designed consistent with the Flood Management Certification for Disaster Recovery Activities as approved by DEEP and that the information is true, accurate and complete to the best of my knowledge and belief.	
I understand that a false statement made in the submitted information may, pursuant to Section 22a-6 of the General Statutes, be punishable as a criminal offense under Section 53a-157b of the General Statutes, and may also be punishable under Section 22a-438 of the General Statutes."	
	9/3/2015
Signature of Applicant	Date
	CDBG-DR Program Manager
Name of Applicant (print or type)	Title
	08 27 15
Signature of Professional Engineer	Date
	EDWARD G. SHELOMIS Professional Engineer License Number 9266
Name of Professional Engineer (print or type)	Professional Engineer Stamp



Choose a Photo Base

Map Theme:
Inland Wetland Soils



0 0.2 0.4mi

Sas © 2014 CT DEEP, UConn, NRCS, Tele-Atlas

14D

Map Scale: 1:24,000

Latitude: 41.15428 Longitude: -73.29612



National Wetlands Inventory



Tools

Print Map

Streets

Imagery/Labels

Topo

USGS Topo

Find Location

37 jarvis court, fairfield, ct

Zoom to

select

Available Layers

- Wetlands
- Riparian
- Riparian Mapping Areas
- Data Source
- Source Type
- Image Scale
- Image Year
- Areas of Interest
- PWS Refuges
- Historic Wetland Data

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine

37 Jarvis Court Fairfield, CT

Map Scale: 1:4514 Lat: 41.1328, Lng: -79.2467

