

Local Health Department Public Water System Compliance Report

Farmington Valley Health District

Town/District Code 404 **Full/Part/District** D

Address
95 River Road
Suite C
Canton, CT 06019

Phone 860-352-2333 **Fax** 860-352-2542 **Web Site** <http://www.fvhd.org/>

Director Name Ms. Jennifer C. Kertanis **Title** Director of Health **Email** jkertanis@fvhd.org

Violation Summary Report

Water System Name: Avon Water Co **Admin Contact:** Mr. Robert W. Wesneski
Water System Town: Avon **Organization:** Avon Water Company
PWS ID/Type: CT0040011 / C **Title:** President
Population: 11590 **Phone / Ext:** 860-678-0001 /
Food Service Establishment? No **E-Mail:** avonwater@snet.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FECAL INDICATOR MONITORING PLAN	E. COLI	11/1/2015 - 11/30/2015				WELL 3	
FECAL INDICATOR MONITORING PLAN	E. COLI	11/1/2015 - 11/30/2015				WELL 6	
FECAL INDICATOR MONITORING PLAN	E. COLI	11/1/2015 - 11/30/2015				WELL 5 (CRAIGEMOR E CIRCLE)	
FECAL INDICATOR MONITORING PLAN	E. COLI	11/1/2015 - 11/30/2015				WELL 8 (MEADOW RIDGE)	
FECAL INDICATOR MONITORING PLAN	E. COLI	11/1/2015 - 11/30/2015				WELL 9 (FISHER MEADOW)	
MONITORING, ROUTINE (DBP), MAJOR	CHLORINE	2/1/2016 - 2/29/2016				DISTRIBUTION SYSTEM	
MONITORING, ROUTINE (DBP), MAJOR	Disinfectant Byproducts - TTHM & HAA5	10/1/2013 - 12/31/2013	8/21/2014	8/21/2015	9/25/2014	Distribution System	

Total Violations: 7

Local Health Department

Public Water System Compliance Report

Water System Name: Talcott Mountain Science Center #1
Water System Town: Avon
PWS ID/Type: CT0040442 / NTNC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. John Pellino
Organization: Science Center And Academy
Title: Associate Director
Phone / Ext: 860-677-8471 / 214
E-Mail: jpellino@tmsc.org

Chief Certified Operator(s): Mr. Thomas Chouinard,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/14/2011 -	2/7/2012				
MONITORING (TCR), REPEAT	COLIFORM (TCR)	10/1/2011 - 10/31/2011	3/21/2012	4/20/2012		DISTRIBUTION SYSTEM	3/31/2012
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	11/1/2011 - 11/30/2011	3/21/2012	4/20/2012		DISTRIBUTION SYSTEM	3/31/2012
MONITORING, ROUTINE MAJOR	Organic Chemicals	10/1/2008 - 12/31/2008	2/27/2009	2/27/2010		Entry Point	3/31/2009
MONITORING, ROUTINE MAJOR	THALLIUM, TOTAL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point	12/31/2007
MONITORING, ROUTINE MAJOR	SULFATE	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point	12/31/2007
MONITORING, ROUTINE MAJOR	SODIUM	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point	12/31/2007
MONITORING, ROUTINE MAJOR	NICKEL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point	12/31/2007
MONITORING, ROUTINE MAJOR	BERYLLIUM, TOTAL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point	12/31/2007
MONITORING, ROUTINE MAJOR	ANTIMONY, TOTAL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point	12/31/2007
NOTIFICATION, PUBLIC (PRE-2003)	COLIFORM (TCR)	7/1/1994 - 7/31/1994					
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	2/28/2010 -	3/4/2011				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/21/2012 -	5/17/2012				

Total Violations: 13

Water System Name: Talcott Mountain Science Center #2
Water System Town: Avon
PWS ID/Type: CT0040483 / NTNC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. John Pellino
Organization: Science Center And Academy
Title: Associate Director
Phone / Ext: 860-677-8471 / 214
E-Mail: jpellino@tmsc.org

Chief Certified Operator(s): Mr. Thomas Chouinard,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), REPEAT	COLIFORM (TCR)	10/1/2008 - 12/31/2008	2/26/2009	3/28/2009		DISTRIBUTION SYSTEM	3/31/2009
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	11/1/2008 - 11/30/2008	2/26/2009	3/28/2009		DISTRIBUTION SYSTEM	3/31/2009

Local Health Department Public Water System Compliance Report

MONITORING, ROUTINE (DBP), MAJOR	DBPS - TTHM & HAA5	1/1/2015 - 12/31/2015	12/11/2015	12/10/2016		DISTRIBUTION SYSTEM
MONITORING, ROUTINE (DBP), MAJOR	CHLORINE	10/1/2011 - 10/31/2011	3/6/2012	3/6/2013	3/14/2012	Distribution System
MONITORING, ROUTINE MAJOR	ANTIMONY, TOTAL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point 12/31/2007
MONITORING, ROUTINE MAJOR	BERYLLIUM, TOTAL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point 12/31/2007
MONITORING, ROUTINE MAJOR	NICKEL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point 12/31/2007
MONITORING, ROUTINE MAJOR	SODIUM	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point 12/31/2007
MONITORING, ROUTINE MAJOR	SULFATE	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point 12/31/2007
MONITORING, ROUTINE MAJOR	THALLIUM, TOTAL	1/1/2002 - 12/31/2004	5/2/2005	5/2/2006		Entry Point 12/31/2007
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	10/16/2013 -	12/3/2013			
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	11/10/2013 -	12/19/2013			
TREATMENT EFFLUENT MON/RPT VIOLATION	CHLORINE	9/1/2012 - 9/30/2012	11/9/2012	11/9/2013		Entry Point
TREATMENT EFFLUENT MON/RPT VIOLATION	CHLORINE	8/1/2012 - 8/31/2012	10/15/2012	10/15/2013		Entry Point
TREATMENT EFFLUENT MON/RPT VIOLATION	CHLORINE	7/1/2012 - 7/31/2012	10/15/2012	10/15/2013		Entry Point
TREATMENT EFFLUENT MON/RPT VIOLATION	CHLORINE	6/1/2012 - 6/30/2012	9/4/2012	9/4/2013	12/27/2012	Entry Point
TREATMENT EFFLUENT MON/RPT VIOLATION	CHLORINE	5/1/2012 - 5/31/2012	9/4/2012	9/4/2013	12/27/2012	Entry Point
TREATMENT EFFLUENT MON/RPT VIOLATION	CHLORINE	10/1/2006 - 10/31/2006	2/20/2007	2/20/2008		Entry Point 10/31/2006

Total Violations: 18

Water System Name: Farmington Valley Arc

Water System Town: Avon

PWS ID/Type: CT0040493 / NTNC

Population: 50

Food Service Establishment? No

Admin Contact: Ms. Patricia Maloney

Organization: Farmington Valley Arc

Title: Dir. of Res Services

Phone / Ext: 860-693-6662 / 106

E-Mail:

Chief Certified Operator(s): Mr. Jeremiah J. Weid, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FOLLOW-UP OR ROUTINE TAP M/R (LCR)	LEAD & COPPER RULE	1/1/2010 - 12/31/2012	4/3/2013	4/3/2014		DISTRIBUTION SYSTEM	12/31/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2004 - 6/30/2004	12/29/2004	1/28/2005		DISTRIBUTION SYSTEM	12/31/2004
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/4/2014 -	7/9/2014				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2004 - 6/30/2004	12/29/2004	12/29/2005		Distribution System	9/30/2004

Total Violations: 4

Local Health Department

Public Water System Compliance Report

Water System Name: Rocktree Apartments
Water System Town: Barkhamsted
PWS ID/Type: CT0050011 / C
Population: 60
Food Service Establishment? No

Admin Contact: Mr. John P. Yeakley
Organization: Rock Tree li LLC
Title: Owner
Phone / Ext: 860-916-2591 /
E-Mail: johnyeakley@sbcglobal.net

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR ADEQUACY/AVAILABILITY/CONTENT RULE	CONSUMER CONFIDENCE RULE	8/10/2013 -	11/13/2013				
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2013 -	11/13/2013				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/30/2010 -	6/30/2010				
MONITORING, ROUTINE MAJOR	Inorganic Chemicals	1/1/2009 - 12/31/2011	3/6/2012	3/6/2013		Entry Point	1/6/2012
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/7/2013 -	8/28/2013				

Total Violations: 5

Water System Name: American Legion Sf / Austin F. Hawes
Water System Town: Barkhamsted
PWS ID/Type: CT0050014 / NC
Population: 42
Food Service Establishment? Yes

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/25/2011 -	11/2/2011				

Total Violations: 1

Water System Name: Brass Horse Cafe & Motel
Water System Town: Barkhamsted
PWS ID/Type: CT0050024 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Kim Hamel
Organization: Brass Horse Cafe, LLC
Title: President
Phone / Ext: 860-738-2017 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/20/2015 - 10/8/2015	8/18/2015				10/8/2015
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/13/2011 -	2/17/2011				

Local Health Department

Public Water System Compliance Report

MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/15/2016	7/15/2016	DISTRIBUTION SYSTEM
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/15/2016	6/15/2017	DISTRIBUTION SYSTEM

Total Violations: 4

Water System Name: Log House Restaurant Inc.
Water System Town: Barkhamsted
PWS ID/Type: CT0050044 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Gary Dileo
Organization:
Title:
Phone / Ext: 860-379-8937 /
E-Mail: logrestaurant@sbcglobal.net

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	12/11/2015	1/10/2016	12/23/2015	DISTRIBUTION SYSTEM	12/31/2015
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	7/1/2015 - 9/30/2015	12/11/2015	12/10/2016	12/23/2015	DISTRIBUTION SYSTEM	12/31/2015

Total Violations: 2

Water System Name: Sterling Engineering Corp.
Water System Town: Barkhamsted
PWS ID/Type: CT0050062 / NTNC
Population: 110
Food Service Establishment? No

Admin Contact: Mr. Brandon T. Ivy
Organization: Sterling Engineering Corp.
Title: Coordinator
Phone / Ext: 860-379-3366 / 132
E-Mail: Tivy@sterlingeng.com

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
STATE TREATMENT TECHNIQUE VIOLATION	PH	1/1/2008 - 1/31/2008	4/8/2008		4/22/2008	Entry Point	

Total Violations: 1

Water System Name: Peoples S.F./Main Picnic Area
Water System Town: Barkhamsted
PWS ID/Type: CT0050104 / NC
Population: 26
Food Service Establishment? No

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MCL (TCR), MONTHLY	COLIFORM (TCR)	4/1/2009 - 6/30/2009	4/30/2009	5/30/2009		DISTRIBUTION SYSTEM	5/31/2009

Total Violations: 1

Local Health Department Public Water System Compliance Report

Water System Name: Pleasant Valley Drive-In
Water System Town: Barkhamsted
PWS ID/Type: CT0050114 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Catherine K. Jones
Organization:
Title:
Phone / Ext: 860-379-2389 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	5/3/2016	6/2/2016		ENTRY POINT	4/19/2016
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2014 - 12/31/2014	4/29/2015	5/29/2015		Entry Point	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/30/2015 -	6/9/2015				

Total Violations: 3

Water System Name: MDC - Supply Division Headquarters
Water System Town: Barkhamsted
PWS ID/Type: CT0050122 / NTNC
Population: 30
Food Service Establishment? No

Admin Contact: Mr. James M. Randazzo
Organization: The MDC
Title: Mngr of Water Supply
Phone / Ext: 860-278-7850 / 3104
E-Mail: jrandazzo@themdc.com

Chief Certified Operator(s): Mr. Robert A. Beeman,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2015 - 12/31/2015	4/5/2016			DISTRIBUTION SYSTEM	4/13/2016
WATER QUALITY PARAMETER M/R (LCR)	Water Quality Parameters	1/1/2003 - 12/31/2003	4/19/2004	4/19/2005		Entry Point	12/31/2007

Total Violations: 2

Water System Name: Pleasant Valley United Methodist Church
Water System Town: Barkhamsted
PWS ID/Type: CT0050134 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Pastor Truddy E. Codd
Organization: Pleasant Valley U. M. Church
Title: Reverend
Phone / Ext: 860-379-2157 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2014 - 12/31/2014	2/17/2015	3/19/2015		DISTRIBUTION SYSTEM	3/31/2015
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/20/2015 -	4/8/2015				

Local Health Department

Public Water System Compliance Report

STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2014 - 12/31/2014	2/17/2015	2/17/2016	Distribution System	3/31/2015
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2005 - 9/30/2005	1/4/2006	1/4/2007	Distribution System	12/31/2005

Total Violations: 4

Water System Name: Riverton General Store
Water System Town: Barkhamsted
PWS ID/Type: CT0050144 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Leslie Dimartino
Organization: Lad Real Estate LLC
Title: Member
Phone / Ext: 860-379-0811 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	2/16/2008 -				Distribution System	

Total Violations: 1

Water System Name: White Pines Campsite
Water System Town: Barkhamsted
PWS ID/Type: CT0050224 / NC
Population: 100
Food Service Establishment? No

Admin Contact: Mr. Richard Finkel
Organization: White Pines, LLC
Title: Co-Owner
Phone / Ext: 860-738-4404 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	12/11/2015			DISTRIBUTION SYSTEM	12/29/2015
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	12/11/2015			ENTRY POINT	12/29/2015
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	11/4/2015 - 2/22/2016					2/22/2016
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	7/1/2015 - 9/30/2015	12/11/2015			DISTRIBUTION SYSTEM	9/30/2015

Total Violations: 4

Water System Name: MDC - Lake McDonough - East Beach
Water System Town: Barkhamsted
PWS ID/Type: CT0050234 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. James M. Randazzo
Organization: The MDC
Title: Mngr of Water Supply
Phone / Ext: 860-278-7850 / 3104
E-Mail: jrandazzo@themdc.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
------------------------------	------------------------------	--------------------------	-------------------	-------------------------------------	-------------------------------------	------------------------------	----------------------------

Local Health Department

Public Water System Compliance Report

FAILURE TO RESPOND TO SANITARY SURVEY SANITARY SURVEY 12/28/2013 - 1/21/2014

Total Violations: 1

Water System Name: MDC - Lake McDonough-Patrol Headquarters

Admin Contact: Mr. James M. Randazzo

Water System Town: Barkhamsted
PWS ID/Type: CT0050244 / NC
Population: 25
Food Service Establishment? No

Organization: The MDC
Title: Mngr of Water Supply
Phone / Ext: 860-278-7850 / 3104
E-Mail: jrandazzo@themdc.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	12/28/2013 -	1/21/2014				

Total Violations: 1

Water System Name: Village of Boulder Ridge- Well #2

Admin Contact: Mr. Kevin R. Ebner

Water System Town: Barkhamsted
PWS ID/Type: CT0050254 / NC
Population: 25
Food Service Establishment? No

Organization: Ebner Camps Inc.
Title: President
Phone / Ext: 860-379-4050 /
E-Mail: Kevin@awosting.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2013 - 12/31/2013	2/14/2014	3/16/2014	3/5/2014	Distribution Sysytem	

Total Violations: 1

Water System Name: Foxridge Apartments-Well 1

Admin Contact: Mr. James P. Kerner

Water System Town: Barkhamsted
PWS ID/Type: CT0051011 / C
Population: 25
Food Service Establishment? No

Organization: Vankool Real Estate, LLC.
Title:
Phone / Ext: 860-379-2787 /
E-Mail: jimkerner@vkrealestate.com

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
PH MON/RPT VIOLATION	PH	10/1/2012 - 10/31/2012	12/18/2012	12/18/2013	1/11/2013	Entry Point	
PH MON/RPT VIOLATION	PH	9/1/2012 - 9/30/2012	11/9/2012	11/9/2013	1/11/2013	Entry Point	

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Wallens Hill Apartments
Water System Town: Barkhamsted
PWS ID/Type: CT0051031 / C
Population: 50
Food Service Establishment? No

Admin Contact: Mr. Andrew Luciano
Organization: Acb Properties
Title: Owner
Phone / Ext: 860-379-3140 /
E-Mail: andrewluciano@sbcglobal.net

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
WATER QUALITY PARAMETER M/R (LCR)	Water Quality Parameters	1/1/2010 - 12/31/2012	4/3/2013	4/3/2014	4/24/2013	Entry Point	
WATER QUALITY PARAMETER M/R (LCR)	Water Quality Parameters	1/1/2010 - 12/31/2012	4/3/2013	4/3/2014	4/24/2013	Distribution System	
Total Violations:							2

Water System Name: Mallory Brook Plaza - Well #1
Water System Town: Barkhamsted
PWS ID/Type: CT0055013 / NC
Population: 36
Food Service Establishment? Yes

Admin Contact: Dr. Leon Reich
Organization: Mallory Brook Development LL
Title: President
Phone / Ext: 718-338-1303 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2014 - 12/31/2014	4/7/2015	4/6/2016		Entry Point	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/7/2016 -	5/9/2016				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	12/2/2010 -	2/21/2012				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2009 - 9/30/2009	12/1/2009	12/1/2010		Distribution System	12/31/2009
Total Violations:							4

Water System Name: Barkhamsted Elementary School
Water System Town: Barkhamsted
PWS ID/Type: CT0055043 / NTNC
Population: 360
Food Service Establishment? Yes

Admin Contact: Mr. Jeffrey N. Linton
Organization: Barkhamsted Bd. of Ed.
Title: Superintendent
Phone / Ext: 860-738-4016 /
E-Mail: jlinton@barkhamstedschool.or

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
NOTIFICATION, PUBLIC (PRE-2003)	LEAD & COPPER RULE	3/1/1994 - 3/31/1994					
Total Violations:							1

Local Health Department

Public Water System Compliance Report

Water System Name: Mallory Brook Plaza - Well #2
Water System Town: Barkhamsted
PWS ID/Type: CT0055063 / NC
Population: 33
Food Service Establishment? Yes

Admin Contact: Dr. Leon Reich
Organization: Mallory Brook Development LL
Title: President
Phone / Ext: 718-338-1303 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2014 - 12/31/2014	4/7/2015	4/6/2016		Entry Point	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/7/2016 -	5/9/2016				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	12/2/2010 -	2/21/2012				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2009 - 9/30/2009	12/1/2009	12/1/2010		Distribution System	12/31/2009

Total Violations: 4

Water System Name: CTWC - Naugatuck Reg-Collinsville Sys
Water System Town: Canton
PWS ID/Type: CT0230011 / C
Population: 6324
Food Service Establishment? No

Admin Contact: Mr. Reed M. Reynolds
Organization: Connecticut Water Company
Title: Superintendent
Phone / Ext: 860-664-6241 /
E-Mail: rreynolds@ctwater.com

Chief Certified Operator(s): Mr. Raymond E. Baral, Jr,
Mr. Paul C. Robotham, Jr.,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	COLIFORM (TCR)	1/1/2011 - 3/31/2011	6/14/2011	6/13/2012		MDC Nepaug Reservoir	2/28/2011

Total Violations: 1

Water System Name: 192 Albany Turnpike - Canton
Water System Town: Canton
PWS ID/Type: CT0230024 / NC
Population: 155
Food Service Establishment? Yes

Admin Contact: Mr. John Eirich
Organization: Hub Bar & Grill
Title:
Phone / Ext: 860-693-0062 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), REPEAT	COLIFORM (TCR)	7/1/2008 - 7/31/2008	11/24/2008	12/24/2008		DISTRIBUTION SYSTEM	8/31/2008

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: 180 Cherry Brook Road - Canton
Water System Town: Canton
PWS ID/Type: CT0230044 / NC
Population: 36
Food Service Establishment? Yes

Admin Contact: Mr. Robert J. Oullette, III
Organization: Cherry Brook Development, LL
Title: Manager/Member
Phone / Ext: 860-693-6225 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/22/2013 -	3/26/2013				
MCL, SINGLE SAMPLE	DISTRIBUTION TURBIDITY	7/1/2004 - 9/30/2004	11/17/2004	12/17/2004		Distribution System	12/31/2004
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2006 - 9/30/2006	11/27/2006	11/27/2007		Distribution System	12/31/2006

Total Violations: 3

Water System Name: First Congregational Church of Canton Ce
Water System Town: Canton
PWS ID/Type: CT0230144 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Reverend Rushan Sinnaduray
Organization:
Title: Pastor
Phone / Ext: 860-693-4581 /
E-Mail: pastor@cantoncenterchurch.or

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	4/28/2016 - 4/26/2016					4/26/2016

Total Violations: 1

Water System Name: Jonis Child Care
Water System Town: Canton
PWS ID/Type: CT0230164 / NTNC
Population: 112
Food Service Establishment? Yes

Admin Contact: Mr. Keith Schneider
Organization:
Title: Certified Operator
Phone / Ext: 860-404-0177 /
E-Mail: keith_Jonischildcare@yahoo.co

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	7/1/2009 - 12/31/2009	3/25/2010	4/24/2010	9/11/2010	DISTRIBUTION SYSTEM	
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	1/1/2010 - 6/30/2010	8/19/2010	8/19/2011	9/15/2010	Entry Point	

Local Health Department

Public Water System Compliance Report

MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2005 - 6/30/2005	10/14/2005	11/13/2005	DISTRIBUTION SYSTEM	12/31/2005
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2005 - 3/31/2005	7/21/2005	8/20/2005	DISTRIBUTION SYSTEM	12/31/2005
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2004 - 9/30/2004	12/27/2004	1/26/2005	DISTRIBUTION SYSTEM	12/31/2005
MONITORING, ROUTINE MAJOR	1,3-DICHLOROPROPANE	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	2,4,5-TP	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	2,4-D	1/1/2016 - 3/31/2016	6/14/2016	6/14/2017	ENTRY POINT	
MONITORING, ROUTINE MAJOR	DALAPON	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	DICAMBA	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	DINOSEB	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	M-DICHLOROBENZENE	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	PENTACHLOROPHENOL	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	PICLORAM	1/1/2016 - 3/31/2016	6/14/2016		ENTRY POINT	5/11/2016
MONITORING, ROUTINE MAJOR	Pesticides, Herbicides and PCBs - Phase	7/1/2009 - 9/30/2009	12/1/2009	12/1/2010	Entry Point	12/31/2009
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	12/2/2010 -	8/2/2012			
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2005 - 6/30/2005	10/14/2005	10/14/2006	Distribution System	12/31/2005
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2004 - 9/30/2004	12/27/2004	12/27/2005	Distribution System	12/31/2004

Total Violations: 19

Water System Name: North Canton United Methodist Church
Water System Town: Canton
PWS ID/Type: CT0230234 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Dawn Harris
Organization: United Methodist Church
Title: Treasurer
Phone / Ext: 860-693-4589 /
E-Mail: Nccumc@att.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2004 - 6/30/2004	10/13/2004	11/12/2004		DISTRIBUTION SYSTEM	3/21/2005
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	6/24/2014	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2004 - 6/30/2004	10/13/2004	11/12/2004		Distribution System	3/21/2005

Total Violations: 3

Local Health Department

Public Water System Compliance Report

Water System Name: Roaring Brook Nature Center
Water System Town: Canton
PWS ID/Type: CT0230264 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Jay Kaplan
Organization: Roaring Brook Nature Center
Title: Director
Phone / Ext: 860-693-0263 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2009 - 3/31/2009	5/28/2009	5/28/2010		Distribution System	6/30/2009
Total Violations:							1

Water System Name: 250 Albany Turnpike
Water System Town: Canton
PWS ID/Type: CT0230294 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Arthur R. Godbout
Organization: 250 Albany Turnpike
Title: Manage
Phone / Ext: 860-675-5526 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITOR GWR TRIGGERED/ADDITONAL, MAJOR	E. COLI	8/17/2013 - 8/22/2013	2/3/2014	2/3/2015		Distribution System	2/14/2014
Total Violations:							1

Water System Name: Cherry Brook School
Water System Town: Canton
PWS ID/Type: CT0230392 / NTNC
Population: 615
Food Service Establishment? Yes

Admin Contact: Mr. Kevin D. Case
Organization: Canton Public Schools
Title: Superintendent
Phone / Ext: 860-693-7704 / 10
E-Mail: kcase@cantonschools.org

Chief Certified Operator(s): Mr. Shane Grant, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	Inorganic Chemicals	1/1/2011 - 12/31/2013	5/2/2014	5/2/2015		Entry Point	8/26/2015
MONITORING, ROUTINE MAJOR	ASBESTOS	1/1/2002 - 12/31/2010	3/8/2011	3/7/2012		Distribution System	
MONITORING, ROUTINE MAJOR	Pesticides, Herbicides and PCBs - Phase	1/1/2008 - 12/31/2010	3/8/2011	3/7/2012		Entry Point	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/8/2012 -	8/2/2012				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/3/2015 -	6/9/2015				

Total Violations: 5

Local Health Department

Public Water System Compliance Report

Water System Name: 298-302 Albany Turnpike
Water System Town: Canton
PWS ID/Type: CT0231011 / C
Population: 28
Food Service Establishment? No

Admin Contact: Mr. Matthew Schoenhardt
Organization: Watsul Associates, LLC
Title: Manager
Phone / Ext: 860-543-4005 /
E-Mail: mfschoenhardt@juno.com

Chief Certified Operator(s): Mr. Robert A. Beeman,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2013 -	11/13/2013				
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2012 -					
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/25/2011 -	2/7/2012				
FOLLOW-UP OR ROUTINE TAP M/R (LCR)	LEAD & COPPER RULE	1/1/2004 - 12/31/2004	6/14/2005	6/14/2006		DISTRIBUTION SYSTEM	9/30/2005
MONITORING (TCR), REPEAT	COLIFORM (TCR)	10/1/2010 - 10/31/2010	3/17/2011	4/16/2011		DISTRIBUTION SYSTEM	11/30/2010

Total Violations: 5

Water System Name: Stepping Stones Educational Center
Water System Town: Canton
PWS ID/Type: CT0235063 / NTNC
Population: 185
Food Service Establishment? No

Admin Contact: Mr. Robert S. Amrein
Organization: Stepping Stones Ed Center, Inc
Title:
Phone / Ext: 860-693-2852 /
E-Mail:

Chief Certified Operator(s): Mr. Thomas Chouinard,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/21/2011 -	3/23/2011				

Total Violations: 1

Water System Name: 306 Albany Turnpike
Water System Town: Canton
PWS ID/Type: CT0235074 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. David J. Went
Organization: Alliance Energy, LLC.
Title: Env. Compliance Mngr
Phone / Ext: 781-402-8893 /
E-Mail: DWent@allianceenergy.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	6/11/2014	Distribution	

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Camp Jewell-Hideaway
Water System Town: Colebrook
PWS ID/Type: CT0290024 / NC
Population: 100
Food Service Establishment? No

Admin Contact: Mr. Norman T. Button II
Organization: Ghymca
Title: Property Manager
Phone / Ext: 860-379-2782 / 217
E-Mail: norm.button@ghymca.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2015 - 12/31/2015	4/6/2016			DISTRIBUTION SYSTEM	3/31/2016
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	10/1/2015 - 12/31/2015	3/31/2016			DISTRIBUTION SYSTEM	3/18/2016

Total Violations: 2

Water System Name: Colebrook Congregational Church
Water System Town: Colebrook
PWS ID/Type: CT0290054 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Abrah G. Carroll
Organization: Colebrook Cong Churh
Title: Committee Member
Phone / Ext: 860-379-4089 /
E-Mail: mjcarroll@charter.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	4/19/2013 -	6/19/2013				

Total Violations: 1

Water System Name: Camp Jewell-Sunrise
Water System Town: Colebrook
PWS ID/Type: CT0290113 / NTNC
Population: 500
Food Service Establishment? No

Admin Contact: Mr. Harold Sparrow
Organization: YMCA Greater Hartford
Title: Ceo
Phone / Ext: 860-522-9622 /
E-Mail: harold.sparrow@ghymca.org

Chief Certified Operator(s): Peter J Gove, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	10/1/2013 - 3/31/2014				ENTRY POINT	
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	1/1/2013 - 12/31/2013	8/29/2014	8/29/2015	10/6/2014	Entry Point	

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Colebrook Consolidated School
Water System Town: Colebrook
PWS ID/Type: CT0290133 / NTNC
Population: 170
Food Service Establishment? Yes

Admin Contact: Mr. James P. Chittum
Organization:
Title: Superintendent
Phone / Ext: 860-379-2179 /
E-Mail: jchittum@colebrookschool.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	CHLORIDE	10/1/2015 - 12/31/2015	11/19/2015	12/19/2015	12/8/2015	ENTRY POINT	
MCL, AVERAGE	CHLORIDE	7/1/2015 - 9/30/2015	9/24/2015	10/24/2015	10/14/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	4/1/2015 - 6/30/2015	5/20/2015	6/19/2015	6/8/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	1/1/2015 - 3/31/2015	2/18/2015	3/20/2015	3/3/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	10/1/2014 - 12/31/2014	1/22/2015	2/21/2015	2/11/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	7/1/2014 - 9/30/2014	8/20/2014	9/19/2014	9/8/2014	Entry Point	
MCL, AVERAGE	CHLORIDE	4/1/2014 - 6/30/2014	6/16/2014	7/16/2014	7/10/2014	Entry Point	
MCL, AVERAGE	CHLORIDE	1/1/2014 - 3/31/2014	3/7/2014	4/6/2014	3/21/2014	Entry Point	
MCL, AVERAGE	CHLORIDE	10/1/2013 - 12/31/2013	12/27/2013	1/26/2014	1/13/2014	Entry Point	
MCL, AVERAGE	CHLORIDE	7/1/2013 - 9/30/2013	8/26/2013	9/25/2013	9/10/2013	Entry Point	
MCL, AVERAGE	CHLORIDE	4/1/2013 - 6/30/2013	5/30/2013	6/29/2013	6/18/2013	Entry Point	
MCL, AVERAGE	CHLORIDE	1/1/2013 - 3/31/2013	4/4/2013	5/4/2013	4/22/2013	Entry Point	
MCL, AVERAGE	CHLORIDE	10/1/2012 - 12/31/2012	1/28/2013	2/27/2013	2/13/2013	Entry Point	
MCL, AVERAGE	CHLORIDE	7/1/2012 - 9/30/2012	8/15/2012	9/14/2012	7/17/2012	Entry Point	
MCL, AVERAGE	CHLORIDE	4/1/2012 - 6/30/2012	7/2/2012	8/1/2012	7/19/2012	Entry Point	
MCL, AVERAGE	CHLORIDE	1/1/2012 - 3/31/2012	7/2/2012	8/1/2012	8/1/2012	Entry Point	
MCL, AVERAGE	CHLORIDE	10/1/2011 - 12/31/2011	1/25/2012	2/24/2012	2/21/2012	Entry Point	
MCL, AVERAGE	CHLORIDE	7/1/2011 - 9/30/2011	9/21/2011	10/21/2011	9/30/2011	Entry Point	
MCL, AVERAGE	CHLORIDE	4/1/2011 - 6/30/2011	9/21/2011	10/21/2011	10/1/2011	Entry Point	
MCL, AVERAGE	CHLORIDE	1/1/2011 - 3/31/2011	8/16/2011	9/15/2011	9/7/2011	Entry Point	
MCL, AVERAGE	CHLORIDE	10/1/2010 - 12/31/2010	8/16/2011	9/15/2011	9/8/2011	Entry Point	

Total Violations: 21

Local Health Department

Public Water System Compliance Report

Water System Name: 95 Spoonville Road - East Granby
Water System Town: East Granby
PWS ID/Type: CT0400024 / NC
Population: 29
Food Service Establishment? Yes

Admin Contact: Mr. George F. Castro
Organization: C/O Liquor Cabinet
Title: Owner
Phone / Ext: 860-644-6088 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	NITRATE	10/1/2010 - 12/31/2010	3/17/2011	4/16/2011		Entry Point	3/31/2011
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/17/2011 -	8/8/2012				

Total Violations: 2

Water System Name: Turkey Hill of East Granby, LLC
Water System Town: East Granby
PWS ID/Type: CT0400031 / C
Population: 360
Food Service Establishment? No

Admin Contact: Mr. Stephen D. Fish
Organization: Turkey Hill of East Granby LLC
Title:
Phone / Ext: 860-677-1381 /
E-Mail:

Chief Certified Operator(s): Mr. Victor N. Nigro, Jr.,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR ADEQUACY/AVAILABILITY/CONTENT RULE	CONSUMER CONFIDENCE	8/10/2015 -	10/28/2015				

Total Violations: 1

Water System Name: 20 Copper Hill Road
Water System Town: East Granby
PWS ID/Type: CT0400034 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Paul Banks
Organization: 20 Copper Hill Road, LLC
Title: Owner
Phone / Ext: 860-653-2123 /
E-Mail: pbanks@copperhillgolf.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2013 - 6/30/2013	9/12/2013	10/12/2013		DISTRIBUTION SYSTEM	9/30/2013
MONITORING, ROUTINE MAJOR	NITRATE	4/1/2013 - 6/30/2013	9/12/2013	10/12/2013		Entry Point	9/30/2013

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: GQC Well Commission
Water System Town: East Granby
PWS ID/Type: CT0400041 / C
Population: 360
Food Service Establishment? No

Admin Contact: Mr. Marvin Brown
Organization: GQC Well Commission
Title: President
Phone / Ext: /
E-Mail: mpheobus@aol.com

Chief Certified Operator(s): Mr. Robert J. Flagg, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
MONITORING (TCR), REPEAT	COLIFORM (TCR)	3/1/2015 - 3/31/2015	7/14/2015	8/13/2015		DISTRIBUTION SYSTEM	4/30/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	12/1/2015 - 12/31/2015	4/6/2016		4/21/2016	DISTRIBUTION SYSTEM	4/18/2016
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	8/14/2015 -	9/9/2015				
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	12/1/2015 - 12/31/2015	4/6/2016		4/21/2016	DISTRIBUTION SYSTEM	4/18/2016

Total Violations: 5

Water System Name: Old Newgate Ridge Water Company Inc
Water System Town: East Granby
PWS ID/Type: CT0400051 / C
Population: 208
Food Service Establishment? No

Admin Contact: Ms. Barbara A. Dalene
Organization: Old Newgate Ridge Water Co
Title: President
Phone / Ext: 860-289-4305 / 355
E-Mail: bdalene@daleneflooring.com

Chief Certified Operator(s): Mr. John F. Sima, III, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/31/2010 -	2/17/2011				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	4/21/2014 -	6/23/2014				
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	5/17/2016	6/16/2016		ENTRY POINT	

Total Violations: 4

Local Health Department

Public Water System Compliance Report

Water System Name: Galasso Materials, LLC-Sales Well
Water System Town: East Granby
PWS ID/Type: CT0400143 / NTNC
Population: 120
Food Service Establishment? No

Admin Contact: Mr. Colin M. McAvoy
Organization: Galasso Materials, LLC
Title: Prod. Supervisor
Phone / Ext: 860-653-2524 /
E-Mail: quarry@galassomaterials.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/1/2012 -	10/17/2012				
MONITORING, ROUTINE MAJOR	ENDRIN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	TOTAL POLYCHLORINATED BIPHENYLS (PCB)	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	OXAMYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	METHOMYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	GLYPHOSATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DI(2-ETHYLHEXYL) ADIPATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	3-HYDROXYCARBOFURAN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	CARBOFURAN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	CARBARYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	BENZO(A)PYRENE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB SULFOXIDE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB SULFONE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DIQUAT	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	

Total Violations: 16

Local Health Department

Public Water System Compliance Report

Water System Name: Galasso Materials, LLC-Main Office Well
Water System Town: East Granby
PWS ID/Type: CT0400144 / NTNC
Population: 120
Food Service Establishment? No

Admin Contact: Mr. Colin M. McAvoy
Organization: Galasso Materials, LLC
Title: Prod. Supervisor
Phone / Ext: 860-653-2524 /
E-Mail: quarry@galassomaterials.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/1/2012 -	10/17/2012				
MONITORING, ROUTINE MAJOR	GLYPHOSATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB SULFOXIDE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	BENZO(A)PYRENE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	CARBARYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	CARBOFURAN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DI(2-ETHYLHEXYL) ADIPATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ENDRIN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	METHOMYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	OXAMYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	TOTAL POLYCHLORINATED BIPHENYLS (PCB)	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB SULFONE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	3-HYDROXYCARBOFURAN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DIQUAT	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	

Total Violations: 16

Local Health Department

Public Water System Compliance Report

Water System Name: Galasso Materials, LLC-Garage Well
Water System Town: East Granby
PWS ID/Type: CT0400153 / NTNC
Population: 120
Food Service Establishment? No

Admin Contact: Mr. Colin M. McAvoy
Organization: Galasso Materials, LLC
Title: Prod. Supervisor
Phone / Ext: 860-653-2524 /
E-Mail: quarry@galassomaterials.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FOLLOW-UP OR ROUTINE TAP M/R (LCR)	LEAD & COPPER RULE	1/1/2013 - 12/31/2015	6/29/2016	6/29/2017		DISTRIBUTION SYSTEM	
MONITORING, ROUTINE MAJOR	ALDICARB SULFOXIDE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB SULFONE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	3-HYDROXYCARBOFURAN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	METHOMYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ALDICARB	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	OXAMYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	BENZO(A)PYRENE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	GLYPHOSATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	ENDRIN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DIQUAT	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DI(2-ETHYLHEXYL) ADIPATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	CARBOFURAN	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	CARBARYL	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
MONITORING, ROUTINE MAJOR	TOTAL POLYCHLORINATED BIPHENYLS (PCB)	1/1/2011 - 12/31/2013	4/17/2014	4/17/2015	5/9/2014	Entry Point	
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	3/10/2010 -					

Total Violations: 17

Local Health Department

Public Water System Compliance Report

Water System Name: Farmington Field Club
Water System Town: Farmington
PWS ID/Type: CT0520064 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. David Marshall
Organization: Farmington Field Club
Title: General Manager
Phone / Ext: 860-677-1209 /
E-Mail: davidmarshallffcgm@outlook.c

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	5/3/2016	6/2/2016		ENTRY POINT	4/27/2016

Total Violations: 1

Water System Name: Riverfront Miniature Golf, Inc.
Water System Town: Farmington
PWS ID/Type: CT0520084 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Paul G. Kramer
Organization: Riverfront Miniature Golf, Inc
Title: President
Phone / Ext: 860-921-1922 /
E-Mail: RIVERFRONTGOLF@AOL.COM

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	6/6/2015 - 8/11/2015	8/3/2015				8/11/2015
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/1/2011 -	2/17/2011				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2010 - 9/30/2010	12/20/2010	12/20/2011	9/23/2012	Distribution System	

Total Violations: 3

Water System Name: 1097 Farmington Avenue
Water System Town: Farmington
PWS ID/Type: CT0520124 / NC
Population: 30
Food Service Establishment? No

Admin Contact: Mr. Stephen P. Troy
Organization:
Title: Owner
Phone / Ext: 860-677-2740 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/2/2015 -	3/18/2015				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	7/1/2014	Distribution System	

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Salmon Brook District Water Dept
Water System Town: Granby
PWS ID/Type: CT0560011 / C
Population: 2151
Food Service Establishment? No

Admin Contact: Ms. Whitney Sanzo
Organization: Salmon Brook District
Title: Operations Manager
Phone / Ext: 860-653-3327 /
E-Mail: SBD559@att.net

Chief Certified Operator(s): Mr. Jeffrey A. Spence, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MINOR	COLIFORM (TCR)	1/1/2016 - 1/31/2016				DISTRIBUTION SYSTEM	
Total Violations:							1

Water System Name: 565 Salmon Brook St - Granby
Water System Town: Granby
PWS ID/Type: CT0560024 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Sophia Kioukis
Organization:
Title: Owner
Phone / Ext: /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/17/2014 -	8/25/2014				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2011 - 6/30/2011	1/10/2012	2/9/2012		DISTRIBUTION SYSTEM	9/30/2011
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2011 - 6/30/2011	1/10/2012	2/9/2012		Distribution System	9/30/2011
Total Violations:							3

Water System Name: The Cambridge House
Water System Town: Granby
PWS ID/Type: CT0560044 / NC
Population: 40
Food Service Establishment? Yes

Admin Contact: Mr. Scott Riley
Organization: Bradley Brew Pub, LLC
Title: Managing Member
Phone / Ext: 860-653-2739 /
E-Mail: scott@cbhgranby.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2006 - 3/31/2006	6/13/2006	6/13/2007		Distribution System	6/30/2006
Total Violations:							1

Local Health Department

Public Water System Compliance Report

Water System Name: Granby Motel
Water System Town: Granby
PWS ID/Type: CT0560064 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Mukund Shah
Organization: Granby Motel
Title:
Phone / Ext: 860-653-2553 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	12/2/2010 -	2/17/2011				

Total Violations: 1

Water System Name: 496 Salmon Brook Street
Water System Town: Granby
PWS ID/Type: CT0560074 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Carmine Pandolfi
Organization: Granby Package Store
Title: Owner
Phone / Ext: 860-653-2742 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/21/2010 -	2/17/2011				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2005 - 9/30/2005	1/23/2006	2/22/2006		DISTRIBUTION SYSTEM	6/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2005 - 6/30/2005	10/18/2005	11/17/2005		DISTRIBUTION SYSTEM	6/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2005 - 3/31/2005	7/26/2005	8/25/2005		DISTRIBUTION SYSTEM	6/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2004 - 12/31/2004	5/24/2005	6/23/2005		DISTRIBUTION SYSTEM	6/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2004 - 9/30/2004	1/10/2005	2/9/2005		DISTRIBUTION SYSTEM	6/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2004 - 6/30/2004	10/18/2004	11/17/2004		DISTRIBUTION SYSTEM	6/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2004 - 3/31/2004	10/18/2004	11/17/2004		DISTRIBUTION SYSTEM	6/30/2006
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2004 - 12/31/2004	5/24/2005	6/23/2005		Entry Point	12/31/2006
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/7/2011 - 11/9/2015	9/25/2012				11/9/2015
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/6/2012 - 11/9/2015	10/4/2012				11/9/2015
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2011 - 6/30/2011	9/6/2011	9/5/2012	2/23/2016	Distribution System	

Total Violations: 12

Local Health Department

Public Water System Compliance Report

Water System Name: Life Church
Water System Town: Granby
PWS ID/Type: CT0560084 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Al Royal
Organization:
Title: Pastor
Phone / Ext: 860-653-3308 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/19/2015 -	3/17/2016				

Total Violations: 1

Water System Name: Jehovahs Witnesses
Water System Town: Granby
PWS ID/Type: CT0560104 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. John A. Kozak
Organization: Jehovahs Witnesses
Title:
Phone / Ext: 860-305-0204 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	12/2/2010 -	2/17/2011				

Total Violations: 1

Water System Name: Old Mill Pond Village
Water System Town: Granby
PWS ID/Type: CT0560124 / NC
Population: 31
Food Service Establishment? No

Admin Contact: Ms. Kim M. Radwilowicz
Organization:
Title: Manager / Owner
Phone / Ext: 860-653-3433 /
E-Mail: OMPV383@yahoo.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2004 - 9/30/2004	1/10/2005	2/9/2005		DISTRIBUTION SYSTEM	6/30/2005
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2004 - 9/30/2004	1/10/2005	1/10/2006		Distribution System	3/31/2005

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: First Congregational Church of Granby
Water System Town: Granby
PWS ID/Type: CT0560132 / NTNC
Population: 40
Food Service Establishment? No

Admin Contact: Mr. Jerry Kimble
Organization: First Congregational Church
Title: Senior Trustee
Phone / Ext: 860-730-6027 /
E-Mail: jerry.kimble@sbcglobal.net

Chief Certified Operator(s): Mr. Robert A. Beeman,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					

Total Violations: 1

Water System Name: Pilgrim Covenant Church
Water System Town: Granby
PWS ID/Type: CT0560134 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Martha Lilia Johnson
Organization: Pilgrim Covenant Church
Title: Chairperson
Phone / Ext: 860-653-3800 /
E-Mail: webmaster@pilgrimcovenantc

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2007 - 12/31/2007	3/10/2008	4/9/2008		DISTRIBUTION SYSTEM	6/30/2008
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2007 - 12/31/2007	3/10/2008	3/10/2009		Distribution System	6/30/2008

Total Violations: 2

Water System Name: Wells Road Intermediate School
Water System Town: Granby
PWS ID/Type: CT0560372 / NTNC
Population: 405
Food Service Establishment? No

Admin Contact: Mr. Alan Addley
Organization: Granby Public School
Title: Superintendent
Phone / Ext: 860-844-5260 /
E-Mail:

Chief Certified Operator(s): Mr. Thomas Chouinard,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	7/1/1994 - 12/31/1994	1/13/1995				
NOTIFICATION, PUBLIC (PRE-2003)	LEAD & COPPER RULE	2/1/1995 - 2/28/1995					
WATER QUALITY PARAMETER M/R (LCR)	Water Quality Parameters	1/1/2007 - 12/31/2007	3/17/2009	3/17/2010	5/11/2009	Entry Point	

Total Violations: 3

Local Health Department

Public Water System Compliance Report

Water System Name: Monrovia Nurseries (Floydville)
Water System Town: Granby
PWS ID/Type: CT0565013 / NTNC
Population: 80
Food Service Establishment? No

Admin Contact: Ms. Laurie Demers
Organization: Monrovia Connecticut LLC
Title:
Phone / Ext: 860-653-4541 / 173
E-Mail: ldemers@monrovia.com

Chief Certified Operator(s): Paul J. Radicchi, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	5/16/2011 -	6/23/2011				

Total Violations: 1

Water System Name: 4 West Granby Road
Water System Town: Granby
PWS ID/Type: CT0565063 / NTNC
Population: 97
Food Service Establishment? No

Admin Contact: Mr. Michael Guarco
Organization: State Line Oil Company
Title: Owner
Phone / Ext: 860-653-7241 /
E-Mail:

Chief Certified Operator(s): Alan Guarco, Certified Operator

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	8/27/2010 -	10/14/2010				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/14/2016 -	3/17/2016				
MCL, AVERAGE	CHLORIDE	1/1/2016 - 3/31/2016	4/20/2016	5/20/2016		ENTRY POINT	
MCL, AVERAGE	CHLORIDE	10/1/2015 - 12/31/2015	12/30/2015	1/29/2016		ENTRY POINT	
MCL, AVERAGE	CHLORIDE	7/1/2015 - 9/30/2015	11/23/2015	12/23/2015		ENTRY POINT	
MCL, AVERAGE	CHLORIDE	4/1/2015 - 6/30/2015	11/23/2015	12/23/2015		ENTRY POINT	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/21/2016 -	6/9/2016				

Total Violations: 8

Local Health Department

Public Water System Compliance Report

Water System Name: Bethany Lutheran Brethren Church
Well# 1

Admin Contact: Reverend Ole L. Lillestolen

Water System Town: Hartland

Organization: Bethany Luthern Brethren Chur

PWS ID/Type: CT0650014 / NC

Title: Senior Pastor

Population: 50

Phone / Ext: 860-653-2005 /

Food Service Establishment? No

E-Mail: bthny.lth.brth.chrch@snet.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2007 - 12/31/2007	3/10/2008	3/10/2009		Distribution System	3/31/2008
Total Violations:							1

Water System Name: 6 Hartland Boulevard

Admin Contact: Mr. Labros Vakalis

Water System Town: Hartland

Organization:

PWS ID/Type: CT0650024 / NC

Title: Owner

Population: 25

Phone / Ext: 860-307-6692 /

Food Service Establishment? Yes

E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2015 - 6/30/2015	9/24/2015	10/24/2015		DISTRIBUTION SYSTEM	9/30/2015
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/25/2015 -	3/2/2016				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2015 - 6/30/2015	9/24/2015	9/23/2016		Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2011 - 9/30/2011	12/19/2011			Distribution System	
Total Violations:							4

Water System Name: Hartland Elem Sch & Town Bldgs

Admin Contact: Mr. Wade E. Cole

Water System Town: Hartland

Organization:

PWS ID/Type: CT0650102 / NTNC

Title: First Selectman

Population: 300

Phone / Ext: 860-653-6800 /

Food Service Establishment? Yes

E-Mail: selectmen@hartland.necoxmai

Chief Certified Operator(s): Mr. Jeremiah J. Weid, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
ACTION LEVEL EXCEEDANCE	LEAD SUMMARY	7/1/2015 - 12/31/2015	2/1/2016			DISTRIBUTION SYSTEM	4/22/2016
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	2/1/2014 - 4/22/2016			4/22/2016	ENTRY POINT - WELL 2 & 3	4/22/2016

Local Health Department

Public Water System Compliance Report

LEAD CONSUMER NOTICE (LCR)	LEAD & COPPER RULE	4/1/2011 - 4/22/2016		4/22/2016
LEAD CONSUMER NOTICE (LCR)	LEAD & COPPER RULE	9/29/2011 - 4/22/2016		4/22/2016
LEAD CONSUMER NOTICE (LCR)	LEAD & COPPER RULE	3/31/2012 - 4/22/2016		4/22/2016
NOTIFICATION, PUBLIC (PRE-2003)	LEAD & COPPER RULE	2/1/1995 - 2/28/1995		
NOTIFICATION, PUBLIC (PRE-2003)	LEAD & COPPER RULE	9/1/1994 - 9/30/1994		
OCCT/SOWT RECOMMENDATION/STUDY (LCR)	LEAD & COPPER RULE	2/1/2013 - 4/22/2016	4/22/2016	4/22/2016
WATER QUALITY PARAMETER M/R (LCR)	WQPS - BASIC	7/1/2015 - 12/31/2015	4/22/2016	ENTRY POINT - WELL 2 & 3 4/22/2016
WATER QUALITY PARAMETER M/R (LCR)	WQPS - BASIC	7/1/2015 - 12/31/2015	4/22/2016	DISTRIBUTION SYSTEM 4/22/2016

Total Violations: 10

Water System Name: Bethany Lutheran Brethren Church Well# 2

Admin Contact: Reverend Ole L. Lillestolen

Water System Town: Hartland

Organization: Bethany Luthern Brethren Chur

PWS ID/Type: CT0650114 / NC

Title: Senior Pastor

Population: 50

Phone / Ext: 860-653-2005 /

Food Service Establishment? No

E-Mail: bthny.lth.brth.chrch@snet.net

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/19/2015 -	3/18/2015				

Total Violations: 1

Water System Name: Alcove Motel

Admin Contact: Mr. Bhasker Desai

Water System Town: New Hartford

Organization: Alcove Motel

PWS ID/Type: CT0920014 / NC

Title: Member

Population: 30

Phone / Ext: 860-693-8577 /

Food Service Establishment? No

E-Mail:

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	5/2/2016	6/1/2016		ENTRY POINT	3/22/2016
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2011 - 9/30/2011	1/10/2012	1/9/2013	4/2/2013	Distribution System	

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: 1165 Litchfield Turnpike
Water System Town: New Hartford
PWS ID/Type: CT0920024 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Jeffrey Radwick
Organization: The Bakersville Mall, LLC
Title: Manager
Phone / Ext: 860-294-6826 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/9/2010 -	10/29/2010				
MONITORING (TCR), REPEAT	COLIFORM (TCR)	7/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	11/11/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2015 - 10/31/2015				DISTRIBUTION SYSTEM	3/31/2016
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	9/22/2014	Distribution System	
Total Violations:							4

Water System Name: Little Brook Rd Property Owners Assn
Water System Town: New Hartford
PWS ID/Type: CT0920041 / C
Population: 64
Food Service Establishment? No

Admin Contact: Ms. Liz Ward
Organization: Little Brook Rd Property Owner
Title: Treasurer
Phone / Ext: 203-231-5670 /
E-Mail: littlebrookassociation@gmail.c

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2008 - 12/31/2010	1/19/2011	2/18/2011		DISTRIBUTION SYSTEM	
CCR ADEQUACY/AVAILABILITY/CONTENT	CONSUMER CONFIDENCE RULE	8/10/2011 -	12/12/2011				
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2011 -	12/12/2011				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	3/2/2010 -	6/28/2010				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/10/2013 -	3/26/2013				
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	1/1/2014 - 3/28/2016			3/28/2016	ENTRY POINT	5/16/2016
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	8/27/2015 - 2/26/2016			3/28/2016	ENTRY POINT	3/28/2016
LEAD CONSUMER NOTICE (LCR)	LEAD & COPPER RULE	9/29/2011 - 3/28/2016					3/28/2016
LEAD CONSUMER NOTICE (LCR)	LEAD & COPPER RULE	12/30/2010 - 3/3/2016					3/3/2016
LEAD CONSUMER NOTICE (LCR)	LEAD & COPPER RULE	3/31/2012 - 3/3/2016					3/3/2016
LEAD CONSUMER NOTICE (LCR)	LEAD & COPPER RULE	9/29/2012 - 3/3/2016					3/3/2016

Local Health Department

Public Water System Compliance Report

OCCT/SOWT RECOMMENDATION/STUDY (LCR)	LEAD & COPPER RULE	9/29/2015 - 3/28/2016			3/28/2016		3/28/2016
PH MON/RPT VIOLATION	PH	5/1/2008 - 5/31/2008	7/8/2008	7/8/2009		Entry Point	6/30/2008
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	5/1/2008 -	3/5/2013				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	2/19/2011 -	3/5/2013				

Total Violations: 15

Water System Name: Camp Sequassen (Ranger - Well #1)
Water System Town: New Hartford
PWS ID/Type: CT0920064 / NC
Population: 29
Food Service Establishment? No

Admin Contact: Mr. David J. Boyajian
Organization: Boy Scouts of America
Title: Ranger
Phone / Ext: 860-379-2009 /
E-Mail: DVBYJN@charterinternet.com

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2014 - 12/31/2014	4/23/2015	4/22/2016	5/17/2016	Entry Point	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/23/2016 - 5/16/2016	5/9/2016				5/16/2016

Total Violations: 2

Water System Name: Foothills Shopping Plaza
Water System Town: New Hartford
PWS ID/Type: CT0920072 / NTNC
Population: 60
Food Service Establishment? Yes

Admin Contact: Mr. Peter A. Marandino
Organization: Foothills Plaza
Title: Owner
Phone / Ext: 860-693-8369 /
E-Mail: marandinosinc@aol.com

Chief Certified Operator(s): Mr. Robert A. Beeman,

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2015 - 6/30/2015	9/30/2015	10/4/2015	12/2/2015	DISTRIBUTION SYSTEM	
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2014 - 6/30/2014	1/21/2015	2/20/2015	2/17/2015	DISTRIBUTION SYSTEM	
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	7/1/2013 - 12/31/2013	4/24/2015	5/24/2015	12/2/2015	DISTRIBUTION SYSTEM	
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2013 - 6/30/2013	1/14/2010			DISTRIBUTION SYSTEM	
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	7/1/2012 - 12/31/2012	1/14/2010			DISTRIBUTION SYSTEM	
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2012 - 6/30/2012	1/14/2010			DISTRIBUTION SYSTEM	
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	7/1/2011 - 12/31/2011	1/14/2010			DISTRIBUTION SYSTEM	
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2011 - 6/30/2011	1/14/2010			DISTRIBUTION SYSTEM	

Local Health Department Public Water System Compliance Report

ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	7/1/2010 - 12/31/2010	1/14/2010			DISTRIBUTION SYSTEM
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2010 - 6/30/2010	1/14/2010			DISTRIBUTION SYSTEM
ACTION LEVEL EXCEEDANCE	COPPER SUMMARY	1/1/2009 - 12/31/2009	1/14/2010	2/13/2010	2/22/2010	DISTRIBUTION SYSTEM
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	10/5/2015 - 11/2/2015				11/2/2015
WATER QUALITY PARAMETER M/R (LCR)	WQPS - BASIC	1/1/2014 - 6/30/2014				DISTRIBUTION SYSTEM
WATER QUALITY PARAMETER M/R (LCR)	WQPS - BASIC	1/1/2014 - 6/30/2014				ENTRY POINT

Total Violations: 15

Water System Name: Camp Workcoeman - Dining Hall
Water System Town: New Hartford
PWS ID/Type: CT0920094 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. James C. Waters
Organization: Connecticut Rivers Council
Title: Director
Phone / Ext: 860-913-2750 /
E-Mail: James.waters@scouting.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	12/13/2013 -	7/9/2014				

Total Violations: 1

Water System Name: Town of New Hartford - Brown's Corner
Water System Town: New Hartford
PWS ID/Type: CT0920104 / NC
Population: 200
Food Service Establishment? No

Admin Contact: Mr. Daniel V. Jerram
Organization: Town of New Hartford
Title: First Selectman
Phone / Ext: 860-379-3389 /
E-Mail: djerram@town.new-hartford.c

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL (TCR), MONTHLY	COLIFORM (TCR)	10/1/2011 - 12/31/2011	11/4/2011	4/30/2012		DISTRIBUTION SYSTEM	4/30/2012
MCL, AVERAGE	DISTRIBUTION TURBIDITY	10/1/2010 - 12/31/2010	2/1/2011	3/3/2011	5/15/2011	Distribution System	
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	4/1/2007 - 6/30/2007	7/23/2007	8/22/2007		Distribution System	9/30/2007
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2014 - 6/30/2014	8/21/2014	9/20/2014		DISTRIBUTION SYSTEM	9/30/2014
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2008 - 12/31/2008	3/17/2009	4/16/2009		DISTRIBUTION SYSTEM	6/30/2009
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2006 - 12/31/2006	3/15/2007	4/14/2007		DISTRIBUTION SYSTEM	9/30/2007

Local Health Department Public Water System Compliance Report

MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2006 - 3/31/2006	6/26/2006	7/26/2006		DISTRIBUTION SYSTEM	9/30/2007
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2005 - 12/31/2005	3/30/2006	4/29/2006		DISTRIBUTION SYSTEM	9/30/2007
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2004 - 12/31/2004	5/26/2005	6/25/2005		DISTRIBUTION SYSTEM	9/30/2007
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2004 - 6/30/2004	10/8/2004	11/7/2004		DISTRIBUTION SYSTEM	9/30/2007
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2004 - 3/31/2004	10/8/2004	11/7/2004		DISTRIBUTION SYSTEM	9/30/2007
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	5/17/2016	6/16/2016	6/13/2016	ENTRY POINT	
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2005 - 12/31/2005	3/30/2006	4/29/2006		Entry Point	12/31/2006
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	9/21/2014 -	10/9/2014				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	8/22/2015 -	9/9/2015				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2014 - 6/30/2014	8/21/2014	8/21/2015		Distribution System	9/30/2014
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2010 - 12/31/2010	3/21/2011	3/20/2012	5/17/2011	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2008 - 12/31/2008	3/17/2009	3/17/2010		Distribution System	6/30/2009
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2006 - 3/31/2006	6/26/2006	6/26/2007		Distribution System	6/30/2007
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2004 - 9/30/2004	1/26/2005	1/26/2006		Distribution System	6/30/2007
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2004 - 6/30/2004	10/8/2004	11/7/2004		Distribution System	6/30/2007
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2004 - 3/31/2004	10/8/2004	11/7/2004		Distribution System	6/30/2007

Total Violations: 22

Water System Name: Trinita	Admin Contact: Mr. Deborah Wilson
Water System Town: New Hartford	Organization: Msbt
PWS ID/Type: CT0920144 / NC	Title: Team Member
Population: 30	Phone / Ext: 860-379-4329 /
Food Service Establishment? Yes	E-Mail: trinita@charter.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: West Hill Beach Club, Inc.
Water System Town: New Hartford
PWS ID/Type: CT0920154 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Candace Flaherty
Organization: West Hill Beach Club
Title: Member
Phone / Ext: /
E-Mail: swimmerflahertychrter.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/20/2011 -	2/7/2012				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2014 - 6/30/2014	9/4/2014	9/4/2015	9/18/2014	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2013 - 9/30/2013	2/25/2014	2/25/2015	7/23/2014	Distribution System	

Total Violations: 3

Water System Name: Bakerville Consolidated School
Water System Town: New Hartford
PWS ID/Type: CT0920242 / NTNC
Population: 177
Food Service Establishment? Yes

Admin Contact: Mr. Brian Murphy
Organization: New Hartford Public Schools
Title: Superintendent
Phone / Ext: 860-379-8546 /
E-Mail: murphyb@newhtfd.org

Chief Certified Operator(s): Mr. Ron W. Black, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
NOTIFICATION, PUBLIC (PRE-2003)	NITRATE	9/1/1994 - 9/30/1994					

Total Violations: 1

Water System Name: Camp Workcoeman - Campsite
Water System Town: New Hartford
PWS ID/Type: CT0920284 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. James C. Waters
Organization: Connecticut Rivers Council
Title: Director
Phone / Ext: 860-913-2750 /
E-Mail: James.waters@scouting.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	1/7/2016	1/6/2017		ENTRY POINT	

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Camp Workcoeman - Bailey
Water System Town: New Hartford
PWS ID/Type: CT0920294 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. James C. Waters
Organization: Connecticut Rivers Council
Title: Director
Phone / Ext: 860-913-2750 /
E-Mail: James.waters@scouting.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2004 - 9/30/2004	1/26/2005	2/25/2005		DISTRIBUTION SYSTEM	3/31/2005
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/9/2010 -	3/5/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2009 - 6/30/2009	9/8/2009	9/8/2010		Distribution System	9/30/2009
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2004 - 9/30/2004	1/26/2005	1/26/2006		Distribution System	6/30/2005
Total Violations:							4

Water System Name: Bershire Hall At Brodie Park
Water System Town: New Hartford
PWS ID/Type: CT0925014 / NC
Population: 28
Food Service Establishment? No

Admin Contact: Mr. Daniel V. Jerram
Organization: Town of New Hartford
Title: First Selectman
Phone / Ext: 860-379-3389 /
E-Mail: djerram@town.new-hartford.c

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/28/2012 -	2/24/2012				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2014 - 3/31/2014	5/27/2014	6/26/2014		DISTRIBUTION SYSTEM	9/30/2014
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2011 - 6/30/2011	9/19/2011	10/19/2011		DISTRIBUTION SYSTEM	12/31/2011
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/20/2011 -	3/5/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	6/27/2014 -	9/10/2014				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/19/2012 -	3/5/2013				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	5/28/2015 -	6/9/2015				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2014 - 6/30/2014	9/4/2014	9/4/2015	9/23/2014	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015		Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2011 - 9/30/2011	1/10/2012	1/9/2013	1/17/2012	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2011 - 6/30/2011	9/19/2011	9/18/2012		Distribution System	

Local Health Department Public Water System Compliance Report

Total Violations: 11

Water System Name: Tariffville Fire District Water Dept
Water System Town: Simsbury
PWS ID/Type: CT1280011 / C
Population: 1477
Food Service Establishment? No

Admin Contact: Mr. Scott R. Madigan
Organization: Tariffville Fire District
Title: President
Phone / Ext: 860-651-7259 /
E-Mail: scottanddi@me.com

Chief Certified Operator(s): Mr. Michael J. Jepeal, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/23/2012 -	10/1/2012				
MCL (TCR), MONTHLY	COLIFORM (TCR)	6/1/2004 - 6/30/2004	7/12/2004	8/11/2004		DISTRIBUTION SYSTEM	12/31/2004
NOTIFICATION, PUBLIC (PRE-2003)	LEAD & COPPER RULE	10/1/1994 - 10/31/1994					

Total Violations: 3

Water System Name: Ethel Walker School
Water System Town: Simsbury
PWS ID/Type: CT1280051 / C
Population: 325
Food Service Establishment? No

Admin Contact: Mr. Glenn Wilcox
Organization: Ethal Walker School
Title: Director of Facilities
Phone / Ext: 860-408-4349 /
E-Mail: gwilcox@my.ethelwalker.org

Chief Certified Operator(s): Mr. Timothy Cuzzone, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2015 - 8/3/2015					
MONITORING, ROUTINE MAJOR	1,3-DICHLOROPROPANE	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		ENTRY POINT	
MONITORING, ROUTINE MAJOR	M-DICHLOROBENZENE	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		ENTRY POINT	
PHOSPHATE MON/RPT VIOLATION	PHOSPHATE, TOTAL	5/1/2012 - 5/31/2012	9/6/2012	9/6/2013	3/14/2014	Entry Point	
PHOSPHATE MON/RPT VIOLATION	PHOSPHATE, TOTAL	4/1/2012 - 4/30/2012	9/6/2012	9/6/2013	3/14/2014	Entry Point	
PHOSPHATE MON/RPT VIOLATION	PHOSPHATE, TOTAL	6/1/2011 - 6/30/2011	9/6/2012	9/6/2013	3/14/2014	Entry Point	
TREATMENT EFFLUENT MON/RPT VIOLATION	FREE RESIDUAL CHLORINE	5/1/2012 - 5/31/2012	9/6/2012	9/6/2013	3/14/2014	Entry Point	
TREATMENT EFFLUENT MON/RPT VIOLATION	FREE RESIDUAL CHLORINE	4/1/2012 - 4/30/2012	9/6/2012	9/6/2013	3/14/2014	Entry Point	
TREATMENT EFFLUENT MON/RPT VIOLATION	FREE RESIDUAL CHLORINE	6/1/2011 - 6/30/2011	9/6/2012	9/6/2013	3/14/2014	Entry Point	

Total Violations: 9

Local Health Department

Public Water System Compliance Report

Water System Name: Talcott Mountain S.P.
Water System Town: Simsbury
PWS ID/Type: CT1280134 / NC
Population: 793
Food Service Establishment? No

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2013 - 6/30/2013	9/17/2013	10/17/2013		DISTRIBUTION SYSTEM	9/30/2013
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/18/2013 -	12/16/2013				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/18/2014 -	7/8/2014				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2013 - 6/30/2013	9/17/2013	9/17/2014		Distribution System	9/30/2013
Total Violations:							4

Water System Name: Community Farm of Simsbury
Water System Town: Simsbury
PWS ID/Type: CT1284104 / NC
Population: 34
Food Service Establishment? No

Admin Contact: Mr. Thomas Roy
Organization: Town of Simsbury
Title: Dir. of Public Works
Phone / Ext: 860-658-3222 /
E-Mail: troy@simsbury-ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	5/16/2012 -	6/22/2012				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2011 - 9/30/2011	1/13/2012	1/12/2013	1/16/2012	Distribution System	
Total Violations:							3

Public Water System Roster

Farmington Valley Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
Avon	CT0040011	Avon Water Co		C	No
	CT0040011	Avon Water Co		C	No
	CT0040011	Avon Water Co		C	No
	CT0040493	Farmington Valley Arc	255 Old Mountain Road	NTNC	No
	CT0040442	Talcott Mountain Science Center #1	350 Montevideo Rd	NTNC	No
	CT0040483	Talcott Mountain Science Center #2	Montevideo Road	NTNC	No
Barkhamsted	CT0050014	American Legion Sf / Austin F. Hawes	106 East River Road	NC	Yes

Local Health Department Public Water System Compliance Report

Farmington Valley Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT0055043	Barkhamsted Elementary School	67 Ripley Hill Road (route 318)	NTNC	Yes
	CT0050024	Brass Horse Cafe & Motel	87 New Hartford Road	NC	Yes
	CT0051011	Foxridge Apartments-Well 1	13 Albough Road	C	No
	CT0055071	Foxridge Apartments-Well 2		C	No
	CT0050044	Log House Restaurant Inc.	110 New Hartford Road	NC	Yes
	CT0050082	Lombard Ford	285 New Hartford Road (route 44)	NTNC	No
	CT0055013	Mallory Brook Plaza - Well #1	380 New Hartford Road (route	NC	Yes
	CT0055063	Mallory Brook Plaza - Well #2	New Hartford Road (route 44)	NC	Yes
	CT0050234	MDC - Lake McDonough - East Beach	Route 219	NC	No
	CT0050244	MDC - Lake McDonough-Patrol Headquarters	Route 219	NC	No
	CT0050122	MDC - Supply Division Headquarters	39 Beach Rock Road	NTNC	No
	CT0050104	Peoples S.F./Main Picnic Area	East River Road	NC	No
	CT0050114	Pleasant Valley Drive-In	47 River Road	NC	Yes
	CT0050134	Pleasant Valley United Methodist Church	93 River Road	NC	Yes
	CT0050144	Riverton General Store	2 Main Street	NC	Yes
	CT0050011	Rocktree Apartments	69 Pleasant Valley Rd	C	No
	CT0050062	Sterling Engineering Corp.	Route 44	NTNC	No
	CT0050184	Sweet Peas Restaurant	6 Riverton Road	NC	Yes
	CT0050074	Village of Boulder Ridge- Well #1	104 Goose Green Road	NC	Yes
	CT0050254	Village of Boulder Ridge- Well #2	104 Goose Green Road	NC	No
	CT0051031	Wallens Hill Apartments		C	No
	CT0050224	White Pines Campsite	232 Old North Road	NC	No
Canton	CT0230044	180 Cherry Brook Road - Canton	180 Cherry Brook Rd	NC	Yes
	CT0230024	192 Albany Turnpike - Canton		NC	Yes
	CT0230294	250 Albany Turnpike		NC	Yes
	CT0231011	298-302 Albany Turnpike	298-302 Albany Turnpike	C	No
	CT0235074	306 Albany Turnpike		NC	No
	CT0230094	310 Albany Turnpike		NC	No
	CT0235033	Canton Professional Building	191 Albany Turnpike	NTNC	No
	CT0230392	Cherry Brook School	4 Barbourtown Road	NTNC	Yes
	CT0230011	CTWC - Naugatuck Reg-Collinsville Sys		C	No
	CT0230011	CTWC - Naugatuck Reg-Collinsville Sys		C	No
	CT0230011	CTWC - Naugatuck Reg-Collinsville Sys		C	No
	CT0230144	First Congregational Church of Canton Ce	184 Cherry Brook Road	NC	No
	CT0235084	Giv Coffee Roastery And Cafe	194 Albany Turnpike	NC	Yes
	CT0230164	Jonis Child Care	352 Albany Turnpike	NTNC	Yes
	CT0230234	North Canton United Methodist Church	3 Case Street	NC	Yes
	CT0230264	Roaring Brook Nature Center	70 Gracy Road	NC	No
	CT0235063	Stepping Stones Educational Center	370 Albany Turnpike	NTNC	No
Colebrook	CT0290024	Camp Jewell-Hideaway	73 Mcclave Road	NC	No

Local Health Department

Public Water System Compliance Report

Farmington Valley Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT0290103	Camp Jewell-Senior	6 Prock Hill Road	NTNC	No
	CT0290113	Camp Jewell-Sunrise	6 Prock Hill Road (route 183)	NTNC	No
	CT0290143	Colebrook Childcare LLC	238 Colebrook River Road	NTNC	No
	CT0290054	Colebrook Congregational Church	471 Smith Hill Road	NC	No
	CT0290133	Colebrook Consolidated School	452 Smith Hill Road	NTNC	Yes
	CT0290044	Colebrook Town Hall Complex	559 Colebrook-winsted Road	NC	Yes
East Granby	CT0400034	20 Copper Hill Road		NC	Yes
	CT0400024	95 Spoonville Road - East Granby		NC	Yes
	CT0400182	Acceleron	21 Lordship Road	NTNC	No
	CT0408034	Brignole Vineyards, LLC	103 Hartford Ave	NC	Yes
	CT0408011	Chelsea Common Condominium Association		C	No
	CT0408024	East Granby Farms	79 North Main Street	NC	No
	CT0400153	Galasso Materials, LLC-Garage Well	60 South Main Street	NTNC	No
	CT0400144	Galasso Materials, LLC-Main Office Well	60 South Main Street	NTNC	No
	CT0400143	Galasso Materials, LLC-Sales Well	60 South Main Street	NTNC	No
	CT0400041	GQC Well Commission		C	No
	CT0400104	Hartford Gun Club - Main Club House	157 South Main Street	NC	No
	CT0400061	Metacomet Homes-Well 1	47 North Main Street	C	No
	CT0408021	Metacomet Homes-Well 2		C	No
	CT0400051	Old Newgate Ridge Water Company Inc	Peak Mtn Dr Off Metacomet Drive	C	No
	CT0400031	Turkey Hill of East Granby, LLC		C	No
East Windsor	CT0473011	CTWC - Northern Reg-Western System		C	No
Farmington	CT0520124	1097 Farmington Avenue	1097 Farmington Avenue	NC	No
	CT0529051	CTWC - Chimney Hill	Mountain Road	C	No
	CT0520011	CTWC - Unionville System	25 New Britain Ave	C	No
	CT0520011	CTWC - Unionville System	25 New Britain Ave	C	No
	CT0529053	Farmington Club	162 Town Farm Road	NTNC	Yes
	CT0520064	Farmington Field Club	21 Hilltop Road	NC	No
	CT0520084	Riverfront Miniature Golf, Inc.	218 River Road	NC	Yes
	CT0529044	Winding Trails Recreation Assn - Lower	50 Winding Trails Drive	NC	No
	CT0520024	Winding Trails Recreation Assn - Upper	50 Winding Trails Drive	NC	No
Granby	CT0565073	1 Salmon Brook Street - Granby		NTNC	No
	CT0565063	4 West Granby Road		NTNC	No
	CT0560074	496 Salmon Brook Street		NC	Yes
	CT0560024	565 Salmon Brook St - Granby		NC	Yes
	CT0560234	Bushy Hill Orchard	29 & 33 Bushy Hill Road	NC	Yes
	CT0560132	First Congregational Church of Granby	219 North Granby Road	NTNC	No
	CT0565033	Granby Commons	518 Salmon Brook Street	NC	Yes
	CT0560064	Granby Motel	551 Salmon Brook Street	NC	No
	CT0560094	High Meadow Day Camp LLC	311 North Granby Road	NC	Yes

Local Health Department Public Water System Compliance Report

Farmington Valley Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT0560244	Holcomb Farms	113 Simsbury Road	NC	No
	CT0560104	Jehovahs Witnesses	121 North Granby Road	NC	No
	CT0560282	Kelly Lane Intermediate School	60 Kelly Lane	NTNC	No
	CT0560084	Life Church	23 Griffin Road	NC	No
	CT0565064	Lost Acres Orchards	130 Lost Acres Road	NC	Yes
	CT0565013	Monrovia Nurseries (Floydville)	41 Floydville Road	NTNC	No
	CT0565043	Monrovia Nurseries (Salmon Brook)	90 Salmon Brook Road	NTNC	No
	CT0560124	Old Mill Pond Village	383 Salmon Brook Street	NC	No
	CT0560134	Pilgrim Covenant Church	605 Salmon Brook Street	NC	No
	CT0560011	Salmon Brook District Water Dept		C	No
	CT0560144	Salmon Brook Park	215 Salmon Brook Street	NC	No
	CT0560174	St. Therese Roman Catholic Church Corp.	120 West Granby Road	NC	No
	CT0560044	The Cambridge House	357 Salmon Brook Street	NC	Yes
	CT0560372	Wells Road Intermediate School	134 Wells Road	NTNC	No
Hartford	CT0640011	Metropolitan District Commission		C	No
	CT0640011	Metropolitan District Commission		C	No
Hartland	CT0650024	6 Hartland Boulevard	6 Hartland Boulevard	NC	Yes
	CT0650014	Bethany Lutheran Brethren Church Well# 1	116 Walnut Hill Road (old Section)	NC	No
	CT0650114	Bethany Lutheran Brethren Church Well# 2	116 Walnut Hill Road (new Section)	NC	No
	CT0650102	Hartland Elem Sch & Town Bldgs	30 South Road	NTNC	Yes
New Britain	CT0890011	New Britain Water Department		C	No
New Hartford	CT0920024	1165 Litchfield Turnpike		NC	Yes
	CT0920034	97-107 Main Street - New Hartford	Birch Lane Ice Company	NC	Yes
	CT0920014	Alcove Motel	87 Main Street	NC	No
	CT0920252	Antolini Elementary School	30 Antolini Road	NTNC	Yes
	CT0920242	Bakerville Consolidated School	51 Cedar Lane	NTNC	Yes
	CT0925014	Bershire Hall At Brodie Park	580 West Hill Road	NC	No
	CT0920044	Camp Sequassen (Friendship - Well #3)	791 West Hill Road	NC	No
	CT0920054	Camp Sequassen (Loomis - Well #2)	791 West Hill Road	NC	No
	CT0920084	Camp Sequassen (North-Well #5)	791 West Hill Road	NC	No
	CT0920064	Camp Sequassen (Ranger - Well #1)	791 West Hill Road	NC	No
	CT0920074	Camp Sequassen (South - Well #4)	791 West Hill Road	NC	No
	CT0920294	Camp Workcoeman - Bailey	West Hill Road	NC	No
	CT0920284	Camp Workcoeman - Campsite	West Hill Road	NC	No
	CT0920094	Camp Workcoeman - Dining Hall	West Hill Road	NC	Yes
	CT0920072	Foothills Shopping Plaza	141 Main Street, Route 44	NTNC	Yes
	CT0920041	Little Brook Rd Property Owners Assn		C	No
	CT0920011	New Hartford Water Department		C	No
	CT0920124	Ski Sundown, Inc.	126 Ratlum Road	NC	Yes
	CT0920104	Town of New Hartford - Brown's Corner	812 Steele Road	NC	No

Local Health Department Public Water System Compliance Report

Farmington Valley Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT0920144	Trinita	595 Town Hill Road	NC	Yes
	CT0920154	West Hill Beach Club, Inc.	730 West Hill Road	NC	No
	CT0920281	West Hill Lake Water Assoc.		C	No
Plainville	CT1100011	Valley Water Systems, Inc.		C	No
Simsbury	CT1280021	Aquarion Water Co of CT-Simsbury System		C	No
	CT1280021	Aquarion Water Co of CT-Simsbury System		C	No
	CT1280021	Aquarion Water Co of CT-Simsbury System		C	No
	CT1284104	Community Farm of Simsbury	73 Wolcott Road	NC	No
	CT1280051	Ethel Walker School		C	No
	CT1280114	Shepherd of The Hills Lutheran Church	7 Wescott Road	NC	Yes
	CT1280134	Talcott Mountain S.P.	Route 185	NC	No
	CT1280011	Tariffville Fire District Water Dept		C	No
	CT1280212	The Masters School	36 Westledge Road	NTNC	Yes
	CT1280144	Tower Ridge Country Club	140 Nod Road	NC	Yes
Torrington	CT1430011	Torrington Water Company		C	No
Winchester	CT1620011	Winsted Water Works		C	No

Total Public Water Systems: 143