

Local Health Department Public Water System Compliance Report

Torrington Area Health District

Town/District Code 408 **Full/Part/District** D

Address
350 Main Street
Torrington, CT 06790

Phone 860-489-0436 **Fax** 860-496-8243 **Web Site**

Director Name Mr. Robert Rubbo **Title** Director of Health **Email** rrubbo@tahd.org

Violation Summary Report

Water System Name: North Purchase Elderly Housing **Admin Contact:** Ms. Sarah Rudzavice
Water System Town: Bethlehem **Organization:** North Purchase Elderly Housing
PWS ID/Type: CT0100011 / C **Title:** Admin
Population: 72 **Phone / Ext:** 203-266-5353 /
Food Service Establishment? No **E-Mail:** northpurchase@ehmchm.org
Chief Certified Operator(s): Mr. Ron W. Black, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/20/2013 -	2/27/2013				
MONITORING, ROUTINE (DBP), MAJOR	TOTAL HALOACETIC ACIDS (HAA5)	1/1/2015 - 12/31/2015	1/20/2016			DISTRIBUTION SYSTEM	1/20/2016
MONITORING, ROUTINE (DBP), MAJOR	TTHM	1/1/2015 - 12/31/2015	1/20/2016			DISTRIBUTION SYSTEM	1/20/2016
Total Violations:							3

Water System Name: First Church of Bethlehem **Admin Contact:** Ms. Susan Kvietkus
Water System Town: Bethlehem **Organization:** First Church of Bethlehem
PWS ID/Type: CT0100014 / NC **Title:** Secretary
Population: 25 **Phone / Ext:** 203-266-7288 /
Food Service Establishment? Yes **E-Mail:** firstchurchbethlehem@me.co
Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	10/1/2013 - 12/31/2013	2/14/2014	3/16/2014		Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2013 - 9/30/2013	1/9/2014	2/8/2014	8/29/2014	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2013 - 9/30/2013	1/9/2014	2/8/2014	8/29/2014	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2010 - 12/31/2010	1/31/2011	3/2/2011		Distribution System	3/31/2011

Local Health Department Public Water System Compliance Report

MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2010 - 9/30/2010	2/22/2011	3/24/2011	Distribution System	3/31/2011
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2010 - 9/30/2010	2/22/2011	3/24/2011	Distribution System	3/31/2011
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2010 - 6/30/2010	7/27/2010	8/26/2010	Distribution System	3/31/2011
MCL, AVERAGE	DISTRIBUTION COLOR	1/1/2010 - 3/31/2010	4/26/2010	5/26/2010	Distribution System	3/31/2011
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	1/1/2005 - 3/31/2005	4/13/2005	5/13/2005	Distribution System	6/30/2005
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2008 - 9/30/2008	11/21/2008	12/21/2008	DISTRIBUTION SYSTEM	12/31/2008
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2005 - 9/30/2005	1/5/2006	2/4/2006	DISTRIBUTION SYSTEM	3/31/2006
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/27/2010 -	3/4/2011			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	8/27/2010 -	3/4/2011			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/3/2011 -	2/28/2012			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/25/2011 -	2/28/2012			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/17/2014 -	7/9/2014			
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2008 - 9/30/2008	11/21/2008	11/21/2009	Distribution System	12/31/2008
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2005 - 9/30/2005	1/5/2006	1/5/2007	Distribution System	12/31/2005

Total Violations: 18

Water System Name: Bethlehem Square
Water System Town: Bethlehem
PWS ID/Type: CT0100024 / NC
Population: 28
Food Service Establishment? No

Admin Contact: Mr. Jerome A. Mayer
Organization: Estate of Eleanor C. Mayer
Title: Administrator
Phone / Ext: 203-426-9282 /
E-Mail: jerome.a.mayer@snet.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/26/2015 -	3/18/2015				

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Bethlehem Elementary School/District 14

Admin Contact: Mr. Michael P. Molzon

Water System Town: Bethlehem

Organization: Regional School District #14

PWS ID/Type: CT0100052 / NTNC

Title: Dir Buildings & Grnd

Population: 406

Phone / Ext: 203-263-4330 /

Food Service Establishment? Yes

E-Mail: mimolzon@ctreg14.org

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	CHLORIDE	1/1/2016 - 3/31/2016	4/13/2016	5/13/2016	5/9/2016	ENTRY POINT	
MCL, AVERAGE	CHLORIDE	10/1/2015 - 12/31/2015	11/18/2015	12/18/2015	12/8/2015	ENTRY POINT	
MCL, AVERAGE	CHLORIDE	7/1/2015 - 9/30/2015	9/24/2015	10/24/2015	10/15/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	4/1/2015 - 6/30/2015	5/20/2015	6/19/2015	6/9/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	1/1/2015 - 3/31/2015	2/18/2015	3/20/2015	3/5/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	10/1/2014 - 12/31/2014	12/12/2014	1/11/2015	12/26/2014	Entry Point	
MCL, AVERAGE	CHLORIDE	7/1/2014 - 9/30/2014	8/20/2014	9/19/2014	8/29/2014	Entry Point	

Total Violations: 7

Water System Name: Christ Episcopal Church

Admin Contact: Reverend Ian T. Douglas

Water System Town: Bethlehem

Organization: The Episcopal Diocese of Ct

PWS ID/Type: CT0100114 / NC

Title:

Population: 25

Phone / Ext: 203-639-3501 /

Food Service Establishment? No

E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	3/18/2013 -	4/22/2013				
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	4/14/2016			ENTRY POINT	4/7/2016

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Bethlehem Day Care
Water System Town: Bethlehem
PWS ID/Type: CT0100203 / NTNC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Virginia Greco
Organization:
Title: Owner/Director
Phone / Ext: 203-266-5159 /
E-Mail:

Chief Certified Operator(s): Ms. Virginia M. Greco,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					

Total Violations: 1

Water System Name: Theos Pizza
Water System Town: Bethlehem
PWS ID/Type: CT0100234 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Theodora Hatzikostas
Organization: Kmmt LLC.
Title: Owner
Phone / Ext: 203-266-5558 /
E-Mail: thatzikostas@aol.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	5/5/2012 -	6/22/2012				

Total Violations: 1

Water System Name: Church of The Nativity
Water System Town: Bethlehem
PWS ID/Type: CT0100284 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Richard Shellman
Organization: Church of The Nativity
Title: Pastor
Phone / Ext: 203-266-5211 /
E-Mail: CHURNA@SNET.NET

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	4/22/2014 -	6/23/2014				

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Woodhall School, Inc
Water System Town: Bethlehem
PWS ID/Type: CT0105033 / C
Population: 68
Food Service Establishment? No

Admin Contact: Mr. Matthew C. Woodhall
Organization: The Woodhall School
Title: Head of School
Phone / Ext: 203-266-7788 /
E-Mail: mwoodhall@woodhallschool.o

Chief Certified Operator(s): Mr. Ron W. Black, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2014 - 7/16/2014	1/14/2015				

Total Violations: 1

Water System Name: 151 Main Street, LLC.
Water System Town: Bethlehem
PWS ID/Type: CT0105063 / NC
Population: 49
Food Service Establishment? No

Admin Contact: Ms. Victoria Lorusso
Organization:
Title:
Phone / Ext: 203-266-6577 /
E-Mail: VLORUSSO@CHARTER.NET

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/24/2016	7/24/2016		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/24/2016	6/24/2017		DISTRIBUTION SYSTEM	

Total Violations: 3

Water System Name: Newport Academy
Water System Town: Bethlehem
PWS ID/Type: CT0105073 / NTNC
Population: 50
Food Service Establishment? No

Admin Contact: Mr. Jamison Monroe
Organization: Health Real Estate Holdings
Title: Ceo
Phone / Ext: 949-887-0242 /
E-Mail: jmonroe@newportacademy.co

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	ORGANIC CHEMICALS	10/1/2015 - 12/31/2015	2/19/2016			ENTRY POINT - DORM BUILDING	3/31/2016

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Housatonic Valley Regional H S
Water System Town: Canaan
PWS ID/Type: CT0210012 / NTNC
Population: 750
Food Service Establishment? Yes

Admin Contact: Ms. Patricia Chamberlain
Organization: Regional School District 1
Title: Superintendent
Phone / Ext: 860-824-0855 /
E-Mail: pchamberlain22@gmail.com

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
NOTIFICATION, PUBLIC (PRE-2003)	COLIFORM (TCR)	9/1/1994 - 9/30/1994					

Total Violations: 1

Water System Name: Camp Isabella Freedman
Water System Town: Canaan
PWS ID/Type: CT0210014 / NTNC
Population: 84
Food Service Establishment? Yes

Admin Contact: Mr. Michael J. Davino
Organization: Isabella Freedman/Hazon
Title: Facilities Director
Phone / Ext: 860-824-5991 / 106
E-Mail: mike.davino@hazon.org

Chief Certified Operator(s): Mr. Travis Helming, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
MONITORING, ROUTINE MAJOR	SOCS - PHASE II & V	7/1/2015 - 9/30/2015	2/3/2016			ENTRY POINT	2/8/2016

Total Violations: 2

Water System Name: Town of Canaan
Water System Town: Canaan
PWS ID/Type: CT0210023 / NTNC
Population: 63
Food Service Establishment? No

Admin Contact: Ms. Patricia A. Mechare
Organization: Town of Canaan
Title: First Selectman
Phone / Ext: 860-824-0707 /
E-Mail: canaan021selectmen@comcas

Chief Certified Operator(s): Mr. Richard Stone, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
INITIAL TAP SAMPLING (LCR)	LEAD & COPPER RULE	7/1/2006 - 12/31/2006	2/16/2007	2/16/2008		DISTRIBUTION SYSTEM	6/30/2007
MONITORING, ROUTINE MAJOR	Inorganic Chemicals	1/1/2006 - 12/31/2008	3/4/2009	3/4/2010		Entry Point	12/31/2011
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/5/2010 -	3/4/2011				

Total Violations: 3

Local Health Department Public Water System Compliance Report

Water System Name: 200 Route 7 North
Water System Town: Canaan
PWS ID/Type: CT0210044 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Michele Alabiso
Organization: Drake Petroleum Company, Inc
Title: Director of Ea
Phone / Ext: 401-781-9900 / 270
E-Mail: malabiso@warreneq.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2007 - 6/30/2007	7/17/2007	8/16/2007		Distribution System	9/30/2007
MCL, AVERAGE	DISTRIBUTION TURBIDITY	1/1/2007 - 3/31/2007	7/17/2007	8/16/2007		Distribution System	9/30/2007

Total Violations: 2

Water System Name: Pine Grove Association, Inc.
Water System Town: Canaan
PWS ID/Type: CT0210091 / C
Population: 248
Food Service Establishment? No

Admin Contact: Mr. James Butler
Organization: New England Service Company
Title:
Phone / Ext: 860-747-1665 /
E-Mail: ja@butler.tc

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	8/29/2011 -	9/26/2011				
MONITORING, ROUTINE (DBP), MAJOR	TTHM	1/1/2014 - 12/31/2014	11/21/2014	11/21/2015	3/6/2015	Distribution System	
MONITORING, ROUTINE (DBP), MAJOR	TOTAL HALOACETIC ACIDS (HAA5)	1/1/2014 - 12/31/2014	11/21/2014	11/21/2015	3/6/2015	Distribution System	

Total Violations: 3

Water System Name: 25 Kent Road
Water System Town: Cornwall
PWS ID/Type: CT0310014 / NC
Population: 39
Food Service Establishment? Yes

Admin Contact: Nina Kaletsch
Organization: Panta Properties LLC
Title: Member
Phone / Ext: 860-306-7569 /
E-Mail: ninakaletsch@gmail.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	12/18/2015			DISTRIBUTION SYSTEM	2/19/2016

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Wandering Moose Cafe & Catering Co
Water System Town: Cornwall
PWS ID/Type: CT0310054 / NC
Population: 29
Food Service Establishment? Yes

Admin Contact: Mr. Russell J. Sawicki
Organization: The Wandering Moose Cafe
Title:
Phone / Ext: 860-672-0178 /
E-Mail: russ.sawicki@gmail.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2014 - 6/30/2014	9/4/2014	10/4/2014		DISTRIBUTION SYSTEM	2/25/2016
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	5/28/2015 -	6/9/2015				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015		Distribution System	2/25/2016
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2012 - 6/30/2012	9/10/2012	9/10/2013	3/24/2015	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2010 - 6/30/2010	8/23/2010	8/23/2011		Distribution System	9/30/2010

Total Violations: 5

Water System Name: Camp Mohawk (Main System)
Water System Town: Cornwall
PWS ID/Type: CT0310064 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Francis J. Marchand
Organization: YMCA Camp Mohawk, Inc.
Title: Exec. Director
Phone / Ext: 860-672-6655 /
E-Mail: fran@campmohawk.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/20/2013 -	10/17/2013				

Total Violations: 1

Water System Name: Cornwall Inn
Water System Town: Cornwall
PWS ID/Type: CT0310084 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Mark J. Hampson
Organization: Country Inn/Restaurant
Title:
Phone / Ext: 860-672-6884 /
E-Mail: info@cornwallinn.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/20/2010 -	6/30/2010				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	2/3/2016			DISTRIBUTION SYSTEM	11/17/2015

Local Health Department Public Water System Compliance Report

STATE MONITORING & REPORTING VIOLATION PHYSICAL PARAMETERS 7/1/2015 - 9/30/2015 2/3/2016 DISTRIBUTION SYSTEM 11/17/2015

Total Violations: 3

Water System Name: Mohawk Mtn. Ski Area - Main Lodge
Water System Town: Cornwall
PWS ID/Type: CT0310144 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Steve Hedden
Organization: Mohawk Mountain Ski Area
Title: Vice-President
Phone / Ext: 860-672-6100 / 12
E-Mail: mmtn2@mohawkmtn.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2012 - 6/30/2012	9/10/2012	9/10/2013	9/23/2012	Distribution System	

Total Violations: 1

Water System Name: Railroad Square Plaza (Ne Catering)
Water System Town: Cornwall
PWS ID/Type: CT0310174 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Cheryl Evans
Organization: Cornwall Leasehold, LLC
Title: Owner/Mgr.
Phone / Ext: 860-672-0094 /
E-Mail: cacevans@gmail.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/27/2016	7/27/2016		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2010 - 3/31/2010	5/10/2010	5/10/2011		Distribution System	6/30/2010

Total Violations: 3

Water System Name: Trinity Conference Center Dix House-Main
Water System Town: Cornwall
PWS ID/Type: CT0310224 / NC
Population: 61
Food Service Establishment? Yes

Admin Contact: Mr. Karl Tremmel
Organization: Trinity Real Estate-38Th Floor
Title: Property Manager
Phone / Ext: 212-602-0761 /
E-Mail: ktremmel@trinitywallstreet.or

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/6/2014 -					

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Mohawk Mountain (Pine Lodge System)
Water System Town: Cornwall
PWS ID/Type: CT0310244 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Steve Hedden
Organization: Mohawk Mountain Ski Area
Title: Vice-President
Phone / Ext: 860-672-6100 / 12
E-Mail: mmtn2@mohawkmtn.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2012 - 6/30/2012	9/10/2012	9/10/2013	9/14/2012	Distribution System	
Total Violations:							1

Water System Name: Trinity Conference Center-Butler Hall
Water System Town: Cornwall
PWS ID/Type: CT0310264 / NC
Population: 30
Food Service Establishment? Yes

Admin Contact: Mr. Karl Tremmel
Organization: Trinity Real Estate-38Th Floor
Title: Property Manager
Phone / Ext: 212-602-0761 /
E-Mail: ktremmel@trinitywallstreet.or

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/6/2014 -					
Total Violations:							1

Water System Name: Cornwall Water Company
Water System Town: Cornwall
PWS ID/Type: CT0311011 / C
Population: 48
Food Service Establishment? No

Admin Contact: Mr. Richard Stone
Organization: Cornwall Water Company
Title: Owner/Operator
Phone / Ext: 860-672-6313 /
E-Mail: cornwallwater@comcast.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR ADEQUACY/AVAILABILITY/CONTENT	CONSUMER CONFIDENCE RULE	1/1/2004 - 12/31/2004	1/17/2006				
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2012 -					
MCL (TCR), MONTHLY MONITORING, ROUTINE MAJOR	COLIFORM (TCR)	8/1/2011 - 8/31/2011	9/19/2011	10/19/2011		DISTRIBUTION SYSTEM	9/30/2011
MONITORING, ROUTINE MAJOR	INORGANIC CHEMICALS	1/1/2013 - 12/31/2015	7/1/2016			ENTRY POINT	
MONITORING, ROUTINE MAJOR	Pesticides, Herbicides and PCBs - Phase	1/1/2012 - 12/31/2014	4/7/2015	4/6/2016		Entry Point	
MONITORING, ROUTINE MAJOR	COMBINED RADIUM (-226 & -228)	1/1/2005 - 3/31/2005	10/14/2005	10/14/2006		Entry Point	9/8/2005

Local Health Department

Public Water System Compliance Report

MONITORING, ROUTINE MAJOR	COMBINED URANIUM	1/1/2005 - 3/31/2005	10/14/2005	10/14/2006	Entry Point	9/8/2005
MONITORING, ROUTINE MAJOR	GROSS ALPHA, EXCL. RADON & U	1/1/2005 - 3/31/2005	10/14/2005	10/14/2006	Entry Point	9/8/2005
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/20/2011 -	8/8/2012			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/7/2016 -	5/9/2016			
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	8/1/2014 - 8/31/2014	11/21/2014	11/21/2015	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	6/1/2004 - 6/30/2004	3/28/2005	3/30/2006	Distribution System	7/31/2004
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2004 - 1/31/2004	3/28/2005	3/30/2006	Distribution System	2/29/2004
Total Violations:						13

Water System Name: Aquarion Water Co of CT-Tlwc
Water System Town: Goshen
PWS ID/Type: CT0550011 / C
Population: 228
Food Service Establishment? No

Admin Contact: Mr. John P. Walsh
Organization: Aquarion Water Company
Title: Vice President
Phone / Ext: 203-337-5852 /
E-Mail: jwalsh@aquarionwater.com

Chief Certified Operator(s): Mr. Ron W. Black, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	5/29/2010 -	8/23/2010				
Total Violations:							1

Water System Name: Goshen Volunteer Fire Dept
Water System Town: Goshen
PWS ID/Type: CT0550094 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Chris Mitchell
Organization: Goshen Vol. Fire Dept.
Title: Mechanic
Phone / Ext: 860-491-2526 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	3/4/2016 - 3/29/2016	3/17/2016				6/7/2016
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2008 - 9/30/2008	11/25/2008	12/25/2008		DISTRIBUTION SYSTEM	12/31/2008
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	6/16/2015	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2008 - 9/30/2008	11/25/2008	11/25/2009		Distribution System	12/31/2008
Total Violations:							4

Local Health Department

Public Water System Compliance Report

Water System Name: Hemlock Hill Cooperative Camp Resort Inc Water System Town: Goshen PWS ID/Type: CT0550194 / NC Population: 190 Food Service Establishment? No	Admin Contact: Mr. David Mich Organization: Hemlock Hill Camp Resort Coop Title: President Phone / Ext: 860-361-6888 / E-Mail: info@hemlockhillcampcoop.co
---	---

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/14/2011 -	3/23/2011			

Total Violations: 1

Water System Name: Nodines Smokehouse Water System Town: Goshen PWS ID/Type: CT0550234 / NC Population: 25 Food Service Establishment? Yes	Admin Contact: Mr. Ronald F. Nodine Organization: Nodines Smokehouse Title: President Phone / Ext: 860-489-3213 / E-Mail: nodines.smokehouse@snet.net
---	--

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/5/2012 -	2/24/2012			
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	3/4/2016 -	3/17/2016			
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2004 - 3/31/2004	10/18/2004	11/17/2004	DISTRIBUTION SYSTEM	9/30/2004

Total Violations: 3

Water System Name: St. Thomas of Villanova Church Water System Town: Goshen PWS ID/Type: CT0550254 / NC Population: 25 Food Service Establishment? Yes	Admin Contact: Reverend Robert F. Tucker Organization: St. Thomas of Villanova Church Title: Pastor Phone / Ext: 860-491-2756 / E-Mail:
---	--

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2006 - 3/31/2006	6/13/2006	7/13/2006	DISTRIBUTION SYSTEM	9/30/2006
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2006 - 12/31/2006	3/13/2007	4/12/2007	Entry Point	12/31/2007
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2006 - 3/31/2006	6/13/2006	6/13/2007	Distribution System	6/30/2006

Local Health Department Public Water System Compliance Report

Total Violations: 3

Water System Name: Torrington Country Club
Water System Town: Goshen
PWS ID/Type: CT0550274 / NTNC
Population: 280
Food Service Establishment? Yes

Admin Contact: Mr. Stephen Curry
Organization: Torrington Country Club, Inc.
Title: Superintendent
Phone / Ext: 860-491-2311 /
E-Mail: stevectcc@gmail.com

Chief Certified Operator(s): Mr. Brendan Rowley, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	8/1/2010 -	8/23/2010				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	12/31/2015 -	3/17/2016				

Total Violations: 2

Water System Name: Valley In The Pines Campground, LLC
Water System Town: Goshen
PWS ID/Type: CT0550284 / NC
Population: 31
Food Service Establishment? No

Admin Contact: Ms. Martha Tillman
Organization: Valley In The Pines Campground
Title:
Phone / Ext: 860-491-2032 /
E-Mail: vipcampground@optonline.co

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/4/2014 -	10/20/2014				

Total Violations: 1

Water System Name: Woodridge Lake Association
Water System Town: Goshen
PWS ID/Type: CT0550294 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. John O'brien
Organization: Woodridge Lake Property Own
Title: General Maager
Phone / Ext: 860-491-3424 /
E-Mail: john.obrien@woodridgelake.co

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	8/1/2015 - 9/17/2015	8/18/2015				9/17/2015
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2012 - 9/30/2012	11/1/2012	12/1/2012	11/26/2012	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	6/18/2015	Distribution System	

Total Violations: 3

Local Health Department

Public Water System Compliance Report

Water System Name: Camp Cochipianee
Water System Town: Goshen
PWS ID/Type: CT0550304 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Miss Colleen R. Finn
Organization: Goshen Rec. Department
Title: Recreation Director
Phone / Ext: 860-491-2249 /
E-Mail: cfinn@goshenct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/21/2014 -	12/19/2014				
MCL (TCR), MONTHLY	COLIFORM (TCR)	1/1/2016 - 3/31/2016	3/23/2016	4/22/2016	3/28/2016	DISTRIBUTION SYSTEM	3/31/2016
MCL (TCR), MONTHLY	COLIFORM (TCR)	7/1/2012 - 9/30/2012	9/21/2012	10/21/2012		DISTRIBUTION SYSTEM	10/31/2012
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/22/2012 -	3/4/2013				

Total Violations: 4

Water System Name: Village Market Place
Water System Town: Goshen
PWS ID/Type: CT0550321 / C
Population: 462
Food Service Establishment? Yes

Admin Contact: Mr. Vincent Derosa
Organization: Village Market Place
Title: Manager
Phone / Ext: 860-491-1404 /
E-Mail:

Chief Certified Operator(s): Mr. George Grela, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2015 - 11/13/2015	10/29/2015				11/13/2015
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/18/2016 -	3/17/2016				
MCL (TCR), ACUTE	COLIFORM (TCR)	10/1/2005 - 10/31/2005	10/25/2005	10/26/2005		DISTRIBUTION SYSTEM	6/30/2006
MCL (TCR), MONTHLY	COLIFORM (TCR)	10/1/2005 - 10/31/2005	10/25/2005	10/26/2005		DISTRIBUTION SYSTEM	6/30/2006
MCL, AVERAGE	CHLORIDE	1/1/2016 - 3/31/2016	4/13/2016	5/13/2016		ENTRY POINT	
MCL, AVERAGE	CHLORIDE	10/1/2015 - 12/31/2015	11/19/2015	12/19/2015	12/8/2015	ENTRY POINT	
MCL, AVERAGE	CHLORIDE	7/1/2015 - 9/30/2015	9/24/2015	10/24/2015	10/15/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	4/1/2015 - 6/30/2015	6/30/2015	7/30/2015	7/13/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	1/1/2015 - 3/31/2015	2/18/2015	3/20/2015		Entry Point	
MCL, AVERAGE	CHLORIDE	10/1/2014 - 12/31/2014	12/12/2014	1/11/2015	6/4/2015	Entry Point	
MCL, AVERAGE	CHLORIDE	7/1/2014 - 9/30/2014	8/20/2014	9/19/2014	11/18/2014	Entry Point	

Local Health Department

Public Water System Compliance Report

MCL, AVERAGE	CHLORIDE	4/1/2014 - 6/30/2014	6/16/2014	7/16/2014		Entry Point
MCL, AVERAGE	CHLORIDE	1/1/2014 - 3/31/2014	3/7/2014	4/6/2014	3/17/2014	Entry Point
PH MON/RPT VIOLATION	PH	11/1/2012 - 11/30/2012	1/16/2013	1/16/2014	3/7/2013	Entry Point
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	7/17/2014 -	9/10/2014			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/21/2015 -	4/8/2015			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/14/2016 -	6/9/2016			

Total Violations: 17

Water System Name: Birge Park Commons
Water System Town: Harwinton
PWS ID/Type: CT0660034 / NTNC
Population: 51
Food Service Establishment? Yes

Admin Contact: Mr. Gregory L. Mele
Organization: Birge Park Commons, LLC
Title: Member
Phone / Ext: 860-601-0319 /
E-Mail: greglmele@yahoo.com
Chief Certified Operator(s): Mr. Thomas Chouinard,

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
PH MON/RPT VIOLATION	PH	6/1/2012 - 6/30/2012	9/5/2012	9/5/2013	12/11/2013	Entry Point	
PH MON/RPT VIOLATION	PH	3/1/2012 - 3/31/2012	9/5/2012	9/5/2013	12/11/2013	Entry Point	
PH MON/RPT VIOLATION	PH	1/1/2012 - 1/31/2012	9/5/2012	9/5/2013	12/11/2013	Entry Point	
PH MON/RPT VIOLATION	PH	10/1/2011 - 10/31/2011	9/5/2012	9/5/2013	12/11/2013	Entry Point	
PH MON/RPT VIOLATION	PH	7/1/2011 - 7/31/2011	9/5/2012	9/5/2013	12/11/2013	Entry Point	
PH MON/RPT VIOLATION	PH	3/1/2011 - 3/31/2011	9/5/2012	9/5/2013	12/11/2013	Entry Point	
PH MON/RPT VIOLATION	PH	2/1/2011 - 2/28/2011	9/5/2012	9/5/2013	12/11/2013	Entry Point	

Total Violations: 7

Water System Name: Dr. David L. French
Water System Town: Harwinton
PWS ID/Type: CT0660084 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Dr. David French
Organization:
Title:
Phone / Ext: 860-485-1167 /
E-Mail: drdavidfrench@sbcglobal.net
Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
PH MON/RPT VIOLATION	PH	8/1/2015 - 8/31/2015	10/26/2015		11/19/2015	ENTRY POINT	11/19/2015

Local Health Department

Public Water System Compliance Report

PH MON/RPT VIOLATION PH 1/1/2011 - 1/31/2011 9/5/2012 9/5/2013 12/24/2013 Entry Point

Total Violations: 2

Water System Name: Founders Congregational Church
Water System Town: Harwinton
PWS ID/Type: CT0660104 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Bobbie Chapman
Organization: Founders Cong. Church
Title: Pastor
Phone / Ext: 860-485-1210 /
E-Mail: REVbac@aol.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/3/2014 -	3/21/2014				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/24/2016	7/24/2016		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/24/2016	6/24/2017		DISTRIBUTION SYSTEM	

Total Violations: 3

Water System Name: Garden Lane Apartments
Water System Town: Harwinton
PWS ID/Type: CT0660341 / C
Population: 40
Food Service Establishment? No

Admin Contact: Mr. Mark Zappone
Organization: Northland Country Living, LLC
Title: Land Owner
Phone / Ext: 860-567-3660 /
E-Mail: markzappone@gmail.com

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/16/2010 -	6/30/2010				

Total Violations: 1

Water System Name: 283 Litchfield Rd, LLC
Water System Town: Harwinton
PWS ID/Type: CT0660414 / NTNC
Population: 74
Food Service Establishment? No

Admin Contact: Mr. Ronald J. Rudek
Organization:
Title: Owner
Phone / Ext: 860-485-0770 / 201
E-Mail: ron.rudek@century21.com

Chief Certified Operator(s): Mr. Reale D. Lemay, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	12/23/2010 -	2/17/2011				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016				DISTRIBUTION SYSTEM	

Local Health Department

Public Water System Compliance Report

MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2015 - 12/31/2015				DISTRIBUTION SYSTEM
MONITORING, ROUTINE MAJOR	INORGANIC CHEMICALS	1/1/2013 - 12/31/2015				ENTRY POINT
OCCT/SOWT RECOMMENDATION/STUDY (LCR)	LEAD & COPPER RULE	4/1/2014 -	9/10/2014	10/10/2014	9/29/2014	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016				DISTRIBUTION SYSTEM
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	10/1/2015 - 12/31/2015				DISTRIBUTION SYSTEM
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2009 - 3/31/2009	6/1/2009	6/1/2010		Distribution System 6/30/2009

Total Violations: 8

Water System Name: Fairview Farms Golf Course & Restaurant
Water System Town: Harwinton
PWS ID/Type: CT0660424 / NC
Population: 80
Food Service Establishment? Yes

Admin Contact: Mr. Robert Ferrarotti
Organization: Fairview Farm Golf Course LLC
Title: Manager
Phone / Ext: 860-689-1000 /
E-Mail: BFERRAROTTI@FAIRVIEWFAR

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	NITRATE AND NITRITE	1/1/2015 - 12/31/2015	5/3/2016			ENTRY POINT	5/17/2016

Total Violations: 1

Water System Name: 207 Birge Park Road - Harwinton
Water System Town: Harwinton
PWS ID/Type: CT0667014 / NC
Population: 29
Food Service Establishment? No

Admin Contact: Ms. Lauren Simons
Organization: Grjh, Inc.
Title: Vice President
Phone / Ext: 518-789-0051 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2013 -	4/24/2013				
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2014 -	4/25/2014				
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/27/2016 -	3/17/2016				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/24/2016	7/24/2016		DISTRIBUTION SYSTEM	
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2011 - 12/31/2011	3/9/2012	4/8/2012		DISTRIBUTION SYSTEM	3/31/2012

Local Health Department

Public Water System Compliance Report

PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/9/2012 -	9/25/2012			
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	3/10/2013 -	7/22/2013			
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/24/2016	6/24/2017		DISTRIBUTION SYSTEM
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2014 - 6/30/2014	9/4/2014	9/4/2015	11/17/2014	Distribution System
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	6/17/2015	Distribution System
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2011 - 12/31/2011	3/9/2012	3/9/2013		Distribution System

Total Violations: 12

Water System Name: The Marvelwood School
Water System Town: Kent
PWS ID/Type: CT0680031 / C
Population: 220
Food Service Establishment? No

Admin Contact: Mr. Richard Becker
Organization: Marvelwood School
Title: Business Manager
Phone / Ext: 860-927-2065 /
E-Mail: richard.becker@marvelwood.o

Chief Certified Operator(s): Mr. Ron W. Black, Certified

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MCL, AVERAGE	DISTRIBUTION COLOR	3/1/2012 - 3/31/2012	5/15/2012	6/14/2012	5/21/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	2/1/2012 - 2/29/2012	5/15/2012	6/14/2012	5/25/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	1/1/2012 - 1/31/2012	5/15/2012	6/14/2012	5/22/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	12/1/2011 - 12/31/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	11/1/2011 - 11/30/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2011 - 10/31/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	9/1/2011 - 9/30/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	8/1/2011 - 8/31/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2011 - 7/31/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	6/1/2011 - 6/30/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	5/1/2011 - 5/31/2011	2/23/2012	3/24/2012	3/17/2012	Distribution System	

Total Violations: 11

Local Health Department

Public Water System Compliance Report

Water System Name: Bulls Bridge Country Store
Water System Town: Kent
PWS ID/Type: CT0680044 / NC
Population: 28
Food Service Establishment? Yes

Admin Contact: Mr. John O'hara
Organization: Bulls Bridge Country Store
Title: Property Owner
Phone / Ext: /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL (TCR), MONTHLY	COLIFORM (TCR)	4/1/2011 - 6/30/2011	5/26/2011	6/25/2011		DISTRIBUTION SYSTEM	5/31/2011
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	6/26/2011 -	10/4/2012				

Total Violations: 2

Water System Name: South Kent School
Water System Town: Kent
PWS ID/Type: CT0680082 / C
Population: 228
Food Service Establishment? No

Admin Contact: Mr. Andrew J. Vadnais
Organization:
Title: Secretary/Headmaster
Phone / Ext: 860-927-2000 / 218
E-Mail: vadnaisa@southkentschool.org

Chief Certified Operator(s): Mr. Bruce Carlson, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL (TCR), MONTHLY	COLIFORM (TCR)	9/1/2014 - 9/30/2014	10/15/2014	11/14/2014		DISTRIBUTION SYSTEM	10/31/2014
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	11/15/2014 -	12/10/2014				

Total Violations: 2

Water System Name: Kent Falls State Park
Water System Town: Kent
PWS ID/Type: CT0680094 / NC
Population: 573
Food Service Establishment? No

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL (TCR), MONTHLY	COLIFORM (TCR)	4/1/2009 - 6/30/2009	9/17/2009	10/17/2009		DISTRIBUTION SYSTEM	8/31/2009
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2008 - 9/30/2008	11/25/2008	11/25/2009		Distribution System	6/30/2009

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Lake Warramaug/Campground Well
Water System Town: Kent
PWS ID/Type: CT0680124 / NC
Population: 300
Food Service Establishment? Yes

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2013 - 9/30/2013	1/9/2014	2/8/2014		Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2013 - 6/30/2013	9/30/2013	10/30/2013		Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2010 - 9/30/2010	2/25/2011	3/27/2011		Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2010 - 6/30/2010	7/26/2010	8/25/2010	8/12/2010	Distribution System	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/28/2011 -	10/4/2012				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/31/2013 -	12/19/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	2/9/2014 -	7/9/2014				

Total Violations: 7

Water System Name: Lake Warramaug/Day Use Well
Water System Town: Kent
PWS ID/Type: CT0680134 / NC
Population: 300
Food Service Establishment? Yes

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2013 - 9/30/2013	1/9/2014	2/8/2014		Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2013 - 6/30/2013	9/30/2013	10/30/2013		Distribution System	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/31/2013 -	12/19/2013				

Total Violations: 3

Local Health Department

Public Water System Compliance Report

Water System Name: Lake Warramaug/Shop Well
Water System Town: Kent
PWS ID/Type: CT0680144 / NC
Population: 26
Food Service Establishment? No

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/27/2013 -	10/17/2013				
MONITOR GWR TRIGGERED/ADDITONAL, MAJOR	E. COLI	5/9/2015 - 5/14/2015	9/24/2015	9/23/2016		Distribution System	
Total Violations:							2

Water System Name: Macedonia Brook S.P./ Maintenance
Water System Town: Kent
PWS ID/Type: CT0680174 / NC
Population: 37
Food Service Establishment? No

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	1/31/2013 -	3/4/2013				
Total Violations:							1

Water System Name: Eric Sloane Museum
Water System Town: Kent
PWS ID/Type: CT0680194 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Daniel Forrest
Organization: Sloan Stanley Museum
Title:
Phone / Ext: 860-256-2760 /
E-Mail: daniel.forrest@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	10/1/2013 - 12/31/2013	2/14/2014			Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2013 - 12/31/2013	2/14/2014			Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2013 - 9/30/2013	1/9/2014	2/8/2014	1/15/2014	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	4/1/2013 - 6/30/2013	9/30/2013	10/30/2013	10/7/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2012 - 12/31/2012	2/21/2013	3/23/2013	3/7/2013	Distribution System	

Local Health Department

Public Water System Compliance Report

MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2012 - 9/30/2012	11/1/2012	12/1/2012	1/12/2013	Distribution System
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2011 - 9/30/2011	2/22/2012	3/23/2012	3/2/2012	Distribution System
MONITOR GWR TRIGGERED/ADDITONAL, MAJOR	E. COLI	10/17/2014 - 10/22/2014	7/6/2015	7/5/2016		Distribution System

Total Violations: 8

Water System Name: Club Getaway
Water System Town: Kent
PWS ID/Type: CT0688104 / NC
Population: 26
Food Service Establishment? No

Admin Contact: Mr. David Schreiber
Organization: Club Getaway Landco
Title: President
Phone / Ext: 860-927-3664 /
E-Mail: david@clubgetaway.com

Chief Certified Operator(s): Mr. Thomas S. Tomascak,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL (TCR), MONTHLY	COLIFORM (TCR)	4/1/2011 - 6/30/2011	6/27/2011	7/27/2011		DISTRIBUTION SYSTEM	7/31/2011

Total Violations: 1

Water System Name: Aquarion Water Co of CT-Litchfield Sys
Water System Town: Litchfield
PWS ID/Type: CT0740011 / C
Population: 5602
Food Service Establishment? No

Admin Contact: Mr. John P. Walsh
Organization: Aquarion Water Company
Title: Vice President
Phone / Ext: 203-337-5852 /
E-Mail: jwalsh@aquarionwater.com

Chief Certified Operator(s): Mr. Werner W. Tiedmann,
 Mr. Christopher J. Kushwara,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2014 - 7/23/2014	1/14/2015				

Total Violations: 1

Water System Name: Bantam Inn Restaurant
Water System Town: Litchfield
PWS ID/Type: CT0740034 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. George Skrehota
Organization: B & G Hota, Inc
Title: President
Phone / Ext: 860-201-5728 /
E-Mail: hota@optonline.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/24/2016	7/24/2016		DISTRIBUTION SYSTEM	

Local Health Department

Public Water System Compliance Report

STATE MONITORING & REPORTING VIOLATION PHYSICAL PARAMETERS 1/1/2016 - 3/31/2016 6/27/2016 6/27/2017 DISTRIBUTION SYSTEM **Total Violations: 2**

Water System Name: Cozy Hills Campground - Well 1 **Admin Contact:** Ms. Lelah Campo
Water System Town: Litchfield **Organization:** Cozy Hills Campground
PWS ID/Type: CT0740094 / NC **Title:** Owner
Population: 50 **Phone / Ext:** 860-567-2119 /
Food Service Establishment? No **E-Mail:** 1campo@cozyhills.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	5/1/2014 -	6/23/2014				
MONITORING (TCR), REPEAT	COLIFORM (TCR)	7/1/2009 - 9/30/2009	12/8/2009	1/7/2010		DISTRIBUTION SYSTEM	12/31/2009
MONITORING (TCR), ROUTINE MINOR	COLIFORM (TCR)	9/1/2009 - 9/30/2009	12/8/2009	1/7/2010		DISTRIBUTION SYSTEM	12/31/2009
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	1/8/2010 -	8/2/2010				

Total Violations: 4

Water System Name: Gooseboro Drive-In **Admin Contact:** Mr. Robert Hammer
Water System Town: Litchfield **Organization:** Gooseboro Drive-In
PWS ID/Type: CT0740144 / NC **Title:** Owner
Population: 25 **Phone / Ext:** 860-567-9356 /
Food Service Establishment? Yes **E-Mail:** judith.hammer@snet.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/14/2012 -	11/26/2012				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2008 - 9/30/2008	12/4/2008	1/3/2009		DISTRIBUTION SYSTEM	6/30/2009
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	12/5/2009 -	3/5/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2008 - 9/30/2008	12/4/2008	12/4/2009		Distribution System	6/30/2009

Total Violations: 4

Local Health Department Public Water System Compliance Report

Water System Name: 920 Bantam Road
Water System Town: Litchfield
PWS ID/Type: CT0740194 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Joel Pondelik
Organization: C/O/ Jackie's Restaurant
Title: Owner
Phone / Ext: 203-438-8221 /
E-Mail: pondelik@juno.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/27/2016	7/27/2016		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		DISTRIBUTION SYSTEM	

Total Violations: 2

Water System Name: Northfield Bible Church
Water System Town: Litchfield
PWS ID/Type: CT0740284 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Brian McGray
Organization: Northfield Bible Church
Title:
Phone / Ext: 860-283-9598 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	3/5/2013 -	6/19/2013				
MCL, AVERAGE	DISTRIBUTION COLOR	4/1/2007 - 6/30/2007	7/19/2007	8/18/2007		Distribution System	9/30/2007
MCL, AVERAGE	DISTRIBUTION COLOR	1/1/2007 - 3/31/2007	7/19/2007	8/18/2007		Distribution System	9/30/2007
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	10/1/2006 - 12/31/2006	2/28/2007	3/30/2007		Distribution System	9/30/2007
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	4/1/2006 - 6/30/2006	7/24/2006	8/23/2006		Distribution System	9/30/2007
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	1/1/2006 - 3/31/2006	7/24/2006	8/23/2006		Distribution System	9/30/2007
MCL, SINGLE SAMPLE	DISTRIBUTION TURBIDITY	1/1/2005 - 3/31/2005	4/13/2005	5/13/2005		Distribution System	6/30/2005
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	1/1/2005 - 3/31/2005	4/13/2005	5/13/2005		Distribution System	6/30/2005
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/27/2016	7/27/2016		DISTRIBUTION SYSTEM	
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2006 - 3/31/2006	6/15/2006	7/15/2006		DISTRIBUTION SYSTEM	9/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2005 - 12/31/2005	3/28/2006	4/27/2006		DISTRIBUTION SYSTEM	9/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2004 - 3/31/2004	10/19/2004	11/18/2004		DISTRIBUTION SYSTEM	3/29/2005
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		DISTRIBUTION SYSTEM	

Local Health Department

Public Water System Compliance Report

STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2011 - 12/31/2011	3/9/2012	3/9/2013	9/16/2013	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2005 - 12/31/2005	3/28/2006	3/28/2007		Distribution System	6/30/2006

Total Violations: 15

Water System Name: Fernwood Rest Home
Water System Town: Litchfield
PWS ID/Type: CT0740301 / C
Population: 107
Food Service Establishment? No

Admin Contact: Mr. Raymond Adkins
Organization: Fernwood Rest Home
Title: President
Phone / Ext: 860-567-9558 /
E-Mail: karynacosgrove@hotmail.com

Chief Certified Operator(s): Mr. Thomas S. Tomascak,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR ADEQUACY/AVAILABILITY/CONTENT RULE	CONSUMER CONFIDENCE	8/10/2014 - 9/30/2014	1/14/2015				

Total Violations: 1

Water System Name: Saint Pauls Episcopal Church
Water System Town: Litchfield
PWS ID/Type: CT0740354 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Reverend Paul Jacobson
Organization: St. Paul's Church
Title: Clergy
Phone / Ext: 860-567-8838 /
E-Mail: officestpauls@optonline.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2012 - 9/30/2012	12/31/2012	12/31/2013	4/8/2013	Distribution System	

Total Violations: 1

Water System Name: 491 Bantam Road
Water System Town: Litchfield
PWS ID/Type: CT0740374 / NC
Population: 34
Food Service Establishment? Yes

Admin Contact: Mr. Rickard T. Evangelisti
Organization: Litchfield West
Title: Owner
Phone / Ext: 860-567-8771 /
E-Mail: btmelec@gmail.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2005 - 12/31/2005	3/28/2006	4/27/2006		Entry Point	12/31/2006

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Topsmead State Park/Chase House
Water System Town: Litchfield
PWS ID/Type: CT0740464 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/18/2012 -	11/30/2012				
MONITORING (TCR), REPEAT	COLIFORM (TCR)	7/1/2009 - 9/30/2009	12/8/2009	1/7/2010		DISTRIBUTION SYSTEM	6/30/2010
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	8/1/2009 - 8/31/2009	12/8/2009	1/7/2010		DISTRIBUTION SYSTEM	6/30/2010
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	9/1/2004 - 9/30/2004	1/10/2005	2/9/2005		DISTRIBUTION SYSTEM	3/31/2005
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	1/8/2010 -	9/3/2010				

Total Violations: 5

Water System Name: Woods Pit Bbq And Mexican
Water System Town: Litchfield
PWS ID/Type: CT0740534 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Paul W. Haas
Organization: Wood's Pit Barbeque
Title: Manager
Phone / Ext: 860-567-9869 /
E-Mail: ZIPPYHAAS@AOL.COM

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/27/2016	7/27/2016		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2004 - 3/31/2004	10/19/2004	10/19/2005		Distribution System	6/30/2004

Total Violations: 3

Water System Name: Cozy Hills Campground - Well 2
Water System Town: Litchfield
PWS ID/Type: CT0740574 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Lelah Campo
Organization: Cozy Hills Campground
Title: Owner
Phone / Ext: 860-567-2119 /
E-Mail: 1campo@cozyhills.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
------------------------------	------------------------------	--------------------------	-------------------	-------------------------------------	-------------------------------------	------------------------------	----------------------------

Local Health Department

Public Water System Compliance Report

FAILURE TO RESPOND TO SANITARY SURVEY

5/1/2014 -

6/23/2014

Total Violations: 1

Water System Name: Bantam Cinema
Water System Town: Litchfield
PWS ID/Type: CT0740604 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Elizabeth Merz
Organization: Spinning Reels, LLC
Title: Member
Phone / Ext: 860-567-1916 /
E-Mail: info@bantamcinema.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	3/23/2013 -	4/18/2013				

Total Violations: 1

Water System Name: Ebner Camps, Inc (Camp Chinqueka)
Water System Town: Litchfield
PWS ID/Type: CT0740614 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Kristin E. Martin
Organization: Ebner Camps, Inc.
Title: Director
Phone / Ext: 860-567-9678 /
E-Mail: info@chinqueka.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/13/2015 -	8/18/2015				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2014 - 9/30/2014	11/25/2014	11/25/2015	12/8/2014	Distribution System	

Total Violations: 2

Water System Name: Cozy Hills Campground - Well 3
Water System Town: Litchfield
PWS ID/Type: CT0740624 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Lelah Campo
Organization: Cozy Hills Campground
Title: Owner
Phone / Ext: 860-567-2119 /
E-Mail: 1campo@cozyhills.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	5/1/2014 -	6/23/2014				

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Litchfield Montessori School
Water System Town: Litchfield
PWS ID/Type: CT0745103 / NTNC
Population: 120
Food Service Establishment? No

Admin Contact: Ms. Lisa Wojcik
Organization: Litchfield Montessori School
Title: Business Manager
Phone / Ext: 860-283-5920 /
E-Mail: businessmanager@litchfieldmo

Chief Certified Operator(s): Mr. Shane Grant, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/7/2011 -	2/7/2012				
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2013 - 12/31/2013	2/14/2014	3/16/2014	7/29/2014	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2013 - 9/30/2013	1/9/2014	2/8/2014	1/28/2014	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	4/1/2012 - 6/30/2012	8/9/2012	9/8/2012		Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	1/1/2012 - 3/31/2012	5/15/2012	6/14/2012		Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2011 - 12/31/2011	2/23/2012	3/24/2012	3/10/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2011 - 9/30/2011	2/23/2012	3/24/2012	3/9/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	1/1/2009 - 3/31/2009	4/14/2009	5/14/2009		Distribution System	6/30/2008
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	1/1/2009 -	3/5/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	6/15/2012 -	3/5/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	9/9/2012 -	3/5/2013				

Total Violations: 11

Water System Name: West Shore Seafood LLC
Water System Town: Litchfield
PWS ID/Type: CT0745124 / NC
Population: 30
Food Service Establishment? Yes

Admin Contact: Ms. Susan F. Bertaccini
Organization: West Shore Seafood LLC
Title: Member
Phone / Ext: 860-567-8000 /
E-Mail: susie@westshoreseafood.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/15/2012 -	11/30/2012				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2009 - 12/31/2009	3/2/2010	4/1/2010		DISTRIBUTION SYSTEM	9/30/2010
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2008 - 9/30/2008	12/4/2008	1/3/2009		DISTRIBUTION SYSTEM	12/31/2008

Total Violations: 3

Local Health Department

Public Water System Compliance Report

Water System Name: Middlebury Mobil
Water System Town: Middlebury
PWS ID/Type: CT0810034 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Oreste P. Bona
Organization: 492 Middlebury Road LLC
Title: Administrative
Phone / Ext: 203-704-0183 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/23/2010 -	8/23/2010				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2011 - 6/30/2011	9/6/2011	10/6/2011		DISTRIBUTION SYSTEM	9/30/2011
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/7/2011 -	3/4/2013				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/6/2012 -	3/4/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2011 - 6/30/2011	9/6/2011	9/5/2012		Distribution System	

Total Violations: 5

Water System Name: Middlebury Hamlet
Water System Town: Middlebury
PWS ID/Type: CT0810054 / NTNC
Population: 75
Food Service Establishment? Yes

Admin Contact: Mr. Norman S. Drubner
Organization: Drubner Realty Management
Title:
Phone / Ext: 203-755-8449 /
E-Mail:

Chief Certified Operator(s): Mr. Jeremiah J. Weid, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/27/2016	7/27/2016		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		DISTRIBUTION SYSTEM	

Total Violations: 2

Water System Name: Highfield, Inc.
Water System Town: Middlebury
PWS ID/Type: CT0810114 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Gregory Jacobi
Organization: The White Deer Rock Land Cor
Title: President
Phone / Ext: 203-598-3312 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	4/1/2015 - 6/30/2015	9/24/2015	10/24/2015		Entry Point	

Local Health Department

Public Water System Compliance Report

MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	10/1/2004 - 12/31/2004	5/26/2005	5/26/2006	Entry Point	3/31/2005
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	7/1/2004 - 9/30/2004	1/19/2005	2/18/2005	Entry Point	3/31/2005
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/25/2015 -	3/2/2016			

Total Violations: 4

Water System Name: Hop Brook Lake Rec Area (First Cs)
Water System Town: Middlebury
PWS ID/Type: CT0810124 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Diana Errico-Topolski
Organization: Us Army Corps of Engineers
Title: Project Manager
Phone / Ext: 978-318-8370 /
E-Mail: diana.j.errico-topolski@usace.a

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MCL (TCR), ACUTE	COLIFORM (TCR)	7/1/2015 - 9/30/2015	8/19/2015	8/20/2015	8/21/2015	DISTRIBUTION SYSTEM	6/15/2016
MCL (TCR), MONTHLY	COLIFORM (TCR)	7/1/2015 - 9/30/2015	8/19/2015	8/20/2015	8/21/2015	DISTRIBUTION SYSTEM	6/15/2016
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	9/1/2015 - 9/30/2015	1/5/2016	2/4/2016	2/22/2016	DISTRIBUTION SYSTEM	6/15/2016

Total Violations: 3

Water System Name: Lake Quassapaug Outing Club
Water System Town: Middlebury
PWS ID/Type: CT0810144 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Tom A. McDonald
Organization:
Title: Manager
Phone / Ext: 203-758-8907 /
E-Mail: TOMM@NSISERV.COM

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/25/2013 -	12/19/2013				
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2005 - 6/30/2005	7/19/2005	8/18/2005		Distribution System	9/30/2005

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Quassapaug Sailing Center, Inc.
Water System Town: Middlebury
PWS ID/Type: CT0810214 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Ralph Gilnack
Organization: Quassapaug Sailing Center, Inc
Title: Director of Schools
Phone / Ext: 203-723-4801 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2013 - 6/30/2013	9/30/2013	10/30/2013		Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2012 - 9/30/2012	11/1/2012	12/1/2012	4/6/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2012 - 9/30/2012	11/1/2012	12/1/2012	4/6/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2012 - 6/30/2012	8/9/2012	9/8/2012	4/6/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2011 - 9/30/2011	2/24/2012	3/25/2012	4/6/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2011 - 9/30/2011	2/24/2012	3/25/2012	4/6/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2011 - 6/30/2011	2/24/2012	3/25/2012	4/6/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2008 - 9/30/2008	10/24/2008	11/23/2008		Distribution System	9/30/2009
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2008 - 9/30/2008	10/24/2008	11/23/2008		Distribution System	9/30/2009
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2007 - 9/30/2007	12/5/2007	1/4/2008		Distribution System	9/30/2009
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2007 - 9/30/2007	12/5/2007	1/4/2008		Distribution System	9/30/2009
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/31/2013 -	12/19/2013				

Total Violations: 12

Water System Name: Quassy Amusement Park
Water System Town: Middlebury
PWS ID/Type: CT0810224 / NC
Population: 325
Food Service Establishment? No

Admin Contact: Mr. Eric Anderson
Organization:
Title: Owner
Phone / Ext: 203-758-2913 / 100
E-Mail: eanderson@quassy.com

Chief Certified Operator(s): Mr. Jeremiah J. Weid, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MINOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	1/5/2016	2/4/2016	1/13/2016	DISTRIBUTION SYSTEM	4/14/2016
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	7/1/2015 - 9/30/2015	1/5/2016	1/4/2017	1/13/2016	DISTRIBUTION SYSTEM	4/14/2016

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Quassy Field
Water System Town: Middlebury
PWS ID/Type: CT0810234 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Daniel Norton
Organization: Quassy Field
Title:
Phone / Ext: 203-704-0093 /
E-Mail: dnorton@middlebury-ct.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	9/1/2005 - 9/30/2005	1/23/2006	2/22/2006		DISTRIBUTION SYSTEM	3/31/2006
Total Violations:							1

Water System Name: Maples Restaurant
Water System Town: Middlebury
PWS ID/Type: CT0810284 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Fernando Marccone
Organization: Marccone Enterprises
Title: President
Phone / Ext: 203-758-2502 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	12/30/2011 -	2/7/2012				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	8/1/2005 - 8/31/2005	1/23/2006	2/22/2006		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2005 - 7/31/2005	1/23/2006	2/22/2006		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	5/1/2005 - 5/31/2005	10/24/2005	11/23/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2005 - 4/30/2005	10/24/2005	11/23/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	3/1/2005 - 3/31/2005	8/1/2005	8/31/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2005 - 1/31/2005	8/1/2005	8/31/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	12/1/2004 - 12/31/2004	5/26/2005	6/25/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2004 - 10/31/2004	5/26/2005	6/25/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	8/1/2004 - 8/31/2004	1/19/2005	2/18/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2004 - 7/31/2004	10/26/2004	11/25/2004		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	5/1/2004 - 5/31/2004	10/26/2004	11/25/2004		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2004 - 4/30/2004	10/26/2004	11/25/2004		DISTRIBUTION SYSTEM	3/31/2006
MONITORING, ROUTINE MAJOR	NITRATE	10/1/2005 - 12/31/2005	3/28/2006	4/27/2006		Entry Point	7/1/2006

Local Health Department

Public Water System Compliance Report

MONITORING, ROUTINE MAJOR NITRATE 7/1/2005 - 9/30/2005 1/23/2006 2/22/2006 Entry Point 7/1/2006

Total Violations: 15

Water System Name: Village Square **Admin Contact:** Shawn Grenier
Water System Town: Middlebury **Organization:**
PWS ID/Type: CT0810294 / NTNC **Title:** Owner
Population: 50 **Phone / Ext:** 203-758-8640 /
Food Service Establishment? No **E-Mail:** shawn.grenier@skrgproperties.
Chief Certified Operator(s): Mr. Stephen W. Bormolini,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	12/30/2011 -	2/7/2012				
FOLLOW-UP OR ROUTINE TAP M/R (LCR)	LEAD & COPPER RULE	1/1/2006 - 12/31/2006	5/31/2007	6/6/2008	6/12/2007	DISTRIBUTION SYSTEM	
MONITORING, ROUTINE MAJOR	Pesticides, Herbicides and PCBs - Phase	1/1/2011 - 12/31/2013	5/6/2014	5/6/2015	7/2/2015	Entry Point	

Total Violations: 3

Water System Name: Hop Brook Lake Rec Area (West Lawn Cs) **Admin Contact:** Diana Errico-Topolski
Water System Town: Middlebury **Organization:** Us Army Corps of Engineers
PWS ID/Type: CT0810304 / NC **Title:** Project Manager
Population: 25 **Phone / Ext:** 978-318-8370 /
Food Service Establishment? No **E-Mail:** diana.j.errico-topolski@usace.a
Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2011 - 6/30/2011	9/6/2011	9/5/2012	11/17/2011	Distribution System	

Total Violations: 1

Water System Name: Middlebury Commons **Admin Contact:** Ms. Joanne Cappelletti
Water System Town: Middlebury **Organization:** Middlebury Commons
PWS ID/Type: CT0815051 / C **Title:** Treasurer
Population: 76 **Phone / Ext:** 203-758-1160 /
Food Service Establishment? No **E-Mail:** jcappelletti@middlebury-ct.org
Chief Certified Operator(s): Mr. Jeremiah J. Weid, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR REPORT	CONSUMER CONFIDENCE RULE	7/1/2014 - 7/1/2014	1/15/2015				

Local Health Department

Public Water System Compliance Report

FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/29/2010 -	6/28/2010			
PH MON/RPT VIOLATION	PH	6/1/2012 - 6/30/2012	9/5/2012	9/5/2013	1/9/2014	Entry Point
PH MON/RPT VIOLATION	PH	5/1/2012 - 5/31/2012	9/5/2012	9/5/2013	1/9/2014	Entry Point
PH MON/RPT VIOLATION	PH	4/1/2012 - 4/30/2012	9/5/2012	9/5/2013	1/9/2014	Entry Point
WATER QUALITY PARAMETER M/R (LCR)	Water Quality Parameters	1/1/2004 - 12/31/2006	3/17/2009	3/17/2010	3/12/2013	Distribution System
Total Violations:						6

Water System Name: CTWC - Naugatuck Reg - Hillcrest
Water System Town: Middlebury
PWS ID/Type: CT0819031 / C
Population: 120
Food Service Establishment? No

Admin Contact: Mr. Reed M. Reynolds
Organization: Connecticut Water Company
Title: Superintendent
Phone / Ext: 860-664-6241 /
E-Mail: rreynolds@ctwater.com

Chief Certified Operator(s): Mr. Patrick M. Corbett,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/4/2014 -	7/9/2014				
Total Violations:							1

Water System Name: West Shore Owners Association
Water System Town: Middlebury
PWS ID/Type: CT0819061 / C
Population: 100
Food Service Establishment? No

Admin Contact: Mr. Robert Ulrich
Organization: Aquarion Water Company of Ct
Title: Dir of Supply Ops
Phone / Ext: 230-926-4320 /
E-Mail: rulrich@aquarionwater.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	RADIONUCLIDES-ALPHA	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		ENTRY POINT	
MONITORING, ROUTINE MAJOR	SOCS - PHASE II & V	1/1/2016 - 3/31/2016	6/27/2016	6/27/2017		ENTRY POINT	
PH MON/RPT VIOLATION	PH	2/1/2015 - 2/28/2015	4/16/2015	4/15/2016		Entry Point	
PH MON/RPT VIOLATION	PH	1/1/2015 - 1/31/2015	3/6/2015	3/5/2016		Entry Point	
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	3/6/2016 -	4/11/2016				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	4/16/2016 -	5/9/2016				
Total Violations:							6

Local Health Department

Public Water System Compliance Report

Water System Name: Ebner Camps, Inc. (Awosting)
Water System Town: Morris
PWS ID/Type: CT0870024 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Steve Jepson
Organization: Ebner Camps
Title: Director
Phone / Ext: 860-567-4924 /
E-Mail: steve@awosting.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2012 - 9/30/2012	11/1/2012	12/1/2012	12/3/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	4/1/2012 - 6/30/2012	8/9/2012	9/8/2012		Distribution System	

Total Violations: 2

Water System Name: East Morris Xtra Mart/Citgo Gas Station
Water System Town: Morris
PWS ID/Type: CT0870054 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Eric Harvey
Organization: Drake Petroleum Company, Inc
Title: Envnmntl Project Mngr
Phone / Ext: 845-238-7354 /
E-Mail: eharvey@warreneq.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	11/1/2004 - 11/30/2004	5/26/2005	6/25/2005		DISTRIBUTION SYSTEM	6/30/2005
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	7/1/2005 - 9/30/2005	1/23/2006	2/22/2006		Entry Point	12/31/2005
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	10/1/2004 - 12/31/2004	5/26/2005	6/25/2005		Entry Point	3/31/2005
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2010 - 12/31/2010	3/28/2011	3/26/2012		Distribution System	3/31/2011

Total Violations: 4

Water System Name: James Morris School
Water System Town: Morris
PWS ID/Type: CT0870132 / NTNC
Population: 258
Food Service Establishment? Yes

Admin Contact: Mr. Scott Yuschak
Organization: Regional School District #6
Title: Maintenance Tech
Phone / Ext: 860-567-7400 /
E-Mail: syuschak@rsd6.org

Chief Certified Operator(s): Mr. Ron W. Black, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
NOTIFICATION, STATE	COLIFORM (TCR)	12/1/1993 - 12/31/1993	6/3/1994				

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Morris Community Hall And Library
Water System Town: Morris
PWS ID/Type: CT0870164 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Barbara E. Bongiolatti
Organization: Town of Morris
Title: First Selectwoman
Phone / Ext: 860-567-7430 /
E-Mail: 1stselectman@townofmorristct

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/16/2015 -	3/18/2015				
MCL, SINGLE SAMPLE	NITRATE	1/1/2012 - 3/31/2012	6/21/2012	6/22/2012		Entry Point	6/30/2012
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	6/23/2012 -	3/5/2013				

Total Violations: 3

Water System Name: 5 Watertown Road (Rt 63) - Morris
Water System Town: Morris
PWS ID/Type: CT0870214 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. David M. Geremia
Organization: Lidamari, LLC
Title: Principal Member
Phone / Ext: 860-567-2299 /
E-Mail: dmgeremia@aol.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2014 - 12/31/2014	7/6/2015	8/5/2015		DISTRIBUTION SYSTEM	3/31/2016
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2014 - 3/31/2014	9/16/2014	10/16/2014		DISTRIBUTION SYSTEM	6/30/2014
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/17/2014 -	11/12/2014				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	8/6/2015 -	9/9/2015				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/17/2015 -	10/19/2015				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2014 - 12/31/2014	7/6/2015	2/19/2016		Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	9/16/2014	9/16/2015		Distribution System	

Total Violations: 7

Local Health Department

Public Water System Compliance Report

Water System Name: Popeys Ice Cream Shoppe/Ripe Tomato **Admin Contact:** Mr. Richard Skilton
Water System Town: Morris **Organization:**
PWS ID/Type: CT0870254 / NC **Title:**
Population: 25 **Phone / Ext:** 860-567-9889 /
Food Service Establishment? Yes **E-Mail:**

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/24/2014 -	3/21/2014				

Total Violations: 1

Water System Name: Breezy Knoll Association **Admin Contact:** Mr. Mike Held
Water System Town: Morris **Organization:** Breezy Knoll Association
PWS ID/Type: CT0878011 / C **Title:**
Population: 100 **Phone / Ext:** 646-468-7388 /
Food Service Establishment? No **E-Mail:** mikeheld1@gmail.com

Chief Certified Operator(s): Mr. Ron W. Black, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
NOTIFICATION, PUBLIC (PRE-2003)	COLIFORM (TCR)	3/1/1995 - 3/31/1995					
NOTIFICATION, PUBLIC (PRE-2003)	LEAD & COPPER RULE	10/1/1994 - 10/31/1994					
NOTIFICATION, PUBLIC (PRE-2003)	COLIFORM (TCR)	6/1/1994 - 6/30/1994					

Total Violations: 3

Water System Name: Eldridge Elderly Housing **Admin Contact:** Ms. Barbara E. Bongiolatti
Water System Town: Morris **Organization:** Town of Morris
PWS ID/Type: CT0878021 / C **Title:** First Selectwoman
Population: 40 **Phone / Ext:** 860-567-7430 /
Food Service Establishment? No **E-Mail:** 1stselectman@townofmorrisct

Chief Certified Operator(s): Mr. George Grela, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR ADEQUACY/AVAILABILITY/CONTENT	CONSUMER CONFIDENCE RULE	8/10/2015 - 11/13/2015	10/28/2015				11/13/2015
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/24/2011 -	2/7/2012				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/12/2015 -	3/18/2015				
MONITORING, ROUTINE MAJOR	DI(2-ETHYLHEXYL) PHTHALATE	7/1/2010 - 9/30/2010	12/30/2010	12/30/2011		Entry Point	12/31/2010

Local Health Department

Public Water System Compliance Report

MONITORING, ROUTINE MAJOR	GROSS ALPHA, EXCL. RADON & U	1/1/2005 - 3/31/2005	10/24/2005	10/24/2006	Entry Point	7/13/2005
MONITORING, ROUTINE MAJOR	COMBINED URANIUM	1/1/2005 - 3/31/2005	10/24/2005	10/24/2006	Entry Point	7/13/2005
MONITORING, ROUTINE MAJOR	COMBINED RADIUM (-226 & -228)	1/1/2005 - 3/31/2005	10/24/2005	10/24/2006	Entry Point	7/13/2005
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	12/31/2011 -	12/16/2013			

Total Violations: 8

Water System Name: Morris Field And Community Pavilion	Admin Contact: Ms. Barbara E. Bongiolatti
Water System Town: Morris	Organization: Town of Morris
PWS ID/Type: CT0878034 / NC	Title: First Selectwoman
Population: 25	Phone / Ext: 860-567-7430 /
Food Service Establishment? Yes	E-Mail: 1stselectman@townofmorristc

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2014 - 9/30/2014	11/25/2014	12/25/2014		DISTRIBUTION SYSTEM	12/31/2014
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	11/26/2015 -	3/2/2016				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2014 - 9/30/2014	11/25/2014	11/25/2015		Distribution System	

Total Violations: 3

Water System Name: Blackberry River Inn	Admin Contact: Ms. Jeanneth Angel
Water System Town: Norfolk	Organization: Blackberry River Inn
PWS ID/Type: CT0980104 / NC	Title:
Population: 25	Phone / Ext: 860-542-5100 /
Food Service Establishment? Yes	E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL (TCR), MONTHLY	COLIFORM (TCR)	10/1/2015 - 12/31/2015	11/9/2015	12/9/2015	11/20/2015	DISTRIBUTION SYSTEM	11/30/2015
MCL (TCR), MONTHLY	COLIFORM (TCR)	7/1/2015 - 9/30/2015	9/11/2015	10/11/2015		DISTRIBUTION SYSTEM	10/31/2015
MCL (TCR), MONTHLY	COLIFORM (TCR)	7/1/2011 - 9/30/2011	8/26/2011	9/25/2011		DISTRIBUTION SYSTEM	10/31/2011
MCL (TCR), MONTHLY	COLIFORM (TCR)	9/1/2011 - 9/30/2011	10/18/2011	11/17/2011		DISTRIBUTION SYSTEM	10/31/2011
MONITOR GWR TRIGGERED/ADDITIONAL, MAJOR	E. COLI	10/9/2015 - 10/14/2015	4/6/2016	2/24/2017		DISTRIBUTION SYSTEM	
MONITORING (TCR), REPEAT	COLIFORM (TCR)	10/1/2015 - 12/31/2015	4/6/2016	5/6/2016		DISTRIBUTION SYSTEM	11/30/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016				DISTRIBUTION SYSTEM	

Local Health Department

Public Water System Compliance Report

MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	9/1/2015 - 9/30/2015	1/7/2016	2/6/2016	1/20/2016	DISTRIBUTION SYSTEM	10/31/2015
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	9/26/2011 -	3/5/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	11/18/2011 -	3/5/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/12/2015 -	3/2/2016				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/7/2016 -	6/9/2016				
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016				DISTRIBUTION SYSTEM	

Total Violations: 13

Water System Name: North Canaan Congregational Church	Admin Contact: Ms. Wendy Kennedy
Water System Town: North Canaan	Organization: North Canaan Cong Church
PWS ID/Type: CT1000044 / NC	Title: Treasurer
Population: 25	Phone / Ext: 860-672-3487 /
Food Service Establishment? No	E-Mail: nccongchurch@snet.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	3/23/2013 -	6/19/2013				
MCL (TCR), MONTHLY	COLIFORM (TCR)	10/1/2006 - 12/31/2006	1/10/2007	2/9/2007		DISTRIBUTION SYSTEM	9/30/2007
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	1/1/2006 - 3/31/2006	3/6/2006	4/5/2006		Distribution System	6/30/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2014 - 12/31/2014		5/23/2015		DISTRIBUTION SYSTEM	1/20/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2008 - 9/30/2008	12/4/2008	1/3/2009		DISTRIBUTION SYSTEM	12/31/2008
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2007 - 1/31/2007	6/5/2007	7/5/2007		DISTRIBUTION SYSTEM	9/30/2007
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2006 - 9/30/2006	12/11/2006	1/10/2007		DISTRIBUTION SYSTEM	9/30/2007
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2004 - 9/30/2004	2/1/2005	3/3/2005		DISTRIBUTION SYSTEM	3/31/2005
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	12/5/2009 -	3/5/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2014 - 12/31/2014		5/23/2015		Distribution System	1/20/2015
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2014 - 6/30/2014	9/4/2014	9/4/2015	2/6/2015	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2014 - 3/31/2014	5/27/2014	5/27/2015	2/6/2015	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2008 - 9/30/2008	12/4/2008	12/4/2009		Distribution System	12/31/2008
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2006 - 9/30/2006	12/11/2006	12/11/2007		Distribution System	12/31/2006
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2004 - 9/30/2004	2/1/2005	2/1/2006		Distribution System	12/31/2004

Local Health Department Public Water System Compliance Report

Total Violations: 15

Water System Name: Freunds Farm Market & Bakery
Water System Town: North Canaan
PWS ID/Type: CT1000234 / NC
Population: 43
Food Service Establishment? Yes

Admin Contact: Mr. Matthew Freund
Organization:
Title:
Phone / Ext: 860-824-7524 /
E-Mail: mfreund@snet.net

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MCL (TCR), ACUTE	COLIFORM (TCR)	7/1/2015 - 9/30/2015	7/27/2015	7/28/2015	9/15/2015	DISTRIBUTION SYSTEM	8/31/2015
MCL (TCR), MONTHLY	COLIFORM (TCR)	7/1/2015 - 9/30/2015	7/27/2015	8/26/2015	7/27/2015	DISTRIBUTION SYSTEM	8/31/2015

Total Violations: 2

Water System Name: Camp Mattatuck - Well #3
Water System Town: Plymouth
PWS ID/Type: CT1110024 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. James C. Waters
Organization: Connecticut Rivers Council
Title: Director
Phone / Ext: 860-913-2750 /
E-Mail: James.waters@scouting.org

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2012 - 9/30/2012	11/7/2012	12/7/2012	1/8/2013	Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2012 - 6/30/2012	8/9/2012	9/8/2012	10/4/2012	Distribution System	
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	7/1/2004 - 9/30/2004	12/2/2004	1/1/2005		Distribution System	6/30/2005
MCL, SINGLE SAMPLE	DISTRIBUTION TURBIDITY	7/1/2004 - 9/30/2004	12/2/2004	1/1/2005		Distribution System	6/30/2005
MCL, SINGLE SAMPLE	DISTRIBUTION TURBIDITY	1/1/2004 - 3/31/2004	4/22/2004	5/22/2004		Distribution System	6/30/2004
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2005 - 3/31/2005	8/1/2005	8/31/2005		DISTRIBUTION SYSTEM	9/30/2005
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2004 - 12/31/2004	6/1/2005	7/1/2005		DISTRIBUTION SYSTEM	9/30/2005
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	1/17/2013 -	3/6/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2014 - 12/31/2014	4/7/2015	4/6/2016	4/18/2015	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2004 - 12/31/2004	6/1/2005	6/1/2006		Distribution System	6/30/2005

Total Violations: 10

Local Health Department

Public Water System Compliance Report

Water System Name: Camp Mattatuck- Well #1 And #2 System

Admin Contact: Mr. James C. Waters

Water System Town: Plymouth

Organization: Connecticut Rivers Council

PWS ID/Type: CT1110034 / NC

Title: Director

Population: 25

Phone / Ext: 860-913-2750 /

Food Service Establishment? Yes

E-Mail: James.waters@scouting.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/25/2013 -	11/18/2013				

Total Violations: 2

Water System Name: Jehovahs Witnesses

Admin Contact: Mr. Andrew D'amato Jr

Water System Town: Plymouth

Organization: D'amato Properties LLC

PWS ID/Type: CT1110094 / NC

Title:

Population: 25

Phone / Ext: 860-584-0123 /

Food Service Establishment? No

E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	10/25/2013 -	11/18/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2015 - 6/30/2015	9/24/2015	9/23/2016	10/29/2015	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2015 - 3/31/2015	7/6/2015	7/5/2016	8/3/2015	Distribution System	

Total Violations: 3

Water System Name: First Congregational Church of Plymouth

Admin Contact: Ms. Helen Tomasello

Water System Town: Plymouth

Organization:

PWS ID/Type: CT1110114 / NC

Title: Legal Contact

Population: 25

Phone / Ext: 860-283-5389 /

Food Service Establishment? No

E-Mail: PLYMOUTH.CHURCH@SBCGLO

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -					

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Gentile's Campground - Als Well
Water System Town: Plymouth
PWS ID/Type: CT1110234 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Raymond Gentile
Organization: Gentile Campground, LLC
Title: Campground Owner
Phone / Ext: 860-283-8437 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2013 - 12/31/2013	5/22/2014	5/22/2015	6/12/2014	Distribution System	
Total Violations:							1

Water System Name: Plymouth Village
Water System Town: Plymouth
PWS ID/Type: CT1110274 / NC
Population: 33
Food Service Establishment? Yes

Admin Contact: Mr. Mark Malley
Organization: Seabourne & Malley
Title:
Phone / Ext: 860-283-3147 /
E-Mail: mmalley@seabourneandmalle

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/23/2010 -	8/23/2010				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2010 - 6/30/2010	8/31/2010	9/30/2010		DISTRIBUTION SYSTEM	3/31/2011
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/1/2010 -	3/6/2013				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/1/2011 -	3/6/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2010 - 6/30/2010	8/31/2010	8/31/2011		Distribution System	3/31/2011
Total Violations:							5

Water System Name: 655 Main Street - Plymouth
Water System Town: Plymouth
PWS ID/Type: CT1110284 / NC
Population: 37
Food Service Establishment? Yes

Admin Contact: Mr. Cleaveland E. Coe
Organization:
Title:
Phone / Ext: 860-283-9821 /
E-Mail: ecoe@aol.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	1/1/2015 -	1/21/2015				
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	4/1/2015 - 6/30/2015	9/24/2015	10/24/2015		DISTRIBUTION SYSTEM	8/27/2015

Local Health Department

Public Water System Compliance Report

MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2015 - 3/31/2015	7/6/2015	8/5/2015	DISTRIBUTION SYSTEM	8/27/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2014 - 12/31/2014	4/7/2015	5/7/2015	DISTRIBUTION SYSTEM	8/27/2015
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	1/1/2014 - 12/31/2014	4/7/2015	5/7/2015	Entry Point	9/3/2015
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/8/2015 -	6/9/2015			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	8/6/2015 -	9/9/2015			
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	10/25/2015 -	3/2/2016			
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	4/7/2016 -	5/9/2016			
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2015 - 6/30/2015	9/24/2015	9/23/2016	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2015 - 3/31/2015	7/6/2015	7/5/2016	Distribution System	
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2014 - 12/31/2014	4/7/2015	4/6/2016	Distribution System	

Total Violations: 12

Water System Name: Camp Mattatuck- Leever Lodge
Water System Town: Plymouth
PWS ID/Type: CT1110314 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. James C. Waters
Organization: Connecticut Rivers Council
Title: Director
Phone / Ext: 860-913-2750 /
E-Mail: James.waters@scouting.org

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2013 - 12/31/2013	5/2/2014	5/2/2015	6/30/2015	Distribution Sysytem	

Total Violations: 1

Water System Name: Lime Rock Park, LLC
Water System Town: Salisbury
PWS ID/Type: CT1220007 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Skip Barber
Organization: Lime Rock Park LLC
Title: Managing Member
Phone / Ext: 860-435-5000 /
E-Mail:

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2013 - 12/31/2013	5/2/2014	6/1/2014		DISTRIBUTION SYSTEM	3/31/2014
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	6/2/2014 -	7/9/2014				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2004 - 6/30/2004	10/12/2004	11/11/2004		Distribution System 2	1/8/2004

Local Health Department

Public Water System Compliance Report

STATE MONITORING & REPORTING VIOLATION	Physical Parameters	4/1/2004 - 6/30/2004	10/12/2004	11/11/2004	Distribution System 3	1/8/2004
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2004 - 3/31/2004	10/12/2004	11/11/2004	Distribution System 2	1/8/2004
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2004 - 3/31/2004	10/12/2004	11/11/2004	Distribution System 3	1/8/2004
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2004 - 3/31/2004	10/12/2004	11/11/2004	Distribution System	6/30/2004

Total Violations: 7

Water System Name: Salisbury School
Water System Town: Salisbury
PWS ID/Type: CT1220061 / C
Population: 520
Food Service Establishment? Yes

Admin Contact: Mr. Mark Schmidt
Organization: Sailsbury School
Title: Chief Finnancia Offi
Phone / Ext: 860-435-5709 /
E-Mail: mschmidt@salisburyschool.org

Chief Certified Operator(s): Mr. John Randall, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/27/2011 -	2/7/2012				

Total Violations: 1

Water System Name: 254 Twin Lakes Road - Salisbury
Water System Town: Salisbury
PWS ID/Type: CT1220094 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Ms. Michele W. Haab
Organization: Brookwood Marine Inc.
Title: Secretary/Owner
Phone / Ext: 860-824-7583 /
E-Mail: oharaslanding@hotmail.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/10/2010 -	8/23/2010				
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	7/19/2015 -	8/18/2015				

Total Violations: 2

Water System Name: Isola Bella Youth Camp
Water System Town: Salisbury
PWS ID/Type: CT1220164 / NC
Population: 80
Food Service Establishment? Yes

Admin Contact: Mr. Tom Wood
Organization: American School For The Deaf
Title: Business Manager
Phone / Ext: 860-570-2368 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
------------------------------	------------------------------	--------------------------	-------------------	-------------------------------------	-------------------------------------	------------------------------	----------------------------

Local Health Department

Public Water System Compliance Report

CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2014 -	4/25/2014			
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2015 -				
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2012 - 9/30/2012	11/7/2012	12/7/2012	4/4/2013	Distribution System
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2012 - 6/30/2012	8/9/2012	9/8/2012	4/4/2013	Distribution System
MCL, AVERAGE	DISTRIBUTION COLOR	4/1/2012 - 6/30/2012	8/9/2012	9/8/2012	8/17/2012	Distribution System

Total Violations: 5

Water System Name: City Limits
Water System Town: Thomaston
PWS ID/Type: CT1400104 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Eric Palladino, Esq.
Organization: Rat Pack Motorcycle Club
Title: Attorney
Phone / Ext: 860-274-5570 /
E-Mail:

Chief Certified Operator(s):

Violation Name (Type)	Analyte / Requirement	Compliance Period	Issue Date	Public Notification		Water System Facility	Compliance Achieved
				Required	Received		
MCL (TCR), MONTHLY	COLIFORM (TCR)	10/1/2003 - 12/31/2003	11/24/2003	12/24/2003		DISTRIBUTION SYSTEM	9/30/2004
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2014 - 12/31/2014	4/7/2015	5/7/2015		DISTRIBUTION SYSTEM	3/31/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2011 - 12/31/2011	3/21/2012	4/20/2012		DISTRIBUTION SYSTEM	3/31/2012
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	3/1/2004 - 3/31/2004	11/8/2004	12/8/2004		DISTRIBUTION SYSTEM	9/30/2004
MONITORING (TCR), ROUTINE MINOR	COLIFORM (TCR)	2/1/2005 - 2/28/2005	8/4/2005	9/3/2005		DISTRIBUTION SYSTEM	9/30/2005
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/21/2012 -	12/16/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	5/8/2015 -	6/9/2015				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	3/22/2013 -	12/16/2013				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	4/7/2016 -	5/9/2016				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2014 - 12/31/2014	4/7/2015	4/6/2016		Distribution System	3/31/2015
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2011 - 12/31/2011	3/21/2012	3/21/2013		Distribution System	

Total Violations: 11

Local Health Department

Public Water System Compliance Report

Water System Name: Metallon Inc
Water System Town: Thomaston
PWS ID/Type: CT1400112 / NTNC
Population: 30
Food Service Establishment? No

Admin Contact: Mr. Roger W. Porter
Organization: Metallon, Inc.
Title: Qems Representative
Phone / Ext: 860-283-8265 / 106
E-Mail: roger@metallon.com

Chief Certified Operator(s): Mr. George Grela, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CROSS CONNECTION CONTROL	CROSS CONNECTION CONTROL	3/2/2012 -					
MONITORING, ROUTINE MAJOR	Pesticides, Herbicides and PCBs - Phase	1/1/2005 - 12/31/2007	3/17/2008	3/17/2009		Entry Point	12/31/2010

Total Violations: 2

Water System Name: Northfield Brk Lake Rec Area (Beach Cs)
Water System Town: Thomaston
PWS ID/Type: CT1400124 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Vincent Gualtieri
Organization: U.S. Army Corps of Engineers
Title: Project Mgr/Park Mgr
Phone / Ext: 860-283-5540 /
E-Mail: vincent.a.gualtieri@usace.army

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2012 - 6/30/2012	8/9/2012	9/8/2012	8/29/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	7/1/2011 - 9/30/2011	3/5/2012	4/4/2012	3/12/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	4/1/2011 - 6/30/2011	3/5/2012	4/4/2012	3/12/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION TURBIDITY	4/1/2011 - 6/30/2011	3/5/2012	4/4/2012	3/12/2012	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2010 - 9/30/2010	2/28/2011	3/30/2011	4/1/2011	Distribution System	
MONITOR GWR TRIGGERED/ADDITIONAL, MAJOR	E. COLI	10/21/2015 - 10/26/2015	4/6/2016	2/24/2017	4/13/2016	DISTRIBUTION SYSTEM	
MONITORING (TCR), REPEAT	COLIFORM (TCR)	10/1/2015 - 12/31/2015	4/6/2016			DISTRIBUTION SYSTEM	4/1/2016

Total Violations: 7

Local Health Department

Public Water System Compliance Report

Water System Name: Thomaston Lanes Inc.
Water System Town: Thomaston
PWS ID/Type: CT1400204 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Louis Berardi
Organization:
Title: President
Phone / Ext: 860-283-4730 /
E-Mail: thomastonlanes@sbcglobal.net

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	NITRATE	7/1/2005 - 9/30/2005	1/17/2006	2/16/2006		Entry Point	12/31/2005

Total Violations: 1

Water System Name: Torrington Water Company
Water System Town: Torrington
PWS ID/Type: CT1430011 / C
Population: 37915
Food Service Establishment? No

Admin Contact: Ms. Susan M. Suhanovsky
Organization: Torrington Water Company
Title: President
Phone / Ext: 860-489-4149 /
E-Mail: twcwater@aim.com

Chief Certified Operator(s): Mr. Steven Cerruto, Sr.,
 Jacob J. Derwitsch, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MINOR	COLIFORM (TCR)	11/1/2015 - 11/30/2015				DISTRIBUTION SYSTEM	12/31/2015

Total Violations: 1

Water System Name: Burr Pond S.P./Toilet Building Well
Water System Town: Torrington
PWS ID/Type: CT1430104 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/23/2010 -	10/28/2010				

Total Violations: 1

Local Health Department

Public Water System Compliance Report

Water System Name: Burr Pond S.P./Headquarters
Water System Town: Torrington
PWS ID/Type: CT1430114 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Eric Ott
Organization: State of Connecticut/Deep
Title: Director
Phone / Ext: 860-342-2215 / 101
E-Mail: eric.ott@ct.gov

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/25/2010 -	10/28/2010				

Total Violations: 1

Water System Name: Girl Scouts of CT - Camp Maria Pratt
Water System Town: Torrington
PWS ID/Type: CT1430164 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Michele Velez
Organization: Girl Scouts of Connecticut
Title: Dir. Property Svcs.
Phone / Ext: 203-239-2922 / 3329
E-Mail: mvelez@gsofct.org

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION COLOR	10/1/2010 - 12/31/2010	2/1/2011	3/3/2011	2/14/2011	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2010 - 9/30/2010	2/28/2011	3/30/2011	3/9/2011	Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2009 - 9/30/2009	10/23/2009	11/22/2009	10/29/2009	Distribution System	
MCL, SINGLE SAMPLE	DISTRIBUTION COLOR	4/1/2010 - 6/30/2010	7/28/2010	8/27/2010	9/14/2010	Distribution System	
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2005 - 3/31/2005	8/4/2005	9/3/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2004 - 12/31/2004	6/6/2005	7/6/2005		DISTRIBUTION SYSTEM	3/31/2006
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2004 - 9/30/2004	2/14/2005	3/16/2005		DISTRIBUTION SYSTEM	3/31/2006
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	9/2/2010 -	12/19/2013				
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	1/1/2005 - 3/31/2005	8/4/2005	8/4/2006		Distribution System	6/30/2009
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	10/1/2004 - 12/31/2004	6/6/2005	6/6/2006		Distribution System	6/30/2005
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2004 - 9/30/2004	2/14/2005	2/14/2006		Distribution System	6/30/2005

Total Violations: 11

Local Health Department

Public Water System Compliance Report

Water System Name: Lakeside Motel
Water System Town: Torrington
PWS ID/Type: CT1430214 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Aruna Desai
Organization: Santoshi, LLC
Title: Owner
Phone / Ext: 860-482-2515 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITOR GWR TRIGGERED/ADDITONAL, MAJOR	E. COLI	6/26/2015 - 7/1/2015	1/29/2016	1/28/2017	3/2/2016	DISTRIBUTION SYSTEM	
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 7/31/2015	1/29/2016	2/28/2016	3/2/2016	DISTRIBUTION SYSTEM	9/30/2015

Total Violations: 2

Water System Name: Cumberland Farms #4590
Water System Town: Torrington
PWS ID/Type: CT1430234 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Joseph H Petrowski
Organization: Cumberland Farms Inc
Title: President/Ceo
Phone / Ext: 860-482-3502 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/29/2015 -	3/17/2016				

Total Violations: 1

Water System Name: 861 New Harwinton Road
Water System Town: Torrington
PWS ID/Type: CT1430244 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Naeem Khalid
Organization: K Brothers, LLC
Title: Owner
Phone / Ext: 860-757-3434 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	11/29/2015 - 3/15/2016	3/17/2016				3/15/2016
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	9/20/2010 -	10/29/2010				
MONITOR GWR TRIGGERED/ADDITONAL, MAJOR	E. COLI	7/23/2013 - 7/29/2013	3/4/2014	3/4/2015	3/31/2014	Distribution System	
MONITORING (TCR), REPEAT	COLIFORM (TCR)	7/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	11/9/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	10/1/2015 - 10/31/2015	4/5/2016	5/5/2016	5/3/2016	DISTRIBUTION SYSTEM	3/31/2016

Local Health Department

Public Water System Compliance Report

PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	7/17/2014 -	9/10/2014			
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	10/1/2015 - 12/31/2015	4/5/2016	5/3/2016	DISTRIBUTION SYSTEM	4/19/2016

Total Violations: 7

Water System Name: Elks Pond	Admin Contact: Mr. Jakob Derwitsch
Water System Town: Torrington	Organization: Elks Club
PWS ID/Type: CT1430974 / NC	Title: Pond Chairman
Population: 25	Phone / Ext: 860-601-0732 /
Food Service Establishment? Yes	E-Mail: jderwitsch@yahoo.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL, AVERAGE	DISTRIBUTION TURBIDITY	10/1/2013 - 12/31/2013	2/14/2014	3/16/2014	3/3/2014	Distribution System	
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2006 - 9/30/2006	12/11/2006	1/10/2007		DISTRIBUTION SYSTEM	9/30/2007
STATE MONITORING & REPORTING VIOLATION	Physical Parameters	7/1/2006 - 9/30/2006	12/11/2006	12/11/2007		Distribution System	6/30/2007

Total Violations: 3

Water System Name: Torrington Pizza Palace	Admin Contact: Mr. Robert Lambis
Water System Town: Torrington	Organization: Torrington Pizza Palace
PWS ID/Type: CT1435094 / NC	Title: Owner
Population: 25	Phone / Ext: 860-482-3006 /
Food Service Establishment? Yes	E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	12/4/2015
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	7/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	12/4/2015

Total Violations: 2

Water System Name: Hopkins Supply	Admin Contact: Ms. Beth P. Schober
Water System Town: Warren	Organization: Hopkins Inn
PWS ID/Type: CT1490011 / NTNC	Title: President
Population: 36	Phone / Ext: 860-868-7295 /
Food Service Establishment? Yes	E-Mail: befra@snet.net

Chief Certified Operator(s): Mr. Torrence J. Fosslund,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
------------------------------	------------------------------	--------------------------	-------------------	--	--	------------------------------	----------------------------

Local Health Department

Public Water System Compliance Report

MONITOR GWR TRIGGERED/ADDITIONAL, MAJOR	E. COLI	12/28/2013 - 1/2/2014	8/21/2014	8/21/2015	4/5/2016	Distribution System
NOTIFICATION, PUBLIC (PRE-2003)	COLIFORM (TCR)	10/1/1996 - 10/31/1996				
NOTIFICATION, PUBLIC (PRE-2003)	COLIFORM (TCR)	9/1/1996 - 9/30/1996				
NOTIFICATION, STATE	COLIFORM (TCR)	7/1/1993 - 7/31/1993	7/14/1993		7/29/1993	
PH MON/RPT VIOLATION	PH	9/1/2014 - 9/30/2014	11/6/2014	11/6/2015	5/20/2015	Entry Point
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	6/27/2014 -	9/10/2014			

Total Violations: 6

Water System Name: Warren Elementary School
Water System Town: Warren
PWS ID/Type: CT1490102 / NTNC
Population: 140
Food Service Establishment? Yes

Admin Contact: Mr. Scott Yuschak
Organization: Regional School District #6
Title: Maintenance Tech
Phone / Ext: 860-567-7400 /
E-Mail: syuschak@rsd6.org
Chief Certified Operator(s): Mr. Ron W. Black, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
INITIAL/FOLLOW-UP/ROUTINE SOWT M/R (LCR)	LEAD & COPPER RULE	1/1/2000 - 12/31/2000	1/12/2001				

Total Violations: 1

Water System Name: The Washington Club
Water System Town: Warren
PWS ID/Type: CT1490174 / NC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Irene Allan
Organization: Washington Club
Title: Business Manager
Phone / Ext: 860-868-0376 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
FAILURE TO RESPOND TO SANITARY SURVEY	SANITARY SURVEY	2/1/2010 -	6/28/2010				
MCL, AVERAGE	DISTRIBUTION COLOR	4/1/2011 - 6/30/2011	3/1/2012	3/31/2012		Distribution System	
MCL, AVERAGE	DISTRIBUTION COLOR	7/1/2010 - 9/30/2010	2/28/2011	3/30/2011		Distribution System	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/31/2011 -	12/16/2013				
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	4/1/2012 -	12/16/2013				

Total Violations: 5

Local Health Department

Public Water System Compliance Report

Water System Name: Watertown Water & Sewer Authority
Water System Town: Watertown
PWS ID/Type: CT1530021 / C
Population: 9972
Food Service Establishment? No

Admin Contact: Mr. Vincent N. Caterino Jr
Organization: Watertown Water & Sewer Aut
Title: Superintendent
Phone / Ext: 860-945-5299 /
E-Mail: caterino@watertownct.org

Chief Certified Operator(s): Mr. Mario Mucciacciaro,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
FOLLOW-UP OR ROUTINE TAP M/R (LCR)	LEAD & COPPER RULE	1/1/2012 - 12/31/2014	4/7/2015	4/6/2016	6/18/2015	DISTRIBUTION SYSTEM	9/30/2015
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	3/1/2016 - 3/31/2016	6/13/2016			DISTRIBUTION SYSTEM	6/15/2016
MONITORING, ROUTINE (DBP), MAJOR	CHLORINE	3/1/2016 - 3/31/2016	6/13/2016			DISTRIBUTION SYSTEM	6/15/2016
MONITORING, RTN/RPT MAJOR (SWTR-FILTER)	CHLORINE	3/1/2016 - 3/31/2016	6/13/2016			DISTRIBUTION SYSTEM	6/15/2016
Total Violations:							4

Water System Name: 720 Thomaston Road
Water System Town: Watertown
PWS ID/Type: CT1530054 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. John M. Dadona
Organization:
Title:
Phone / Ext: 860-274-7414 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MCL (TCR), MONTHLY	COLIFORM (TCR)	7/1/2009 - 9/30/2009	8/28/2009	9/27/2009		DISTRIBUTION SYSTEM	9/30/2009
MONITORING (TCR), REPEAT	COLIFORM (TCR)	7/1/2009 - 9/30/2009	12/16/2009	1/15/2010		DISTRIBUTION SYSTEM	9/30/2009
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	12/4/2015
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	1/16/2010 -	9/3/2010				
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	7/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	12/4/2015
Total Violations:							5

Local Health Department

Public Water System Compliance Report

Water System Name: 1030 Litchfield Road - Watertown
Water System Town: Watertown
PWS ID/Type: CT1530094 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. George Norman
Organization: Norman Ltd. Real Estate
Title: Owner
Phone / Ext: 860-274-6786 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/14/2016			DISTRIBUTION SYSTEM	6/23/2016
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	7/1/2015 - 9/30/2015	2/1/2016			DISTRIBUTION SYSTEM	2/19/2016
MONITORING, ROUTINE MAJOR	NITRATE	1/1/2016 - 3/31/2016	6/14/2016			ENTRY POINT	6/23/2016
MONITORING, ROUTINE MAJOR	NITRATE	7/1/2015 - 9/30/2015	2/1/2016	1/31/2017		ENTRY POINT	12/31/2015
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/14/2016			DISTRIBUTION SYSTEM	6/23/2016
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	7/1/2015 - 9/30/2015	2/1/2016			DISTRIBUTION SYSTEM	2/19/2016

Total Violations: 6

Water System Name: Watertown Water & Sewer - Westgate
Water System Town: Watertown
PWS ID/Type: CT1539031 / C
Population: 600
Food Service Establishment? No

Admin Contact: Mr. Vincent N. Caterino Jr
Organization: Watertown Water & Sewer Aut
Title: Superintendent
Phone / Ext: 860-945-5299 /
E-Mail: caterino@watertownct.org

Chief Certified Operator(s): Mr. Stephen J. McCusker, Sr.,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE (DBP), MAJOR	TOTAL HALOACETIC ACIDS (HAA5)	1/1/2014 - 12/31/2014	11/25/2014	11/25/2015	6/11/2015	Distribution System	
MONITORING, ROUTINE (DBP), MAJOR	TTHM	1/1/2014 - 12/31/2014	11/25/2014	11/25/2015	6/11/2015	Distribution System	

Total Violations: 2

Local Health Department

Public Water System Compliance Report

Water System Name: Winsted Water Works
Water System Town: Winchester
PWS ID/Type: CT1620011 / C
Population: 7784
Food Service Establishment? No

Admin Contact: Mr. James Rollins
Organization: Department of Public Works
Title: Director
Phone / Ext: 860-379-4101 /
E-Mail: dpwdirector@townofwinchest

Chief Certified Operator(s): Mr. Jeffrey Rines, Certified
 Mr. James F. McCarthy,

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
CCR	CONSUMER CONFIDENCE	8/10/2015 -	10/28/2015				9/28/2015
ADEQUACY/AVAILABILITY/CONTENT	RULE	9/28/2015					
MONITORING (TCR), REPEAT	COLIFORM (TCR)	9/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	10/31/2015

Total Violations: 2

Water System Name: Greenwood Trails
Water System Town: Winchester
PWS ID/Type: CT1620034 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Owen S. Langbart
Organization: Greenwood Trails
Title: Owner
Phone / Ext: 860-379-6517 /
E-Mail: owen@greenwoodtrails.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
TREATMENT EFFLUENT MON/RPT VIOLATION	FREE RESIDUAL CHLORINE	5/1/2015 - 5/31/2015	7/9/2015	7/8/2016		Entry Point	
TREATMENT EFFLUENT MON/RPT VIOLATION	FREE RESIDUAL CHLORINE	9/1/2014 - 9/30/2014	11/6/2014	11/6/2015	11/17/2014	Entry Point	
TREATMENT EFFLUENT MON/RPT VIOLATION	FREE RESIDUAL CHLORINE	8/1/2014 - 8/31/2014	11/3/2014	11/3/2015	11/17/2014	Entry Point	

Total Violations: 3

Water System Name: Crystal Peak
Water System Town: Winchester
PWS ID/Type: CT1620074 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. John Roller
Organization: Crystal Peak
Title:
Phone / Ext: 860-379-7999 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required Received</i>		<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITOR GWR TRIGGERED/ADDITIONAL, MINOR	E. COLI	9/30/2015 - 10/5/2015	4/6/2016	2/24/2017		DISTRIBUTION SYSTEM	
MONITORING (TCR), REPEAT	COLIFORM (TCR)	7/1/2015 - 9/30/2015	2/8/2016			DISTRIBUTION SYSTEM	11/9/2015

Local Health Department Public Water System Compliance Report

Total Violations: 2

Water System Name: Green Woods Country Club
Water System Town: Winchester
PWS ID/Type: CT1620104 / NC
Population: 25
Food Service Establishment? Yes

Admin Contact: Mr. Scott P. Mattiello
Organization: Green Woods Country Club Inc
Title: General Manager
Phone / Ext: 860-379-8302 /
E-Mail:

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING, ROUTINE MAJOR	Nitrate And Nitrite	7/1/2013 - 9/30/2013	2/25/2014	3/27/2014		Entry Point	12/31/2013
PH MON/RPT VIOLATION	PH	8/1/2015 - 8/31/2015	10/26/2015	10/25/2016		ENTRY POINT	
PH MON/RPT VIOLATION	PH	7/1/2015 - 7/31/2015	9/17/2015	9/16/2016		Entry Point	
PH MON/RPT VIOLATION	PH	4/1/2015 - 4/30/2015	6/1/2015	5/31/2016		Entry Point	
PH MON/RPT VIOLATION	PH	12/1/2013 - 12/31/2013	2/4/2014	2/4/2015		Entry Point	
PH MON/RPT VIOLATION	PH	11/1/2013 - 11/30/2013	1/21/2014	1/21/2015		Entry Point	
PUBLIC NOTICE RULE LINKED TO VIOLATION	PUBLIC NOTICE	3/28/2014 -	7/9/2014				
PUBLIC NOTICE RULE NOT LINKED VIOLATION	PUBLIC NOTICE	2/5/2015 -	7/8/2015				

Total Violations: 8

Water System Name: 185 Torrington Road - Lanson Drive
Water System Town: Winchester
PWS ID/Type: CT1620223 / NTNC
Population: 25
Food Service Establishment? No

Admin Contact: Mr. John Pizzimenti
Organization: USA Hauling And Recycling, Inc
Title: Env Compliance Mgr
Phone / Ext: 860-746-3200 / 2112
E-Mail: johnp@usarecycle.com

Chief Certified Operator(s): Mr. Jeremiah J. Weid, Certified

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/3/2016			DISTRIBUTION SYSTEM	5/10/2016
MONITORING, ROUTINE MAJOR	CHLORIDE	1/1/2016 - 3/31/2016	6/3/2016			ENTRY POINT	5/10/2016
MONITORING, ROUTINE MAJOR	ORGANIC CHEMICALS	1/1/2016 - 3/31/2016	6/3/2016			ENTRY POINT	5/10/2016
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/3/2016			DISTRIBUTION SYSTEM	5/10/2016

Total Violations: 4

Local Health Department

Public Water System Compliance Report

Water System Name: At & T - Winchester
Water System Town: Winchester
PWS ID/Type: CT1620233 / NTNC
Population: 25
Food Service Establishment? No

Admin Contact: Ms. Chantel McMorris
Organization: AT&T Services, Inc
Title: Manager
Phone / Ext: 214-646-5685 /
E-Mail: am295w@att.com

Chief Certified Operator(s):

<i>Violation Name (Type)</i>	<i>Analyte / Requirement</i>	<i>Compliance Period</i>	<i>Issue Date</i>	<i>Public Notification Required</i>	<i>Public Notification Received</i>	<i>Water System Facility</i>	<i>Compliance Achieved</i>
MONITORING (TCR), ROUTINE MAJOR	COLIFORM (TCR)	1/1/2016 - 3/31/2016	6/24/2016	7/24/2016		DISTRIBUTION SYSTEM	
STATE MONITORING & REPORTING VIOLATION	PHYSICAL PARAMETERS	1/1/2016 - 3/31/2016	6/24/2016	6/24/2017		DISTRIBUTION SYSTEM	

Total Violations: 2

Public Water System Roster

Torrington Area Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
Bethlehem	CT0105063	151 Main Street, LLC.		NC	No
	CT0100054	Bethlehem Commons	3 Flanders Road	NC	Yes
	CT0100203	Bethlehem Day Care	185 Main Street North	NTNC	No
	CT0100052	Bethlehem Elementary School/District 14	92 East Street	NTNC	Yes
	CT0100024	Bethlehem Square	22 East Street	NC	No
	CT0100064	Bethlehem Town Hall And Library	36 Main Street, South	NC	No
	CT0100114	Christ Episcopal Church	18 Main Street South	NC	No
	CT0100284	Church of The Nativity	48 East Street	NC	No
	CT0100014	First Church of Bethlehem	21 Main Street South	NC	Yes
	CT0105073	Newport Academy	64 Double Hill Road	NTNC	No
	CT0100011	North Purchase Elderly Housing		C	No
	CT0100184	Painted Pony Restuarant	70 Main Street South	NC	Yes
	CT0100224	Sunny Ridge Supermarket	82 Main Street	NC	No
	CT0105023	The Wellspring Foundation, Inc.	21 Arch Bridge Road	NTNC	Yes
	CT0100234	Theos Pizza	15 Main Street	NC	Yes
	CT0105053	Wellspring Foundation - Shiloh	21 Arch Bridge Road	NTNC	No
	CT0105033	Woodhall School, Inc		C	No
Bristol	CT0170011	Bristol Water Department		C	No
Canaan	CT0210044	200 Route 7 North	172 Route 7 N	NC	Yes
	CT0210024	251 Route 7 S	251 Route 7 South	NC	Yes
	CT0210014	Camp Isabella Freedman	116 Johnson Road	NTNC	Yes
	CT0210011	Canaan Water Dept		C	No
	CT0210013	Edward R. Hamilton Bookseller	147 South Route 7	NTNC	No
	CT0210012	Housatonic Valley Regional H S	246 Warren Turnpike Road	NTNC	Yes
	CT0210091	Pine Grove Association, Inc.		C	No

Local Health Department

Public Water System Compliance Report

Torrington Area Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
Cornwall	CT0210023	Town of Canaan	35 Page Road	NTNC	No
	CT0310014	25 Kent Road	25 Kent Rd (cornwall Bridge)	NC	Yes
	CT0310011	Aquarion Water Co of CT-Cornwall System		C	No
	CT0310064	Camp Mohawk (Main System)	246 Great Hill Road	NC	Yes
	CT0310254	Camp Mohawk (Nurse & Winter House)	246 Great Hill Road	NC	No
	CT0315013	Cornwall Child Center, Inc.	8 Cream Hill Road	NTNC	No
	CT0310052	Cornwall Consolidated School	5 Cream Hill Road	NTNC	No
	CT0310084	Cornwall Inn	270 Kent Road	NC	Yes
	CT0311011	Cornwall Water Company		C	No
	CT0311021	Kugeman Village	256 Kent Rd South	C	No
	CT0310244	Mohawk Mountain (Pine Lodge System)	46 Great Hollow Road	NC	Yes
	CT0310144	Mohawk Mtn. Ski Area - Main Lodge	P.o. Box 27, 46 Great Hollow	NC	Yes
	CT0310174	Railroad Square Plaza (Ne Catering)	9 Railroad St	NC	Yes
	CT0310224	Trinity Conference Center Dix House-Main	79 Lower River Road	NC	Yes
CT0310264	Trinity Conference Center-Butler Hall	79 Lower River Road	NC	Yes	
CT0310054	Wandering Moose Cafe & Catering Co	421 Sharon Goshen Turnpike	NC	Yes	
Goshen	CT0550011	Aquarion Water Co of CT-Tlwc		C	No
	CT0550304	Camp Cochipianee	291 Beach Street	NC	No
	CT0550054	Church of Christ/The Childrens Place	5 Old Middle Street (route 63)	NC	Yes
	CT0550354	Church of Latter Day Saints, Goshen	122 North Street	NC	No
	CT0550084	Edmund D. Strang Scout Reservation	278 West Side Road	NC	Yes
	CT0550072	Goshen Center School/Town Bldgs	50 North Street	NTNC	Yes
	CT0550094	Goshen Volunteer Fire Dept	181 Goshen Sharon Turnpike (route 4)	NC	No
	CT0550194	Hemlock Hill Cooperative Camp Resort Inc	118 Hemlock Hill Rd	NC	No
	CT0550314	Mohawk Mountain S.F./Handpump	Mohawk Mountain Road	NC	No
	CT0550234	Nodines Smokehouse	39 North Street	NC	Yes
	CT0550024	Plaza At 61 Sharon Turnpike	61 Sharon Turnpike	NC	Yes
	CT0550254	St. Thomas of Villanova Church	71 North Street	NC	Yes
	CT0550274	Torrington Country Club	250 Torrington Road	NTNC	Yes
	CT0550284	Valley In The Pines Campground, LLC	36 Lucas Road	NC	No
CT0550321	Village Market Place	59 Torrington Road	C	Yes	
CT0550294	Woodridge Lake Association	260 E Hyerdale Drive	NC	Yes	
Harwinton	CT0667014	207 Birge Park Road - Harwinton	207 Birge Park Road	NC	No
	CT0660414	283 Litchfield Rd, LLC		NTNC	No
	CT0660034	Birge Park Commons	178-182 Birge Park Road	NTNC	Yes
	CT0660084	Dr. David L. French	300 Litchfield Road	NC	No
	CT0660424	Fairview Farms Golf Course & Restaurant	300 Hill Road	NC	Yes
	CT0660104	Founders Congregational Church	41 Birge Park Road	NC	No
CT0660341	Garden Lane Apartments	Garden Lane	C	No	

Local Health Department

Public Water System Compliance Report

Torrington Area Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT0660204	Harwinton Rod & Gun	123 Campville Road	NC	Yes
	CT0660294	Immaculate Heart of Mary	78 Litchfield Road	NC	Yes
Kent	CT0680011	Aquarion Water Co of CT-Kent System		C	No
	CT0688011	Brookwoods li	433 Kent Cornwall Rd	C	No
	CT0680044	Bulls Bridge Country Store	337 Kent Road	NC	Yes
	CT0680244	Bulls Bridge Inn	333 Kent Road	NC	Yes
	CT0688104	Club Getaway	59 South Kent Road	NC	No
	CT0680194	Eric Sloane Museum	Route 7	NC	No
	CT0680064	High Watch Farm	62 Carter Road	NC	Yes
	CT0680074	Kenmont & Kenwood Camps	65 Kenmont Road	NC	Yes
	CT0688024	Kent Falls Brewing Company	33 Camps Road	NC	No
	CT0680094	Kent Falls State Park	Route 7	NC	No
	CT0681061	Kent School (Maintenance Well)		C	No
	CT0680021	Kent School Corp (Valley Campus)		C	No
	CT0688103	Kent School Day Care	Route 341	NTNC	No
	CT0680114	Kent School Hockey Rink	Route 341w	NC	No
	CT0680124	Lake Warramaug/Campground Well	West Shore Road	NC	Yes
	CT0680134	Lake Warramaug/Day Use Well	West Shore Road	NC	Yes
	CT0680144	Lake Warramaug/Shop Well	West Shore Road	NC	No
	CT0680174	Macedonia Brook S.P./ Maintenance	159 Macedonia Brook Road	NC	No
	CT0680164	Macedonia Brook S.P./Camp Site #30	Keeler Road	NC	No
	CT0680082	South Kent School	40 Bulls Bridge Rd	C	No
	CT0680031	The Marvelwood School	476 Skiff Mountain Rd	C	No
Litchfield	CT0740374	491 Bantam Road		NC	Yes
	CT0740194	920 Bantam Road		NC	Yes
	CT0740011	Aquarion Water Co of CT-Litchfield Sys		C	No
	CT0740011	Aquarion Water Co of CT-Litchfield Sys		C	No
	CT0740011	Aquarion Water Co of CT-Litchfield Sys		C	No
	CT0740604	Bantam Cinema	99 Bantam Lake Road	NC	Yes
	CT0740034	Bantam Inn Restaurant	810 Bantam Road	NC	Yes
	CT0743011	Bantam Village		C	No
	CT0740094	Cozy Hills Campground - Well 1	11 Cozy Hill (route 202)	NC	No
	CT0740574	Cozy Hills Campground - Well 2	11 Cozy Hill (route 202)	NC	No
	CT0740624	Cozy Hills Campground - Well 3	11 Cozy Hill (route 202)	NC	No
	CT0740424	Da Capo Restaurant	625 Torrington Road	NC	Yes
	CT0740614	Ebner Camps, Inc (Camp Chinqueka)	1519 Bantam Road	NC	No
	CT0740301	Fernwood Rest Home	400 Torrington Road	C	No
	CT0740144	Gooseboro Drive-In	1293 Bantam Road	NC	Yes
	CT0745103	Litchfield Montessori School	5 Knife Shop Road	NTNC	No
	CT0740224	Lourdes of Litchfield(Upper&Lower)	83 Montfort Road	NC	Yes

Local Health Department

Public Water System Compliance Report

Torrington Area Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT0740284	Northfield Bible Church	10 Camp Hill Road	NC	Yes
	CT0745134	Northland Properties, LLC	583 Bantam Rd	NC	Yes
	CT0740344	Peaches N Cream	632 Torrington Road	NC	Yes
	CT0740354	Saint Pauls Episcopal Church	802 Bantam Road	NC	No
	CT0740414	Stonybrook Golf Club	263 Milton Road	NC	Yes
	CT0740444	Toll Gate Hill Inn & Restaurant	571 Torrington Road	NC	Yes
	CT0740464	Topsmead State Park/Chase House	Buell Road	NC	No
	CT0745093	Touchstone N.A.F.I.		C	Yes
	CT0745124	West Shore Seafood LLC	442 Bantam Lake Road	NC	Yes
	CT0740504	White Memorial Campground	North Shore Road	NC	No
	CT0740514	White Memorial Conf. Ctr & Museum	71 Whitehall Road	NC	No
	CT0740524	Wisdom House		NC	Yes
	CT0740534	Woods Pit Bbq And Mexican	123 Bantam Lake Road	NC	Yes
Middlebury	CT0819031	CTWC - Naugatuck Reg - Hillcrest		C	No
	CT0810114	Highfield, Inc.	256 White Deer Rock Road	NC	Yes
	CT0810124	Hop Brook Lake Rec Area (First Cs)	Route 63	NC	No
	CT0810304	Hop Brook Lake Rec Area (West Lawn Cs)	Route 63	NC	No
	CT0810144	Lake Quassapaug Outing Club	2328 Middlebury Road	NC	No
	CT0810284	Maples Restaurant	725 Straits Turnpike	NC	Yes
	CT0815051	Middlebury Commons		C	No
	CT0819013	Middlebury Elementary School	550 Whittemore Road	NTNC	No
	CT0810054	Middlebury Hamlet	Route 64	NTNC	Yes
	CT0810034	Middlebury Mobil	492 Middlebury Road	NC	Yes
	CT0810204	Middlebury Recreation Park	Route 64	NC	No
	CT0810214	Quassapaug Sailing Center, Inc.	West Lake Road	NC	No
	CT0810224	Quassy Amusement Park	2132 Middlebury Road (route 64)	NC	No
	CT0810234	Quassy Field	Route 64	NC	Yes
	CT0810244	Sandy Beach Swim Club	3 Sandy Beach Road	NC	No
	CT0810294	Village Square	530 Middlebury Road	NTNC	No
	CT0819061	West Shore Owners Association	West Lake Road	C	No
	CT0810011	Westover Water Co		C	No
Morris	CT0870214	5 Watertown Road (Rt 63) - Morris		NC	Yes
	CT0878011	Breezy Knoll Association		C	No
	CT0878011	Breezy Knoll Association		C	No
	CT0870244	Buddha Ariyamett Aram Temple	140 East Street (route 109)	NC	No
	CT0870062	Camp Washington, Inc.	190 Kenyon Road	NC	Yes
	CT0870054	East Morris Xtra Mart/Citgo Gas Station	1 Thomaston Road	NC	Yes
	CT0870024	Ebner Camps, Inc. (Awosting)	Route 109	NC	Yes
	CT0878021	Eldridge Elderly Housing	109 East St (rt 109)	C	No
	CT0870114	Giovannis Morris Pizza & Restaurant	227 East Street	NC	Yes

Local Health Department

Public Water System Compliance Report

Torrington Area Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT0870132	James Morris School	10 East Street	NTNC	Yes
	CT0870164	Morris Community Hall And Library	3 East Street	NC	Yes
	CT0878034	Morris Field And Community Pavilion	83 East Shore Rd	NC	Yes
	CT0870254	Popeys Ice Cream Shoppe/Ripe Tomato	7 - 7b West Street (route 109)	NC	Yes
	CT0870344	White Flower Farm	Route 63	NTNC	No
	CT0878023	Winvian Farm Country Inn - Main System	155 Alain White Road	NTNC	No
	CT0878024	Winvian Farm Country Inn -Cottage System	155 Alain White Road	NC	No
Norfolk	CT0980011	Aquarion Water Co of CT-Norfolk System		C	No
	CT0980104	Blackberry River Inn	538 Greenwoods Road West	NC	Yes
North Canaan	CT1000011	Aquarion Water Co of CT-North Canaan Sys		C	No
	CT1000234	Freunds Farm Market & Bakery	324 Norfolk Road	NC	Yes
	CT1000094	Lone Oak Campground	360 Norfolk Road	NC	No
	CT1000124	Mountain Side Lodge	187 South Canaan Road	NTNC	Yes
	CT1000233	Mountainside Treatment Center	181 South Canaan Road	NTNC	No
	CT1000044	North Canaan Congregational Church	172 Lower Road	NC	No
Plymouth	CT1110284	655 Main Street - Plymouth		NC	Yes
	CT1110024	Camp Mattatuck - Well #3	221 Mt. Tobe Road	NC	Yes
	CT1110314	Camp Mattatuck- Leever Lodge	221 Mount Tobe Road	NC	Yes
	CT1110034	Camp Mattatuck- Well #1 And #2 System	221 Mt. Tobe Road	NC	Yes
	CT1110011	CTWC - Naugatuck Reg-Terryville System	69 N Riverside Ave	C	No
	CT1110114	First Congregational Church of Plymouth	10 Park Street	NC	No
	CT1110022	Gentile Campground - Tennis Well	249 Mount Tobe Road	NC	No
	CT1110234	Gentile's Campground - Als Well	249 Mt. Tobe Road	NC	No
	CT1110094	Jehovahs Witnesses	526 Main Street	NC	No
	CT1110274	Plymouth Village	569 Main Street	NC	Yes
Salisbury	CT1220094	254 Twin Lakes Road - Salisbury		NC	Yes
	CT1220011	Aquarion Water Co of CT-Salisbury Sys		C	No
	CT1221031	Chatfield Hill Assn., Inc.		C	No
	CT1220164	Isola Bella Youth Camp	410 Twin Lakes Road	NC	Yes
	CT1220007	Lime Rock Park, LLC	497 Lime Rock Road	NC	Yes
	CT1220061	Salisbury School		C	Yes
	CT1221053	Salisbury School - Boat House	251 Canaan Road - Boat House	NC	No
	CT1220154	Trinity Episcopal Church	484 Lime Rock Road	NC	No
	CT1220134	Twin Lakes Beach Club	Twin Lakes Road	NC	Yes
Southbury	CT1300021	Heritage Water Company		C	No
Thomaston	CT1400104	City Limits	2627 Waterbury Road	NC	Yes
	CT1400011	CTWC - Naugatuck Reg-Thomaston System		C	No
	CT1400011	CTWC - Naugatuck Reg-Thomaston System		C	No
	CT1400054	Eagle Rock Cong. Church	110 Reynolds Bridge Road	NC	Yes
	CT1400112	Metallon Inc	1415 Waterbury Road	NTNC	No

Local Health Department

Public Water System Compliance Report

Torrington Area Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT1400124	Northfield Brk Lake Rec Area (Beach Cs)	Route 254	NC	No
	CT1400234	Northfield Brk Lake Rec Area (Upper Cs)	Hill Road (route 222)	NC	No
	CT1400184	Thomaston Dam Vista Picnic Area	331 Hill Road (route 222)	NC	No
	CT1400204	Thomaston Lanes Inc.	180 Watertown Road	NC	Yes
Torrington	CT1430274	823 New Harwinton Road		NC	Yes
	CT1430244	861 New Harwinton Road	861 New Harwinton Road	NC	Yes
	CT1430114	Burr Pond S.P./Headquarters	Burr Mountain Road	NC	Yes
	CT1430104	Burr Pond S.P./Toilet Building Well	Burr Mountain Road	NC	No
	CT1430234	Cumberland Farms #4590	1439 New Litchfield Street	NC	Yes
	CT1435073	Dr. Munroe's Dental Center	2119 East Main Street	NC	No
	CT1430974	Elks Pond	180 Guerdat Road	NC	Yes
	CT1430164	Girl Scouts of CT - Camp Maria Pratt	Brandy Hill Road	NC	No
	CT1430214	Lakeside Motel	3570 Winsted Road	NC	No
	CT1430024	Torrington Advent Christian Church	217 New Harwinton Road	NC	No
	CT1435094	Torrington Pizza Palace	7 Griswold Street	NC	Yes
	CT1435104	Torrington Toyota Dealership	1472 East Main Street	NC	No
	CT1430011	Torrington Water Company		C	No
	CT1430011	Torrington Water Company		C	No
	CT1430011	Torrington Water Company		C	No
	CT1435053	Uconn - Torrington Campus	855 University Drive	NTNC	Yes
	CT1430854	United Congregational Church-Torrington	1622 Torrington Street	NC	Yes
Warren	CT1490021	Arrow Point Water Co		C	No
	CT1490011	Hopkins Supply	Hopkins Rd	NTNC	Yes
	CT1490174	The Washington Club	20 North Shore Road	NC	No
	CT1490024	Warren Congregational Church	6 Sackett Hill Road	NTNC	No
	CT1490102	Warren Elementary School	21 Sackett Hill Road	NTNC	Yes
Waterbury	CT1510011	Waterbury Water Department		C	No
	CT1510011	Waterbury Water Department		C	No
Watertown	CT1530094	1030 Litchfield Road - Watertown		NC	Yes
	CT1530054	720 Thomaston Road		NC	Yes
	CT1530024	Camp Mataucha	270 Smith Pond Road	NC	No
	CT1530074	Crestbrook Park Pro-Shop/Maintenance	834 Northfield Road	NC	Yes
	CT1539023	Kangaroo Korner Childcare Center	120 French Mountain Road	NTNC	No
	CT1530064	Sunset Grille	834 Northfield Road	NC	Yes
	CT1539024	VFW Post 5157	866 Thomaston Road	NC	Yes
	CT1530011	Watertown Fire District		C	No
	CT1539031	Watertown Water & Sewer - Westgate		C	No
	CT1530021	Watertown Water & Sewer Authority		C	No
	CT1530021	Watertown Water & Sewer Authority		C	No
Winchester	CT1620223	185 Torrington Road - Lanson Drive		NTNC	No

Local Health Department

Public Water System Compliance Report

Torrington Area Health District

Town/City	PWS ID	PWS Name	Physical Address	PWS Classification	Food Service?
	CT1620233	At & T - Winchester	202 Torrington Road	NTNC	No
	CT1620214	Coplex Sports Domain	147 Torrington Road	NC	Yes
	CT1620074	Crystal Peak	164 Torrington Road	NC	Yes
	CT1620104	Green Woods Country Club	300 Torrington Street	NC	Yes
	CT1620034	Greenwood Trails	390 Winchester Road (route	NC	Yes
	CT1620011	Winsted Water Works		C	No

Total Public Water Systems: 230