Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0190051	**BROOKLYN MANOR**	C	30	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
371 CHURCH ST		12				

Towns Served: BROOKLYN

Monitoring Requirements

Water System Facility: **DISTRIBUTION SYSTEM (WSF ID: 00600)**

Asbestos (1094) — **1 routine (RT) per nine years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	1/1/14 - 12/31/22		

Total Coliform (3100) — **1 routine (RT) per month**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	8/1/16 - 8/31/16		Complete
	9/1/16 - 9/30/16		Complete
	10/1/16 - 10/31/16		Complete
	11/1/16 - 11/30/16		Complete
	12/1/16 - 12/31/16		Complete
	1/1/17 - 1/31/17		Complete
	2/1/17 - 2/28/17		
	3/1/17 - 3/31/17		
	4/1/17 - 4/30/17		
	5/1/17 - 5/31/17		
	6/1/17 - 6/30/17		
	7/1/17 - 7/31/17		
	8/1/17 - 8/31/17		

Lead And Copper (PBCU) — **5 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	1/1/16 - 12/31/18	6/1-9/30	
	1/1/19 - 12/31/21	6/1-9/30	

Physical Parameters (PPS) — **1 routine (RT) per month**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	1/1/17 - 1/31/17		
	2/1/17 - 2/28/17		
	3/1/17 - 3/31/17		
	4/1/17 - 4/30/17		
	5/1/17 - 5/31/17		
	6/1/17 - 6/30/17		
	7/1/17 - 7/31/17		
	8/1/17 - 8/31/17		

Physical Parameters (PPX) — **1 routine (RT) per month**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	8/1/16 - 8/31/16		Complete
	9/1/16 - 9/30/16		Complete
	10/1/16 - 10/31/16		Complete
	11/1/16 - 11/30/16		Complete
	12/1/16 - 12/31/16		Complete

Water System Facility: **ENTRY POINT (WSF ID: 00700)**

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0190051	**BROOKLYN MANOR**	C	30	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
371 CHURCH ST		12				

Towns Served: BROOKLYN

Monitoring Requirements

Water System Facility: **ENTRY POINT (WSF ID: 00700)**

Di(2-Ethylhexyl) - Phthalate (2039)			**1 routine (RT) per year**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/16 - 12/31/16		Complete
	1/1/17 - 12/31/17		Complete
	1/1/18 - 12/31/18		

Net Gross Alpha (4000)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Uranium (4006)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Combined Radium-226/228 (4010)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Gross Beta Particle Activity (4100)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Man-Made Beta Particle & Photon Emitters (4101)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Tritium (4102)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Strontium-90 (4174)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0190051	**BROOKLYN MANOR**	C	30	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
371 CHURCH ST		12				

Towns Served: BROOKLYN

Monitoring Requirements

Water System Facility: **ENTRY POINT (WSF ID: 00700)**

Inorganic Chemicals (IOCS)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		
Nitrate And Nitrite (NOX)			**1 routine (RT) per quarter**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	7/1/16 - 9/30/16		Complete
	10/1/16 - 12/31/16		Complete
	1/1/17 - 3/31/17		Complete
	4/1/17 - 6/30/17		
	7/1/17 - 9/30/17		
Pesticides, Herbicides and PCBs-Phase II (SOC2)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		
Pesticides, Herbicides and PCBs-Phase V (SOC5)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		
Organic Chemicals (VOCS)			**1 routine (RT) per three years**
Sampling Point (Sampling Point ID)	***Monitoring Period***	***Collection Period***	***Compliance Status***
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Other Compliance Schedules

Compliance Schedule Activity	*Due Date*	*Achieved Date*
SUBMIT CCR TO THE DEPARTMENT	6/30/2017	
SUBMIT CCR CERTIFICATION FORM	8/9/2017	
CROSS CONNECTION EXEMPTION	3/1/2018	

Water System Facility and Sampling Point Inventory

Water System Facility ID	*Water System Facility*	*Sampling Point ID*	*Sampling Point Description*	*Status*	*Total Coliform Rule*	*Lead and Copper Rule Tier*	*Asbestos*	*Stage 2 DBPR*
00600	DISTRIBUTION SYSTEM	4	DISTRIBUTION SYSTEM	A	Y			
		APT1	APT # 1 KITCHEN SINK	A	Y			
		APT10	KITCHEN SINK APT 10	A	Y	1		
		APT11	KITCHEN SINK APT 11	A	Y	1		

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0190051	**BROOKLYN MANOR**	C	30	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
371 CHURCH ST		12				

Towns Served: BROOKLYN

Water System Facility and Sampling Point Inventory

Water System Facility ID	*Water System Facility*	*Sampling Point ID*	*Sampling Point Description*	*Status*	*Total Coliform Rule*	*Lead and Copper Rule Tier*	*Asbestos*	*Stage 2 DBPR*
		APT12	APARTMENT 12	A	Y			
		APT3	KITCHEN SINK APT 3	A	Y	1		
		APT4	APT 4 KITCHEN	A	Y			
		APT5	APARTMENT 5	A	Y			
		APT6	KITCHEN SINK APT 6	A	Y	1		
		APT7	KITCHEN SINK APT 7	A	Y	1		
		APT8	KITCHEN SINK APT 8	A	Y	1		
		DOWNSTREAM	WITHIN 5 SERVICE CON	A				
		UPSTREAM	WITHIN 5 SERVICE CON	A				
		UTRM	JANITOR SINK	A	Y			
00700	ENTRY POINT	3	ENTRY POINT	A				
298	WELL 1	2	WELL 1	A				

Certified Operator Information

Water System Facility: **DISTRIBUTION SYSTEM (WSF ID: 00600)**

Facility Classification: SMALL WATER SYSTEM

Operator Name	*Operator Type*	*Certification(s)*	*Certification Expiration*
RAHEB, EDMOND M.	CHIEF OPERATOR	SMALL WATER SYSTEM OPERATOR CONDITIONAL	12/31/2019

Contact Information

Name	Organization	Job Title
Mr. Edmond M. Raheb	Brooklyn Manor	Owner/Operator

Mailing Address Line One	Mailing Address Line Two	City	State	Zip Code
P.O. Box 5		Danielson	CT	06239-0005

Business Phone	Extension	Fax	Mobile Phone	Emergency Phone	Email Address
860-774-2508		860-779-3836	860-450-6179	860-774-2508	emraheb@snet.net

Contact Role(s): **Administrative Contact, Legal Contact, Owner**

Please note the following:

1. The residual disinfectant concentration must be measured at the same location and time as each total coliform sample.
2. If a Collection Period is specified, all water quality samples must be collected during the specified period.
3. Depending on results, additional monitoring may be required (i.e. repeat or confirmation samples). This schedule is subject to change, and any related correspondence sent by the DWS on or after the generation date of this schedule will have precedence over what is contained in this schedule.

If you have any questions, please contact the Drinking Water Section at (860) 509-7333.

http://www.ct.gov/dph/publicdrinkingwater

End of schedule

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0199091	**GORMAN ROAD APARTMENTS**	C	25	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
76 GORMAN ROAD		2				

Towns Served: BROOKLYN

Monitoring Requirements

Water System Facility: **DISTRIBUTION SYSTEM (WSF ID: 00600)**

Asbestos (1094) — **1 routine (RT) per nine years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	1/1/11 - 12/31/19		

Total Coliform (3100) — **1 routine (RT) per month**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	8/1/16 - 8/31/16		Complete
	9/1/16 - 9/30/16		Complete
	10/1/16 - 10/31/16		Complete
	11/1/16 - 11/30/16		Complete
	12/1/16 - 12/31/16		
	1/1/17 - 1/31/17		
	2/1/17 - 2/28/17		
	3/1/17 - 3/31/17		
	4/1/17 - 4/30/17		
	5/1/17 - 5/31/17		
	6/1/17 - 6/30/17		
	7/1/17 - 7/31/17		
	8/1/17 - 8/31/17		

Lead And Copper (PBCU) — **5 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	1/1/14 - 12/31/16	6/1-9/30	Complete
	1/1/15 - 12/31/17	6/1-9/30	
	1/1/18 - 12/31/20	6/1-9/30	

Physical Parameters (PPS) — **1 routine (RT) per month**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	1/1/17 - 1/31/17		
	2/1/17 - 2/28/17		
	3/1/17 - 3/31/17		
	4/1/17 - 4/30/17		
	5/1/17 - 5/31/17		
	6/1/17 - 6/30/17		
	7/1/17 - 7/31/17		
	8/1/17 - 8/31/17		

Physical Parameters (PPX) — **1 routine (RT) per month**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
Select from Inventory of Active Sampling Points	8/1/16 - 8/31/16		Complete
	9/1/16 - 9/30/16		Complete
	10/1/16 - 10/31/16		Complete
	11/1/16 - 11/30/16		Complete
	12/1/16 - 12/31/16		

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0199091	**GORMAN ROAD APARTMENTS**	C	25	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
76 GORMAN ROAD		2				

Towns Served: BROOKLYN

Monitoring Requirements

Water System Facility: **ENTRY POINT - WELL 1 & 2 (WSF ID: 00701)**

Nitrate (1040) — **1 routine (RT) per quarter**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	7/1/16 - 9/30/16		Complete
	10/1/16 - 12/31/16		
	1/1/17 - 3/31/17		
	4/1/17 - 6/30/17		
	7/1/17 - 9/30/17		

Nitrite (1041) — **1 routine (RT) per year**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	1/1/16 - 12/31/16		Complete
	1/1/17 - 12/31/17		
	1/1/18 - 12/31/18		

Net Gross Alpha (4000) — **1 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Uranium (4006) — **1 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Combined Radium-226/228 (4010) — **1 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Inorganic Chemicals (IOCS) — **1 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	1/1/14 - 12/31/16		Complete
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Pesticides, Herbicides and PCBs - Phase II & V (SOCS) — **1 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	1/1/14 - 12/31/16		
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Organic Chemicals (VOCS) — **1 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
EP - WELLS 1 & 2 (3)	1/1/14 - 12/31/16		Complete

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0199091	**GORMAN ROAD APARTMENTS**	C	25	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
76 GORMAN ROAD		2				

Towns Served: BROOKLYN

Monitoring Requirements

Water System Facility: **ENTRY POINT - WELL 1 & 2 (WSF ID: 00701)**

Organic Chemicals (VOCS) — **1 routine (RT) per three years**

Sampling Point (Sampling Point ID)	*Monitoring Period*	*Collection Period*	*Compliance Status*
	1/1/17 - 12/31/19		
	1/1/20 - 12/31/22		

Other Compliance Schedules

Compliance Schedule Activity	*Due Date*	*Achieved Date*
SUBMIT CCR TO THE DEPARTMENT	6/30/2017	
SUBMIT CCR CERTIFICATION FORM	8/9/2017	
CROSS CONNECTION EXEMPTION	3/1/2019	

Water System Facility and Sampling Point Inventory

Water System Facility ID	*Water System Facility*	*Sampling Point ID*	*Sampling Point Description*	*Status*	*Total Coliform Rule*	*Lead and Copper Rule Tier*	*Asbestos*	*Stage 2 DBPR*
00600	DISTRIBUTION SYSTEM	4	DISTRIBUTION	A				
		DOWNSTREAM	WITHIN 5 SERVICE CON	A				
		MW001	BLDG 1 OFFICE	A	Y	2		
		MW002	BLDG 1 - APT 2	A	Y	2		
		MW003	BLDG 2 - APT 6	A	Y	2		
		MW004	BLDG 3 - APT 9	A	Y	2		
		MW005	BLDG 4 - APT 13	A	Y	2		
		UPSTREAM	WITHIN 5 SERVICE CON	A				
00701	ENTRY POINT - WELL 1 & 2	3	EP - WELLS 1 & 2	A				
52531	WELL #1	2	WELL #1	A				
52535	WELL #2	2	WELL 2	A				
54449	BLADDER TANKS							

Certified Operator Information

Water System Facility: **DISTRIBUTION SYSTEM (WSF ID: 00600)**

Facility Classification: SMALL WATER SYSTEM

Operator Name	*Operator Type*	*Certification(s)*	*Certification Expiration*
LAFRAMBOISE, PAUL F.	CHIEF OPERATOR	DISTRIBUTION SYSTEM OPERATOR - CLASS I	9/30/2018
		WATER TREATMENT PLANT OPERATOR - CLASS II	9/30/2018
LAFRAMBOISE, JEFFREY	ASSIGNED OPERATOR	WATER TREATMENT PLANT OPERATOR - CLASS I	3/31/2018
		DISTRIBUTION SYSTEM OPERATOR - CLASS I	12/31/2017

Contact Information

Name	Organization	Job Title
Mr. Herbert S. Mark	Gorman Road Apartments	Owner

Mailing Address Line One	Mailing Address Line Two	City	State	Zip Code
P.O. Box 89	76 Gorman Road, Unit 5A	Brooklyn	CT	06234

Business Phone	Extension	Fax	Mobile Phone	Emergency Phone	Email Address

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section
Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0199091	**GORMAN ROAD APARTMENTS**	C	25	P	GW

Local Address (where applicable)	Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
76 GORMAN ROAD		2				

Towns Served: BROOKLYN

860-779-2261				860-779-2261	rangeley@mindspring.com

Contact Role(s): **Administrative Contact, Legal Contact, Owner**

Please note the following:

1. The residual disinfectant concentration must be measured at the same location and time as each total coliform sample.
2. If a Collection Period is specified, all water quality samples must be collected during the specified period.
3. Depending on results, additional monitoring may be required (i.e. repeat or confirmation samples). This schedule is subject to change, and any related correspondence sent by the DWS on or after the generation date of this schedule will have precedence over what is contained in this schedule.

If you have any questions, please contact the Drinking Water Section at (860) 509-7333.

http://www.ct.gov/dph/publicdrinkingwater

End of schedule

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.