

Connecticut Department of Public Health Drinking Water Section Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source		
CT1149033	PRESTON VETERANS MEMORIAL SCHOOL	NTNC	500	L	GW		
Local Address (where applicable)		Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
PRESTON PREK-5				1			

Towns Served: PRESTON

Monitoring Requirements

Water System Facility: **DISTRIBUTION SYSTEM (WSF ID: 00600)**

Asbestos (1094)		1 routine (RT) per nine years			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
Select from Inventory of Active Sampling Points	1/1/11 - 12/31/19				
Total Coliform (3100)		1 routine (RT) per quarter			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
Select from Inventory of Active Sampling Points	7/1/16 - 9/30/16		Complete		
	10/1/16 - 12/31/16		Complete		
	1/1/17 - 3/31/17				
	4/1/17 - 6/30/17				
	7/1/17 - 9/30/17				
Lead And Copper (PBCU)		5 routine (RT) per three years			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
Select from Inventory of Active Sampling Points	1/1/16 - 12/31/18	6/1-9/30			
	1/1/19 - 12/31/21	6/1-9/30			
Physical Parameters (PPS)		1 routine (RT) per quarter			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
Select from Inventory of Active Sampling Points	1/1/17 - 3/31/17				
	4/1/17 - 6/30/17				
	7/1/17 - 9/30/17				
Physical Parameters (PPX)		1 routine (RT) per quarter			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
Select from Inventory of Active Sampling Points	7/1/16 - 9/30/16		Complete		
	10/1/16 - 12/31/16		Complete		
Water System Facility: ENTRY POINT (WSF ID: 00700)					
Inorganic Chemicals (IOCS)		1 routine (RT) per three years			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
ENTRY POINT (3)	1/1/15 - 12/31/17				
	1/1/18 - 12/31/20				
Nitrate And Nitrite (NOX)		1 routine (RT) per year			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
ENTRY POINT (3)	1/1/16 - 12/31/16		Complete		
	1/1/17 - 12/31/17				
	1/1/18 - 12/31/18				
Pesticides, Herbicides and PCBs - Phase II & V (SOCS)		1 routine (RT) per three years			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		
ENTRY POINT (3)	1/1/14 - 12/31/16		Complete		
	1/1/17 - 12/31/19				
	1/1/20 - 12/31/22				
Organic Chemicals (VOCS)		1 routine (RT) per year			
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>		

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source		
CT1149033	PRESTON VETERANS MEMORIAL SCHOOL	NTNC	500	L	GW		
Local Address (where applicable)		Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
PRESTON PREK-5				1			
Towns Served: PRESTON							

Monitoring Requirements

Water System Facility: **ENTRY POINT (WSF ID: 00700)**

Organic Chemicals (VOCS)	1 routine (RT) per year		
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/16 - 12/31/16		Complete
	1/1/17 - 12/31/17		
	1/1/18 - 12/31/18		

Other Compliance Schedules

<i>Compliance Schedule Activity</i>	<i>Due Date</i>	<i>Achieved Date</i>
SUBMIT LEAD CONSUMER NOTICE CERTIFICATE	12/29/2015	
CROSS CONNECTION SURVEY REPORT	3/1/2017	

Water System Facility and Sampling Point Inventory

<i>Water System Facility ID</i>	<i>Water System Facility</i>	<i>Sampling Point ID</i>	<i>Sampling Point Description</i>	<i>Status</i>	<i>Total Coliform Rule</i>	<i>Lead and Copper Rule Tier</i>	<i>Asbestos</i>	<i>Stage 2 DBPR</i>
00600	DISTRIBUTION SYSTEM	4	DISTRIBUTION SYSTEM	A	Y			
		DOWNSTREAM	WITHIN 5 SERVICE CON	A				
		PVM-1	ROOM 1	A	Y	2		
		PVM-10	ROOM 10	A	Y	2		
		PVM-11	CUSTODIANS ROOM	A	Y	2		
		PVM-12	MENS ROOM	A	Y	2		
		PVM-13	WOMENS ROOM	A	Y	2		
		PVM-14	MECHANICAL ROOM	A	Y	2		
		PVM-15	ROOM 15	A	Y	2		
		PVM-16	BOY/GIRL TEAM LAV	A	Y	2		
		PVM-17	NURSES ROOM	A	Y	2		
		PVM-18	ART ROOM	A	Y	2		
		PVM-19	MUSIC ROOM	A	Y	2		
		PVM-2	ROOM 2	A	Y	2		
		PVM-20	ROOM 20	A	Y	2		
		PVM-21	ROOM 21	A		2		
		PVM-22	ROOM 22	A	Y	2		
		PVM-23	ROOM 23	A	Y	2		
		PVM-24	ROOM 24	A	Y	2		
		PVM-25	KITCHEN	A	Y	2		Y
		PVM-26	ROOM 26	A	Y	2		
		PVM-27	ROOM 27	A	Y	2		
		PVM-28	ROOM 28	A	Y	2		
		PVM-29	ROOM 29	A	Y	2		
		PVM-3	ROOM 3	A	Y	2		
		PVM-30	ROOM 30	A	Y	2		
		PVM-31	ROOM 31	A	Y	2		

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section

Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source		
CT1149033	PRESTON VETERANS MEMORIAL SCHOOL	NTNC	500	L	GW		
Local Address (where applicable)		Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
PRESTON PREK-5				1			

Towns Served: PRESTON

Water System Facility and Sampling Point Inventory

Water System Facility ID	Water System Facility	Sampling Point ID	Sampling Point Description	Status	Total Coliform Rule	Lead and Copper Rule Tier	Asbestos	Stage 2 DBPR
		PVM-32	CUSTODIANS ROOM	A	Y	2		
		PVM-33	CUSTODIANS ROOM	A	Y	2		
		PVM-34	CUSTODIANS ROOM	A	Y	2		
		PVM-35	BOYS AND GIRLS LAV	A	Y	2		
		PVM-36	ROOM 36	A	Y	2		
		PVM-37	ROOM 37	A	Y	2		
		PVM-38	ROOM 38	A	Y	2		
		PVM-39	ROOM 39	A	Y	2		
		PVM-4	ROOM 4	A	Y	2		
		PVM-40	ROOM 40	A	Y	2		
		PVM-41	TEACHERS ROOM	A	Y	2		
		PVM-42	MEN AND WOMENS LAV	A	Y	2		
		PVM-43	BOYS AND GIRLS LAV	A	Y	2		
		PVM-44	OFFICE BATHROOMS	A	Y	2		
		PVM-45	OFFICE KITCHEN	A	Y	2		
		PVM-46	CUSTODIANS CLOSET	A	Y	2		
		PVM-5	ROOM 5	A	Y	2		
		PVM-6	ROOM 6	A	Y	2		
		PVM-7	ROOM 7	A	Y	2		
		PVM-8	ROOM 8	A	Y	2		
		PVM-9	ROOM 9	A	Y	2		
		UPSTREAM	WITHIN 5 SERVICE CON	A				
00700	ENTRY POINT	3	ENTRY POINT	A				
11009	WELL #1	2	WELL #1	A				
11010	WELL #2	2	WELL #2	A				
1697	PRESTON VETERANS MEMORIAL PUMPHOUSE							
53763	ATMOSPHERIC STORAGE							
53765	PRESSURE STORAGE							

Certified Operator Information

Water System Facility: PRESTON VETERANS MEMORIAL PUMPHOUSE (WSF ID: 1697)

Facility Classification: CLASS 1 TREATMENT PLANT

Operator Name	Operator Type	Certification(s)	Certification Expiration
HOUSE, MICHAEL D.	CHIEF OPERATOR	WATER TREATMENT PLANT OPERATOR - CLASS II	3/31/2017
THOMPSON, WAYNE J.	ASSIGNED OPERATOR	DISTRIBUTION SYSTEM OPERATOR - CLASS III	12/31/2018
		WATER TREATMENT PLANT OPERATOR - CLASS II	12/31/2017
SIPULESKI, PAUL	ASSIGNED OPERATOR	WATER TREATMENT PLANT OPERATOR - CLASS II	6/30/2017
		DISTRIBUTION SYSTEM OPERATOR - CLASS II	6/30/2017

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source		
CT1149033	PRESTON VETERANS MEMORIAL SCHOOL	NTNC	500	L	GW		
Local Address (where applicable)		Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
PRESTON PREK-5				1			
Towns Served: PRESTON							

Contact Information

Name			Organization			Job Title			
Mr. Jack Welch			Preston Board of Education			Superintendent			
Mailing Address Line One			Mailing Address Line Two			City		State	Zip Code
325 Shetucket Turnpike						Preston		CT	06365
Business Phone	Extension	Fax	Mobile Phone	Emergency Phone	Email Address				
860-889-6098	420	860-889-8685		860-885-9248	welchj@prestonschools.org				
Contact Role(s): Administrative Contact, Legal Contact									

Please note the following:

1. The residual disinfectant concentration must be measured at the same location and time as each total coliform sample.
2. If a Collection Period is specified, all water quality samples must be collected during the specified period.
3. Depending on results, additional monitoring may be required (i.e. repeat or confirmation samples). This schedule is subject to change, and any related correspondence sent by the DWS on or after the generation date of this schedule will have precedence over what is contained in this schedule.

If you have any questions, please contact the Drinking Water Section at (860) 509-7333.

<http://www.ct.gov/dph/publicdrinkingwater>

End of schedule