

November 19th 2010 Department of
Public Health HAI stakeholder meeting
Goal: Learn and Identify risks for ASC
Healthcare acquired infection
transmission

Donna Nucci RN CIC
Yale New Haven Hospital ASD
Donna Nucci Consulting LLC





**14 million procedures in
freestanding centers**

a 300% increase from 1996-2006

Other findings from the report include the following:

- 57.1 million surgical and nonsurgical ambulatory procedures were performed in 2006.
- endoscopies of the large intestine (5.8 million).
- extraction of lens (3.1 million).

**1950's
hospital IC
programs**

**1974 SENIC
project CDC**

**1972 APIC
established**



**EPA-Chemical germicides
sterility and
disinfectants FDA-
safety effectiveness
labeling drugs biologicals
OSHA-Occupational
health risks to
employees**

**NHSN/NISS 70-90's
provide hospitals
with comparable
data**



**1976 JC
requires
specific IC
program
for
hospitals**

**1981 first
documented
cases of HIV**

1998
APIC/SHEA
ASC
consensus
panel report

2008/9
Hepatitis
outbreaks
Nevada

2003
SIP-SCIP
2006



Expectation

6. the degree of probability that something will occur

All healthcare providers will assist in the prevention of HAI

Administrators of medical facilities must support safe injection practices and provide resources to ensure employees have the training and equipment to safely implement these procedures.

CDC



In 2001, an anesthesiologist at a New York endoscopy clinic infected 19 patients with hepatitis C virus (HCV) by improperly reusing syringes and contaminating a multi-dose anesthesia medication vial subsequently used for multiple patients similar incident in both 2002 and 2007, affecting 102 patients in total.

Hepatitis C outbreaks occurred in Nevada in 2008 and was again due to unsafe injection practices involving the reuse of syringes and sharing single-use medication vials between patients 63,000 persons identified as being at potential risk --115 patients infected.

Scope of infection prevention program

- The Infection Prevention Program is **comprehensive** in that it addresses detection, prevention and control of infections among patients and personnel.

Ambulatory Center infection prevention program

GOALS

- Decrease the risk of infection to patients and personnel.
- Monitor for occurrence of infection and implement appropriate control measures.
- Identify and correct problems relating to infection control practices.
- Maintain compliance with state and federal regulations relating to infection control.

2009-- DENVER-- a patient infected with hepatitis C has been found at a second Colorado hospital that employed a surgery technician accused of swapping her dirty syringes for ones filled with painkillers meant for patients.

In 2001, an anesthesiologist at a New York endoscopy clinic infected 19 patients with hepatitis C virus (HCV) by improperly reusing syringes and contaminating a multi-dose anesthesia medication vial subsequently used for multiple patients similar incident in both 2002 and 2007, affecting 102 patients in total.

Hepatitis C outbreaks occurred in Nevada in 2008 and was again due to unsafe injection practices involving the reuse of syringes and sharing single-use medication vials between patients 63,000 persons identified as being at potential risk --115 patients infected.

SUARAREMNER
DOROTAY

Resist

Everything as usual

Refusing to hear new
information





September 2010

1.



LEADERSHIP

Depends on what your definition of leadership is



2.0 involvement

...its about engaging





Does the Prevention on HAI start with Environmental cleaning?




LEARNING

Some people can't do it

motifake.com

3. its about building skills and competence



A close-up photograph of a person's face, focusing on the eye and hair. The eye is brown and looking slightly to the right. The hair is dark and appears to be pulled back. A semi-transparent olive green rectangular box is overlaid on the right side of the image, containing three lines of text.

I **see** the problem

I **own** the problem

I **solve** the problem



How do you want to
report, change,
provide system
change?



Transparency

a foreign concept
in ambulatory care

DID YOU
KNOW





**During the course
of this presentation...**





24 people have died
from medical errors-
That we count

Two people were
murdered in the
United states

228 children under
the age of 5 have
died of pneumonia
worldwide

So, what does it all mean?



Design & Execute
GAME PLAN



DID YOU
KNOW



Why are you here?



We are here because we care.



YOU have been given the ruby slippers



Follow the yellow brick road to create an exceptional environment of patient safety

