

Table 1C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	64,745
Total Records (All Visits)	93,224

Source of Data	Number	%
WIC	64,745	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	64,745	100.0
<i>Excluded Unknown:</i>	0	0.0 %

Race/Ethnic Distribution	Number	%
White, Not Hispanic	16,519	25.5
Black, Not Hispanic	14,424	22.3
Hispanic	31,168	48.1
American Indian/Alaska Native	413	0.6
Asian/Pacific Islander	1,441	2.2
Multiple Races	770	1.2
All Other	0	0.0
Total	64,735	100.0
<i>Excluded Unknown:</i>	10	* %

Age Distribution (4)	Number	%
0 - 5 Months	17,137	26.5
6 - 11 Months	1,254	1.9
12 - 23 Months	16,942	26.2
24 - 35 Months	11,428	17.7
3 - 4 Years	17,984	27.8
Total	64,745	100.0

% of Poverty Level	Number	%
0-50	33,898	52.8
51-100	15,296	23.8
101-130	6,880	10.7
131-150	3,328	5.2
151-185	3,873	6.0
186-200	358	0.6
Over 200	609	0.9
Adjunctive Eligibility	0	0.0
Total	64,242	100.0
<i>Excluded Unknown:</i>	503	0.8 %

Program Participation	Number	%
WIC	64,745	100.0
FoodStamps	64,745	26.8
Medicaid	64,745	85.3
TANF	64,745	10.0
<i>Excluded Unknown:</i>		
WIC	0	0.0
FoodStamps	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	25	*
No	64,062	100.0
Total	64,087	100.0
<i>Excluded Unknown:</i>	658	1.0 %

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Health Indicators
Children Aged < 5 Years (2)

Summary of Health Indicators (3)						
			Connecticut Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
Birthweight (4)						
Low	< 2500 g		16,352	8.9	1,909,620	9.0
High	> 4000 g		16,352	7.0	1,909,620	6.4
Height and Weight						
Short Stature (5)	< 5th		62,798	3.4	7,107,000	6.0
	< 10th		62,798	7.4	7,107,000	10.9
Underweight (6)	< 5th		62,798	7.3	7,107,000	4.5
	< 10th		62,798	11.9	7,107,000	7.7
Obese (6)	≥ 95th		62,798	12.7	7,107,000	14.1
	≥ 2 Yrs Overweight (6)	85th - < 95th	28,432	15.4	2,943,996	16.5
		≥ 95th	28,432	16.0	2,943,996	14.8
Anemia (7)						
Low Hb			42,782	8.8	4,543,993	15.2
Low Hct			883	5.3	572,674	11.2
Low Hb/Hct			43,665	8.7	4,916,523	14.9
Breastfeeding (8)						
Ever Breastfed			16,463	64.9	1,719,083	62.0
Breastfed At Least 6 Months			5,982	26.9	848,761	26.9
Breastfed At Least 12 Months			11,883	19.4	1,038,203	19.1
Smoking in Household						
≤ 2 Hours TV Viewing/ Day (9)			64,724	2.8	3,277,352	10.9
			0	*	744,697	74.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 3C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾				
	Connecticut Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	16,463	64.9	1,719,083	62.0
Breastfed 1+ Weeks	13,678	67.9	1,438,863	58.6
Breastfed 2+ Weeks	8,089	64.4	1,130,089	55.9
Breastfed 3+ Weeks	5,307	62.5	926,949	53.1
Breastfed 4+ Weeks	3,980	59.9	809,718	50.3
Breastfed 6+ Weeks	2,857	52.3	685,195	44.3
Breastfed 2+ Months	2,579	43.0	641,174	39.1
Breastfed 3+ Months	3,048	36.4	678,922	34.2
Breastfed 4+ Months	3,929	32.5	757,778	30.7
Breastfed 5+ Months	4,900	30.4	850,698	27.9
Breastfed 6+ Months	5,982	26.9	848,761	26.9
Breastfed 9+ Months	9,039	22.7	959,723	21.4
Breastfed 12+ Months	11,883	19.4	1,038,203	19.1
Breastfed 18+ Months	8,877	11.1	785,855	10.6
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	0	*	144,421	12.9
Exclusively Breastfed at Least 6 Months	0	*	206,416	7.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut

Comparison of Racial and Ethnic Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Connecticut	64,745	25.5	22.3	48.1	0.6	2.2	1.2	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Comparison of Age Distribution by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Connecticut	64,745	28.4	26.2	45.4
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6C
2009 Pediatric Nutrition Surveillance (1)
Connecticut

Comparison of Growth and Anemia Indicators by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Over- weight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	>95th		85th-	<95th	>95th		
Connecticut	16,352	8.9	7.0	62,798	3.4	7.3	12.7	28,432	15.4	16.0	43,665	8.7
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523	14.9

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Infants born during the reporting period included in the analysis.
 - (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children..
 - (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7C
2009 Pediatric Nutrition Surveillance (1)
Connecticut

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)	Smoking in Household				
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%				
Connecticut	16,463	64.9	5,982	26.9	11,883	19.4	0	*	0	*	64,724	2.8		
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years ⁽²⁾

Growth and Anemia Indicators by Race/Ethnicity or Age ⁽³⁾												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		
Race/Ethnicity												
White, Not Hispanic	4,359	7.9	8.6	16,081	4.0	7.8	10.7	6,998	15.0	13.9	10,640	7.1
Black, Not Hispanic	3,738	10.9	5.3	13,944	3.3	8.4	10.7	6,277	14.2	13.0	9,739	12.3
Hispanic	7,526	8.3	7.0	30,225	3.1	6.2	14.8	14,106	16.5	18.6	21,609	7.8
American Indian/Alaska Native	136	14.7	5.1	405	5.7	9.1	9.4	157	12.7	12.7	254	6.3
Asian/Pacific Islander	355	7.6	5.4	1,398	2.6	10.9	8.9	597	10.4	10.9	962	10.2
Multiple Races	233	9.0	6.0	738	4.5	7.7	13.6	295	11.5	18.0	459	8.3
All Other	5	*	*	7	*	*	*	2	*	*	2	*
Total	16,352	8.9	7.0	62,798	3.4	7.3	12.7	28,432	15.4	16.0	43,665	8.7
Age												
0 - 11 Months	-	-	-	18,204	3.3	12.6	6.4	-	*	*	2,708	10.9
12 - 23 Months	-	-	-	16,162	4.4	5.9	14.0	-	*	*	15,245	9.5
24 - 35 Months	-	-	-	11,160	3.0	5.9	13.2	11,160	14.4	13.2	10,611	9.0
36 - 47 Months	-	-	-	9,234	2.9	4.1	17.3	9,234	15.4	17.3	8,739	7.8
48 - 59 Months	-	-	-	8,038	3.0	3.3	18.3	8,038	16.8	18.3	6,362	6.5
Total	-	-	-	62,798	3.4	7.3	12.7	28,432	15.4	16.0	43,665	8.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9C
2009 Pediatric Nutrition Surveillance (1)
Connecticut

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	4,395	60.5	1,622	23.1	3,030	16.7	0	*	16,515	4.1
Black, Not Hispanic	3,763	61.4	1,282	23.6	2,627	17.2	0	*	14,419	3.3
Hispanic	7,566	68.9	2,817	29.9	5,714	21.3	0	*	31,156	1.9
American Indian/Alaska Native	137	70.1	29	*	77	*	0	*	413	4.4
Asian/Pacific Islander	359	73.0	151	41.7	298	31.5	0	*	1,441	1.9
Multiple Races	236	58.1	80	*	137	17.5	0	*	770	5.2
All Other	7	*	1	*	0	*	0	*	10	*
Total	16,463	64.9	5,982	26.9	11,883	19.4	0	*	64,724	2.8
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	18,388	2.6
12 - 23 Months	-	-	-	-	-	-	0	*	16,938	2.8
24 - 35 Months	-	-	-	-	-	-	0	*	11,421	3.0
36 - 47 Months	-	-	-	-	-	-	0	*	9,437	2.9
48 - 59 Months	-	-	-	-	-	-	0	*	8,540	3.0
Total	16,463	64.9	5,982	26.9	11,883	19.4	0	*	64,724	2.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2009	64,745	25.5	22.3	48.1	0.6	2.2	1.2	0.0
2008	60,964	25.6	23.2	47.5	0.6	2.1	1.0	0.0
2007	56,872	25.6	24.1	46.8	0.5	1.9	1.0	0.0
2006	55,013	26.7	24.8	45.3	0.4	1.8	0.9	0.0
2005	54,764	27.5	25.6	43.7	0.3	1.8	0.6	0.5
2004	56,050	27.8	26.5	41.4	0.2	1.5	0.2	2.3
2003	46,886	28.0	26.5	40.4	0.2	1.3	0.0	3.7
2002	761	31.1	24.6	38.0	0.3	1.6	0.0	4.5
2001	51,410	29.6	27.7	38.4	0.2	1.2	0.0	2.9
2000	857	35.8	28.5	32.1	0.0	0.8	0.0	2.8
1999	13	*	*	*	*	*	*	*
1998	53,177	31.8	29.7	35.2	0.2	1.2	0.0	2.0
1997	49,384	32.9	29.3	34.7	0.2	1.3	0.0	1.6
1996	0	*	*	*	*	*	*	*
1995	5,838	36.4	25.9	36.2	1.2	0.3	0.0	0.0
1994	6,823	38.8	26.2	33.8	1.1	0.2	0.0	0.0
1993	6,625	39.3	26.2	33.3	1.0	0.3	0.0	0.0
1992	3,587	37.9	29.5	31.7	0.8	0.2	0.0	0.0
1991	6,882	42.9	26.0	30.3	0.6	0.1	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1990	6,002	42.8	28.4	28.1	0.5	0.1	0.0	0.0
1989	5,867	44.7	28.7	25.6	0.7	0.2	0.0	0.0
1988	5,907	51.0	26.3	21.7	0.6	0.4	0.0	0.0
1987	5,234	54.2	25.1	19.9	0.6	0.3	0.0	0.0
1986	2,396	59.2	28.1	11.7	0.7	0.3	0.0	0.0
1985	2,344	65.9	23.6	9.4	0.8	0.4	0.0	0.0
1984	2,529	70.1	19.4	9.6	0.6	0.4	0.0	0.0
1983	2,009	77.1	11.1	10.0	0.4	1.3	0.0	0.0
1982	3,232	57.3	17.8	23.2	0.3	1.4	0.0	0.0
1981	40	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2009	64,745	28.4	26.2	45.4
2008	60,964	29.5	26.9	43.7
2007	56,872	31.7	25.7	42.6
2006	55,013	31.6	25.3	43.1
2005	54,764	29.9	22.8	47.3
2004	56,050	28.8	22.8	48.5
2003	46,886	27.9	22.7	49.4
2002	761	33.1	26.0	40.9
2001	51,410	34.7	21.1	44.1
2000	857	45.6	15.5	38.9
1999	13	*	*	*
1998	53,177	34.8	20.4	44.8
1997	49,384	26.8	22.5	50.7
1996	0	*	*	*
1995	5,838	34.8	18.6	46.6
1994	6,823	34.7	18.3	47.0
1993	6,625	33.8	18.9	47.4
1992	3,587	33.0	20.2	46.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1991	6,882	35.3	20.0	44.6
1990	6,002	36.2	19.5	44.3
1989	5,867	35.0	19.6	45.4
1988	5,907	35.0	20.2	44.8
1987	5,234	33.0	19.3	47.7
1986	2,396	37.1	22.3	40.7
1985	2,344	42.0	21.2	36.7
1984	2,529	53.6	16.5	29.9
1983	2,009	59.6	15.6	24.8
1982	3,232	59.8	13.6	26.6
1981	40	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2009	16,352	8.9	7.0	62,798	3.4	7.3	12.7	28,432	15.4	16.0	43,665	8.7
2008	16,024	9.5	7.0	59,088	3.6	7.6	12.3	25,623	15.7	15.5	40,618	9.1
2007	15,771	8.8	6.5	55,220	3.9	7.6	12.4	23,356	16.0	16.2	37,273	9.7
2006	15,230	9.5	6.7	53,416	3.9	7.7	12.2	22,854	16.5	16.2	36,481	9.4
2005	14,616	9.3	7.0	53,180	4.0	7.1	12.7	24,956	16.3	16.6	37,032	8.7
2004	14,430	9.2	6.9	54,429	4.0	7.0	13.1	26,109	15.9	16.9	38,724	9.4
2003	10,899	9.7	6.9	45,457	6.0	5.1	16.8	22,495	17.6	19.6	36,004	9.9
2002	215	10.7	7.0	649	4.8	7.9	14.3	280	18.2	19.6	554	10.1
2001	13,868	9.0	7.9	50,032	6.2	5.2	16.3	22,083	17.3	18.7	39,670	10.4
2000	376	7.4	9.0	829	3.3	5.9	13.6	319	17.9	16.6	591	10.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1999	0	*	*	2	*	*	*	0	*	*	5	*
1998	14,129	10.3	8.0	51,780	6.7	5.3	15.4	23,272	17.8	17.8	41,153	10.8
1997	8,817	9.4	8.1	48,370	6.9	4.9	15.9	24,511	17.1	16.6	42,707	10.8
1996	0	*	*	0	*	*	*	0	*	*	0	*
1995	992	8.9	8.9	5,683	4.7	6.6	11.5	2,659	15.0	13.2	3,407	9.4
1994	1,448	7.9	8.6	6,620	4.8	7.4	11.2	3,096	13.8	12.7	4,269	7.3
1993	1,215	10.1	6.0	6,431	4.7	7.4	10.7	3,068	12.9	11.8	4,065	6.0
1992	623	8.2	8.7	3,469	5.2	7.5	12.2	1,639	13.8	12.6	1,911	8.7
1991	1,401	8.3	7.6	6,582	4.6	8.2	10.5	2,952	14.7	11.3	4,497	9.4
1990	1,204	9.1	8.0	5,705	5.0	7.4	10.5	2,588	14.5	11.0	3,907	7.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥ 95th		85th-<95th	≥95th			
1989	1,237	10.3	7.0	5,570	4.8	6.8	10.4	2,582	13.7	11.0	3,909	8.4
1988	1,092	7.9	9.2	5,598	4.5	7.5	10.1	2,556	12.9	11.0	3,886	8.6
1987	1,039	8.3	9.9	4,983	4.7	7.2	9.3	2,416	13.6	9.9	3,209	7.5
1986	487	8.4	9.2	2,320	5.9	6.4	10.6	949	12.8	8.7	1,498	7.6
1985	615	9.1	7.8	2,268	6.7	8.1	8.8	852	11.0	6.7	1,506	11.0
1984	926	9.4	9.9	2,420	6.2	9.1	6.4	723	12.3	6.6	1,311	10.1
1983	844	8.9	8.8	1,928	6.6	12.6	7.6	488	8.8	7.2	978	9.6
1982	1,653	9.7	6.2	2,991	8.5	11.3	6.4	838	13.0	7.6	1,371	10.9
1981	30	*	*	26	*	*	*	4	*	*	6	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2009	16,463	64.9	5,982	26.9	11,883	19.4
2008	16,105	62.8	5,966	24.4	11,481	17.2
2007	15,813	60.6	5,604	24.0	10,416	18.7
2006	15,299	57.8	5,370	24.6	9,809	18.3
2005	14,667	56.3	5,330	22.9	9,646	17.2
2004	14,459	55.3	5,725	22.9	10,005	17.2
2003	10,899	53.8	4,793	23.0	7,741	16.5
2002	215	56.7	151	23.8	183	15.3
2001	13,868	49.3	8,784	23.4	7,977	17.7
2000	377	46.4	196	15.8	131	11.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1999	0	*	7	*	1	*
1998	14,129	42.7	8,760	22.4	7,588	16.8
1997	8,817	40.2	8,818	17.5	7,760	11.8
1996	0	*	0	*	0	*
1995	788	35.7	300	11.3	197	7.1
1994	1,151	33.7	628	12.4	447	5.1
1993	995	33.3	508	9.6	378	4.5
1992	556	26.1	308	8.1	237	4.2
1991	1,286	25.8	814	7.4	689	3.6
1990	1,087	29.8	665	8.3	561	2.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1989	1,152	26.1	788	7.0	645	3.7
1988	1,047	26.7	837	6.6	618	2.6
1987	1,002	25.1	736	7.3	613	4.4
1986	487	37.4	354	12.4	298	3.4
1985	613	36.4	458	7.2	344	4.9
1984	925	38.9	479	15.0	332	8.1
1983	845	40.4	347	15.9	191	11.0
1982	1,653	30.7	370	13.0	245	4.9
1981	30	*	0	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C
2009 Pediatric Nutrition Surveillance
Connecticut
Children Aged < 5 Years

Page: 20
Run Date: 3 / 23 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2009 Pediatric Nutrition Surveillance
Connecticut
Children Aged < 5 Years

Page: 21
Run Date: 3 / 23 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	4,982	4.3	4,982	12.8	4,982	6.4	0	0.0	0.0
12 - 23 Months	4,101	4.4	4,101	6.5	4,101	10.6	0	0.0	0.0
24 - 59 Months	6,998	3.5	6,998	5.0	6,998	13.9	6,998	15.0	13.9
Total	16,081	4.0	16,081	7.8	16,081	10.7	6,998	15.0	13.9
Black, Not Hispanic									
0 - 11 Months	4,111	3.6	4,111	14.3	4,111	5.1	0	0.0	0.0
12 - 23 Months	3,556	4.8	3,556	6.7	3,556	13.1	0	0.0	0.0
24 - 59 Months	6,277	2.3	6,277	5.6	6,277	13.0	6,277	14.2	13.0
Total	13,944	3.3	13,944	8.4	13,944	10.7	6,277	14.2	13.0
Hispanic									
0 - 11 Months	8,286	2.4	8,286	11.6	8,286	7.0	0	0.0	0.0
12 - 23 Months	7,833	4.3	7,833	5.0	7,833	16.5	0	0.0	0.0
24 - 59 Months	14,106	2.9	14,106	3.7	14,106	18.6	14,106	16.5	18.6
Total	30,225	3.1	30,225	6.2	30,225	14.8	14,106	16.5	18.6
American Indian/Alaska Native									
0 - 11 Months	144	8.3	144	9.7	144	6.3	0	0.0	0.0
12 - 23 Months	104	4.8	104	7.7	104	8.7	0	0.0	0.0
24 - 59 Months	157	3.8	157	9.6	157	12.7	157	12.7	12.7
Total	405	5.7	405	9.1	405	9.4	157	12.7	12.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	420	1.9	420	13.3	420	5.5	0	0.0	0.0
12 - 23 Months	381	3.1	381	10.5	381	9.7	0	0.0	0.0
24 - 59 Months	597	2.8	597	9.4	597	10.9	597	10.4	10.9
Total	1,398	2.6	1,398	10.9	1,398	8.9	597	10.4	10.9
Multiple Races									
0 - 11 Months	256	3.9	256	11.7	256	8.2	0	0.0	0.0
12 - 23 Months	187	6.4	187	5.3	187	13.9	0	0.0	0.0
24 - 59 Months	295	3.7	295	5.8	295	18.0	295	11.5	18.0
Total	738	4.5	738	7.7	738	13.6	295	11.5	18.0
All Other/Unknown									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	2	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	18,204	3.3	18,204	12.6	18,204	6.4	0	0.0	0.0
12 - 23 Months	16,162	4.4	16,162	5.9	16,162	14.0	0	0.0	0.0
24 - 59 Months	28,432	2.9	28,432	4.6	28,432	16.0	28,432	15.4	16.0
Total	62,798	3.4	62,798	7.3	62,798	12.7	28,432	15.4	16.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 24
Run Date: 3 / 23 / 10

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	708	9.6	6 - 11 Months	80	*
12 - 17 Months	2,491	7.7	12 - 17 Months	229	12.7
18 - 23 Months	1,277	7.3	18 - 23 Months	135	5.9
24 - 35 Months	2,535	6.4	24 - 35 Months	210	12.4
36 - 59 Months	3,629	6.4	36 - 59 Months	308	9.1
Total	10,640	7.1	Total	962	10.2
Black, Not Hispanic			Multiple Races		
6 - 11 Months	606	12.4	6 - 11 Months	36	*
12 - 17 Months	2,199	12.1	12 - 17 Months	97	*
18 - 23 Months	1,169	12.2	18 - 23 Months	60	*
24 - 35 Months	2,394	14.1	24 - 35 Months	125	10.4
36 - 59 Months	3,371	11.3	36 - 59 Months	141	7.8
Total	9,739	12.3	Total	459	8.3
Hispanic			All Other/Unknown		
6 - 11 Months	1,264	11.1	6 - 11 Months	0	*
12 - 17 Months	4,871	9.1	12 - 17 Months	0	*
18 - 23 Months	2,613	9.5	18 - 23 Months	0	*
24 - 35 Months	5,277	7.9	24 - 35 Months	1	*
36 - 59 Months	7,584	5.8	36 - 59 Months	1	*
Total	21,609	7.8	Total	2	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	14	*	6 - 11 Months	2,708	10.9
12 - 17 Months	64	*	12 - 17 Months	9,951	9.4
18 - 23 Months	40	*	18 - 23 Months	5,294	9.5
24 - 35 Months	69	*	24 - 35 Months	10,611	9.0
36 - 59 Months	67	*	36 - 59 Months	15,101	7.3
Total	254	6.3	Total	43,665	8.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁷⁾	
		Low		High	Short Stature ⁽⁵⁾		Under- weight ⁽⁶⁾	Obese ⁽⁶⁾	≥ 2 Yrs Overweight ⁽⁶⁾				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
White, Not Hispanic	2009	4,359	7.9	8.6	16,081	4.0	7.8	10.7	6,998	15.0	13.9	10,640	7.1
	2008	4,257	8.6	9.0	15,178	4.1	7.9	11.1	6,388	16.2	13.9	10,048	6.9
	2007	4,230	8.1	7.6	14,197	4.1	8.2	10.6	5,856	15.5	14.0	9,240	7.2
	2006	4,180	8.7	8.3	14,303	4.3	7.9	10.4	5,929	16.3	13.9	9,460	7.9
	2005	4,217	8.9	8.6	14,684	4.4	7.7	11.0	6,542	15.5	14.2	9,856	6.7
	2004	4,283	8.6	9.0	15,194	4.5	7.4	10.9	6,887	15.5	14.4	10,335	7.1
	2003	3,321	8.8	8.9	12,755	6.3	5.2	14.4	6,067	18.5	16.2	9,739	7.4
	2002	77	*	*	212	5.2	6.6	17.9	84	*	*	165	6.7
	2001	4,325	8.4	9.9	14,869	6.4	5.6	13.7	6,259	17.5	15.2	11,413	7.7
	2000	150	7.3	11.3	295	4.1	5.4	11.9	98	*	*	195	6.7
Black, Not Hispanic	2009	3,738	10.9	5.3	13,944	3.3	8.4	10.7	6,277	14.2	13.0	9,739	12.3
	2008	3,732	13.0	5.2	13,616	3.6	8.6	10.7	5,933	14.0	13.3	9,427	12.8
	2007	3,788	11.2	4.9	13,229	3.7	8.9	10.7	5,687	14.4	13.5	9,050	13.3
	2006	3,785	11.7	5.6	13,170	3.9	9.0	10.8	5,703	15.3	13.7	9,102	12.6
	2005	3,565	11.8	5.4	13,491	3.6	8.0	11.4	6,422	14.4	14.3	9,656	11.9
	2004	3,829	11.9	5.4	14,373	3.7	7.8	11.7	7,009	15.5	14.4	10,361	12.9
	2003	2,848	12.1	5.6	11,993	5.8	5.8	15.7	5,905	16.2	17.3	9,590	13.4
	2002	50	*	*	154	3.9	12.3	7.8	66	*	*	140	13.6
	2001	3,815	11.5	6.2	13,810	6.3	5.5	15.7	6,132	16.7	16.5	11,119	14.3
	2000	105	7.6	6.7	236	2.1	7.2	14.4	91	*	*	174	13.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2009 Pediatric Nutrition Surveillance (1)
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Hispanic	2009	7,526	8.3	7.0	30,225	3.1	6.2	14.8	14,106	16.5	18.6	21,609	7.8
	2008	7,382	8.3	6.9	28,086	3.3	6.6	14.0	12,441	16.3	17.7	19,675	8.4
	2007	7,110	8.0	6.6	25,872	3.8	6.4	14.4	11,098	17.0	19.0	17,772	9.0
	2006	6,695	8.8	6.3	24,248	3.7	6.5	14.3	10,573	17.5	19.1	16,849	8.5
	2005	6,342	8.1	6.8	23,289	3.8	6.1	14.9	11,208	17.9	19.9	16,332	8.1
	2004	5,669	7.9	6.4	22,520	3.8	5.9	15.6	11,147	16.4	20.1	16,404	8.7
	2003	4,107	9.0	6.4	18,364	6.0	4.1	19.6	9,478	18.2	23.3	14,887	9.1
	2002	71	*	*	242	5.4	5.8	15.7	119	20.2	20.2	220	10.9
	2001	5,078	7.5	7.6	19,204	6.0	4.5	19.2	8,849	17.7	23.1	15,470	9.7
	2000	100	6.0	9.0	267	3.7	5.6	15.0	121	20.7	21.5	206	12.6
American Indian/Alaska Native	2009	136	14.7	5.1	405	5.7	9.1	9.4	157	12.7	12.7	254	6.3
	2008	103	12.6	5.8	356	3.9	12.1	10.1	114	15.8	18.4	238	7.6
	2007	131	6.9	5.3	301	4.7	13.0	9.3	88	*	*	152	11.8
	2006	83	*	*	198	3.5	11.6	13.6	69	*	*	110	10.0
	2005	49	*	*	157	5.1	12.1	10.2	69	*	*	102	7.8
	2004	34	*	*	117	5.1	7.7	9.4	57	*	*	85	*
	2003	19	*	*	89	*	*	*	44	*	*	70	*
	2002	1	*	*	2	*	*	*	0	*	*	2	*
	2001	29	*	*	90	*	*	*	36	*	*	70	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2009 Pediatric Nutrition Surveillance (1)
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Asian/Pacific Islander	2009	355	7.6	5.4	1,398	2.6	10.9	8.9	597	10.4	10.9	962	10.2
	2008	385	7.3	5.2	1,250	4.1	11.5	8.6	507	13.6	11.6	811	11.1
	2007	319	8.5	7.2	1,051	4.5	12.4	9.3	438	14.2	11.4	710	12.4
	2006	273	11.4	4.8	982	4.2	13.6	7.0	426	12.2	8.7	675	10.8
	2005	286	10.5	4.9	983	5.3	10.8	7.7	456	13.2	8.3	689	8.1
	2004	254	12.2	7.1	843	3.9	12.2	10.3	367	9.5	14.7	568	7.7
	2003	149	8.7	2.7	575	6.3	7.1	13.4	270	13.0	17.8	435	9.0
	2002	4	*	*	11	*	*	*	4	*	*	8	*
	2001	217	10.6	6.0	608	6.7	8.7	12.7	222	14.0	16.7	446	9.6
	2000	5	*	*	7	*	*	*	2	*	*	3	*
Multiple Races	2009	233	9.0	6.0	738	4.5	7.7	13.6	295	11.5	18.0	459	8.3
	2008	165	8.5	7.3	602	3.7	7.6	9.5	240	17.9	11.3	419	10.0
	2007	188	6.9	8.5	564	3.7	8.7	11.0	189	18.0	11.1	349	11.2
	2006	208	7.7	7.7	505	4.2	8.7	9.9	152	15.8	13.2	279	9.7
	2005	131	7.6	10.7	327	4.0	8.0	9.8	129	17.1	9.3	190	9.5
	2004	35	*	*	119	0.8	8.4	7.6	43	*	*	82	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2009 Pediatric Nutrition Surveillance (1)
Connecticut

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)					
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
All Other/Unknown	2009	5	*	*	7	*	*	*	2	*	*	2	*
	2008	0	*	*	0	*	*	*	0	*	*	0	*
	2007	5	*	*	6	*	*	*	0	*	*	0	*
	2006	6	*	*	10	*	*	*	2	*	*	6	*
	2005	26	*	*	249	4.0	4.8	14.1	130	19.2	13.8	207	8.2
	2004	326	7.4	6.4	1,263	4.0	9.4	13.1	599	17.0	16.4	889	8.1
	2003	455	8.1	6.6	1,681	5.3	7.6	14.6	731	16.1	17.4	1,283	11.5
	2002	12	*	*	28	*	*	*	7	*	*	19	*
	2001	404	9.4	7.7	1,451	5.7	7.0	12.3	585	17.4	13.2	1,152	10.9
	2000	16	*	*	24	*	*	*	7	*	*	13	*
Total All Race/Ethnic Groups	2009	16,352	8.9	7.0	62,798	3.4	7.3	12.7	28,432	15.4	16.0	43,665	8.7
	2008	16,024	9.5	7.0	59,088	3.6	7.6	12.3	25,623	15.7	15.5	40,618	9.1
	2007	15,771	8.8	6.5	55,220	3.9	7.6	12.4	23,356	16.0	16.2	37,273	9.7
	2006	15,230	9.5	6.7	53,416	3.9	7.7	12.2	22,854	16.5	16.2	36,481	9.4
	2005	14,616	9.3	7.0	53,180	4.0	7.1	12.7	24,956	16.3	16.6	37,032	8.7
	2004	14,430	9.2	6.9	54,429	4.0	7.0	13.1	26,109	15.9	16.9	38,724	9.4
	2003	10,899	9.7	6.9	45,457	6.0	5.1	16.8	22,495	17.6	19.6	36,004	9.9
	2002	215	10.7	7.0	649	4.8	7.9	14.3	280	18.2	19.6	554	10.1
	2001	13,868	9.0	7.9	50,032	6.2	5.2	16.3	22,083	17.3	18.7	39,670	10.4
	2000	376	7.4	9.0	829	3.3	5.9	13.6	319	17.9	16.6	591	10.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2009	4,395	60.5	1,622	23.1	3,030	16.7
	2008	4,288	57.5	1,620	22.2	2,966	15.7
	2007	4,241	57.0	1,392	19.5	2,593	16.2
	2006	4,195	54.8	1,513	22.4	2,623	17.7
	2005	4,232	52.9	1,501	21.7	2,710	16.6
	2004	4,288	51.5	1,645	20.9	2,834	14.4
	2003	3,321	48.9	1,257	18.1	2,152	13.8
	2002	77	*	47	*	59	*
	2001	4,325	44.7	2,510	20.2	2,368	15.7
	2000	150	48.0	70	*	48	*
Black, Not Hispanic	2009	3,763	61.4	1,282	23.6	2,627	17.2
	2008	3,754	59.6	1,298	21.4	2,602	13.8
	2007	3,804	55.1	1,360	21.7	2,512	15.2
	2006	3,807	51.2	1,189	21.5	2,317	13.9
	2005	3,590	49.4	1,362	17.8	2,506	14.2
	2004	3,840	49.5	1,523	20.3	2,597	14.9
	2003	2,848	49.8	1,315	20.5	2,064	15.7
	2002	50	*	35	*	47	*
	2001	3,815	43.0	2,551	23.1	2,150	16.8
	2000	105	45.7	57	*	40	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2009	7,566	68.9	2,817	29.9	5,714	21.3
	2008	7,408	67.3	2,804	27.1	5,445	19.4
	2007	7,119	65.5	2,642	27.6	4,942	21.8
	2006	6,725	63.0	2,487	27.4	4,552	20.6
	2005	6,352	61.9	2,311	26.1	4,133	18.9
	2004	5,680	60.7	2,331	25.4	4,170	20.0
	2003	4,107	58.6	1,904	26.6	3,090	17.6
	2002	71	*	59	*	62	*
	2001	5,078	56.4	3,296	24.6	3,084	18.3
	2000	101	45.5	62	*	42	*
American Indian/Alaska Native	2009	137	70.1	29	*	77	*
	2008	103	66.0	46	*	105	13.3
	2007	133	59.4	37	*	59	*
	2006	85	*	18	*	33	*
	2005	50	*	15	*	28	*
	2004	34	*	12	*	21	*
	2003	19	*	11	*	17	*
	2002	1	*	1	*	1	*
	2001	29	*	13	*	15	*
	2000	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2009	359	73.0	151	41.7	298	31.5
	2008	387	70.5	121	29.8	232	25.9
	2007	321	67.9	112	28.6	184	25.0
	2006	273	66.7	95	*	178	32.0
	2005	286	68.5	104	31.7	173	23.7
	2004	255	63.5	90	*	158	23.4
	2003	149	59.1	78	*	98	*
	2002	4	*	2	*	4	*
	2001	217	48.8	125	18.4	86	*
	2000	5	*	1	*	0	*
Multiple Races	2009	236	58.1	80	*	137	17.5
	2008	165	55.2	77	*	131	14.5
	2007	190	54.2	61	*	126	10.3
	2006	208	53.4	67	*	106	8.5
	2005	131	54.2	31	*	60	*
	2004	35	*	12	*	33	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2009	7	*	1	*	0	*
	2008	0	*	0	*	0	*
	2007	5	*	0	*	0	*
	2006	6	*	1	*	0	*
	2005	26	*	6	*	36	*
	2004	327	69.1	112	27.7	192	25.0
	2003	455	70.8	228	33.3	320	28.1
	2002	12	*	7	*	10	*
	2001	404	69.1	289	41.2	274	31.8
	2000	16	*	6	*	1	*
Total All Race/Ethnic Groups	2009	16,463	64.9	5,982	26.9	11,883	19.4
	2008	16,105	62.8	5,966	24.4	11,481	17.2
	2007	15,813	60.6	5,604	24.0	10,416	18.7
	2006	15,299	57.8	5,370	24.6	9,809	18.3
	2005	14,667	56.3	5,330	22.9	9,646	17.2
	2004	14,459	55.3	5,725	22.9	10,005	17.2
	2003	10,899	53.8	4,793	23.0	7,741	16.5
	2002	215	56.7	151	23.8	183	15.3
	2001	13,868	49.3	8,784	23.4	7,977	17.7
	2000	377	46.4	196	15.8	131	11.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																							
Age and Year *	Height and Weight								Age and Year *	Height and Weight													
	Short Stature (4)		Under- weight (5)		Obese (5)					≥ 2 Yrs Overweight (5)			Short Stature (4)		Under- weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)				
	Number	%	%	%	Number	%	%			Number	%	%	Number	%	%	Number	%	%	Number	%	%	Number	%
	<5th	<5th	_>95th		85th-<95th	_≥95th		<5th	<5th	≥ 95th		85th-<95th	_≥95th		<5th	<5th	≥ 95th		85th-<95th	_≥95th		85th-<95th	_≥95th
0 - 11 Months																							
2009	18,204	3.3	12.6	6.4	0	*	*	2009	11,160	3.0	5.9	13.2	11,160	14.4	13.2								
2008	17,564	3.8	12.9	6.0	0	*	*	2008	9,998	3.0	6.3	12.7	9,998	14.4	12.7								
2007	17,827	3.7	13.3	5.7	0	*	*	2007	9,026	3.3	5.5	13.6	9,026	15.0	13.6								
2006	17,275	4.0	13.8	5.5	0	*	*	2006	8,701	3.1	5.1	13.4	8,701	15.1	13.4								
2005	16,254	4.1	12.1	5.6	0	*	*	2005	9,106	3.2	6.2	13.0	9,106	14.9	13.0								
2004	15,989	4.3	12.2	6.0	0	*	*	2004	9,346	3.3	5.6	14.5	9,346	13.7	14.5								
2003	12,437	6.8	8.4	11.6	0	*	*	2003	8,380	4.8	4.4	17.1	8,380	16.3	17.1								
2002	209	4.8	9.6	10.0	0	*	*	2002	74	*	*	*	74	*	*								
2001	17,237	6.8	7.5	11.7	0	*	*	2001	8,294	4.8	5.1	16.4	8,294	15.7	16.4								
2000	378	2.9	6.6	10.1	0	*	*	2000	93	*	*	*	93	*	*								
12 - 23 Months																							
2009	16,162	4.4	5.9	14.0	0	*	*	2009	9,234	2.9	4.1	17.3	9,234	15.4	17.3								
2008	15,901	4.5	6.0	14.1	0	*	*	2008	8,321	2.9	4.1	16.7	8,321	16.4	16.7								
2007	14,037	4.8	5.9	14.5	0	*	*	2007	7,636	3.7	3.8	17.3	7,636	16.9	17.3								
2006	13,287	4.8	5.7	14.2	0	*	*	2006	7,446	3.5	3.5	16.6	7,446	17.4	16.6								
2005	11,970	4.7	5.7	14.3	0	*	*	2005	7,744	3.9	3.8	18.1	7,744	17.2	18.1								
2004	12,331	4.6	6.0	14.2	0	*	*	2004	8,209	3.7	3.8	18.5	8,209	16.7	18.5								
2003	10,525	7.3	4.4	17.3	0	*	*	2003	6,906	6.1	3.1	21.5	6,906	17.8	21.5								
2002	160	5.0	10.6	10.6	0	*	*	2002	66	*	*	*	66	*	*								
2001	10,712	8.2	4.2	18.9	0	*	*	2001	6,970	5.1	3.4	19.7	6,970	18.7	19.7								
2000	132	4.5	7.6	16.7	0	*	*	2000	72	*	*	*	72	*	*								
24 - 35 Months																							
2009	11,160	3.0	5.9	13.2	11,160	14.4	13.2																
2008	9,998	3.0	6.3	12.7	9,998	14.4	12.7																
2007	9,026	3.3	5.5	13.6	9,026	15.0	13.6																
2006	8,701	3.1	5.1	13.4	8,701	15.1	13.4																
2005	9,106	3.2	6.2	13.0	9,106	14.9	13.0																
2004	9,346	3.3	5.6	14.5	9,346	13.7	14.5																
2003	8,380	4.8	4.4	17.1	8,380	16.3	17.1																
2002	74	*	*	*	74	*	*																
2001	8,294	4.8	5.1	16.4	8,294	15.7	16.4																
2000	93	*	*	*	93	*	*																
36 - 47 Months																							
2009	9,234	2.9	4.1	17.3	9,234	15.4	17.3																
2008	8,321	2.9	4.1	16.7	8,321	16.4	16.7																
2007	7,636	3.7	3.8	17.3	7,636	16.9	17.3																
2006	7,446	3.5	3.5	16.6	7,446	17.4	16.6																
2005	7,744	3.9	3.8	18.1	7,744	17.2	18.1																
2004	8,209	3.7	3.8	18.5	8,209	16.7	18.5																
2003	6,906	6.1	3.1	21.5	6,906	17.8	21.5																
2002	66	*	*	*	66	*	*																
2001	6,970	5.1	3.4	19.7	6,970	18.7	19.7																
2000	72	*	*	*	72	*	*																

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																					
Age and Year *	Height and Weight							Age and Year *	Height and Weight												
	Short Stature (4)		Under-weight (5)		Obese (5)				≥ 2 Yrs Overweight (5)		Short Stature (4)		Under-weight (5)		Obese (5)			≥ 2 Yrs Overweight (5)			
	Number	%	%	%	%	%	%		Number	%	%	%	Number	%	%	%	%	%	Number	%	%
	<5th	<5th	<5th	_>95th	85th-<95th	>95th		<5th	<5th	≥ 95th	85th-<95th	≥ 95th		<5th	<5th	≥ 95th	85th-<95th	≥ 95th			
48 - 59 Months																					
2009	8,038	3.0	3.3	18.3	8,038	16.8	18.3	8,038	3.0	3.3	18.3	8,038	16.8	18.3	8,038	3.0	3.3	18.3	8,038	16.8	18.3
2008	7,304	2.9	3.9	18.1	7,304	16.8	18.1	7,304	2.9	3.9	18.1	7,304	16.8	18.1	7,304	2.9	3.9	18.1	7,304	16.8	18.1
2007	6,694	3.5	3.5	18.3	6,694	16.1	18.3	6,694	3.5	3.5	18.3	6,694	16.1	18.3	6,694	3.5	3.5	18.3	6,694	16.1	18.3
2006	6,707	3.5	3.6	19.3	6,707	17.4	19.3	6,707	3.5	3.6	19.3	6,707	17.4	19.3	6,707	3.5	3.6	19.3	6,707	17.4	19.3
2005	8,106	3.5	3.5	19.4	8,106	17.0	19.4	8,106	3.5	3.5	19.4	8,106	17.0	19.4	8,106	3.5	3.5	19.4	8,106	17.0	19.4
2004	8,554	3.4	3.4	17.9	8,554	17.5	17.9	8,554	3.4	3.4	17.9	8,554	17.5	17.9	8,554	3.4	3.4	17.9	8,554	17.5	17.9
2003	7,209	4.2	2.9	20.5	7,209	18.9	20.5	7,209	4.2	2.9	20.5	7,209	18.9	20.5	7,209	4.2	2.9	20.5	7,209	18.9	20.5
2002	140	5.0	3.6	20.0	140	23.6	20.0	140	5.0	3.6	20.0	140	23.6	20.0	140	5.0	3.6	20.0	140	23.6	20.0
2001	6,819	4.5	2.9	20.4	6,819	17.9	20.4	6,819	4.5	2.9	20.4	6,819	17.9	20.4	6,819	4.5	2.9	20.4	6,819	17.9	20.4
2000	154	2.6	3.9	16.2	154	18.2	16.2	154	2.6	3.9	16.2	154	18.2	16.2	154	2.6	3.9	16.2	154	18.2	16.2
Total All Age Groups																					
2009	62,798	3.4	7.3	12.7	28,432	15.4	16.0	62,798	3.4	7.3	12.7	28,432	15.4	16.0	62,798	3.4	7.3	12.7	28,432	15.4	16.0
2008	59,088	3.6	7.6	12.3	25,623	15.7	15.5	59,088	3.6	7.6	12.3	25,623	15.7	15.5	59,088	3.6	7.6	12.3	25,623	15.7	15.5
2007	55,220	3.9	7.6	12.4	23,356	16.0	16.2	55,220	3.9	7.6	12.4	23,356	16.0	16.2	55,220	3.9	7.6	12.4	23,356	16.0	16.2
2006	53,416	3.9	7.7	12.2	22,854	16.5	16.2	53,416	3.9	7.7	12.2	22,854	16.5	16.2	53,416	3.9	7.7	12.2	22,854	16.5	16.2
2005	53,180	4.0	7.1	12.7	24,956	16.3	16.6	53,180	4.0	7.1	12.7	24,956	16.3	16.6	53,180	4.0	7.1	12.7	24,956	16.3	16.6
2004	54,429	4.0	7.0	13.1	26,109	15.9	16.9	54,429	4.0	7.0	13.1	26,109	15.9	16.9	54,429	4.0	7.0	13.1	26,109	15.9	16.9
2003	45,457	6.0	5.1	16.8	22,495	17.6	19.6	45,457	6.0	5.1	16.8	22,495	17.6	19.6	45,457	6.0	5.1	16.8	22,495	17.6	19.6
2002	649	4.8	7.9	14.3	280	18.2	19.6	649	4.8	7.9	14.3	280	18.2	19.6	649	4.8	7.9	14.3	280	18.2	19.6
2001	50,032	6.2	5.2	16.3	22,083	17.3	18.7	50,032	6.2	5.2	16.3	22,083	17.3	18.7	50,032	6.2	5.2	16.3	22,083	17.3	18.7
2000	829	3.3	5.9	13.6	319	17.9	16.6	829	3.3	5.9	13.6	319	17.9	16.6	829	3.3	5.9	13.6	319	17.9	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2009	2,708	10.9		2009	5,294	9.5
	2008	2,585	11.2		2008	5,060	9.9
	2007	2,801	11.5		2007	4,573	10.9
	2006	2,929	10.8		2006	4,408	10.9
	2005	2,566	10.4		2005	4,522	10.3
	2004	2,775	11.1		2004	4,612	9.9
	2003	2,218	15.2		2003	4,578	10.1
	2002	59	*		2002	70	*
	2001	6,148	15.8		2001	4,603	9.8
	2000	125	14.4		2000	48	*
12 - 17 Months				24 - 35 Months			
	2009	9,951	9.4		2009	10,611	9.0
	2008	9,654	9.4		2008	9,559	9.7
	2007	8,567	11.1		2007	8,608	9.9
	2006	8,000	10.2		2006	8,526	9.8
	2005	6,996	9.6		2005	8,751	9.2
	2004	7,179	11.1		2004	9,054	10.5
	2003	6,082	11.5		2003	8,531	11.7
	2002	114	11.4		2002	79	*
	2001	6,246	10.4		2001	8,462	11.2
	2000	85	*		2000	96	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2009 Pediatric Nutrition Surveillance (1)
Connecticut
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2009	15,101	7.3		2009	43,665	8.7
	2008	13,760	7.9		2008	40,618	9.1
	2007	12,724	7.8		2007	37,273	9.7
	2006	12,618	7.8		2006	36,481	9.4
	2005	14,197	7.2		2005	37,032	8.7
	2004	15,104	7.4		2004	38,724	9.4
	2003	14,595	7.2		2003	36,004	9.9
	2002	232	6.9		2002	554	10.1
	2001	14,211	7.9		2001	39,670	10.4
	2000	237	6.3		2000	591	10.7
All Other/Unknown							
	2009	0	*				
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				
	2000	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

