

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN7: Percentage of students who described their general health as fair or poor

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 8.2 | (6.4 - 10.0) | 2,246 | 6.3 | (4.7 - 7.8) | 1,123 | 10.2 | (7.1 - 13.2) | 1,109 |
| Age | | | | | | | | | |
| 15 or younger | 7.2 | (5.1 - 9.3) | 840 | 5.5 | (2.8 - 8.2) | 392 | 8.7 | (5.6 - 11.8) | 444 |
| 16 or 17 | 9.1 | (6.4 - 11.8) | 1,120 | 6.2 | (4.1 - 8.3) | 557 | 12.1 | (8.1 - 16.2) | 559 |
| 18 or older | 7.3 | (3.9 - 10.7) | 280 | 8.0 | (2.8 - 13.2) | 173 | 6.4 | (0.4 - 12.3) | 106 |
| Grade | | | | | | | | | |
| 9th | 7.7 | (5.2 - 10.2) | 641 | 6.2 | (3.3 - 9.1) | 320 | 9.2 | (5.2 - 13.3) | 316 |
| 10th | 6.9 | (4.1 - 9.6) | 592 | 4.6 | (1.7 - 7.5) | 273 | 9.2 | (5.4 - 12.9) | 319 |
| 11th | 8.4 | (5.1 - 11.7) | 544 | 5.5 | (3.2 - 7.8) | 273 | 11.4 | (6.1 - 16.7) | 271 |
| 12th | 9.3 | (5.4 - 13.3) | 441 | 7.9 | (4.0 - 11.8) | 242 | 11.0 | (4.6 - 17.3) | 196 |
| Race/Ethnicity | | | | | | | | | |
| Black | 8.9 | (5.9 - 11.9) | 274 | 7.8 | (3.5 - 12.2) | 140 | 10.2 | (4.7 - 15.7) | 132 |
| Hispanic/ Latino | 10.0 | (7.8 - 12.3) | 424 | 7.5 | (4.3 - 10.7) | 185 | 12.2 | (8.2 - 16.2) | 238 |
| White | 7.5 | (5.3 - 9.7) | 1,270 | 5.5 | (3.5 - 7.5) | 647 | 9.8 | (6.1 - 13.4) | 621 |
| All other races | 11.9 | (7.8 - 16.0) | 139 | - | - | 79 | - | - | 57 |
| Multiple races | 12.1 | (4.9 - 19.4) | 127 | - | - | 67 | - | - | 58 |

Note: There were 10 students who did not provide usable data for QN7.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 76.2 | (70.8 - 81.6) | 1,421 | 77.0 | (71.3 - 82.7) | 829 | 75.5 | (68.7 - 82.3) | 582 |
| Age | | | | | | | | | |
| 15 or younger | 71.3 | (64.3 - 78.2) | 609 | 71.6 | (63.5 - 79.7) | 332 | 71.3 | (62.2 - 80.5) | 274 |
| 16 or 17 | 80.0 | (74.3 - 85.8) | 661 | 80.4 | (74.4 - 86.3) | 396 | 79.7 | (72.2 - 87.2) | 262 |
| 18 or older | 79.3 | (70.0 - 88.6) | 146 | 81.0 | (73.2 - 88.7) | 100 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 71.9 | (63.6 - 80.2) | 472 | 71.7 | (62.7 - 80.7) | 275 | 72.2 | (60.5 - 84.0) | 194 |
| 10th | 78.9 | (71.7 - 86.2) | 385 | 79.4 | (72.7 - 86.1) | 215 | 78.3 | (67.8 - 88.8) | 170 |
| 11th | 80.8 | (73.2 - 88.3) | 316 | 81.7 | (73.5 - 89.8) | 188 | 79.4 | (70.0 - 88.8) | 128 |
| 12th | 74.6 | (66.5 - 82.8) | 225 | 76.3 | (68.7 - 83.9) | 138 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black | 92.3 | (87.9 - 96.7) | 168 | 91.6 | (85.6 - 97.5) | 105 | - | - | 62 |
| Hispanic/ Latino | 89.9 | (86.2 - 93.6) | 255 | 90.8 | (86.2 - 95.4) | 128 | 88.9 | (81.6 - 96.1) | 127 |
| White | 70.6 | (64.3 - 76.8) | 828 | 71.5 | (64.7 - 78.3) | 487 | 69.2 | (61.1 - 77.3) | 339 |
| All other races | - | - | 75 | - | - | 50 | - | - | 23 |
| Multiple races | - | - | 87 | - | - | 54 | - | - | 31 |

Note: There were 835 students who were excluded from this analysis or who did not provide usable data for QN8.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 11.4 | (9.1 - 13.7) | 2,232 | 15.0 | (12.2 - 17.9) | 1,115 | 7.5 | (5.5 - 9.4) | 1,102 |
| Age | | | | | | | | | |
| 15 or younger | 11.3 | (8.2 - 14.4) | 828 | 12.9 | (9.6 - 16.3) | 385 | 9.5 | (5.4 - 13.7) | 439 |
| 16 or 17 | 10.7 | (8.3 - 13.2) | 1,117 | 14.3 | (10.5 - 18.1) | 556 | 7.1 | (5.2 - 9.0) | 557 |
| 18 or older | 13.9 | (8.8 - 19.0) | 280 | 22.1 | (15.7 - 28.5) | 173 | 2.4 | (0.0 - 5.6) | 106 |
| Grade | | | | | | | | | |
| 9th | 12.0 | (8.4 - 15.7) | 632 | 11.8 | (8.3 - 15.4) | 315 | 12.2 | (6.6 - 17.9) | 312 |
| 10th | 10.2 | (6.8 - 13.6) | 590 | 13.8 | (8.2 - 19.5) | 271 | 6.4 | (3.5 - 9.3) | 319 |
| 11th | 10.1 | (7.9 - 12.2) | 542 | 14.6 | (10.8 - 18.5) | 272 | 5.4 | (2.8 - 8.0) | 269 |
| 12th | 12.4 | (7.4 - 17.5) | 438 | 19.4 | (11.7 - 27.1) | 241 | 4.7 | (2.3 - 7.2) | 195 |
| Race/Ethnicity | | | | | | | | | |
| Black | 18.0 | (12.8 - 23.1) | 273 | 19.5 | (12.3 - 26.8) | 139 | 16.6 | (8.6 - 24.6) | 131 |
| Hispanic/ Latino | 15.1 | (12.4 - 17.7) | 424 | 20.3 | (15.2 - 25.5) | 185 | 10.9 | (7.0 - 14.7) | 237 |
| White | 9.1 | (6.5 - 11.7) | 1,262 | 12.9 | (9.5 - 16.3) | 642 | 4.9 | (3.0 - 6.7) | 618 |
| All other races | 23.3 | (13.1 - 33.4) | 136 | - | - | 78 | - | - | 56 |
| Multiple races | 10.9 | (6.3 - 15.5) | 125 | - | - | 66 | - | - | 57 |

Note: There were 24 students who did not provide usable data for QN9.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN10: Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 29.7 | (27.4 - 32.1) | 2,228 | 27.5 | (24.2 - 30.9) | 1,112 | 31.9 | (29.0 - 34.9) | 1,102 |
| Age | | | | | | | | | |
| 15 or younger | 25.0 | (21.8 - 28.1) | 829 | 20.0 | (17.1 - 23.0) | 386 | 29.5 | (24.6 - 34.4) | 440 |
| 16 or 17 | 31.9 | (28.1 - 35.6) | 1,113 | 30.8 | (25.6 - 36.0) | 552 | 33.0 | (29.0 - 37.0) | 557 |
| 18 or older | 34.1 | (29.1 - 39.1) | 279 | 33.5 | (28.3 - 38.8) | 173 | 35.3 | (26.2 - 44.3) | 105 |
| Grade | | | | | | | | | |
| 9th | 25.1 | (21.7 - 28.4) | 631 | 21.4 | (18.2 - 24.5) | 314 | 28.8 | (22.7 - 35.0) | 312 |
| 10th | 26.0 | (22.6 - 29.4) | 588 | 21.3 | (16.3 - 26.3) | 268 | 30.7 | (25.1 - 36.2) | 320 |
| 11th | 33.2 | (29.2 - 37.3) | 541 | 32.8 | (27.5 - 38.0) | 272 | 33.8 | (29.0 - 38.5) | 268 |
| 12th | 35.5 | (29.8 - 41.2) | 440 | 35.9 | (28.9 - 42.8) | 242 | 34.9 | (28.3 - 41.5) | 195 |
| Race/Ethnicity | | | | | | | | | |
| Black | 27.1 | (21.2 - 33.1) | 271 | 28.3 | (22.1 - 34.6) | 138 | 26.3 | (15.8 - 36.7) | 131 |
| Hispanic/ Latino | 32.9 | (28.5 - 37.2) | 416 | 26.9 | (20.9 - 32.8) | 179 | 37.3 | (31.5 - 43.1) | 235 |
| White | 29.6 | (27.0 - 32.2) | 1,264 | 27.3 | (23.2 - 31.4) | 643 | 32.0 | (28.5 - 35.5) | 619 |
| All other races | 34.4 | (23.9 - 44.9) | 139 | - | - | 80 | - | - | 57 |
| Multiple races | 30.2 | (20.7 - 39.8) | 126 | - | - | 67 | - | - | 57 |

Note: There were 28 students who did not provide usable data for QN10.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 11.0 | (9.1 - 12.8) | 2,209 | 13.5 | (10.5 - 16.4) | 1,097 | 8.2 | (6.6 - 9.8) | 1,098 |
| Age | | | | | | | | | |
| 15 or younger | 5.8 | (4.1 - 7.6) | 824 | 7.2 | (4.4 - 9.9) | 383 | 4.3 | (1.6 - 6.9) | 438 |
| 16 or 17 | 12.1 | (9.4 - 14.9) | 1,103 | 14.5 | (10.2 - 18.7) | 543 | 9.7 | (7.4 - 11.9) | 556 |
| 18 or older | 20.4 | (14.8 - 26.0) | 275 | 24.3 | (17.8 - 30.8) | 170 | 15.0 | (8.2 - 21.8) | 104 |
| Grade | | | | | | | | | |
| 9th | 6.3 | (4.3 - 8.3) | 627 | 7.2 | (4.2 - 10.2) | 313 | 5.3 | (2.0 - 8.6) | 309 |
| 10th | 6.0 | (3.7 - 8.3) | 587 | 6.6 | (3.3 - 9.9) | 267 | 5.4 | (3.0 - 7.8) | 320 |
| 11th | 12.2 | (9.1 - 15.4) | 536 | 15.4 | (10.2 - 20.5) | 267 | 9.0 | (6.3 - 11.8) | 268 |
| 12th | 20.9 | (15.9 - 25.9) | 431 | 26.8 | (19.3 - 34.3) | 235 | 14.1 | (10.7 - 17.5) | 194 |
| Race/Ethnicity | | | | | | | | | |
| Black | 6.1 | (2.4 - 9.8) | 270 | 5.1 | (0.4 - 9.8) | 136 | 6.7 | (2.3 - 11.1) | 131 |
| Hispanic/ Latino | 6.6 | (4.1 - 9.1) | 412 | 8.3 | (4.6 - 12.0) | 178 | 5.2 | (1.2 - 9.3) | 232 |
| White | 12.7 | (10.4 - 15.0) | 1,258 | 15.7 | (12.0 - 19.4) | 637 | 9.2 | (7.0 - 11.4) | 619 |
| All other races | 21.2 | (9.5 - 32.8) | 134 | - | - | 76 | - | - | 57 |
| Multiple races | 9.0 | (4.7 - 13.3) | 125 | - | - | 67 | - | - | 56 |

Note: There were 47 students who did not provide usable data for QN11.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 16.3 | (13.8 - 18.9) | 2,207 | 25.2 | (21.9 - 28.4) | 1,095 | 6.8 | (4.8 - 8.9) | 1,098 |
| Age | | | | | | | | | |
| 15 or younger | 15.9 | (12.0 - 19.8) | 820 | 26.0 | (21.1 - 30.9) | 382 | 6.2 | (3.0 - 9.3) | 436 |
| 16 or 17 | 15.3 | (12.5 - 18.0) | 1,107 | 23.5 | (19.0 - 28.0) | 546 | 6.7 | (4.2 - 9.2) | 556 |
| 18 or older | 20.7 | (15.8 - 25.6) | 273 | 29.0 | (23.6 - 34.4) | 166 | 9.7 | (4.5 - 14.8) | 106 |
| Grade | | | | | | | | | |
| 9th | 17.1 | (13.1 - 21.0) | 628 | 26.5 | (21.8 - 31.3) | 314 | 6.7 | (3.1 - 10.3) | 309 |
| 10th | 15.5 | (12.1 - 18.8) | 586 | 25.0 | (19.2 - 30.8) | 268 | 5.8 | (2.8 - 8.8) | 318 |
| 11th | 15.8 | (13.4 - 18.2) | 537 | 23.3 | (18.4 - 28.3) | 268 | 8.0 | (4.7 - 11.4) | 268 |
| 12th | 15.3 | (9.7 - 21.0) | 429 | 23.9 | (17.1 - 30.6) | 231 | 6.3 | (2.3 - 10.3) | 196 |
| Race/Ethnicity | | | | | | | | | |
| Black | 23.3 | (16.7 - 29.8) | 264 | 31.6 | (24.9 - 38.4) | 132 | 14.3 | (7.2 - 21.4) | 129 |
| Hispanic/ Latino | 17.7 | (13.7 - 21.6) | 419 | 29.3 | (22.0 - 36.7) | 182 | 7.6 | (5.0 - 10.2) | 235 |
| White | 14.3 | (11.4 - 17.2) | 1,251 | 22.9 | (18.7 - 27.0) | 634 | 5.1 | (2.9 - 7.3) | 616 |
| All other races | 26.6 | (11.9 - 41.3) | 137 | - | - | 78 | - | - | 57 |
| Multiple races | 23.4 | (16.3 - 30.5) | 125 | - | - | 65 | - | - | 58 |

Note: There were 49 students who did not provide usable data for QN12.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 6.4 | (4.7 - 8.0) | 2,202 | 9.5 | (7.1 - 11.9) | 1,095 | 3.0 | (1.9 - 4.0) | 1,093 |
| Age | | | | | | | | | |
| 15 or younger | 6.5 | (4.3 - 8.6) | 819 | 10.1 | (6.7 - 13.5) | 383 | 3.0 | (1.7 - 4.3) | 434 |
| 16 or 17 | 5.4 | (3.6 - 7.2) | 1,104 | 7.9 | (5.1 - 10.7) | 545 | 2.7 | (0.9 - 4.4) | 554 |
| 18 or older | 9.4 | (5.4 - 13.3) | 272 | 13.3 | (7.4 - 19.1) | 166 | 4.1 | (0.6 - 7.6) | 105 |
| Grade | | | | | | | | | |
| 9th | 6.8 | (4.5 - 9.0) | 628 | 10.8 | (7.1 - 14.6) | 316 | 2.5 | (1.4 - 3.6) | 307 |
| 10th | 5.8 | (3.5 - 8.1) | 585 | 8.0 | (4.5 - 11.5) | 266 | 3.6 | (1.4 - 5.8) | 319 |
| 11th | 4.9 | (2.8 - 6.9) | 533 | 7.5 | (3.8 - 11.3) | 267 | 2.1 | (0.1 - 4.1) | 265 |
| 12th | 7.3 | (3.6 - 11.0) | 429 | 10.7 | (5.3 - 16.0) | 232 | 3.4 | (0.5 - 6.3) | 195 |
| Race/Ethnicity | | | | | | | | | |
| Black | 11.3 | (6.0 - 16.6) | 263 | 16.4 | (8.7 - 24.0) | 132 | 5.4 | (1.3 - 9.6) | 128 |
| Hispanic/ Latino | 8.0 | (5.2 - 10.7) | 416 | 12.6 | (7.9 - 17.2) | 181 | 4.2 | (1.7 - 6.7) | 233 |
| White | 4.9 | (3.4 - 6.5) | 1,252 | 7.3 | (4.8 - 9.8) | 636 | 2.3 | (1.3 - 3.4) | 615 |
| All other races | 11.4 | (0.0 - 22.8) | 135 | - | - | 77 | - | - | 56 |
| Multiple races | 8.4 | (3.4 - 13.5) | 125 | - | - | 65 | - | - | 58 |

Note: There were 54 students who did not provide usable data for QN14.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 7.4 | (5.6 - 9.1) | 2,246 | 8.5 | (6.1 - 10.9) | 1,124 | 5.9 | (3.8 - 7.9) | 1,107 |
| Age | | | | | | | | | |
| 15 or younger | 6.8 | (4.6 - 9.0) | 836 | 6.3 | (3.4 - 9.2) | 390 | 6.7 | (3.6 - 9.8) | 442 |
| 16 or 17 | 6.5 | (4.7 - 8.2) | 1,123 | 7.6 | (5.3 - 9.9) | 560 | 5.3 | (2.8 - 7.7) | 559 |
| 18 or older | 11.9 | (6.4 - 17.5) | 280 | 16.3 | (9.4 - 23.2) | 173 | 5.8 | (0.0 - 11.9) | 106 |
| Grade | | | | | | | | | |
| 9th | 6.3 | (4.2 - 8.4) | 638 | 5.6 | (2.6 - 8.6) | 319 | 6.6 | (2.7 - 10.5) | 314 |
| 10th | 7.4 | (4.6 - 10.2) | 594 | 7.5 | (3.3 - 11.7) | 274 | 7.3 | (4.0 - 10.6) | 320 |
| 11th | 7.1 | (3.9 - 10.3) | 544 | 9.1 | (5.1 - 13.2) | 273 | 5.0 | (1.9 - 8.1) | 270 |
| 12th | 8.5 | (4.6 - 12.3) | 441 | 11.8 | (6.5 - 17.1) | 242 | 3.9 | (0.3 - 7.5) | 196 |
| Race/Ethnicity | | | | | | | | | |
| Black | 10.6 | (5.8 - 15.5) | 274 | 11.7 | (3.5 - 19.9) | 140 | 9.6 | (1.9 - 17.4) | 132 |
| Hispanic/ Latino | 10.0 | (7.6 - 12.4) | 425 | 10.7 | (7.1 - 14.4) | 185 | 8.8 | (5.6 - 12.0) | 238 |
| White | 6.0 | (4.3 - 7.8) | 1,269 | 7.2 | (4.8 - 9.7) | 647 | 4.4 | (2.3 - 6.5) | 620 |
| All other races | 21.4 | (9.5 - 33.3) | 139 | - | - | 80 | - | - | 56 |
| Multiple races | 4.2 | (0.8 - 7.6) | 127 | - | - | 67 | - | - | 58 |

Note: There were 10 students who did not provide usable data for QN15.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 9.1 | (7.3 - 10.9) | 2,248 | 12.2 | (9.6 - 14.7) | 1,123 | 5.6 | (4.1 - 7.1) | 1,109 |
| Age | | | | | | | | | |
| 15 or younger | 9.3 | (6.7 - 11.9) | 839 | 11.2 | (8.0 - 14.3) | 392 | 7.2 | (4.4 - 9.9) | 443 |
| 16 or 17 | 8.2 | (6.1 - 10.3) | 1,122 | 11.2 | (7.8 - 14.6) | 557 | 5.0 | (3.1 - 6.9) | 560 |
| 18 or older | 11.5 | (7.0 - 16.1) | 280 | 17.6 | (10.6 - 24.6) | 173 | 3.0 | (0.0 - 6.0) | 106 |
| Grade | | | | | | | | | |
| 9th | 8.2 | (5.9 - 10.5) | 639 | 9.2 | (6.4 - 12.1) | 319 | 7.1 | (3.5 - 10.8) | 315 |
| 10th | 9.9 | (6.7 - 13.1) | 592 | 13.5 | (9.2 - 17.7) | 272 | 6.3 | (2.4 - 10.2) | 320 |
| 11th | 7.6 | (5.4 - 9.9) | 545 | 10.1 | (6.5 - 13.6) | 273 | 5.1 | (2.3 - 8.0) | 271 |
| 12th | 9.6 | (6.1 - 13.2) | 442 | 15.3 | (10.2 - 20.5) | 243 | 2.6 | (0.2 - 5.0) | 196 |
| Race/Ethnicity | | | | | | | | | |
| Black | 12.5 | (7.9 - 17.1) | 272 | 14.2 | (8.4 - 20.1) | 138 | 10.3 | (6.0 - 14.6) | 131 |
| Hispanic/ Latino | 8.6 | (5.6 - 11.7) | 425 | 12.9 | (7.1 - 18.6) | 185 | 5.2 | (2.7 - 7.8) | 238 |
| White | 8.1 | (6.1 - 10.1) | 1,272 | 11.1 | (8.1 - 14.0) | 648 | 4.6 | (2.7 - 6.6) | 622 |
| All other races | 23.9 | (9.6 - 38.2) | 140 | - | - | 80 | - | - | 57 |
| Multiple races | 11.9 | (7.1 - 16.7) | 127 | - | - | 67 | - | - | 58 |

Note: There were 8 students who did not provide usable data for QN16.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN17: Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 30.8 | (28.6 - 33.1) | 2,228 | 32.9 | (30.0 - 35.9) | 1,117 | 28.5 | (25.3 - 31.7) | 1,096 |
| Age | | | | | | | | | |
| 15 or younger | 31.5 | (28.6 - 34.3) | 827 | 33.6 | (30.0 - 37.2) | 388 | 29.2 | (23.7 - 34.8) | 436 |
| 16 or 17 | 30.4 | (27.0 - 33.8) | 1,113 | 32.3 | (28.3 - 36.3) | 554 | 28.4 | (23.2 - 33.6) | 554 |
| 18 or older | 30.6 | (24.8 - 36.3) | 281 | 33.7 | (27.4 - 39.9) | 174 | 26.4 | (17.8 - 35.1) | 106 |
| Grade | | | | | | | | | |
| 9th | 31.6 | (28.2 - 35.1) | 630 | 33.0 | (27.7 - 38.2) | 317 | 30.3 | (24.9 - 35.8) | 308 |
| 10th | 29.0 | (24.6 - 33.4) | 590 | 31.6 | (25.8 - 37.4) | 272 | 26.4 | (20.5 - 32.4) | 318 |
| 11th | 33.9 | (29.3 - 38.6) | 539 | 34.8 | (27.5 - 42.0) | 270 | 33.1 | (25.4 - 40.7) | 268 |
| 12th | 28.5 | (23.6 - 33.4) | 440 | 33.0 | (27.0 - 39.1) | 242 | 23.0 | (17.5 - 28.6) | 195 |
| Race/Ethnicity | | | | | | | | | |
| Black | 33.7 | (27.4 - 40.0) | 268 | 36.3 | (25.8 - 46.8) | 137 | 30.9 | (23.1 - 38.6) | 128 |
| Hispanic/ Latino | 28.0 | (23.3 - 32.7) | 418 | 28.9 | (22.2 - 35.5) | 181 | 27.5 | (20.4 - 34.7) | 235 |
| White | 30.9 | (28.4 - 33.3) | 1,266 | 33.1 | (29.9 - 36.2) | 647 | 28.3 | (24.5 - 32.1) | 617 |
| All other races | 35.2 | (26.8 - 43.6) | 139 | - | - | 80 | - | - | 57 |
| Multiple races | 31.1 | (22.3 - 39.9) | 125 | - | - | 67 | - | - | 56 |

Note: There were 28 students who did not provide usable data for QN17.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 32.7 | (29.9 - 35.5) | 2,185 | 38.5 | (34.4 - 42.6) | 1,083 | 26.6 | (23.3 - 29.9) | 1,088 |
| Age | | | | | | | | | |
| 15 or younger | 36.0 | (31.7 - 40.4) | 813 | 42.8 | (36.4 - 49.2) | 379 | 29.5 | (23.0 - 36.0) | 431 |
| 16 or 17 | 30.8 | (26.9 - 34.7) | 1,100 | 35.4 | (30.0 - 40.8) | 539 | 26.2 | (21.9 - 30.4) | 556 |
| 18 or older | 30.5 | (25.4 - 35.6) | 266 | 38.9 | (31.1 - 46.6) | 164 | 19.1 | (11.0 - 27.2) | 101 |
| Grade | | | | | | | | | |
| 9th | 38.6 | (33.6 - 43.6) | 620 | 44.4 | (37.1 - 51.7) | 308 | 32.5 | (25.5 - 39.4) | 307 |
| 10th | 31.0 | (25.8 - 36.2) | 580 | 38.2 | (31.1 - 45.2) | 267 | 23.7 | (17.6 - 29.7) | 313 |
| 11th | 31.8 | (26.8 - 36.8) | 534 | 33.8 | (26.3 - 41.3) | 264 | 29.9 | (23.0 - 36.7) | 269 |
| 12th | 27.5 | (22.8 - 32.2) | 424 | 35.6 | (26.4 - 44.7) | 230 | 18.9 | (13.2 - 24.6) | 192 |
| Race/Ethnicity | | | | | | | | | |
| Black | 35.5 | (28.7 - 42.2) | 265 | 42.8 | (34.0 - 51.5) | 133 | 27.9 | (18.6 - 37.2) | 129 |
| Hispanic/ Latino | 36.7 | (32.3 - 41.0) | 411 | 40.4 | (32.2 - 48.5) | 179 | 33.3 | (27.6 - 39.0) | 230 |
| White | 31.0 | (27.4 - 34.7) | 1,242 | 36.9 | (31.8 - 42.1) | 627 | 24.7 | (20.7 - 28.8) | 614 |
| All other races | 36.1 | (24.7 - 47.4) | 133 | - | - | 74 | - | - | 56 |
| Multiple races | 38.7 | (31.8 - 45.5) | 123 | - | - | 65 | - | - | 56 |

Note: There were 71 students who did not provide usable data for QN18.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN19: Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 3.8 | (2.8 - 4.8) | 2,185 | 5.7 | (3.8 - 7.5) | 1,088 | 1.7 | (1.0 - 2.4) | 1,084 |
| Age | | | | | | | | | |
| 15 or younger | 3.7 | (2.1 - 5.4) | 818 | 5.9 | (2.5 - 9.3) | 383 | 1.4 | (0.6 - 2.1) | 432 |
| 16 or 17 | 3.2 | (2.2 - 4.3) | 1,092 | 4.2 | (2.5 - 5.9) | 539 | 2.3 | (1.0 - 3.6) | 549 |
| 18 or older | 5.8 | (2.8 - 8.9) | 269 | 10.0 | (5.1 - 14.8) | 165 | 0.1 | (0.0 - 0.4) | 103 |
| Grade | | | | | | | | | |
| 9th | 3.6 | (2.0 - 5.1) | 625 | 5.4 | (2.5 - 8.3) | 312 | 1.2 | (0.1 - 2.3) | 308 |
| 10th | 4.2 | (2.1 - 6.4) | 580 | 6.2 | (3.3 - 9.1) | 267 | 2.3 | (0.3 - 4.3) | 313 |
| 11th | 3.5 | (2.2 - 4.9) | 529 | 4.6 | (2.4 - 6.7) | 262 | 2.5 | (0.6 - 4.4) | 266 |
| 12th | 3.4 | (1.4 - 5.5) | 426 | 5.9 | (2.0 - 9.7) | 232 | 0.5 | (0.0 - 1.4) | 191 |
| Race/Ethnicity | | | | | | | | | |
| Black | 4.1 | (1.0 - 7.2) | 263 | 6.0 | (1.7 - 10.3) | 133 | 2.1 | (0.0 - 5.2) | 128 |
| Hispanic/ Latino | 6.9 | (4.4 - 9.5) | 412 | 11.1 | (6.2 - 15.9) | 182 | 2.9 | (0.4 - 5.5) | 228 |
| White | 2.9 | (2.0 - 3.8) | 1,241 | 4.3 | (2.7 - 5.9) | 626 | 1.3 | (0.6 - 2.0) | 613 |
| All other races | 14.5 | (2.2 - 26.7) | 134 | - | - | 76 | - | - | 56 |
| Multiple races | 1.9 | (0.0 - 4.2) | 124 | - | - | 66 | - | - | 56 |

Note: There were 71 students who did not provide usable data for QN19.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 10.5 | (9.1 - 11.9) | 2,208 | 13.7 | (11.8 - 15.7) | 1,096 | 7.0 | (5.5 - 8.4) | 1,097 |
| Age | | | | | | | | | |
| 15 or younger | 12.5 | (10.6 - 14.3) | 824 | 17.8 | (14.4 - 21.2) | 382 | 7.4 | (4.9 - 9.8) | 439 |
| 16 or 17 | 8.6 | (6.6 - 10.5) | 1,104 | 10.0 | (7.3 - 12.7) | 545 | 6.9 | (4.8 - 9.0) | 554 |
| 18 or older | 12.0 | (7.0 - 17.1) | 273 | 16.6 | (9.6 - 23.6) | 168 | 5.8 | (1.6 - 10.1) | 104 |
| Grade | | | | | | | | | |
| 9th | 13.0 | (10.9 - 15.0) | 631 | 17.8 | (14.1 - 21.5) | 313 | 8.0 | (5.6 - 10.4) | 313 |
| 10th | 9.6 | (6.6 - 12.6) | 582 | 12.6 | (8.5 - 16.6) | 268 | 6.6 | (3.9 - 9.4) | 314 |
| 11th | 9.3 | (7.1 - 11.5) | 535 | 10.9 | (7.0 - 14.9) | 266 | 7.7 | (4.8 - 10.7) | 268 |
| 12th | 8.4 | (5.3 - 11.4) | 431 | 11.5 | (7.6 - 15.5) | 234 | 4.6 | (2.2 - 7.0) | 195 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.0 | (9.5 - 20.5) | 267 | 20.2 | (12.8 - 27.6) | 133 | 9.2 | (2.7 - 15.7) | 131 |
| Hispanic/ Latino | 15.4 | (12.7 - 18.1) | 414 | 18.2 | (13.8 - 22.6) | 181 | 13.2 | (9.5 - 16.9) | 231 |
| White | 8.4 | (6.8 - 10.0) | 1,255 | 11.3 | (9.1 - 13.6) | 636 | 5.1 | (3.4 - 6.8) | 618 |
| All other races | 19.9 | (6.5 - 33.3) | 136 | - | - | 76 | - | - | 57 |
| Multiple races | 15.7 | (9.5 - 22.0) | 124 | - | - | 65 | - | - | 57 |

Note: There were 48 students who did not provide usable data for QN20.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN21: Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 16.0 | (14.3 - 17.7) | 2,207 | 17.8 | (15.4 - 20.3) | 1,094 | 14.1 | (12.0 - 16.2) | 1,101 |
| Age | | | | | | | | | |
| 15 or younger | 13.7 | (11.0 - 16.4) | 824 | 14.6 | (10.7 - 18.5) | 382 | 12.9 | (9.6 - 16.2) | 440 |
| 16 or 17 | 16.0 | (13.5 - 18.6) | 1,102 | 18.4 | (15.4 - 21.4) | 542 | 13.7 | (10.5 - 16.9) | 556 |
| 18 or older | 21.7 | (17.1 - 26.4) | 275 | 23.0 | (15.3 - 30.8) | 169 | 20.0 | (11.2 - 28.9) | 105 |
| Grade | | | | | | | | | |
| 9th | 12.9 | (10.5 - 15.3) | 630 | 13.6 | (9.9 - 17.2) | 312 | 12.2 | (9.2 - 15.2) | 313 |
| 10th | 15.0 | (11.5 - 18.5) | 585 | 15.0 | (10.5 - 19.5) | 268 | 15.0 | (10.8 - 19.3) | 317 |
| 11th | 16.7 | (13.8 - 19.6) | 536 | 20.5 | (14.8 - 26.3) | 266 | 12.8 | (9.1 - 16.6) | 269 |
| 12th | 20.1 | (16.9 - 23.3) | 430 | 23.4 | (17.3 - 29.5) | 233 | 16.4 | (9.9 - 22.8) | 195 |
| Race/Ethnicity | | | | | | | | | |
| Black | 17.1 | (12.2 - 22.0) | 269 | 20.6 | (13.3 - 27.9) | 135 | 13.7 | (8.9 - 18.4) | 132 |
| Hispanic/ Latino | 17.6 | (13.2 - 21.9) | 414 | 20.4 | (12.2 - 28.6) | 178 | 15.4 | (10.3 - 20.4) | 234 |
| White | 15.1 | (13.1 - 17.1) | 1,256 | 16.5 | (13.9 - 19.0) | 636 | 13.6 | (10.5 - 16.6) | 619 |
| All other races | 29.7 | (16.2 - 43.1) | 134 | - | - | 77 | - | - | 55 |
| Multiple races | 20.9 | (13.7 - 28.1) | 123 | - | - | 63 | - | - | 58 |

Note: There were 49 students who did not provide usable data for QN21.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 24.8 | (23.0 - 26.6) | 2,207 | 18.3 | (16.1 - 20.5) | 1,098 | 31.4 | (28.4 - 34.3) | 1,097 |
| Age | | | | | | | | | |
| 15 or younger | 25.1 | (21.7 - 28.5) | 823 | 17.3 | (13.0 - 21.6) | 382 | 32.2 | (27.6 - 36.9) | 440 |
| 16 or 17 | 24.1 | (21.3 - 26.8) | 1,104 | 17.7 | (15.2 - 20.2) | 547 | 30.6 | (25.6 - 35.7) | 553 |
| 18 or older | 26.7 | (22.8 - 30.5) | 273 | 22.6 | (16.9 - 28.2) | 168 | 31.8 | (24.2 - 39.5) | 104 |
| Grade | | | | | | | | | |
| 9th | 25.0 | (20.7 - 29.3) | 630 | 17.6 | (13.5 - 21.7) | 313 | 32.8 | (26.9 - 38.6) | 313 |
| 10th | 25.5 | (21.2 - 29.8) | 583 | 17.6 | (13.0 - 22.3) | 266 | 33.4 | (27.9 - 38.8) | 317 |
| 11th | 24.6 | (20.1 - 29.1) | 536 | 18.4 | (12.9 - 24.0) | 268 | 30.9 | (22.1 - 39.7) | 267 |
| 12th | 23.8 | (20.6 - 27.1) | 431 | 19.5 | (14.7 - 24.3) | 236 | 27.9 | (21.9 - 33.8) | 193 |
| Race/Ethnicity | | | | | | | | | |
| Black | 30.5 | (25.3 - 35.7) | 268 | 26.9 | (22.2 - 31.7) | 136 | 34.0 | (25.8 - 42.2) | 130 |
| Hispanic/ Latino | 32.2 | (27.0 - 37.5) | 415 | 26.6 | (20.5 - 32.6) | 179 | 36.8 | (28.7 - 44.8) | 235 |
| White | 22.1 | (20.2 - 24.0) | 1,251 | 14.6 | (12.7 - 16.5) | 634 | 29.8 | (26.2 - 33.4) | 616 |
| All other races | 34.3 | (25.5 - 43.0) | 135 | - | - | 78 | - | - | 55 |
| Multiple races | 24.9 | (18.2 - 31.6) | 126 | - | - | 66 | - | - | 58 |

Note: There were 49 students who did not provide usable data for QN23.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 15.1 | (13.1 - 17.2) | 2,204 | 12.3 | (10.0 - 14.5) | 1,093 | 18.0 | (14.4 - 21.6) | 1,100 |
| Age | | | | | | | | | |
| 15 or younger | 15.7 | (12.6 - 18.8) | 824 | 11.8 | (7.8 - 15.8) | 383 | 19.3 | (15.0 - 23.6) | 440 |
| 16 or 17 | 14.0 | (10.7 - 17.4) | 1,101 | 10.9 | (8.5 - 13.2) | 544 | 17.2 | (11.7 - 22.7) | 554 |
| 18 or older | 17.6 | (13.1 - 22.0) | 272 | 17.9 | (10.7 - 25.2) | 165 | 17.2 | (10.3 - 24.1) | 106 |
| Grade | | | | | | | | | |
| 9th | 15.4 | (12.0 - 18.8) | 632 | 12.1 | (7.9 - 16.4) | 315 | 18.9 | (14.1 - 23.7) | 313 |
| 10th | 13.1 | (9.9 - 16.3) | 583 | 9.1 | (5.3 - 12.8) | 265 | 17.1 | (12.3 - 21.8) | 318 |
| 11th | 16.0 | (11.2 - 20.7) | 535 | 9.9 | (5.8 - 14.0) | 267 | 22.2 | (13.8 - 30.5) | 267 |
| 12th | 16.0 | (11.8 - 20.3) | 427 | 18.2 | (11.5 - 24.9) | 231 | 13.5 | (7.4 - 19.6) | 195 |
| Race/Ethnicity | | | | | | | | | |
| Black | 16.4 | (12.3 - 20.4) | 266 | 16.2 | (10.8 - 21.6) | 133 | 16.8 | (10.4 - 23.1) | 131 |
| Hispanic/ Latino | 16.3 | (11.6 - 21.1) | 417 | 15.6 | (10.4 - 20.8) | 180 | 17.0 | (10.8 - 23.2) | 236 |
| White | 14.3 | (12.3 - 16.4) | 1,250 | 10.4 | (7.7 - 13.2) | 631 | 18.3 | (14.1 - 22.4) | 618 |
| All other races | 23.4 | (14.5 - 32.2) | 133 | - | - | 78 | - | - | 54 |
| Multiple races | 21.8 | (13.2 - 30.5) | 126 | - | - | 66 | - | - | 58 |

Note: There were 52 students who did not provide usable data for QN24.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 13.8 | (11.6 - 16.0) | 2,197 | 11.6 | (9.2 - 14.0) | 1,090 | 15.9 | (12.8 - 18.9) | 1,096 |
| Age | | | | | | | | | |
| 15 or younger | 13.1 | (10.4 - 15.8) | 822 | 10.0 | (6.5 - 13.5) | 384 | 15.9 | (11.3 - 20.6) | 437 |
| 16 or 17 | 13.5 | (10.3 - 16.7) | 1,097 | 10.4 | (7.4 - 13.5) | 541 | 16.5 | (12.5 - 20.6) | 553 |
| 18 or older | 16.1 | (12.1 - 20.1) | 271 | 18.8 | (13.1 - 24.5) | 164 | 12.6 | (7.7 - 17.5) | 106 |
| Grade | | | | | | | | | |
| 9th | 12.9 | (9.0 - 16.8) | 630 | 8.5 | (4.5 - 12.4) | 316 | 17.5 | (11.7 - 23.4) | 310 |
| 10th | 13.6 | (9.8 - 17.3) | 580 | 11.5 | (7.2 - 15.8) | 262 | 15.6 | (9.9 - 21.3) | 318 |
| 11th | 14.6 | (10.8 - 18.5) | 532 | 10.4 | (6.6 - 14.2) | 266 | 19.0 | (12.5 - 25.4) | 265 |
| 12th | 13.5 | (10.3 - 16.6) | 428 | 15.8 | (11.4 - 20.1) | 231 | 10.7 | (7.2 - 14.3) | 196 |
| Race/Ethnicity | | | | | | | | | |
| Black | 14.5 | (10.8 - 18.3) | 264 | 13.9 | (9.2 - 18.6) | 132 | 15.4 | (9.0 - 21.9) | 130 |
| Hispanic/ Latino | 14.5 | (9.6 - 19.5) | 413 | 13.8 | (9.1 - 18.5) | 179 | 15.1 | (8.6 - 21.6) | 233 |
| White | 13.1 | (10.9 - 15.3) | 1,249 | 10.2 | (7.6 - 12.8) | 630 | 16.0 | (12.3 - 19.7) | 618 |
| All other races | 22.8 | (11.0 - 34.7) | 133 | - | - | 77 | - | - | 55 |
| Multiple races | 17.3 | (8.3 - 26.3) | 126 | - | - | 67 | - | - | 57 |

Note: There were 59 students who did not provide usable data for QN25.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 12.1 | (10.0 - 14.1) | 2,228 | 12.0 | (9.3 - 14.7) | 1,115 | 11.8 | (9.3 - 14.4) | 1,099 |
| Age | | | | | | | | | |
| 15 or younger | 13.4 | (10.6 - 16.2) | 831 | 12.6 | (9.2 - 15.9) | 388 | 13.9 | (10.3 - 17.5) | 440 |
| 16 or 17 | 10.4 | (8.2 - 12.6) | 1,114 | 10.5 | (7.8 - 13.2) | 555 | 10.2 | (7.1 - 13.4) | 555 |
| 18 or older | 13.9 | (9.7 - 18.1) | 276 | 15.4 | (8.6 - 22.3) | 171 | 11.8 | (5.6 - 18.1) | 104 |
| Grade | | | | | | | | | |
| 9th | 13.3 | (10.3 - 16.4) | 635 | 12.8 | (8.9 - 16.6) | 318 | 13.6 | (9.7 - 17.4) | 312 |
| 10th | 10.7 | (6.9 - 14.5) | 592 | 10.5 | (5.8 - 15.2) | 273 | 10.9 | (6.2 - 15.5) | 319 |
| 11th | 10.6 | (7.9 - 13.3) | 540 | 8.0 | (4.4 - 11.7) | 268 | 13.2 | (9.5 - 17.0) | 271 |
| 12th | 12.8 | (8.7 - 16.9) | 434 | 16.0 | (9.0 - 23.0) | 241 | 9.0 | (5.2 - 12.8) | 190 |
| Race/Ethnicity | | | | | | | | | |
| Black | 11.5 | (8.4 - 14.7) | 273 | 13.0 | (8.2 - 17.8) | 140 | 10.1 | (5.6 - 14.6) | 131 |
| Hispanic/ Latino | 14.8 | (10.8 - 18.8) | 420 | 14.2 | (10.5 - 17.8) | 181 | 14.8 | (9.1 - 20.4) | 237 |
| White | 11.5 | (9.3 - 13.7) | 1,259 | 11.2 | (7.9 - 14.6) | 642 | 11.6 | (8.6 - 14.5) | 615 |
| All other races | 18.7 | (9.6 - 27.8) | 138 | - | - | 80 | - | - | 56 |
| Multiple races | 13.4 | (7.3 - 19.5) | 126 | - | - | 67 | - | - | 57 |

Note: There were 28 students who did not provide usable data for QN26.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 13.2 | (11.3 - 15.0) | 2,197 | 15.6 | (13.1 - 18.1) | 1,094 | 10.3 | (8.2 - 12.3) | 1,090 |
| Age | | | | | | | | | |
| 15 or younger | 11.3 | (8.4 - 14.2) | 812 | 13.7 | (9.2 - 18.3) | 378 | 8.4 | (5.8 - 11.0) | 431 |
| 16 or 17 | 14.2 | (11.9 - 16.6) | 1,103 | 16.8 | (13.3 - 20.3) | 545 | 11.7 | (8.6 - 14.8) | 554 |
| 18 or older | 13.4 | (8.8 - 17.9) | 276 | 15.7 | (9.0 - 22.4) | 170 | 10.2 | (3.8 - 16.6) | 105 |
| Grade | | | | | | | | | |
| 9th | 12.3 | (8.6 - 16.1) | 624 | 13.9 | (9.1 - 18.6) | 311 | 10.5 | (6.6 - 14.3) | 309 |
| 10th | 11.1 | (8.2 - 14.0) | 575 | 14.9 | (10.8 - 19.0) | 263 | 7.3 | (3.5 - 11.2) | 312 |
| 11th | 14.6 | (11.6 - 17.7) | 535 | 15.7 | (11.8 - 19.6) | 266 | 13.6 | (9.7 - 17.4) | 268 |
| 12th | 14.1 | (9.9 - 18.2) | 436 | 17.8 | (12.3 - 23.3) | 239 | 9.3 | (4.1 - 14.5) | 194 |
| Race/Ethnicity | | | | | | | | | |
| Black | 14.3 | (10.4 - 18.3) | 266 | 18.5 | (11.9 - 25.2) | 135 | 10.0 | (4.2 - 15.9) | 129 |
| Hispanic/ Latino | 17.8 | (12.7 - 23.0) | 408 | 19.6 | (13.2 - 26.1) | 175 | 15.9 | (8.5 - 23.3) | 231 |
| White | 11.9 | (9.4 - 14.4) | 1,257 | 14.3 | (11.0 - 17.6) | 640 | 9.1 | (6.6 - 11.5) | 615 |
| All other races | 21.0 | (10.0 - 31.9) | 135 | - | - | 77 | - | - | 56 |
| Multiple races | 12.7 | (5.6 - 19.7) | 121 | - | - | 63 | - | - | 56 |

Note: There were 59 students who did not provide usable data for QN29.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 18.1 | (15.6 - 20.5) | 2,117 | 17.8 | (14.7 - 20.8) | 1,044 | 18.2 | (15.4 - 21.0) | 1,063 |
| Age | | | | | | | | | |
| 15 or younger | 13.2 | (10.3 - 16.2) | 793 | 12.2 | (8.1 - 16.4) | 366 | 14.1 | (10.8 - 17.4) | 426 |
| 16 or 17 | 19.5 | (16.4 - 22.6) | 1,061 | 18.2 | (15.0 - 21.5) | 518 | 20.8 | (16.5 - 25.2) | 540 |
| 18 or older | 25.4 | (19.8 - 31.1) | 257 | 28.7 | (20.3 - 37.2) | 159 | - | - | 97 |
| Grade | | | | | | | | | |
| 9th | 12.3 | (9.5 - 15.1) | 601 | 11.8 | (7.2 - 16.4) | 299 | 12.9 | (9.2 - 16.6) | 299 |
| 10th | 16.1 | (11.9 - 20.3) | 569 | 16.2 | (11.3 - 21.2) | 256 | 16.0 | (10.1 - 21.8) | 313 |
| 11th | 21.6 | (15.8 - 27.4) | 518 | 22.2 | (14.8 - 29.5) | 255 | 21.1 | (14.6 - 27.6) | 262 |
| 12th | 23.4 | (18.4 - 28.4) | 404 | 22.1 | (14.9 - 29.4) | 221 | 24.4 | (18.3 - 30.4) | 182 |
| Race/Ethnicity | | | | | | | | | |
| Black | 11.2 | (6.4 - 16.0) | 250 | 12.0 | (4.9 - 19.1) | 126 | 10.5 | (4.0 - 17.1) | 122 |
| Hispanic/ Latino | 15.0 | (10.9 - 19.2) | 391 | 15.1 | (9.1 - 21.1) | 164 | 15.0 | (8.9 - 21.1) | 226 |
| White | 19.9 | (17.2 - 22.7) | 1,221 | 19.3 | (15.8 - 22.8) | 615 | 20.4 | (17.0 - 23.9) | 605 |
| All other races | 20.7 | (8.0 - 33.5) | 124 | - | - | 70 | - | - | 53 |
| Multiple races | 16.6 | (9.9 - 23.3) | 121 | - | - | 65 | - | - | 54 |

Note: There were 139 students who did not provide usable data for QN30.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QNFRSIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 7.5 | (5.9 - 9.2) | 2,117 | 8.6 | (6.6 - 10.6) | 1,044 | 6.3 | (4.4 - 8.1) | 1,063 |
| Age | | | | | | | | | |
| 15 or younger | 4.4 | (2.3 - 6.6) | 793 | 5.1 | (2.4 - 7.8) | 366 | 3.8 | (1.3 - 6.2) | 426 |
| 16 or 17 | 8.3 | (6.4 - 10.2) | 1,061 | 8.9 | (6.7 - 11.2) | 518 | 7.6 | (5.0 - 10.2) | 540 |
| 18 or older | 12.7 | (7.8 - 17.5) | 257 | 15.3 | (8.6 - 22.1) | 159 | - | - | 97 |
| Grade | | | | | | | | | |
| 9th | 3.2 | (1.7 - 4.7) | 601 | 4.4 | (2.1 - 6.7) | 299 | 1.9 | (0.0 - 4.1) | 299 |
| 10th | 6.4 | (3.9 - 8.8) | 569 | 7.4 | (3.7 - 11.1) | 256 | 5.3 | (2.4 - 8.3) | 313 |
| 11th | 11.2 | (6.8 - 15.6) | 518 | 14.5 | (8.9 - 20.0) | 255 | 8.0 | (3.7 - 12.2) | 262 |
| 12th | 9.9 | (6.9 - 13.0) | 404 | 8.9 | (4.5 - 13.4) | 221 | 10.5 | (5.9 - 15.1) | 182 |
| Race/Ethnicity | | | | | | | | | |
| Black | 3.8 | (1.3 - 6.4) | 250 | 4.1 | (0.0 - 8.1) | 126 | 3.7 | (0.5 - 6.9) | 122 |
| Hispanic/ Latino | 3.8 | (2.2 - 5.4) | 391 | 7.7 | (3.9 - 11.4) | 164 | 0.9 | (0.0 - 2.0) | 226 |
| White | 8.9 | (7.0 - 10.8) | 1,221 | 9.7 | (7.5 - 12.0) | 615 | 7.9 | (5.5 - 10.3) | 605 |
| All other races | 11.0 | (2.3 - 19.7) | 124 | - | - | 70 | - | - | 53 |
| Multiple races | 4.8 | (0.9 - 8.7) | 121 | - | - | 65 | - | - | 54 |

Note: There were 139 students who did not provide usable data for QNFRSIG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN31: Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 11.0 | (6.3 - 15.6) | 365 | 16.6 | (9.4 - 23.8) | 177 | 4.6 | (1.5 - 7.7) | 185 |
| Age | | | | | | | | | |
| 15 or younger | 9.5 | (3.9 - 15.1) | 100 | - | - | 44 | - | - | 55 |
| 16 or 17 | 9.1 | (3.6 - 14.5) | 201 | - | - | 91 | 5.6 | (1.4 - 9.9) | 110 |
| 18 or older | - | - | 62 | - | - | 42 | - | - | 20 |
| Grade | | | | | | | | | |
| 9th | - | - | 75 | - | - | 39 | - | - | 36 |
| 10th | - | - | 85 | - | - | 38 | - | - | 47 |
| 11th | 9.9 | (3.9 - 16.0) | 106 | - | - | 51 | - | - | 55 |
| 12th | - | - | 94 | - | - | 48 | - | - | 45 |
| Race/Ethnicity | | | | | | | | | |
| Black | - | - | 27 | - | - | 13 | - | - | 14 |
| Hispanic/ Latino | - | - | 58 | - | - | 26 | - | - | 32 |
| White | 10.5 | (5.8 - 15.3) | 242 | 16.3 | (9.0 - 23.6) | 117 | 4.2 | (0.8 - 7.5) | 124 |
| All other races | - | - | 17 | - | - | 8 | - | - | 8 |
| Multiple races | - | - | 20 | - | - | 13 | - | - | 7 |

Note: There were 1891 students who were excluded from this analysis or who did not provide usable data for QN31.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 7.7 | (6.3 - 9.1) | 2,183 | 8.5 | (6.5 - 10.5) | 1,077 | 6.7 | (5.3 - 8.1) | 1,094 |
| Age | | | | | | | | | |
| 15 or younger | 5.8 | (3.9 - 7.7) | 815 | 5.9 | (3.4 - 8.3) | 379 | 5.7 | (3.5 - 8.0) | 434 |
| 16 or 17 | 8.1 | (6.5 - 9.7) | 1,095 | 8.1 | (6.2 - 10.0) | 534 | 8.0 | (5.6 - 10.3) | 557 |
| 18 or older | 11.0 | (6.4 - 15.6) | 267 | 15.9 | (8.2 - 23.6) | 163 | 4.3 | (0.0 - 8.8) | 103 |
| Grade | | | | | | | | | |
| 9th | 4.9 | (3.5 - 6.2) | 622 | 5.4 | (3.0 - 7.8) | 310 | 4.3 | (2.2 - 6.4) | 308 |
| 10th | 7.1 | (4.5 - 9.6) | 579 | 7.1 | (3.5 - 10.7) | 261 | 7.0 | (3.8 - 10.3) | 318 |
| 11th | 9.9 | (6.2 - 13.6) | 538 | 10.9 | (5.6 - 16.2) | 268 | 8.8 | (5.2 - 12.5) | 269 |
| 12th | 9.1 | (5.0 - 13.1) | 419 | 11.3 | (5.8 - 16.8) | 226 | 6.4 | (2.7 - 10.1) | 192 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.5 | (2.3 - 8.7) | 264 | 6.5 | (1.9 - 11.0) | 132 | 4.0 | (0.2 - 7.7) | 129 |
| Hispanic/ Latino | 5.6 | (3.8 - 7.3) | 402 | 7.5 | (4.3 - 10.7) | 168 | 4.2 | (2.1 - 6.3) | 232 |
| White | 8.5 | (6.7 - 10.3) | 1,252 | 9.1 | (6.3 - 11.8) | 634 | 7.8 | (5.7 - 9.8) | 617 |
| All other races | 12.5 | (2.9 - 22.1) | 128 | - | - | 71 | - | - | 56 |
| Multiple races | 5.3 | (1.7 - 8.8) | 126 | - | - | 67 | - | - | 57 |

Note: There were 73 students who did not provide usable data for QN33.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN35: Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 52.2 | (47.6 - 56.8) | 352 | 50.7 | (44.4 - 57.0) | 165 | 54.1 | (46.7 - 61.5) | 185 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 95 | - | - | 40 | - | - | 55 |
| 16 or 17 | 53.0 | (45.4 - 60.5) | 196 | - | - | 86 | 56.6 | (47.6 - 65.6) | 110 |
| 18 or older | - | - | 59 | - | - | 39 | - | - | 20 |
| Grade | | | | | | | | | |
| 9th | - | - | 72 | - | - | 35 | - | - | 37 |
| 10th | - | - | 80 | - | - | 34 | - | - | 46 |
| 11th | 53.5 | (44.7 - 62.2) | 106 | - | - | 51 | - | - | 55 |
| 12th | - | - | 90 | - | - | 44 | - | - | 45 |
| Race/Ethnicity | | | | | | | | | |
| Black | - | - | 29 | - | - | 16 | - | - | 13 |
| Hispanic/ Latino | - | - | 55 | - | - | 22 | - | - | 33 |
| White | 52.5 | (47.5 - 57.4) | 236 | 51.6 | (44.1 - 59.1) | 111 | 53.7 | (45.7 - 61.7) | 124 |
| All other races | - | - | 15 | - | - | 7 | - | - | 8 |
| Multiple races | - | - | 16 | - | - | 9 | - | - | 7 |

Note: There were 1904 students who were excluded from this analysis or who did not provide usable data for QN35.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 74.4 | (71.7 - 77.1) | 1,988 | 71.6 | (68.1 - 75.1) | 982 | 77.4 | (74.1 - 80.7) | 995 |
| Age | | | | | | | | | |
| 15 or younger | 64.9 | (61.2 - 68.5) | 731 | 60.3 | (54.8 - 65.7) | 337 | 69.1 | (64.6 - 73.5) | 393 |
| 16 or 17 | 78.6 | (75.7 - 81.6) | 1,007 | 75.8 | (71.5 - 80.1) | 495 | 81.6 | (77.4 - 85.8) | 508 |
| 18 or older | 83.8 | (77.2 - 90.5) | 244 | 82.6 | (75.3 - 89.9) | 149 | - | - | 94 |
| Grade | | | | | | | | | |
| 9th | 62.1 | (58.3 - 66.0) | 560 | 60.4 | (54.0 - 66.8) | 280 | 64.2 | (59.4 - 69.1) | 276 |
| 10th | 74.1 | (69.9 - 78.3) | 524 | 68.6 | (61.5 - 75.7) | 231 | 79.3 | (75.8 - 82.8) | 293 |
| 11th | 78.8 | (75.3 - 82.2) | 487 | 76.4 | (71.2 - 81.6) | 248 | 81.3 | (74.3 - 88.3) | 238 |
| 12th | 84.8 | (81.0 - 88.7) | 393 | 82.8 | (76.9 - 88.7) | 211 | 86.8 | (82.1 - 91.5) | 181 |
| Race/Ethnicity | | | | | | | | | |
| Black | 72.2 | (67.9 - 76.5) | 223 | 69.8 | (61.1 - 78.5) | 107 | 75.6 | (67.5 - 83.6) | 113 |
| Hispanic/ Latino | 74.0 | (68.2 - 79.9) | 359 | 69.6 | (60.6 - 78.5) | 151 | 77.6 | (70.3 - 84.8) | 207 |
| White | 75.1 | (71.7 - 78.4) | 1,162 | 72.2 | (68.0 - 76.3) | 594 | 78.1 | (74.2 - 82.0) | 567 |
| All other races | 67.7 | (57.6 - 77.8) | 118 | - | - | 67 | - | - | 50 |
| Multiple races | 71.1 | (61.7 - 80.5) | 116 | - | - | 59 | - | - | 55 |

Note: There were 268 students who did not provide usable data for QN39.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 21.3 | (18.6 - 24.0) | 2,040 | 24.6 | (21.0 - 28.3) | 1,016 | 17.6 | (15.3 - 20.0) | 1,013 |
| Age | | | | | | | | | |
| 15 or younger | 25.0 | (21.2 - 28.9) | 750 | 28.1 | (23.4 - 32.8) | 349 | 21.8 | (17.5 - 26.1) | 399 |
| 16 or 17 | 18.7 | (15.8 - 21.6) | 1,029 | 22.2 | (17.5 - 27.0) | 508 | 15.1 | (12.4 - 17.8) | 518 |
| 18 or older | 20.9 | (13.7 - 28.0) | 255 | 24.9 | (17.1 - 32.6) | 158 | - | - | 96 |
| Grade | | | | | | | | | |
| 9th | 25.3 | (21.7 - 28.9) | 570 | 27.9 | (22.7 - 33.1) | 286 | 22.5 | (17.7 - 27.3) | 280 |
| 10th | 21.3 | (17.3 - 25.3) | 541 | 24.3 | (18.7 - 29.8) | 243 | 18.3 | (13.1 - 23.6) | 298 |
| 11th | 19.3 | (16.0 - 22.6) | 495 | 24.5 | (18.8 - 30.1) | 251 | 13.9 | (10.5 - 17.3) | 243 |
| 12th | 17.6 | (12.0 - 23.1) | 408 | 19.7 | (13.0 - 26.4) | 221 | 14.5 | (8.7 - 20.3) | 185 |
| Race/Ethnicity | | | | | | | | | |
| Black | 27.2 | (21.2 - 33.3) | 232 | 30.4 | (19.5 - 41.3) | 116 | 24.4 | (16.1 - 32.7) | 114 |
| Hispanic/ Latino | 29.3 | (24.0 - 34.6) | 369 | 33.1 | (27.0 - 39.3) | 156 | 26.3 | (18.6 - 34.0) | 212 |
| White | 18.5 | (15.7 - 21.3) | 1,189 | 21.9 | (17.9 - 25.9) | 611 | 14.5 | (11.7 - 17.3) | 576 |
| All other races | 33.4 | (19.7 - 47.1) | 121 | - | - | 69 | - | - | 51 |
| Multiple races | 26.3 | (18.4 - 34.3) | 119 | - | - | 60 | - | - | 57 |

Note: There were 216 students who did not provide usable data for QN40.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 45.3 | (41.0 - 49.5) | 2,060 | 45.0 | (40.7 - 49.3) | 1,014 | 45.5 | (39.9 - 51.2) | 1,035 |
| Age | | | | | | | | | |
| 15 or younger | 34.7 | (30.1 - 39.4) | 771 | 31.8 | (25.6 - 38.1) | 361 | 37.4 | (31.4 - 43.4) | 409 |
| 16 or 17 | 50.0 | (45.1 - 54.9) | 1,024 | 50.6 | (45.7 - 55.6) | 495 | 49.5 | (42.9 - 56.2) | 526 |
| 18 or older | 56.0 | (47.2 - 64.7) | 258 | 57.0 | (50.3 - 63.7) | 157 | 55.0 | (40.3 - 69.7) | 100 |
| Grade | | | | | | | | | |
| 9th | 35.0 | (30.1 - 39.9) | 589 | 34.0 | (27.5 - 40.6) | 298 | 36.2 | (29.2 - 43.1) | 287 |
| 10th | 42.1 | (36.7 - 47.4) | 544 | 39.1 | (32.3 - 45.9) | 242 | 45.0 | (38.6 - 51.4) | 302 |
| 11th | 47.6 | (40.9 - 54.3) | 506 | 50.8 | (45.9 - 55.7) | 250 | 44.5 | (33.9 - 55.2) | 255 |
| 12th | 59.0 | (52.9 - 65.1) | 398 | 59.3 | (52.0 - 66.7) | 213 | 58.5 | (49.9 - 67.2) | 184 |
| Race/Ethnicity | | | | | | | | | |
| Black | 31.9 | (25.5 - 38.4) | 245 | 31.8 | (23.8 - 39.8) | 122 | 32.6 | (22.9 - 42.3) | 121 |
| Hispanic/ Latino | 38.8 | (32.3 - 45.3) | 376 | 39.5 | (32.0 - 46.9) | 159 | 38.3 | (28.9 - 47.7) | 216 |
| White | 49.0 | (44.9 - 53.2) | 1,194 | 48.2 | (43.3 - 53.2) | 602 | 49.8 | (44.5 - 55.1) | 591 |
| All other races | 36.8 | (24.5 - 49.2) | 121 | - | - | 68 | - | - | 52 |
| Multiple races | 40.0 | (29.5 - 50.5) | 114 | - | - | 60 | - | - | 52 |

Note: There were 196 students who did not provide usable data for QN41.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN105: Percentage of students who spend one or more hours after school without an adult present on a school day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 71.3 | (68.5 - 74.0) | 2,076 | 69.5 | (65.4 - 73.7) | 1,043 | 73.2 | (70.4 - 76.0) | 1,017 |
| Age | | | | | | | | | |
| 15 or younger | 71.8 | (68.1 - 75.5) | 761 | 69.7 | (64.7 - 74.6) | 357 | 73.8 | (68.2 - 79.5) | 400 |
| 16 or 17 | 71.7 | (68.3 - 75.1) | 1,047 | 70.7 | (65.2 - 76.2) | 524 | 72.9 | (69.1 - 76.7) | 518 |
| 18 or older | 68.5 | (62.1 - 74.9) | 262 | 65.6 | (57.4 - 73.7) | 162 | - | - | 99 |
| Grade | | | | | | | | | |
| 9th | 69.5 | (64.8 - 74.3) | 584 | 67.7 | (62.3 - 73.1) | 291 | 71.7 | (64.3 - 79.1) | 288 |
| 10th | 69.7 | (65.2 - 74.3) | 543 | 68.4 | (62.9 - 73.8) | 255 | 71.2 | (65.8 - 76.6) | 288 |
| 11th | 75.1 | (70.7 - 79.4) | 511 | 74.2 | (66.5 - 81.9) | 256 | 76.0 | (71.0 - 81.0) | 254 |
| 12th | 70.9 | (65.9 - 76.0) | 409 | 68.2 | (60.5 - 75.8) | 226 | 74.6 | (68.8 - 80.5) | 180 |
| Race/Ethnicity | | | | | | | | | |
| Black | 65.1 | (58.5 - 71.7) | 244 | 59.8 | (50.0 - 69.5) | 129 | 71.3 | (61.3 - 81.3) | 112 |
| Hispanic/ Latino | 61.2 | (55.5 - 66.9) | 389 | 61.5 | (56.3 - 66.7) | 170 | 60.8 | (52.3 - 69.2) | 217 |
| White | 74.6 | (71.4 - 77.8) | 1,184 | 73.0 | (68.2 - 77.8) | 602 | 76.5 | (72.4 - 80.6) | 580 |
| All other races | 68.4 | (60.4 - 76.4) | 129 | - | - | 76 | - | - | 50 |
| Multiple races | 66.6 | (54.6 - 78.5) | 119 | - | - | 62 | - | - | 55 |

Note: There were 180 students who did not provide usable data for QN105.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN106: Percentage of students whose parents or other adults in the students' family have talked with the students about what they expect the students to do or not to do when it comes to sex

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 64.7 | (62.7 - 66.7) | 2,048 | 60.7 | (58.0 - 63.5) | 1,022 | 68.8 | (66.0 - 71.7) | 1,012 |
| Age | | | | | | | | | |
| 15 or younger | 61.5 | (58.1 - 65.0) | 752 | 57.2 | (52.0 - 62.4) | 350 | 65.9 | (61.1 - 70.6) | 399 |
| 16 or 17 | 66.6 | (64.1 - 69.0) | 1,030 | 62.6 | (59.4 - 65.7) | 512 | 70.7 | (66.1 - 75.3) | 514 |
| 18 or older | 65.4 | (58.5 - 72.3) | 259 | 62.1 | (52.4 - 71.8) | 159 | - | - | 99 |
| Grade | | | | | | | | | |
| 9th | 58.5 | (53.8 - 63.2) | 577 | 56.0 | (50.2 - 61.8) | 287 | 61.2 | (55.4 - 67.0) | 285 |
| 10th | 69.2 | (64.4 - 73.9) | 536 | 65.2 | (58.7 - 71.6) | 251 | 73.2 | (65.4 - 81.0) | 285 |
| 11th | 66.8 | (63.0 - 70.6) | 503 | 63.3 | (58.9 - 67.8) | 248 | 70.2 | (64.0 - 76.4) | 254 |
| 12th | 65.4 | (60.7 - 70.1) | 405 | 58.6 | (49.9 - 67.3) | 222 | 72.6 | (64.6 - 80.6) | 181 |
| Race/Ethnicity | | | | | | | | | |
| Black | 69.8 | (64.4 - 75.2) | 238 | 67.2 | (60.3 - 74.0) | 125 | 73.8 | (66.9 - 80.8) | 110 |
| Hispanic/ Latino | 70.9 | (66.2 - 75.5) | 386 | 62.3 | (53.8 - 70.8) | 168 | 78.2 | (72.7 - 83.6) | 216 |
| White | 62.7 | (60.6 - 64.9) | 1,174 | 59.4 | (56.7 - 62.2) | 591 | 66.2 | (62.9 - 69.4) | 581 |
| All other races | 44.3 | (35.0 - 53.7) | 122 | - | - | 72 | - | - | 49 |
| Multiple races | 66.1 | (59.1 - 73.2) | 117 | - | - | 62 | - | - | 53 |

Note: There were 208 students who did not provide usable data for QN106.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN107: Percentage of students who, about once or more during the past 12 months, have had a conversation with their parents or other adults in the students' family about sexuality or ways to prevent HIV infection, other sexually transmitted diseases (STDs) or pregnancy

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 48.7 | (46.1 - 51.4) | 2,044 | 42.3 | (39.3 - 45.2) | 1,017 | 55.2 | (51.5 - 58.9) | 1,012 |
| Age | | | | | | | | | |
| 15 or younger | 53.1 | (48.2 - 58.1) | 749 | 48.9 | (41.7 - 56.1) | 344 | 56.9 | (51.7 - 62.1) | 401 |
| 16 or 17 | 46.8 | (43.4 - 50.2) | 1,032 | 40.1 | (35.8 - 44.5) | 516 | 53.5 | (48.1 - 58.9) | 512 |
| 18 or older | 44.5 | (37.7 - 51.4) | 256 | 35.6 | (27.3 - 43.9) | 156 | - | - | 99 |
| Grade | | | | | | | | | |
| 9th | 50.4 | (44.5 - 56.2) | 573 | 45.6 | (38.6 - 52.6) | 281 | 55.1 | (49.1 - 61.1) | 287 |
| 10th | 53.1 | (48.5 - 57.7) | 534 | 47.1 | (41.7 - 52.5) | 251 | 59.2 | (51.6 - 66.8) | 283 |
| 11th | 45.2 | (41.0 - 49.5) | 501 | 37.6 | (30.7 - 44.4) | 247 | 52.7 | (46.9 - 58.4) | 253 |
| 12th | 45.9 | (41.5 - 50.4) | 407 | 37.9 | (33.1 - 42.6) | 223 | 54.2 | (47.4 - 61.1) | 182 |
| Race/Ethnicity | | | | | | | | | |
| Black | 55.1 | (49.8 - 60.3) | 235 | 47.8 | (41.3 - 54.2) | 122 | 63.0 | (53.7 - 72.2) | 110 |
| Hispanic/ Latino | 52.6 | (47.4 - 57.8) | 384 | 41.9 | (34.6 - 49.3) | 167 | 61.3 | (55.5 - 67.2) | 215 |
| White | 47.2 | (43.8 - 50.6) | 1,174 | 41.4 | (37.8 - 44.9) | 591 | 53.2 | (48.4 - 58.0) | 581 |
| All other races | 39.6 | (31.0 - 48.3) | 124 | - | - | 72 | - | - | 50 |
| Multiple races | 42.1 | (32.9 - 51.2) | 117 | - | - | 62 | - | - | 53 |

Note: There were 212 students who did not provide usable data for QN107.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN108: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 74.4 | (71.8 - 77.0) | 2,078 | 71.7 | (68.8 - 74.6) | 1,047 | 77.4 | (74.0 - 80.8) | 1,017 |
| Age | | | | | | | | | |
| 15 or younger | 74.9 | (69.9 - 79.9) | 762 | 72.9 | (67.3 - 78.5) | 355 | 76.9 | (71.0 - 82.8) | 404 |
| 16 or 17 | 74.6 | (71.9 - 77.2) | 1,046 | 70.3 | (66.4 - 74.2) | 527 | 79.0 | (75.4 - 82.7) | 514 |
| 18 or older | 73.1 | (67.5 - 78.7) | 264 | 73.7 | (65.6 - 81.8) | 164 | - | - | 99 |
| Grade | | | | | | | | | |
| 9th | 74.4 | (68.9 - 80.0) | 588 | 73.3 | (67.5 - 79.2) | 292 | 75.4 | (67.6 - 83.2) | 291 |
| 10th | 75.5 | (71.6 - 79.5) | 542 | 71.0 | (66.4 - 75.5) | 257 | 80.3 | (74.9 - 85.6) | 285 |
| 11th | 75.2 | (70.9 - 79.5) | 508 | 71.2 | (65.7 - 76.7) | 253 | 79.2 | (73.3 - 85.1) | 254 |
| 12th | 73.3 | (68.6 - 78.1) | 412 | 72.3 | (65.9 - 78.6) | 229 | 75.4 | (68.1 - 82.6) | 180 |
| Race/Ethnicity | | | | | | | | | |
| Black | 65.5 | (57.8 - 73.3) | 247 | 59.6 | (52.3 - 66.9) | 131 | 71.6 | (56.4 - 86.8) | 113 |
| Hispanic/ Latino | 69.4 | (64.9 - 73.9) | 389 | 68.7 | (62.4 - 75.0) | 171 | 69.7 | (63.6 - 75.8) | 216 |
| White | 77.3 | (74.5 - 80.1) | 1,186 | 74.9 | (71.5 - 78.4) | 603 | 80.1 | (76.5 - 83.6) | 581 |
| All other races | 59.8 | (49.1 - 70.5) | 125 | - | - | 74 | - | - | 49 |
| Multiple races | 76.5 | (69.9 - 83.1) | 121 | - | - | 64 | - | - | 55 |

Note: There were 178 students who did not provide usable data for QN108.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN109: Percentage of students whose parents or other adults in their family always or most of the time know where the students are when the students are away from home

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 71.6 | (68.8 - 74.4) | 2,066 | 64.3 | (60.0 - 68.6) | 1,039 | 79.5 | (77.7 - 81.3) | 1,012 |
| Age | | | | | | | | | |
| 15 or younger | 76.8 | (74.2 - 79.4) | 764 | 71.9 | (68.0 - 75.9) | 359 | 81.8 | (77.2 - 86.5) | 401 |
| 16 or 17 | 71.1 | (67.2 - 75.0) | 1,035 | 63.2 | (57.1 - 69.4) | 516 | 79.3 | (76.3 - 82.2) | 514 |
| 18 or older | 60.5 | (53.6 - 67.3) | 261 | 51.8 | (41.6 - 62.0) | 163 | - | - | 97 |
| Grade | | | | | | | | | |
| 9th | 76.5 | (73.3 - 79.8) | 585 | 71.4 | (67.7 - 75.2) | 293 | 82.2 | (75.7 - 88.7) | 287 |
| 10th | 73.7 | (69.8 - 77.6) | 536 | 68.0 | (61.5 - 74.5) | 250 | 79.4 | (74.6 - 84.1) | 286 |
| 11th | 73.0 | (69.5 - 76.6) | 505 | 67.6 | (62.1 - 73.1) | 251 | 78.4 | (74.1 - 82.7) | 253 |
| 12th | 63.1 | (56.0 - 70.3) | 411 | 50.2 | (41.0 - 59.4) | 229 | 77.8 | (70.7 - 84.9) | 179 |
| Race/Ethnicity | | | | | | | | | |
| Black | 58.6 | (52.4 - 64.8) | 240 | 43.1 | (38.0 - 48.3) | 127 | 76.5 | (69.6 - 83.4) | 110 |
| Hispanic/ Latino | 68.5 | (61.9 - 75.1) | 385 | 59.6 | (52.5 - 66.7) | 168 | 76.1 | (67.8 - 84.3) | 215 |
| White | 74.8 | (71.5 - 78.1) | 1,188 | 69.4 | (64.4 - 74.4) | 604 | 80.8 | (78.2 - 83.5) | 582 |
| All other races | 53.4 | (40.8 - 66.0) | 125 | - | - | 73 | - | - | 49 |
| Multiple races | 76.6 | (69.5 - 83.7) | 120 | - | - | 64 | - | - | 54 |

Note: There were 190 students who did not provide usable data for QN109.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN110: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs, sports, community center groups, music/art/dance lessons, drama, church, or other supervised activities) on one or more of the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 58.5 | (55.0 - 61.9) | 2,049 | 56.2 | (52.2 - 60.2) | 1,032 | 60.9 | (57.0 - 64.8) | 1,002 |
| Age | | | | | | | | | |
| 15 or younger | 61.4 | (56.2 - 66.6) | 755 | 59.3 | (52.1 - 66.5) | 352 | 63.0 | (57.7 - 68.3) | 399 |
| 16 or 17 | 59.2 | (55.1 - 63.2) | 1,026 | 57.2 | (52.0 - 62.5) | 515 | 61.3 | (55.9 - 66.7) | 506 |
| 18 or older | 48.9 | (41.8 - 56.0) | 262 | 46.8 | (40.8 - 52.8) | 164 | - | - | 97 |
| Grade | | | | | | | | | |
| 9th | 59.3 | (52.8 - 65.8) | 577 | 57.0 | (49.5 - 64.5) | 287 | 61.9 | (53.8 - 70.0) | 285 |
| 10th | 62.9 | (55.6 - 70.2) | 529 | 63.0 | (53.5 - 72.5) | 248 | 62.7 | (55.4 - 70.0) | 281 |
| 11th | 59.5 | (53.9 - 65.1) | 504 | 55.3 | (47.0 - 63.6) | 253 | 63.9 | (55.7 - 72.2) | 250 |
| 12th | 52.6 | (44.3 - 60.9) | 411 | 50.2 | (41.5 - 59.0) | 228 | 55.0 | (44.5 - 65.6) | 180 |
| Race/Ethnicity | | | | | | | | | |
| Black | 56.8 | (48.7 - 65.0) | 242 | 59.7 | (47.8 - 71.6) | 129 | 54.2 | (46.3 - 62.1) | 110 |
| Hispanic/ Latino | 44.5 | (39.5 - 49.5) | 385 | 50.6 | (41.2 - 60.0) | 167 | 39.4 | (33.0 - 45.8) | 216 |
| White | 61.7 | (57.3 - 66.1) | 1,165 | 56.6 | (51.6 - 61.6) | 594 | 67.1 | (62.6 - 71.6) | 569 |
| All other races | 50.0 | (40.1 - 59.8) | 127 | - | - | 74 | - | - | 50 |
| Multiple races | 67.8 | (57.1 - 78.5) | 120 | - | - | 64 | - | - | 54 |

Note: There were 207 students who did not provide usable data for QN110.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN111: Percentage of students who work at a paying job outside their home one or more hours during an average week during the school year

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 45.7 | (43.1 - 48.3) | 2,054 | 46.0 | (42.4 - 49.6) | 1,033 | 45.2 | (41.6 - 48.8) | 1,007 |
| Age | | | | | | | | | |
| 15 or younger | 29.3 | (24.8 - 33.8) | 751 | 30.1 | (24.5 - 35.7) | 349 | 28.1 | (22.7 - 33.5) | 399 |
| 16 or 17 | 50.0 | (45.4 - 54.6) | 1,037 | 47.7 | (42.2 - 53.2) | 520 | 52.2 | (47.1 - 57.3) | 512 |
| 18 or older | 72.6 | (67.9 - 77.3) | 260 | 73.6 | (65.9 - 81.4) | 163 | - | - | 96 |
| Grade | | | | | | | | | |
| 9th | 31.7 | (27.7 - 35.8) | 581 | 33.0 | (26.1 - 39.8) | 289 | 29.8 | (24.7 - 34.9) | 287 |
| 10th | 32.0 | (27.6 - 36.5) | 529 | 31.6 | (25.8 - 37.3) | 246 | 32.5 | (26.4 - 38.6) | 283 |
| 11th | 53.2 | (47.9 - 58.5) | 508 | 51.7 | (45.3 - 58.1) | 254 | 54.7 | (48.0 - 61.4) | 253 |
| 12th | 69.1 | (65.7 - 72.6) | 409 | 69.9 | (63.9 - 75.9) | 229 | 68.6 | (61.8 - 75.4) | 177 |
| Race/Ethnicity | | | | | | | | | |
| Black | 32.7 | (26.6 - 38.8) | 245 | 34.4 | (23.8 - 45.1) | 130 | 28.8 | (21.8 - 35.8) | 112 |
| Hispanic/ Latino | 40.2 | (36.0 - 44.3) | 384 | 38.4 | (30.3 - 46.4) | 168 | 41.2 | (34.3 - 48.1) | 214 |
| White | 49.1 | (46.6 - 51.7) | 1,172 | 49.4 | (45.8 - 53.0) | 595 | 48.9 | (44.3 - 53.4) | 575 |
| All other races | 53.4 | (43.9 - 62.8) | 126 | - | - | 74 | - | - | 50 |
| Multiple races | 44.9 | (37.7 - 52.0) | 117 | - | - | 62 | - | - | 53 |

Note: There were 202 students who did not provide usable data for QN111.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN112: Percentage of students who spent one or more hours during the past 30 days helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 44.2 | (41.1 - 47.4) | 2,061 | 41.2 | (37.4 - 44.9) | 1,037 | 47.1 | (43.5 - 50.8) | 1,010 |
| Age | | | | | | | | | |
| 15 or younger | 47.4 | (42.8 - 51.9) | 758 | 42.9 | (36.9 - 48.9) | 353 | 51.4 | (46.4 - 56.5) | 401 |
| 16 or 17 | 41.9 | (37.9 - 46.0) | 1,038 | 39.6 | (35.4 - 43.9) | 521 | 44.1 | (39.1 - 49.0) | 512 |
| 18 or older | 43.9 | (36.9 - 51.0) | 259 | 42.2 | (34.3 - 50.1) | 162 | - | - | 97 |
| Grade | | | | | | | | | |
| 9th | 46.9 | (42.0 - 51.8) | 582 | 40.7 | (34.7 - 46.8) | 289 | 52.9 | (45.9 - 59.9) | 288 |
| 10th | 41.0 | (36.0 - 46.0) | 532 | 38.2 | (30.1 - 46.2) | 251 | 44.0 | (38.8 - 49.1) | 281 |
| 11th | 43.3 | (37.3 - 49.2) | 509 | 39.7 | (33.7 - 45.6) | 254 | 46.9 | (39.5 - 54.3) | 254 |
| 12th | 45.2 | (40.1 - 50.3) | 410 | 46.4 | (38.6 - 54.2) | 227 | 44.4 | (36.1 - 52.6) | 180 |
| Race/Ethnicity | | | | | | | | | |
| Black | 41.3 | (35.1 - 47.6) | 241 | 39.4 | (32.9 - 45.9) | 128 | 42.5 | (29.7 - 55.3) | 111 |
| Hispanic/ Latino | 41.1 | (35.9 - 46.3) | 388 | 41.2 | (33.0 - 49.3) | 170 | 40.6 | (34.6 - 46.6) | 216 |
| White | 45.3 | (41.4 - 49.3) | 1,175 | 41.3 | (37.0 - 45.6) | 597 | 49.7 | (44.8 - 54.7) | 576 |
| All other races | 42.7 | (34.2 - 51.2) | 127 | - | - | 74 | - | - | 50 |
| Multiple races | 45.4 | (34.0 - 56.9) | 120 | - | - | 64 | - | - | 54 |

Note: There were 195 students who did not provide usable data for QN112.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Summary Table - Weighted Data**

QN113: Percentage of students who think they definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 55.6 | (51.7 - 59.5) | 2,047 | 45.7 | (41.0 - 50.4) | 1,033 | 66.1 | (61.7 - 70.5) | 1,001 |
| Age | | | | | | | | | |
| 15 or younger | 50.0 | (44.9 - 55.1) | 751 | 38.1 | (30.4 - 45.8) | 353 | 61.3 | (56.3 - 66.4) | 395 |
| 16 or 17 | 58.1 | (53.0 - 63.2) | 1,032 | 49.0 | (42.8 - 55.1) | 518 | 67.6 | (61.9 - 73.2) | 510 |
| 18 or older | 61.0 | (55.2 - 66.7) | 258 | 51.5 | (42.9 - 60.1) | 161 | - | - | 96 |
| Grade | | | | | | | | | |
| 9th | 50.0 | (44.0 - 56.0) | 578 | 38.9 | (30.8 - 46.9) | 289 | 61.8 | (55.1 - 68.4) | 284 |
| 10th | 52.7 | (45.1 - 60.3) | 529 | 44.6 | (34.2 - 55.0) | 249 | 60.8 | (53.3 - 68.4) | 280 |
| 11th | 56.3 | (50.8 - 61.8) | 505 | 46.3 | (39.9 - 52.6) | 253 | 66.6 | (58.6 - 74.6) | 251 |
| 12th | 65.5 | (58.5 - 72.5) | 408 | 54.9 | (47.0 - 62.8) | 226 | 77.5 | (70.7 - 84.3) | 179 |
| Race/Ethnicity | | | | | | | | | |
| Black | 43.0 | (35.5 - 50.4) | 239 | 32.4 | (21.4 - 43.4) | 126 | 55.0 | (47.4 - 62.5) | 111 |
| Hispanic/ Latino | 44.3 | (37.8 - 50.8) | 385 | 33.0 | (24.8 - 41.1) | 170 | 53.7 | (45.7 - 61.8) | 213 |
| White | 60.0 | (56.2 - 63.8) | 1,170 | 50.0 | (45.6 - 54.4) | 596 | 70.8 | (65.6 - 76.0) | 572 |
| All other races | 49.5 | (38.5 - 60.5) | 125 | - | - | 73 | - | - | 50 |
| Multiple races | 57.2 | (46.4 - 68.0) | 118 | - | - | 64 | - | - | 52 |

Note: There were 209 students who did not provide usable data for QN113.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Summary Table - Weighted Data

QN114: Percentage of students who most of the time live with two parents (natural or adopted)

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Total | 58.2 | (53.2 - 63.1) | 2,058 | 57.6 | (52.7 - 62.6) | 1,037 | 58.8 | (53.0 - 64.5) | 1,007 |
| Age | | | | | | | | | |
| 15 or younger | 59.6 | (53.4 - 65.7) | 754 | 60.4 | (54.4 - 66.5) | 354 | 59.0 | (51.2 - 66.9) | 397 |
| 16 or 17 | 59.7 | (54.8 - 64.7) | 1,038 | 58.1 | (52.3 - 64.0) | 520 | 61.5 | (55.8 - 67.1) | 513 |
| 18 or older | 48.6 | (39.7 - 57.5) | 260 | 50.5 | (40.0 - 61.0) | 162 | - | - | 97 |
| Grade | | | | | | | | | |
| 9th | 60.6 | (53.3 - 68.0) | 579 | 59.6 | (52.8 - 66.4) | 289 | 62.3 | (52.8 - 71.8) | 285 |
| 10th | 55.5 | (48.9 - 62.0) | 532 | 60.7 | (53.8 - 67.7) | 251 | 50.0 | (42.0 - 58.1) | 281 |
| 11th | 59.5 | (52.1 - 67.0) | 509 | 53.9 | (44.5 - 63.4) | 255 | 65.2 | (58.0 - 72.4) | 253 |
| 12th | 57.4 | (50.1 - 64.7) | 409 | 57.0 | (48.9 - 65.2) | 226 | 57.5 | (47.4 - 67.7) | 181 |
| Race/Ethnicity | | | | | | | | | |
| Black | 32.3 | (25.7 - 38.9) | 240 | 34.7 | (25.4 - 44.1) | 127 | 29.4 | (20.9 - 37.9) | 110 |
| Hispanic/ Latino | 43.8 | (34.7 - 52.9) | 382 | 41.9 | (31.6 - 52.2) | 166 | 45.6 | (34.8 - 56.3) | 214 |
| White | 65.5 | (62.2 - 68.7) | 1,177 | 64.1 | (60.2 - 68.0) | 600 | 66.9 | (63.0 - 70.7) | 576 |
| All other races | 62.9 | (50.2 - 75.5) | 127 | - | - | 75 | - | - | 49 |
| Multiple races | 48.6 | (38.1 - 59.1) | 122 | - | - | 65 | - | - | 55 |

Note: There were 198 students who did not provide usable data for QN114.

N = Number of unweighted observations.

- = Fewer than 100 cases.