


2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who described their general health as fair or poor




QN7 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet




QN8 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else




QN9 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days




QN10 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days




QN11 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days




QN12 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days




QN14 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days




QN15 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months




QN16 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months




QN17 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were in a physical fight one or more times during the past 12 months




QN18 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months




QN19 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were in a physical fight on school property one or more times during the past 12 months




QN20 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months




QN21 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months




QN23 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who seriously considered attempting suicide during the past 12 months




QN24 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who made a plan about how they would attempt suicide during the past 12 months




QN25 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who actually attempted suicide one or more times during the past 12 months




QN26 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who smoked a whole cigarette for the first time before age 13 years




QN29 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who smoked cigarettes on one or more of the past 30 days




QN30 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who smoked cigarettes on 20 or more of the past 30 days




QNFRICIG - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days




QN31 - Weighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who smoked cigarettes on school property on one or more of the past 30 days




QN33 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months




QN35 - Weighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had at least one drink of alcohol on one or more days during their life




QN39 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had their first drink of alcohol other than a few sips before age 13 years




QN40 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days




QN41 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days




QN42 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days




QN43 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used marijuana one or more times during their life




QN44 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who tried marijuana for the first time before age 13 years




QN45 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used marijuana one or more times during the past 30 days




QN46 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used marijuana on school property one or more times during the past 30 days




QN47 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life




QN48 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days




QN49 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life




QN50 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used heroin one or more times during their life




QN51 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used methamphetamines one or more times during their life




QN52 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who used ecstasy one or more times during their life




QN53 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life




QN54 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months




QN56 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ever had sexual intercourse




QN57 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had sexual intercourse for the first time before age 13 years




QN58 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had sexual intercourse with four or more people during their life




QN59 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*




*QNROVWGT - Weighted Data - Based on reference data from the National Health and Nutrition Examination Survey I.

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*




*QNOVWGT - Weighted Data - Based on reference data from the National Health and Nutrition Examination Survey I.

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who described themselves as slightly or very overweight




QN64 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who were trying to lose weight




QN65 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days




QN66 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days




QN67 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days




QN68 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who drank 100% fruit juices one or more times during the past seven days




QN71 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate fruit one or more times during the past seven days




QN72 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate green salad one or more times during the past seven days




QN73 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate potatoes one or more times during the past seven days




QN74 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate carrots one or more times during the past seven days




QN75 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate other vegetables one or more times during the past seven days




QN76 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days




QNFRVG - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days




QN78 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days




QN79 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days



2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days




QNNOPA - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who watched three or more hours per day of TV on an average school day




QN81 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school




QN82 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who attended physical education (PE) classes daily in an average week when they were in school




QNDLYPE - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component


Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class



2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had ever been taught in school about AIDS or HIV infection




QN85 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who had ever been told by a doctor or nurse that they had asthma




QN86 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)




QN87 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months




QNASATCK - Weighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who received grades of mostly D's and F's in school during the past 12 months




QN88 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students whose physical health was not good on one or more of the past 30 days




QN89 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students whose mental health was not good on one or more of the past 30 days




QN90 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have been harassed or bullied on school property one or more times during the past 12 months




QN91 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have been harassed on school property one or more times during the past 12 months because of their perceived sexual orientation




QN92 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have been harassed on school property one or more times during the past 12 months because of their weight, size, or physical appearance




QN93 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who would most likely talk to a counselor when they feel sad, empty, hopeless, angry, or anxious




QN94 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who never or rarely get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious




QN95 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who got their alcohol by buying it in a store or gas station during the past 30 days




QN96 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have taken over-the-counter drugs one or more times during their life to get high




QN97 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students whose first sexual intercourse partner was three or more years older




QN98 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have had sexual intercourse during the past three months




QN99 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who took laxatives or diet pills (without a doctor's advice), or vomited during the past 30 days to lose weight or to keep from gaining weight




QN100 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who ate at least one meal with their family on five or more of the past seven days




QN101 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students who, during the past 12 months, were injured one or more times while exercising, playing sports, or being physically active and had to be treated by a doctor or a nurse



2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread




QN103 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who have been told by a doctor or nurse that they have diabetes




QN104 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who spend one or more hours after school without an adult present on a school day




QN105 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students whose parents or other adults in the students' family have talked with the students about what they expect the students to do or not to do when it comes to sex



2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students who, about once or more during the past 12 months, have had a conversation with their parents or other adults in the students' family about sexuality or ways to prevent HIV infection, other sexually transmitted diseases (STDs) or pregnancy



2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life




QN108 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students whose parents or other adults in their family always or most of the time know where the students are when the students are away from home



2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs, sports, community center groups, music/art/dance lessons, drama, church, or other supervised activities) on one or more of the past seven days



2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who work at a paying job outside their home one or more hours during an average week during the school year




QN111 - Weighted Data

2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students who spent one or more hours during the past 30 days helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live



2005 CT School Health Survey Results

Youth Behavior Component


Percentage of students who think they definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college



2005 CT School Health Survey Results

Youth Behavior Component

Percentage of students who most of the time live with two parents (natural or adopted)



QN114 - Weighted Data