


2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else




QN9 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol




QN10 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol




QN11 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days



QN12 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days




QN14 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school




QN15 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months




QN16 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were in a physical fight one or more times during the past 12 months




QN17 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse




QN18 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were in a physical fight on school property one or more times during the past 12 months




QN19 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months




QN20 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to




QN21 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months




QN23 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who seriously considered attempting suicide during the past 12 months




QN24 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who made a plan about how they would attempt suicide during the past 12 months




QN25 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who actually attempted suicide one or more times during the past 12 months




QN26 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse




QN27 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who smoked cigarettes on one or more of the past 30 days




QN30 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who smoked cigarettes on 20 or more of the past 30 days




QNFRICIG - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had their first drink of alcohol other than a few sips before age 13 years




QN40 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days




QN41 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days




QN42 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days




QN44 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used marijuana one or more times during their life




QN45 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who tried marijuana for the first time before age 13 years




QN46 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used marijuana one or more times during the past 30 days




QN47 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used marijuana on school property one or more times during the past 30 days




QN48 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life




QN49 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days




QN50 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life




QN51 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used heroin one or more times during their life




QN52 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used methamphetamines one or more times during their life




QN53 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used ecstasy one or more times during their life



QN54 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life




QN55 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life




QN56 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months




QN57 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ever had sexual intercourse




QN58 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had sexual intercourse for the first time before age 13 years




QN59 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had sexual intercourse with four or more people during their life




QN60 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who had sexual intercourse with one or more people during the past three months




QN61 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse



QN62 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse



QN63 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse



QN64 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**




**QNOWT - Weighted Data - Based on reference data from the 2000 CDC Growth Charts.

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**




**QNOBESE - Weighted Data - Based on reference data from the 2000 CDC Growth Charts.

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who described themselves as slightly or very overweight




QN65 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were trying to lose weight




QN66 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days




QN67 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days




QN68 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days




QN69 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who drank 100% fruit juices one or more times during the past seven days




QN72 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate fruit one or more times during the past seven days




QN73 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate green salad one or more times during the past seven days




QN74 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate potatoes one or more times during the past seven days




QN75 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate carrots one or more times during the past seven days




QN76 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate other vegetables one or more times during the past seven days




QN77 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate fruits and vegetables five or more times per day during the past seven days




QNFRVG - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate fruits two or more times per day during the past seven days




QNFRUIT - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate vegetables three or more times per day during the past seven days




QNVEG - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days




QN80 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who watched three or more hours per day of TV on an average school day




QN81 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day




QN82 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who would describe their grades in school as mostly D's or F's during the past 12 months




QN88 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who describe their health in general as fair or poor




QN89 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have been absent from school three or more days during the past six months




QN90 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students whose property such as their car, clothing, or books had been stolen or damaged on school property one or more times during the past 12 months




QN91 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students whose boyfriend or girlfriend ever verbally or emotionally abused them (for example, called them names, made fun of them in front of others, made fun of their body or looks, or told them that they are no good or worthless) during the past 12 months




QN92 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have been harassed or bullied on school property one or more times during the past 12 months




QN93 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have been harassed on school property because of their perceived sexual orientation one or more times during the past 12 months




QN94 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have been harassed on school property because of their weight, size, or physical appearance one or more times during the past 12 months




QN95 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who would most likely talk with a teacher or other adult in this school about it when they feel sad, empty, hopeless, angry, or anxious




QN96 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who never or rarely get the help they need when they feel sad, empty, hopeless, angry, or anxious



QN97 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have taken over-the-counter drugs to get high one or more times during their life




QN98 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times, to get high during their life




QN99 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students whose partner was three or more years older the first time they had sexual intercourse




QN100 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have had sexual contact with females and males during their life




QN101 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who took laxatives or diet pills or powders (without a doctor's advice), or vomited to lose weight or to keep from gaining weight during the past 30 days




QN102 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who ate at least one meal with their family on three or more of the past seven days




QN103 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who most of the time or always went hungry because there was not enough food in their home during the past 30 days




QN104 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have ever been taught about how Hepatitis A, B, and C viruses are spread




QN105 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have ever been tested for HIV, the virus that causes AIDS




QN106 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)




QN107 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months




QN108 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who usually spend three or more hours after school without an adult present on a school day




QN109 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students whose parents or other adults in their family ever talked with them about what they expect them to do or not to do when it comes to sex




QN110 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who talked with their parents or other adults in their family about sexuality or ways to prevent HIV infection, other sexually transmitted diseases (STDs), or pregnancy about once during the past 12 months




QN111 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who have been taught about sexuality in school during the past 12 months




QN112 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life




QN113 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students whose parents or other adults in their family never or rarely know where they are when they are away from home




QN114 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who agree or strongly agree that their family loves them and gives them help and support when they need it




QN115 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities) on one or more of the past seven days




QN116 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who work at a paying job outside their home five or more hours during an average week when they are in school




QN117 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who spent one or more hours helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live during the past 30 days



QN118 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who get eight or more hours of sleep on an average school night




QN119 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who gambled for money or possessions one or more times during the past 12 months




QN120 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who think they probably or definitely will not complete a post high school program such as a vocational training program, military service, community college, or four-year college




QN121 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who live with at least one parent most of the time




QN122 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Connecticut High School Survey

Percentage of students who usually sleep at night in a house or an apartment with their parents or guardians



QN123 - Weighted Data
*Non-Hispanic.